

2 February 2016
EMA/HMPC/572975/2014
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Ricinus communis* L., oleum

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ammon HV, Thomas PJ, Philips SF. Effects of oleic and ricinoleic acids on net jejunal water and electrolyte movement. *J Clin Invest* 1974, 53:374-379

Apisarnthanarak P, Rotjanaaree B, Komoltri C, Charoensak A, Apisarnthanarak A, Hargrove NS. Prospective, randomized comparison of castor oil and sodium phosphate preparation for barium enema. *J Med Assoc Thai* 2009, 92(2):243-249

Atchison WD, Stewart JJ, Bass P. A Unique Distribution of Laxative-Induced Spike Potentials from the Small Intestine of the Dog. *Am J Dig Dis* 1978, 23:513-520

Beubler E, Juan H. Effect of ricinoleic acid and other laxatives on net water flux and prostaglandin E release by the rat colon. *J Pharm Pharmacol* 1979, 31:681-685

Boneke H. Acute und chronische funktionelle Obstipation. Niedrig dosiertes Rizinusöl als Laxans. *Therapiewoche* 1995, 30:1784-1790

Bretagne J, Vidon N, L'Hirondel C, Bernier JJ. Increased cell loss in the human jejunum induced by laxatives (ricinoleic acid, dioctyl sodium sulphosuccinate, magnesium sulphate, bile salts). *Gut* 1981, 22:264-269

British Pharmaceutical Codex. The Pharmaceutical Press, 1979

Bruneton J. Pharmacognosie, Phytochimie, Plantes medicinales. 3^e ed. Editions medicales internationales, 2005

Brunton LL. Agents Affecting Gastrointestinal Water Flux and Motility, Digestants, and Bile Acids. In Gilman AG, editor. Goodman and Gilman's The Pharmacological Basis of Therapeutics. 8th ed. Pergamon Press, New York 1990, 994–995

Buechi S. Portrait: Rizinusöl. *Z Phytother* 2000, 21:312-318

- Burdock GA, Carabin IG, Griffith JC. Toxicology and pharmacology of sodium ricinoleate. *Food Chem Toxicol* 2006, 44:1689–1698
- Capasso F, Mascolo N, Izzo AA, Gagarella TS. Dissociation of castor oil-induced diarrhoea and intestinal mucosal injury in rat: effect of NG-nitro-L-arginine methyl ester. *Br J Pharmacol* 1994, 113:1127-1130
- Capasso F, Mascolo N, Autore G, Duraccio MR. Influence of ricinoleic acid on the contractions elicited by PGE2 on the guinea-pig ileum. *J Pharm Pharmacol* 1984, 36:64-65
- Chen CC, Wai-wah NG, Chang F, Lee SD. Magnesium citrate-bisacodyl regimen proves better than castor oil for colonoscopy preparation. *J Gastroenterol Hepatol* 1999, 14:1219–1222
- Cline WS, Lorenzsonn V, Benz L, Bass P, Olsen WA. The Effects of Sodium Ricinoleate on Small Intestinal Function and Structure. *J Clin Invest* 1976, 58:380-390
- Conceicao MM, Candeia RA, Silva FC, Bezerra AF, Fernandes VJ, Souza AG. Thermoanalytical characterization of castor oil biodiesel. *Renew Sustainable Energy Rev* 2007, 11:964-975
- Cosmetic Ingredient Review Expert Panel: Final Report on the Safety Assessment of Ricinus Communis (Castor) Seed Oil, Hydrogenated Castor Oil, Glyceryl Ricinoleate, Glyceryl Ricinoleate SE, Ricinoleic Acid, Potassium Ricinoleate, Sodium Ricinoleate, Zinc Ricinoleate, Cetyl Ricinoleate, Ethyl Ricinoleate, Glycol Ricinoleate, Isopropyl Ricinoleate, Methyl Ricinoleate, and Octyldodecyl Ricinoleate. *Int J Toxicol* 2007, 26(Suppl. 3):31–77
- Dadkhah F, Safarinejad MR, Amini E, Soleimani M, Lashay AR. Is bowel preparation necessary before kidney-ureter-bladder radiography and intravenous urography? *Urol J* 2012, 9:600-605
- Davis L. The use of castor oil to stimulate labor in patients with premature rupture of membranes. *J Nurse Midwifery* 1984, 29(6):366-370
- Dobrescu D. Farmacoterapie Practica. Vol 2. Medicala Bucuresti 1989
- Ersparmer V. Farmacologia medica. Società editrice Universo. Roma 1982
- European Pharmacopoeia 8th ed. Castor oil, hydrogenated – Ricini oleum hydrogenatum. Council of Europe. 1/2008:1497
- European Pharmacopoeia 8th ed. Castor oil, refined – Ricini oleum raffinatum. Council of Europe. 01/2013:2367
- European Pharmacopoeia 8th ed. Castor oil, virgin – Ricini oleum virginale. Council of Europe. 1/2013:0051
- Ezeonwumelu JO, Omolo RG, Ajayi AM, Agwu E, Tanayen JK, Adiukwu CP, et al. Studies of phytochemical screening, acute toxicity and anti-diarrhoeal effect of aqueous extract of Kenyan *Tithonia diversifolia* Leaves in rats. *Br J Pharmacol* 2012, 3:127–134
- Farmacopeea Romana Xth ed. Editura Medicala, Bucuresti 1998, VIII:827
- Farmakopea Polska IVth ed. Olej rycynowy, Warszawa Państwowy Zakład Wydawnictw. Lekarskich 1970, 363
- Foglia TA, Jones KC, Sonnet P. Selectivity of lipases: isolation of fatty acids from castor, coriander, and meadowfoam oils. *Eur J Lip Sci Technol* 2000, 102:612
- Gadacz TR, Gagarella TS, Phillips SF. Inhibition of water absorption by ricinoleic acid. Evidence against hormonal mediation of the effect. *Am J Dig Dis* 1976, 21:859-862

Gaginella TS, Chadwick VS, Debonnie JC, Lewis JC, Phillips SF. Perfusion of rabbit colon with ricinoleic acid: dose-related mucosal injury, fluid secretion, and increased permeability. *Gastroenterology* 1977a, 73:95-101

Gaginella TS, Haddad AC, Go VL, Phillips SF. Cytotoxicity of ricinoleic acid (castor oil) and other intestinal secretagogues on isolated intestinal epithelial cells. *J Pharmacol Exp Ther* 1977b, 201:259-266

Gaginella TS, Lewis JC, Phillips SF. Rabbit Ileal Mucosa Exposed to Fatty Acids, Bile Acids, and Other Secretagogues. Scanning Electron Microscopic Appearances. *Dig Dis* 1977c, 22(9):781-790

Gaginella TS, Phillips SF. Ricinoleic acid (castor oil) alters intestinal surface structure. A scanning electron microscopic study. *Mayo Clin Proc* 1976, 51:6-12

Gao J, Sun N, Wang F, Hao N. [Effect of castor oil-diet on the initiation of labor of pregnant rat]. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao* 1998, 20:367-370 [Chinese]

Gao J, Sun N, Wang F. Effects of castor oil-diet on the synthesis of prostaglandin E2 in pregnant rats. *Zhonghua Fu Chan Ke Za Zhi* 1999, 34:147-149 [Chinese]

Garry D, Figueroa R, Guillaume J, Cucco V. Use of castor oil in pregnancies at term. *Altern Ther Health Med* 2000, 6:77-79

Gould SR, Williams CB. Castor oil or senna preparation before colonoscopy for inactive chronic ulcerative colitis. *Gastrointest Endosc* 1982, 28:6-8

Gruenwald J, Brendler T, Jaenike C, editors. PDR for Herbal Medicines. 2nd ed. Montvale 2004

Gupta SS, Hilditch TP, Riley JP. The Fatty Acids and Glycerides of Castor Oil. *J Sci Food Agric* 1951, 2:245-251

Hagenfeldt L, Blomquist L, Midtvedt T. Epoxydicarboxylic aciduria resulting from the ingestion of castor oil. *Clin Chim Acta* 1986, 161(2):157-163

Holmes OM. Induction of labor: using quinin, castor oil, rupture of membranes and nasal pituitrin. *Cal West Med* 1934, 41:241-243

Hsieh JF, Que J, Tsai SC, Cheng KY, Lin WY, Wang SJ. Does bowel preparation improve the quality of abdominal gallium scintigraphy? *Nucl Med Commun* 2000, 21:1033-1036

Irwin R. NTP technical report on the toxicity studies of castor oil (CAS No. 8001-79-4) in F344/N rats and B6C3F1 mice (dosed feed studies). *Toxic Rep Ser* 1992, 12:1-B5

Izzo AA, Mascolo N, Viola P, Capasso F. Inhibitors of nitric oxide synthase enhance rat ileum contractions induced by ricinoleic acid in vitro. *Eur J Pharmacol* 1993, 243:87-90

JECFA monograph 469: Castor oil (WHO Food Additives Series 14). 1979 Available at: <http://www.inchem.org> Accessed 06/2014

Katsung BG, Masters SB, Trevor AJ. Drugs used in the treatment of gastrointestinal diseases, Chapter 63. In Basic and clinical pharmacology. 8th ed. McGraw-Hill/Lange 2001, 1064-1076

Kelly AJ, Kavanagh J, Thomas J. Castor oil, bath and/or enema for cervical priming and induction of labour. *Cochrane Database Syst Rev* 2013, 7: CD003099

Kolts BE, Lyles WE, Achem SR, Burton L, Geller AJ, MacMath T. A comparison of the effectiveness and patient tolerance of oral sodium phosphate, castor oil, and standard electrolyte lavage for colonoscopy or sigmoidoscopy preparation. *Am J Gastroenterol* 1993, 88:1218-1223

- Martindale W. The Extra Pharmacopoeia. 28th ed. The Pharmaceutical Press, London 1982
- Mascolo N, Izzo AA, Autore G, Barbato F, Capasso F. Nitric oxide and castor oil-induced diarrhoea. *J Pharmacol Exp Ther* 1994, 268:291-295
- Mathias JR, Martin JL, Burns TW, Carlson GM, Shields RP. Ricinoleic acid effect on the electrical activity of the small intestine in rabbits. *J Clin Invest* 1978, 61:640-644
- McKenna RD. Drugs for functional constipation. *Can Med Assoc J* 1964, 91:861-862
- Morehouse JL, Specian RD, Stewart JJ, Berg RD. Translocation of indigenous bacteria from the gastrointestinal tract of mice after oral ricinoleic acid treatment. *Gastroenterology* 1986, 91:673-682
- Mundinger A, Dengel H, Leibersperger H. A comparative study of methods of preparing the colon for a double-contrast study: Prepacol versus ricinus capsules with a cleansing enema. *Radiol* 1990, 30:34-38
- Novetsky GJ, Turner DA, Ali A, Raynor WJ Jr, Fordham EW. Cleansing the colon in gallium-67 scintigraphy: a prospective comparison of regimens. *AJR Am J Roentgenol* 1981, 137:979-981
- Ogunniyi DS. Castor Oil: A vital industrial raw material. *Bioresour Technol* 2006, 97:1086-1091
- Ożarowski A, Lancucki J, Gasirowska K. *Lekiroslinne informator. Zjednoczenie Przemysłu Zielarskiego* 1978, 259-260
- Pawlik A, Wojcicki J, Samochowiec L. Chronische Obstipation: Rizinusol vs Sennes-Extrakt. Schweiz. Zschr. *Ganzheits Medizin* 2000, 12:177-178
- Planchon L, Bretin P, Manceau P. Précis de Matière Médicale. Vol 1. 5 ed. Librairie Maloine 1946
- Present AJ, Jansson B, Burhenne HJ, Dodd GD, Goldberg HI, Goldstein HM, *et al.* Evaluation of 12 colon-cleansing regimens with single-contrast barium enema. *Am J Roentgenol* 1982, 139:855-860
- Puthli MS, Rathod VK, Pandit AB. Enzymatic Hidrolysis of Castor Oil: Process Intensification Studies. *Biochem Eng J* 2006, 31:31-41
- Racusen LC, Binder HJ. Ricinoleic Acid Stimulation of Active Anion Secretion in Colonic Mucosa of the Rat. *J Clin Invest* 1979, 63:743-749
- Reynolds EF. Martindale The Extra Pharmacopoeia. 28th ed. The Pharmaceutical Press, London 1982
- Sani KG, Jafari MR, Shams S. A Comparison of the Efficacy, Adverse Effects, and Patient Compliance of the Sena-Graph Syrup and Castor Oil Regimens for Bowel Preparation. *Iran J Pharm Res* 2010, 9:193-198
- Slanger A. Comparative study of a standardized senna liquid and castor oil in preparing patients for radiographic examination of the colon. *Dis Colon Rectum* 1979, 22:356-359
- Squire P. A companion to the British Pharmacopoeia. 3rd ed. Taylor and Co., London 1866
- Sogni P, Chaussade S, Akue-Gohe K, Nepveux P, Homerin M, Couturier D, *et al.* Comparative effects of ricinoleic acid and senna on orocecal and oroanal transit time in healthy subjects. Application of the salacylazosulfapyridine method. *Gastroenterol Clin Biol* 1992, 16:21-24
- Sollmann T. A manual of Pharmacology and its applications to therapeutics and toxicology. 8th ed. W.B Saunders Co., Philadelphia 1957, 212-213
- Steingrub JS, Lopez T, Teres D, Steingart R. Amniotic fluid embolism associated with castor oil ingestion. *Crit Care Med* 1988, 16:642-643

- Stewart JJ, Bass P. Effects of ricinoleic and oleic acids on the digestive contractile activity of the canine small and large bowel. *Gastroenterology* 1976, 70:371-376
- Stewart JJ, Gaginella TS, Bass P. Actions of ricinoleic acid and structurally related fatty acids of the gastrointestinal tract. I. Effects on smooth muscle contractility in vitro. *J Pharmacol Exp Ther* 1975, 195:347-354
- Strates BS, Hofmann LM. A randomized study of two preparations for large bowel radiology. *Pharmatherapeutica* 1987, 5:57-61
- Stübiger G, Pittenauer E, Allmaier G. Characterisation of castor oil by on-line and off-line non-aqueous reverse-phase high-performance liquid chromatography-mass spectrometry (APCI and UV/MALDI). *Phytochem Anal* 2003, 14:337-346
- Tavares IA, Mascolo N, Izzo AA, Capasso F. Effects of anthraquinone derivatives on PAF release by human gastrointestinal mucosa in vitro. *Phytother Res* 1996, 10(Suppl.1):20-21
- Tschirch A. Handbuch der pharmakognosie. Verlag von Chr. Herm. Tauchnitz Leipzig 1923
- Tunaru S, Althoff TF, Nüsing RM, Diener M, Offermanns S. Castor oil induces laxation and uterus contraction via ricinoleic acid activating prostaglandin EP3 receptors. *PNAS* 2012, 109:9179-9184
- Watson WC, Gordon RS Jr. Studies on the digestion, absorption and metabolism of castor oil. *Biochem Pharmacol* 1962, 11:229-236
- Watson WC, Gordon RS, Jr, Karmen A, Jover A. The absorption and excretion of castor oil in man. *J Pharm Pharmacol* 1963, 15:183-188
- WHO monographs on selected medicinal plants. Vol. 4. Oleum Ricini. World Health Organization Geneva 2009, 271-283
- Williamson EM. Potter's Herbal Cyclopaedia. Saffron Walden, Essex 2003,
- Worbs S, Köhler K, Pauly D, Avondet M, Schaer M, Dorner MB, *et al.* Ricinus communis Intoxications in Human and Veterinary Medicine-A Summary of Real Cases. *Toxins* 2011, 3:1332-1372
- Yang HC, Sheu MH, Wang JH, Chang CY. Bowel preparation of outpatients for intravenous urography: efficacy of castor oil versus bisacodyl. *Kaohsiung J Med Sci* 2005, 21:153-158
- Yang HZ, Woo MH. [The effect of various cleansing methods for total fiber optic colonoscopy]. *Taehan Kanho* 1990, 29:25-35 [Korean]