

26 June 2018
EMA/HMPC/228760/2016
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Senna alexandrina* Mill. (*Cassia senna* L.; *Cassia angustifolia* Vahl)¹, folium and fructus

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Ács N, Bánhid F, Puhó EH, Czeizel AE. Senna treatment in pregnant women and congenital abnormalities in their offspring--a population-based case-control study. *Reprod Toxicol* 2009, 28(1):100-104

Agra Y, Sacristán A, González M, Ferrari M, Portugués A, Calvo MJ. Efficacy of Senna versus Lactulose in Terminal Cancer Patients Treated with Opioids. *J Pain Symptom Manage* 1998, 15(1):1-7

Ahmedzai SH, Boland J. Constipation in people prescribed opioids. *BMJ Clin Evid* 2010. pii: 2407

Altinbaş A, Yılmaz B, Aktaş B, Ekiz F, Şimşek Z, Başar Ö, et al. What is the main target: a clearer colon with a sennoside-based regime, or adequate bowel cleansing before colonoscopy with a PEG-EL-based regime? *Turk J Med Sci* 2015, 45(2):404-408

Al-Yahya MA, Al-Farhan AH, Adam SE. Toxicological interactions of *Cassia senna* and *Nerium oleander* in the diet of rats. *Am J Chin Med* 2002, 30(4):579-587

Amato A, Radaelli F, Paggi S, Terruzzi V. Half doses of PEG-ES and senna vs. high-dose senna for bowel cleansing before colonoscopy: a randomized, investigator-blinded trial. *Am J Gastroenterol* 2010, 105(3):675-681

Arezzo A. Prospective randomized trial comparing bowel cleaning preparations for colonoscopy. *Surg Laparoscopy, Endoscopy & Percutan Techn* 2000, 10(4):215-217

Armstrong RD, Crisp AJ, Grahame R, Woolf DL. Hypertrophic osteoarthropathy and purgative abuse. *BMJ* 1981, 282:1836

¹ The botanical name of the herbal substance has been changed, see assessment report (EMA/HMPC/228759/2016) for further details.



Aronchick CA, Lipshutz WH, Wright SH, Dufrayne F, Bergman G. A novel tableted purgative for colonoscopic preparation: efficacy and safety comparisons with Colyte and Fleet Phospho-Soda. *Gastrointest Endosc* 2000, 52(3):346-352

Aviello G, Rowland I, Gill CI, Acquaviva AM, Capasso F, McCann M, et al. Anti-proliferative effect of rhein, an anthraquinone isolated from *Cassia* species, on Caco-2 human adenocarcinoma cells. *J Cell Mol Med* 2010, 14(7):2006-2014

Bader S, Weber M, Becker G. Ist die pharmakologische Therapie der Obstipation in der Palliativmedizin evidenzbasiert? [Is the pharmacological treatment of constipation in palliative care evidence based? : a systematic literature review]. *Schmerz* 2012, 26(5):568-586

Bauer H. Behandlung der Obstipation mit Laxariston in der gynäkologischen Praxis. [Treatment of obstipation in gynecological practice with Laxariston]. *Therapie Gegenwart* 1977, 116(12):2305-2312

Benichou C, Danan G, Flahault A. Causality assessment of adverse reactions to drugs – II. An original model for validation of drug causality assessment methods: case reports with positive rechallenge. *J Clin Epidemiol* 1993, 46(11):1331-1336

Berkelhammer C, Ekambaram A, Silva RG. Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate. *Gastrointest Endosc* 2002, 56(1):89-94

Beuers U, Spengler U, Pape GR. Hepatitis after chronic abuse of senna. *Lancet (England)* 1991, 337:372-373

Beyer J, Peters FT, Maurer HH. Screening procedure for detection of stimulant laxatives and/or their metabolites in human urine using gas chromatography-mass spectrometry after enzymatic cleavage of conjugates and extractive methylation. *Ther Drug Monit* 2005, 27(2):151-157

Blair GK, Murphy JJ, Fraser GC. Internal sphincterotomy in post-pull-through Hirschsprung's disease. *J Pediatr Surg* 1996, 31(6):843-845

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. HagerROM 2003: Hagers Handbuch der Drogen und Arzneistoffe. Version 3.0. *Sennae folium (Sennesblätter) von Cassia angustifolia*. Springer Medizin Verlag, Heidelberg 2003

Bliesner JA, Mayer R. Erfahrungen mit X-Prep® bei Kindern. *Klinikarzt* 1978, 7:828-834

Bokemeyer B. Koloskopievorbereitung in der ambulanten Gastroenterologie. [Colonoscopy preparation in outpatient gastroenterology.] *Verdauungskrankheiten* 2000, 18(1):17-24

Borowitz SM, Cox DJ, Kovatchev B, Ritterband LM, Sheen J, Sutphen J. Treatment of childhood constipation by primary care physicians: efficacy and predictors of outcome. *Pediatrics* 2005, 115(4):873-877

Borrelli F, Capasso R, Aviello G, Di Carlo G, Izzo AA, Mascolo N, et al. Senna and the formation of aberrant crypt foci and tumors in rats treated with azoxymethane. *Phytomedicine* 2005 , 12(6-7):501-505; discussion 505

Breimer DD, Baars AJ. Pharmacokinetics and metabolism of anthraquinone laxatives. *Pharmacology* 1976, 14(Suppl. 1):30-47

Bronder E, Klimpel A, Helmert U, Greiser E, Molzahn M, Pommer W. [Analgesics and laxatives as risk factors for cancer in the efferent urinary tract--results of the Berlin Urothelial Carcinoma Study]. *Soz Praventivmed* 1999, 44(3):117-125

Brunton LL. Agents affecting gastrointestinal water flux and motility; emesis and antiemetics; bile acids and pancreatic enzymes. Chapter 38. In: Hardman JG, Limbird LE, editors. Goodman & Gilman's The Pharmacological Basis of Therapeutics. 9th ed. McGraw-Hill, New York 1996, 917-936

Brusick D, Mengs U. Assessment of the Genotoxic Risk from Laxative Senna Products. *Environ Mol Mutagen* 1997, 29:1-9

Buhmann S, Kirchhoff C, Wielage C, Fischer T, Mussack T, Reiser M, et al. Funktionelle Cine-MRT des Kolon: Darstellung und Quantifizierung der Darmmotilität. *RoFo Fortschr Gebiet Röntgenstr Bildgeb Verf* 2005a, 177(1):35-40

Buhmann S, Kirchhoff C, Wielage C, Mussack T, Reiser MF, Lienemann A. Assessment of large bowel motility by cine magnetic resonance imaging using two different prokinetic agents: a feasibility study. *Invest Radiol* 2005b, 40(11):689-694

Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM). Bekanntmachung über die Zulassung und Registrierung von Arzneimitteln – Abwehr von Arzneimittelrisiken, Stufe II – Humanarzneimitteln zur innerlichen Anwendung, ausgenommen nach HAB 1 hergestellte homöopathische Arzneimittel, welche Drogen, Drogenzubereitungen oder isolierte Inhaltsstoffe der Anthranoid-(Hydroxyanthracenderivat-)haltigen Pflanzengattungen Andira, Cassia, Rhamnus, Rheum oder Aloe enthalten (pharmacovigilance actions for anthranoide-containing laxatives) vom 21. Juni 1996, Bundesanzeiger vom 05.07.1996 Nr. 123, Seite 7581

Candy B, Jones L, Larkin PJ, Vickerstaff V, Tookman A, Stone P. Laxatives for the management of constipation in people receiving palliative care. *Cochrane Database Syst Rev* 2015, 5:CD003448

Capasso F, Mascolo N, Autore G, Duraccio MR. Effect of indomethacin on aloin and 1,8-dioxi-anthraquinone-induced production of prostaglandins in rat isolated colon. *Prostaglandins* 1983, 26(4):557-562

Chilton AP, O'Sullivan M, Cox MA, Loft DE, Nwokolo CU. A blinded, randomised comparison of a novel, low-dose, triple regimen with fleet phospho-soda: A study of colon cleanliness, speed and success of colonoscopy. *Endoscopy* 2000, 32(1):37-41

Culbreth DMR, editor. A Manual of Materia Medica and Pharmacology. 7th edition. Lea and Febiger, Philadelphia 1927, 46-48

Dahms M, Lotz R, Lang W, Renner U, Bayer E, Spahn-Langguth H. Elucidation of phase I and phase II metabolic pathways of rhein: species differences and their potential relevance. *Drug Metab Dispos* 1997, 25(4):442-452

Dahshan A, Lin CH, Peters J, Thomas R, Tolia V. A randomized, prospective study to evaluate the efficacy and acceptance of three bowel preparations for colonoscopy in children. *Amer J Gastroenterol* 1999, 94(12):3497-3501

Danan G, Benichou C. Causality assessment of adverse reactions to drugs – I. A novel method based on the conclusions of international consensus meetings: application to drug-induced liver injuries. *J Clin Epidemiol* 1993, 46(11):1323-1330

De Witte P, Lemli J. Metabolism of 14C-rhein and 14C-rhein anthrone in rats. *Pharmacology* 1988, 36(Suppl. 1):152-157

De Witte P. Metabolism and pharmacokinetics of anthranoids. *Pharmacology* 1993, 47(Suppl. 1):86-97

Doi AM, Irwin RD, Bucher JR. Influence of functional group substitutions on the carcinogenicity of anthraquinone in rats and mice: analysis of long-term bioassays by the National Cancer Institute and the National Toxicology Program. *J Toxicol Environ Health B Crit Rev* 2005, 8(2):109-126

Dufour P, Gendre P. Ultrastructure of mouse intestinal mucosa and changes observed after long term anthraquinone administration. *Gut* 1984, 25:1358-1363

Dukas L, Willett WC, Colditz GA, Fuchs CS, Rosner B, Giovannucci EL. Prospective study of bowel movement, laxative use, and risk of colorectal cancer among women. *Am J Epidemiol* 2000, 151(10):958-964

EFSA. Safety of hydroxyanthracene derivatives for use in food. *EFSA Journal* 2018, 16:5090

Ellingwood F, editor. American Materia Medica, Therapeutics and Pharmacognosy. 1919, 100-102

Emeriau JP, Manciet G, Borde C, Raynal F, Galley P. [Measurement of the intestinal clearance of alpha 1-antitrypsin and the exchangeable potassium pool in elderly patients treated with anthraquinone glycosides]. *Gastroenterol Clin Biol* 1983, 7(10):799-801 [French]

Ergül B, Filik L, Koçak E, Dogan Z, Sarıkaya M. Efficacy and safety of gum chewing in adjunct to high-dose senna for bowel cleansing before colonoscopy: a single-blind randomized controlled trial. *Saudi J Gastroenterol* 2014, 20(6):356-359

ESCOP Monographs 2nd ed. Sennae Folium – Senna Leaf. European Scientific Cooperative on Phytotherapy, editor. Thieme Verlag, Stuttgart, New York 2003, 456-462

ESCOP Monographs 2nd ed. Sennae Fructus Acutifoliae – Alexandrian Senna Pods. European Scientific Cooperative on Phytotherapy, editor. Thieme Verlag, Stuttgart, New York 2003, 463-469

ESCOP Monographs 2nd ed. Sennae Fructus Angustifoliae – Tinnevelly Senna Pods. European Scientific Cooperative on Phytotherapy, editor. Thieme Verlag, Stuttgart, New York 2003, 470-476

Ewe K, Ueberschaer B, Press AG. Influence of senna, fibre, and fibre + senna on colonic transit in loperamide-induced constipation. *Pharmacology* 1993, 47(Suppl. 1):242-248

Ewe K, Obstipation, Laxanzien. *Dtsch Apoth Ztg* 1994, 134:825-833 [German]

Ewing CA, Kalan M, Chucker F, Ozdemirli M. Melanosis Coli Involving Pericolonic Lymph nodes Associated with the Herbal Laxative Swiss Kriss: A Rare and Incidental Finding in a Patient with Colonic Adenocarcinoma. *Arch Pathol Lab Med* 2004, 128(5):565-567

Faber P, Strenge-Hesse A. Relevance of rhein excretion into breast milk. *Pharmacology* 1988, 36(Suppl. 1):212-220

Farah MH, Edwards R, Lindquist M, Leon C, Shaw D. International Monitoring of Adverse Health Effects Associated with herbal Medicines. *Pharmacoepidemiol Drug Saf* 2000, 9:105-112

Fernand VE, Losso JN, Truax RE, Villar EE, Bwambok DK, Fakayode SO, et al. Rhein inhibits angiogenesis and the viability of hormone-dependent and -independent cancer cells under normoxic or hypoxic conditions in vitro. *Chem Biol Interact* 2011, 192(3):220-232

Fioramonti J, Staumont G, Garcia-Villar R, Buéno L. Effects of sennosides on colon motility in dogs. *Pharmacology* 1988, 36(Suppl. 1):23-30

Fioramonti J, Dupuy C, Buéno L. *In vivo* motility of rat colon chronically pretreated with sennosides. *Pharmacology* 1993, 47(Suppl. 1):155-161

Francis CY, Morris J, Whorwell PJ. The irritable bowel severity scoring system: a simple method of monitoring irritable bowel syndrome and its progress. *Aliment Pharmacol Ther* 1997, 11:395-402

Franz, G. The senna drug and its chemistry. *Pharmacology* 1993, 47(Suppl. 1):2-6

Frerichs G, Arends G, Zörnig H, editors. *Hagers Handbuch der Pharmazeutischen Praxis*. Vol 2. Verlag von Julius Springer, Berlin 1927, 691-700

Frexinos J, Staumont G, Fioramonti J, Bueno L. Effects of sennosides on colonic myoelectrical activity in man. *Dig Dis Sci* 1989, 34(2):214-219

Frigerio G, Imperiali G, Lenoci N, Spinzi ASGC, Strocchi E et al. High doses of Senna for colon cleansing. *Giorn Ital Endoscop Digest* 1996, 19(3):181-184

Froehlich F, Wietlisbach V, Gonvers JJ, Burnand B, Vader JP. Impact of colonic cleansing on quality and diagnostic yield of colonoscopy: the European Panel of Appropriateness of Gastrointestinal Endoscopy European multicenter study. *Gastrointest Endosc* 2005, 61:378-384

Gabler F. Obstipation und Laxanzien. *PTA heute* 1994, 8(5):380-388 [German]

Garcia-Villar R. Evaluation of the Effects of Sennosides on Uterine Motility in the Pregnant Ewe. *Pharmacology* 1988, 36(Suppl. 1):203-211

Geboes K, Nijs G, Mengs U, Geboes KPJ, Van Damme A, de Witte P. Effects of 'contact laxatives' on intestinal and colonic epithelial cell proliferation. *Pharmacology* 1993, 47(Suppl. 1):187-195

Gordon M, Naidoo K, Akobeng AK, Thomas AG. Cochrane Review: Osmotic and stimulant laxatives for the management of childhood constipation (Review). *Evid Based Child Health* 2013, 8(1):57-109

Grimminger W, Leng-Peschlow E. Instability of rhein-9-anthrone as a problem in pharmacological and analytical use. *Pharmacology* 1988, 36(Suppl 1):129-137

Haapamäki MM, Lindström M, Sandzén B. Low-volume bowel preparation is inferior to standard 4 1 polyethylene glycol. *Surg Endosc* 2011, 25(3):897-901

Hall M, Eusebi V. Yellow-brown spindle bodies in mesenteric lymph nodes: a possible relationship with melanosis coli. *Histopathology* 1978, 2:47-52

Hallmann F. Toxicity of commonly used laxatives. *Med Sci Monit* 2000, 6(3):618-628

Hangartner PJ, Münch R, Meier J, Ammann R, Bühler H. Comparison of three colon cleansing methods: evaluation of a randomized clinical trial with 300 ambulatory patients. *Endoscopy* 1989, 21(6):272-275

Hardcastle JD, Wilkins JL. The action of sennosides and related compounds on human colon and rectum. *Gut* 1970, 11:1038-1042

Hattori M, Namba T, Akao T, Kobashi K. Metabolism of sennosides by human intestinal bacteria. *Pharmacology* 1988, 36(Suppl. 1):172-179

Hattori M, Akao T, Kobashi K, Namba T. Cleavages of the O- and C-glucosyl bonds of anthrone and 10,10'-bianthrone derivatives by human intestinal bacteria. *Pharmacology* 1993, 47(Suppl. 1):125-133

Haverkamp W, Haverkamp F, Breithardt G. Medikamentenbedingte QT-Verlängerung und Torsade de pointes. [Drug-induced QT Prolongation and Torsade de Pointes.] *Deutsches Ärzteblatt* 2002, 99(28-29):A 1972-1979

Heidemann A, Miltenburger HG, Mengs U. The Genotoxicity Status of Senna. *Pharmacology* 1993, 47 (Suppl. 1):178-186

Hietala P, Marvola M, Parviainen T, Lainonen H. Laxative potency and acute toxicity of some anthraquinone derivatives, senna extracts and fractions of senna extracts. *Pharmacol Toxicol* 1987, 61(2):153-156

Hietala P, Lainonen H, Marvola M. New Aspects on the Metabolites of Sennosides. *Pharmacology* 1988, 36(Suppl. 1):138-143

Hitzenberger G, Beubler E, Fleischhacker W, Fried M, Haberfeld H et al. Konsensuspapier Expertenforum: Obstipation und Laxanzien (Constipation and Laxatives). *Praxis* 1999, 88:1269-1274 [German]

Hoening J, Geck P, Rauwald HW. Inhibition of Cl⁻ channels as a possible base of laxative action of certain anthraquinones and anthrones. *Planta Med* 1992, 58(7):A586-A587

Hookey LC, Depew WT, Vanner SJ. Combined low volume polyethylene glycol solution plus stimulant laxatives versus standard volume polyethylene glycol solution: a prospective, randomized study of colon cleansing before colonoscopy. *Can J Gastroenterol* 2006, 20(2):101-105

Hookey LC, Vanner S. A review of current issues underlying colon cleansing before colonoscopy. *Can J Gastroenterol* 2007, 21(2):105-111

Hoppe HA, editor. Drogenkunde. 6th ed. Cram, de Gruyter & Co, Hamburg 1949, 80-81

Hübner WD, Moser EH. Charcoal tablets in the treatment of patients with irritable bowel syndrome. *Adv Ther* 2002, 19(5):245-252

Iida Y, Miura S, Asada Y, Fukuoka K, Toya D, Tanaka N et al. Bowel preparation for the total colonoscopy by 2,000 ml of balanced lavage solution (Golytely) and sennoside. *Gastroenterol Jpn* 1992, 27(6):728-733

Ishii Y, Tanizawa H, Takino Y. Studies of aloe. III. Mechanism of cathartic effect. (2). *Chem & Pharm Bull* 1990, 38(1):197-200

Ishii Y, Tanizawa H, Takino YI. Studies of aloe. IV. Mechanism of cathartic effect. (3). *Biol & Pharm Bull* 1994, 17(4):495-497

Jacobs EJ, White E. Constipation, laxative use, and colon cancer among middle-aged adults. *Epidemiology* 1998, 9:385-391

Kashyap PK, Peled R. Polyethylene glycol plus an oral sulfate solution as a bowel cleansing regimen for colon capsule endoscopy: a prospective, single-arm study in healthy volunteers. *Therap Adv Gastroenterol* 2015, 8(5):248-254

Kelly NM, Rodgers C, Patterson N, Jacob SG, Mainie I. A prospective audit of the efficacy, safety, and acceptability of low-volume polyethylene glycol (2 L) versus standard volume polyethylene glycol (4 L) versus magnesium citrate plus stimulant laxative as bowel preparation for colonoscopy. *J Clin Gastroenterol* 2012, 46(7):595-601

Kierkus J, Horvath A, Szycita M, Woynarowski M, Wegner A, Wiernicka A, et al. High- versus low-volume polyethylene glycol plus laxative versus sennosides for colonoscopy preparation in children. *J Pediatr Gastroenterol Nutr* 2013, 57(2):230-235

Kinnunen O, Winblad I, Koistinen P, Salokannel J. Safety and Efficacy of a Bulk Laxative Containing Senna versus Lactulose in the Treatment of Chronic Constipation in Geriatric Patients. *Pharmacology* 1993, 47(Suppl. 1):253-255

Kirtikar KR, Basu BD. An ICS Indian Medicinal Plants, Vol 2 2nd ed., Repr., MS Bishen Singh, M Pal Singh, Dehra Dun, Delhi 1975 (cited in HagerROM)

Kobashi K, Nishimura T, Kusaka M, Hattori M, Namba T. Metabolism of sennosides by human intestinal bacteria. *Planta Med* 1980, 40:225-236

Kommission E, monograph on Sennae folium (Sennesblätter), monograph on Sennae fructus (Sennesfrüchte), Bundesanzeiger Nr. 133 vom 21.07.1993

Kommission E, monograph on Senna, Bundesanzeiger Nr. 228 vom 05.12.1984

Kositchaiwat S, Suwanthanamma W, Suvikapakornkul R, Tiewthanom V, Rerkpatanakit P, Tinkornrusmee C. Comparative study of two bowel preparation regimens for colonoscopy: senna tablets vs sodium phosphate solution. *World J Gastroenterol* 2006, 12(34):5536-5539

Krakamp B, Leidig P, Thelen E. Koloskopievorbereitung: ein sicheres und einfach zu handhabendes Regime. [Preparation for colonoscopy: a reliable and easily implemented regimen.] *Zeitschr Gastroenterol* 1996, 34(10):686-691

Krumbiegel G, Schulz HU. Rhein and aloe-emodin kinetics from senna laxatives in man. *Pharmacology* 1993, 47(Suppl. 1):120-124

Kune GA, Kune S, Field B, Watson LF. The role of chronic constipation, diarrhoea, and laxative use in the aetiology of large-bowel cancer. Data from the Melbourne Colorectal Cancer Study. *Dis colon rectum* 1988, 31(7):507-512

Kune GA. Laxative use not a risk for colorectal cancer: data from the Melbourne Colorectal Cancer Study. *Zeitschr Gastroenterol* 1993, 31(2):140-143

Laitinen L, Takala E, Vuorela H, Vuorela P, Kaukonen AM, Marvola M. Anthranoid laxatives influence the absorption of poorly permeable drugs in human intestinal cell culture model (Caco-2). *Eur J Pharm Biopharm* 2007, 66(1):135-145

Lang W. Pharmacokinetic-metabolic studies with 14C-aloe emodin after oral administration to male and female rats. *Pharmacology* 1993, 47 (Suppl. 1):110-119

Langmead L, Rampton DS. Review article: herbal treatment in gastrointestinal and liver disease--benefits and dangers. *Aliment Pharmacol Ther* 2001, 15(9):1239-1252

Lemli J, Lemmens L. Metabolism of sennosides and rhein in the rat. *Pharmacology* 1980, 20(Suppl. 1):50-57

Lemli J, Toppet S, Janssen G. Naphthalene glycosides in *Cassia senna* and *Cassia angustifolia*. *Planta Med* 1981, 43:11-17

Lemli J, Cuvelle J, Verhaeren E. Chemical-Identification of Alexandrian and Tinnevelley Senna - Studies in the field of drugs containing anthracene-derivates. 34. *Planta med* 1983, 49:36-37

Lemli J. Metabolism of sennosides - an overview. *Pharmacology* 1988, 36(Suppl. 1):126-128

Lemli J. Senna, das am besten untersuchte Laxans. *Schweiz Apothekerzeit* 1995, 133(10):244-245 [German]

Leng-Peschlow E, Odenthal KP, Voderholzer W, Müller-Lissner S. Chronic sennoside treatment does not cause habituation and secondary hyperaldosteronism in rats. *Pharmacology* 1993, 47(Suppl. 1):162-171

Levine D, Goode AW, Wingate DL. Purgative abuse associated with reversible cachexia, hypogammaglobulinaemia, and finger clubbing. *Lancet* 1981, i: 919-920

Lieberman DA, Ghormley J, Flora K. Effect of oral sodium phosphate colon preparation on serum electrolytes in patients with normal serum creatinine. *Gastrointest Endosc* 1996, 43:467-469

Lin J, Li X, Han L, Li F, Lu W, Bai Y, et al. Folium Sennae protects against hydroxyl radical-induced DNA damage via antioxidant mechanism: an *in vitro* study. *Botan Stud* 2014, 55:16

Lydén-Sokolowski A, Nilson A, Sjöberg P. Two-year carcinogenicity study with sennosides in the rat: emphasis on gastro-intestinal alterations. *Pharmacology* 1993, 47(Suppl. 1):209-215

Madaus G. Lehrbuch der biologischen Heilmittel. Vol III. Georg Olms Verlag. Hildesheim -New York 1976 (reprint), 2536-2543

Malmquist J, Ericsson B, Hultén-Nosslin MB, Jeppson JO, Ljungberg O. Finger clubbing and aspartylglucosamine excretion in a laxative-abusing patient. *Postgrad Med J* 1980, 56:862-864

Manukyan MN, Tolan K, Severege U, Attaallah W, Kebudi A, Cingi A. Prospective randomized comparison of oral sodium phosphate and sennoside A+B calcium lavage for colonoscopy preparation. *Surg Laparosc Endosc Percutan Tech* 2011, 21(2):90-93

Marciniak CM, Toledo S, Lee J, Jesselson M, Bateman J, Grover B, et al. Lubiprostone vs Senna in postoperative orthopedic surgery patients with opioid-induced constipation: a double-blind, active-comparator trial. *World J Gastroenterol* 2014, 20(43):16323-16333

Marlett JA, Li BUK, Patrow CJ, Bass P. Comparative Laxation of *Psyllium* with and without *Senna* in an Ambulatory Constipated Population. *Amer J Gastroenterol* 1987, 82(4):333-337

Martínez-Costa C, Palao Ortuño MJ, Alfaro Ponce B, Núñez Gómez F, Martínez-Rodríguez L, Ferré Franch I, et al. Estreñimiento funcional: estudio prospectivo y respuesta al tratamiento Ewe. [Functional constipation: prospective study and treatment response]. *An Pediatr (Barc)* 2005, 63(5):418-425

Marvola M, Koponen A, Hiltunen R, Hieltala P. The effect of raw material purity on the acute toxicity and laxative effect of sennosides. *J Pharm Pharmacol* 1981, 33:108-109

Mascolo N, Capasso R, Capasso F. Senna. A Safe and Effective Drug. *Phytother Res* 1998, 12:143-145

Mascolo N, Mereto E, Borrelli F, Orsi P, Sini D, Izzo A et al. Does Senna Extract Promote Growth of Aberrant Crypt Foci and Malignant Tumors in Rat Colon? *Digest Dis Scie* 1999, 44(11):2226-2230

Masuda T, Haraikawa K, Morooka N, Nakano S, Ueno Y. 2-Hydroxyemodin, an active metabolite of emodin in the hepatic microsomes of rats. *Mut Res* 1985, 149:327-332

Meisel JL, Bergman D, Graney D, Saunders DR, Rubin CE. Human rectal mucosa: proctoscopic and morphological changes caused by laxatives. *Gastroenterol* 1977, 72:1274-1279

Mengs, U. Toxic effects of sennosides in laboratory animals and *in vitro*. *Pharmacology* 1988, 36 (Suppl. 1):180-187

Mengs U, Mitchell J, McPherson S, Gregson R, Tigner J. A 13-week oral toxicity study of senna in the rat with an 8-week recovery period. *Arch Toxicol* 2004, 78:269-275

Mereto E, Ghia M, Brambilla G. Evaluation of the potential carcinogenic activity of *Senna* and *Cascara* glycosides for the rat colon. *Cancer Letts* 1996, 101(1):79-83

Mitchell JM, Mengs U, McPherson S, Zijlstra J, Dettmar P, Gregson R, et al. An oral carcinogenicity and toxicity study of senna (Tinnevelly senna fruits) in the rat. *Arch Toxicol* 2006, 80:34-44

Morales MA, Hernández D, Bustamante S, Bachiller I, Rojas A. Is senna laxative use associated to cathartic colon, genotoxicity, or carcinogenicity? *J Toxicol* 2009, 2009:287247

Moreau JP, Moreau S, Skinner S. Comparative physiological disposition of some anthraquinone glycosides and aglycones. *Biopharm Drug Dispos* 1985, 6:325-334

Mori H, Yoshimi N, Iwata H, Mori Y, Hara A et al. Carcinogenicity of naturally occurring 1-hydroxyanthraquinone in rats: induction of large bowel, liver and stomach neoplasms. *Carcinogen* 1990, 11(5):799-802

Mueller-Lissner SA, Kamm MA, Scarpignato C, Wald A. Myths and misconceptions about chronic constipation. *Am J Gastroenterol* 2005, 100:232-242

Mueller SO, Stopper H, Dekant W. Biotransformation of the anthraquinones emodin and chrysophanol by cytochrome P450 enzymes. Bioactivation to genotoxic metabolites. *Drug Metab Dispos* 1998, 26(6):540-546

Nadkarni KM, editor. Dr. K. M. Nadkarni's Indian materia medica. Vol 1. Bombay Popular Prakashan, 1976, 286-289

Newall CA, Anderson LA, Phillipson JD, editors. Herbal medicines, a guide for health-care professionals. The Pharmaceutical Press, London 1996, 243-244

Nicolas P, Tod M, Padoin C, Petitjean O. Clinical pharmacokinetics of diacerein. *Clin Pharmacokinet* 1998, 35:347-359

Nijs G, Witte P de, Geboes K, Mertens J, Eyssen H. Conventionalization of germ-free rats reverses the disability of rhein anthrone to induce laxation. *Eur J Pharmacol* 1993, 239(1-3):241-243

Nilsson SE, Takkinen S, Johansson B, Dotevall G, Melander A, Berg S et al. Laxative treatment elevates plasma homocysteine: A study on a population-based Swedish sample of old people. *Eur J Clin Pharmacology* 2004, 60(1):45-49

Nolan T, Debelle G, Oberklaid F, Coffey C. Randomised trial of laxatives in treatment of childhood encopresis. *The Lancet* 1991, 338(8766):523-527

NTP Technical Report on the Toxicology and Carcinogenesis Studies of Emodin in F344/N Rats and B6C3F₁ Mice. National Toxicology Program, June 2001, NTP TR 493, NIH Publication No. 01-3952; 1-278

NTP Toxicology study of senna (CAS No. 8013-11-4) in C57BL/6NTAC Mice and toxicology and carcinogenesis study of senna in genetically modified C3B6.129F1/Tac-Trp53tm1Brd haploid sufficient mice (Feed Studies). *Natl Toxicol Program Genet Modif Model Rep* 2012, (15):1-114

Nusko G, Schneider B, Mueller G, Kusche J, Hahn EG. Retrospective study on laxative use and melanosis coli as risk factors for colorectal neoplasia. *Pharmacology* 1993, 47(Suppl. 1): 234-241

Nusko G, Schneider B, Schneider I, Wittekind C, Hahn EG. Anthranoide laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. *Gut* 2000, 46:651-655

Okawa K, Kitano A, Okabe H, Hukushima R, Kashima K et al. A study on the optimal time required of ingestion of polyethylene glycol electrolyte lavage solution (PEG) with sennoside and metoclopramide in preparation for colonoscopy. *Gastroenterol Endosc* 1990, 32(6):1377-1385

Passmore AP, Wilson Davies K, Flanagan PG, Stoker C, Scott MG. A Comparison of Agiolax and Lactulose in Elderly Patients with Chronic Constipation. *Pharmacology* 1993a, 47(Suppl. 1):249-252

Passmore AP, Wilson Davies K, Stoker C, Scott ME. Chronic constipation in long stay elderly patients: a comparison of lactulose and a senna-fibre combination. *BMJ* 1993b, 307:769-771

Patel M, Schimpf MO, O'Sullivan DM, LaSala CA. The use of senna with docusate for postoperative constipation after pelvic reconstructive surgery: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 2010, 202(5):479.e1-5

Peng YH, Lin SP, Yu CP, Tsai SY, Chen MY, Hou YC, et al. Serum concentrations of anthraquinones after intake of Folium Sennae and potential modulation on P-glycoprotein. *Planta Med* 2014, 80(15):1291-1297

Perkin JM. Constipation in childhood: a controlled comparison between lactulose and standardized senna. *Curr Med Res Opin* 1977, 4(8):540-543

Pers M, Pers B. A Crossover Comparative Study with Two Bulk Laxatives. *J Int Med Res* 1983, 11:51-53

Pharmacopoeia Austriaca. 1812, 32, 63

European Pharmacopoeia 9th ed. Senna leaf. Council of Europe. 1/2015:0206

European Pharmacopoeia 9th ed. Senna pods, Alexandrian. Council of Europe. 1/2015:0207

European Pharmacopoeia 9th ed. Senna pods, Tinnevelly. Council of Europe. 1/2015:0208

European Pharmacopoeia 9th ed. Standardized Senna leaf dry extract. Council of Europe. 07/2015:1261

Pharmacopoeia Hungarian. 4th ed. 1967

Pockros PJ, Foroozan P. Golytely lavage versus a standard colonoscopy preparation. Effect on normal colonic mucosal histology. *Gastroenterol* 1985, 88(2):545-548

Postgate A, Tekkis P, Patterson N, Fitzpatrick A, Bassett P, Fraser C. Are bowel purgatives and prokinetics useful for small-bowel capsule endoscopy? A prospective randomized controlled study. *Gastrointest Endosc* 2009, 69(6):1120-1128

Poyrazoglu OK, Yalniz M. Two low-dose bowel-cleansing regimens: efficacy and safety of senna and sodium phosphorus solution for colonoscopy. *Pat Pref Adher* 2015, 9:1325-1331

Prior J, White I. Tetany and clubbing in patient who ingested large quantities of senna. *Lancet* 1978, ii: 947

Radaelli F, Meucci G, Imperiali G, Spinzi G, Strocchi E, Terruzzi V, et al. High-dose senna compared with conventional PEG-ES lavage as bowel preparation for elective colonoscopy: a prospective, randomized, investigator-blinded trial. *Am J Gastroenterol* 2005, 100(12):2674-2680

Ramesh PR, Kumar KS, Rajagopal MR, Balachandran P, Warrier PK. Managing morphine-induced constipation: a controlled comparison of an Ayurvedic formulation and senna. *J Pain Symptom Manage* 1998, 16:240-244

Ramkumar D, Rao SS. Efficacy and safety of traditional medical therapies for chronic constipation: systematic review. *Am J Gastroenterol* 2005, 100(4):936-971

Rauwald HW, Hoenig J, Flindt S, Geck P. Different influence of certain anthraquinones/anthrones on energy metabolism: an approach for interpretation of known synergistic effects in laxative action? *Planta Med* 1992, 58(1):A587-A588

Riecken EO, Zeitz M, Emde C, Hopert R, Witzel L, Hintze R et al. The effect of an anthraquinone laxative on colonic nerve tissue: A controlled trial in constipated women. *Z Gastroenterol* 1990, 28:660-664

Riemann JF, Schmidt H, Zimmermann W. The fine structure of colonic submucosal nerves in patients with chronic laxative abuse. *Scand J Gastroenterol* 1980, 15:761-768

Riemann JF, Schmidt H. Ultrastructural changes in the gut autonomic nervous system following laxative abuse and in other conditions. *Scand J Gastroenterol* 1982, 71:111-124

Roberts MC, Millikan RC, Galanko JA, Martin C, Sandler RS. Constipation, laxative use, and colon cancer in a North Carolina population. *Am J Gastroenterol* 2003, 98(4):857-864

Rostom A, Jolicoeur E. Validation of a new scale for the assessment of bowel preparation quality. *Gastrointest Endosc* 2004, 59(4):482-486

Roth L, Daunderer M, Kormann K. Giftpflanzen Pflanzengifte. Vorkommen, Wirkung, Therapie, Allergische und phototoxische Reaktionen. 3rd ed. Ecomed, Landsberg München 1988, 197-199

Rudolph RL, Mengs U. Electron microscopical studies on rat intestine after long-term treatment with sennosides. *Pharmacol* 1988, 36(Suppl. 1):188-193

Rumsey RDE, Squires PE, Read NW. In vitro effects of sennoside on contractile activity and fluid flow in the perfused large intestine of the rat. *Pharmacol* 1993, 47(Suppl. 1):32-39

Sandnes D, Johansen T, Teien G, Ulsaker G. Mutagenicity of Crude Senna and Senna Glycosides in *Salmonella typhimurium*. *Pharmacol Toxicol* 1992, 71:165-172

Santos-Jasso KA, Arredondo-Garcia JL, Maza-Vallejos J, Lezama-Del Valle P. Effectiveness of senna vs polyethylene glycol as laxative therapy in children with constipation related to anorectal malformation. *J Ped Surg* 2017, 52:84-88

Sasaki K, Yamauchi K, Kuwano S. Metabolic activation of sennoside A in mice. *Planta Med* 1979, 37:370-378

Satia JA, Littman A, Slatore CG, Galanko JA, White E. Associations of herbal and specialty supplements with lung and colorectal cancer risk in the Vitamins and Lifestyle study. *Cancer Epidemiol Biomark Prev* 2009, 18(5):1419-1428

Schanz S, Kruis W, Mickisch O, Küppers B, Berg P, Frick B, et al. Bowel Preparation for Colonoscopy with Sodium Phosphate Solution versus Polyethylene Glycol-Based Lavage: A Multicenter Trial. *Diagn Ther Endosc* 2008, 2008:713521

Seybold U, Landauer N, Hillebrand S, Goebel FD. Senna-induced hepatitis in a poor metabolizer. *Annals Intern Med* 2004, 141(8):650-651

Shelton MG. Standardized senna in the management of constipation in the puerperium: A clinical trial. *S Afr Med J* 1980, 57(3):78-80

Siegers CP, Siemers J, Baretton G. Sennosides and aloin do not promote dimethylhydrazine-induced colorectal tumors in mice. *Pharmacology* 1993a, 47(Suppl. 1):205-208

Siegers CP, von Hertzberg-Lottin E, Otte M, Schneider B. Anthranoid laxative abuse – a risk for colorectal cancer? *Gut* 1993b, 34:1099-1101

Siegers CP. Anthranoid laxatives and colorectal cancer. *Trends Pharmacol Sci* 1992, 13(6):229-231

Silk DBA, Gibson JA, Murray CRH. Reversible finger clubbing in a case of purgative abuse. *Gastroenterol* 1975, 68(4):790-794

Silva MGB, Aragão TP, Vasconcelosa CFB, Ferreira PA, Andrade BA, Costab IMA, et al. Acute and subacute toxicity of *Cassia occidentalis* L. stem and leaf in Wistar rats. *J Ethnopharmacol* 2011, 136(2):341-346

Sitzmann FC, Buettner M, Dockter G. Lokale Nebenwirkungen an der Haut durch Anthraglykoside. *Pädiatr Prax* 1979, 21:355-358

Smith B. Effect of irritant purgatives on the myentric plexus in man and mouse. *Gut* 1968, 9(2):139-143

Sonnenberg A, Müller AD. Constipation and cathartics as risk factors of colorectal cancer: a meta-analysis. *Pharmacology* 1993, 47(Suppl. 1):224-233

Sossai P, Nasone C, Cantalamessa F. Are herbs always good for you? A case of paralytic ileum using a herbal tisane. *Phytother Res* 2007, 21(6):587-588

Soyuncu S, Cete Y, Nokay AE. Portal vein thrombosis related to *Cassia angustifolia*. *Clin Toxicol (Phila)* 2008, 46(8):774-777

Spiller HA, Winter ML, Weber JA, Krenzelok EP, Anderson DL, Ryan ML. Skin breakdown and blisters from senna-containing laxatives in young children. *Ann Pharmacother* 2003, 37(5):636-639

Surh I, Brix A, French JE, Collins BJ, Sanders JM, Vallant M, et al. Toxicology and carcino-genesis study of senna in C3B6.129F1-Trp53 tm1Brd N12 haploinsufficient mice. *Toxicol Pathol* 2013, 41(5):770-778

Symposium Anthrachinon-Laxantien. Anthrachinon-Laxantien: Keine abschließende Beurteilung möglich. *DAZ* 1985, 125(51/52):2745-2747 [German]

Theodorus J. Kräuterbuch von Jacobus Theodorus „Tabernaemontanus“, Anno 1625, Kassie/Gewürzrinde, 109-111

Tasci I, Altinli E, Sirin F. Bowel cleansing for diagnostic colonoscopy: Which method is preferable? Istanbul experience. *Techn Coloproctol* 2003, 7(1):18-21

Taylor SA, Slater A, Burling DN, Tam E, Greenhalgh R, Gartner L, et al. CT colonography: optimisation, diagnostic performance and patient acceptability of reduced-laxative regimens using barium-based faecal tagging. *Eur Radiol* 2008, 18(1):32-42

Tao LM, Xiong JP, Liu TX. [A crossover control study of prophylactic treatment of chemotherapy-induced constipation by senna extract]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2012, 32(1):47-49 [Chinese]

Terry NA, Chen-Lim ML, Ely E, Jatla M, Ciavardone D, Esch S, et al. Polyethylene glycol powder solution versus senna for bowel preparation for colonoscopy in children. *J Pediatr Gastroenterol Nutr* 2013, 56(2):215-219

The Plant List – A working list of all plant species; www.theplantlist.org (accessed 02.10.2017)

Thoms H, editor. Handbuch der praktischen und wissenschaftlichen Pharmazie. Vol. 6. Urban & Schwarzenberg, Berlin Wien 1927, 332-333, 1966-1967

Thomson A, Naidoo P, Crotty B. Bowel preparation for colonoscopy: a randomized prospective trial comparing sodium phosphate and polyethylene glycol in a predominantly elderly population. *J Gastroenterol Hepatol* 1996, 11:103-107

Todd RG, editor. Martindale, Extra Pharmacopoeia. 25th ed. The pharmaceutical press. London 1967, 1266-1268

Toyoda K, Nishikawa A, Furukawa F, Kawanishi T, Hayashi Y, Takahashi M. Cell proliferation induced by laxatives and related compounds in the rat intestine. *Cancer Lett* 1994, 83(1-2):43-49

Valverde A, Hay JM, Fingerhut A, Boudet MJ, Petroni R, Pouliquen X et al. Senna vs polyethylene glycol for mechanical preparation the evening before elective colonic or rectal resection: a multicenter controlled trial. French association for surgical research. *Arch Surg* 1999, 134(5):514-519

Vanderperren B, Rizzo M, Angenot L, Haufroid V, Jadoul M, Hantson P. Acute liver failure with renal impairment related to the abuse of senna anthraquinone glycosides. *Ann Pharmacother* 2005, 39:1353-1357

Van Gorkom BA, Karrenbeld A, van der Sluis T, Koudstaal J, de Vries EG, Kleibeuker JH. Influence of a highly purified *senna* extract on colonic epithelium. *Digestion* 2000, 61(2):113-120

Van Hoestenberghe A, De Witte P, Geboes K, Eyssen H, Nijs G, Lemli J. The effect of rhein and rhein anthrone on intestinal fluid transport and on large intestine transit in germ-free rats. *Eur J Pharmacol* 1992, 212(1):121-123

Von Koenen E, editor. Heil- und Giftpflanzen in Südwestafrika. Akademischer Verlag Windhoek, S.W.A. 1977, 61

Vradelis S, Kalaitzakis E, Sharifi Y, Buchel O, Keshav S, Chapman RW, et al. Addition of senna improves quality of colonoscopy preparation with magnesium citrate. *World J Gastroenterol* 2009, 15(14):1759-1763

Waltenberger B, Avula B, Ganadera M, Khan IA, Stuppner H, Khan SI. Transport of sennosides and sennidines from *Cassia angustifolia* and *Cassia senna* across Caco-2 monolayers--an *in vitro* model for intestinal absorption. *Phytomedicine* 2008, 15(5):373-377

Westendorf J, Marquardt H, Poginsky B, Dominiak M, Schmidt J. Genotoxicity of naturally occurring hydroxyanthraquinones. *Mutat Res* 1990, 240:1-12

Westendorf J. Pharmakologische und toxikologische Bewertung von Anthranoiden. *Pharm Ztg* 1993, 138(48):3891-3902

WHO Monographs on selected medicinal plants. Vol. 1. *Folium Sennae*. World Health Organization. Geneva 1999i, 241-249

WHO Monographs on selected medicinal plants. Vol. 1. *Fructus Sennae*. World Health Organization. Geneva 1999ii, 250-258

Wichtl M. Teedrogen und Phytopharmaka. 6th ed. Wiss. Verlags GmbH, Stuttgart 2016, 604-609

Willemse M, Buuren HR van, Krijger R de. Anthranoid self-medication causing rapid development of melanosis coli. *Neth J Med* 2003, 61(1):22-24

Wölflle D, Schmutte C, Westendorf J, Marquardt H. Hydroxyanthraquinones as tumor promoters: enhancement of malignant transformation of c3h mouse fibroblasts and growth stimulation of primary rat hepatocytes. *Cancer Res* 1990, 50:6540-6544

Yagi T, Miyawaki Y, Nishikawa A, Yamauchi K, Kuwano S. Suppression of the purgative action of rhein anthrone, the active metabolite of sennosides A and B, by indomethacin in rats. *J Pharm Pharmacol* 1991, 43(5):307-310

Yamauchi K, Yagi T, Kuwano S. Suppression of the purgative action of rhein anthrone, the active metabolite of sennosides A and B, by calcium channel blockers, calmodulin antagonists and indomethacin. *Pharmacology* 1993, 47(Suppl. 1):22-31

Ziegenhagen DJ, Zehnter E, Tacke W, Kruis W. Addition of senna improves colonoscopy preparation with lavage: A prospective randomized trial. *Gastrointest Endosc* 1991, 37:547-549

Evaluated references, but not used:

Alshaimaa H-A, Ali M, Souad H, Djaltou A, Mahdi D, Zemedé A, et al. Medicinal plants and their uses by the people in the Region of Randa, Djibouti *J Ethnopharmacol* 148(2), 2013, 701-713

Clement YN, Baksh-Comeau YS, Seaforth CE. An ethnobotanical survey of medicinal plants in Trinidad. *J Ethnobiol Ethnomed* 2015, 11:67

Greenway FL, Liu Z, Martin CK, Kai-yuan W, Nofziger J, Rood JC, et al. Safety and efficacy of NT, an herbal supplement, in treating human obesity. *Int J Obes* 2006, 30(12):1737-1741

Ishibashi K, Kumamoto K, Kuwabara K, Hokama N, Ishiguro T, Ohsawa T, et al. Usefulness of sennoside as an agent for mechanical bowel preparation prior to elective colon cancer surgery. *Asian J Surg* 2012, 35(2):81-87

Lewis S, Cochrane S. Alteration of sulfate and hydrogen metabolism in the human colon by changing intestinal transit rate. *Am J Gastroenterol* 2007, 102(3):624-33

Mangmeesri P, Wonsuphasawad K, Viseshsindh W, Gritsanapan W. The comparison between the laxative effectiveness of *Cassia fistula* pod pulp extract and *Cassia angustifolia* in Thai constipated patients. *Planta Med* 20; 80-P1C1214

Meszaros S. Anthrachinon Drogen bei Obstipation-alle gleich? *Ztschr Phytother* 2009; 30: 117-121

Mishima Y, Amano Y, Okita K, Takahashi Y, Moriyama N, Ishimura N, et al. Efficacy of prokinetic agents in improving bowel preparation for colonoscopy. *Digestion* 2008, 77(3-4):166-172

Parmar R, Martel M, Rostom A, Barkun AN. Validated Scales for Colon Cleansing: A Systematic Review. *Am J Gastroenterol* 2016, 111(2):197-204

Sani KG, Jafari MR, Shams S. A Comparison of the Efficacy, Adverse Effects, and Patient Compliance of the Sena-Graph Syrup and Castor Oil Regimens for Bowel Preparation *Iran J Pharm Res* 2010, 9:193-198.

Schanz S, Kruis W, Mickisch O, Kueppers B, Hornung A et al. Oral sodium phosphate solution versus polyethylene glycol-based lavage for bowel preparation for colonoscopy: a multicenter trial. *Digest Dis Week Abstr Itiner Plann* 2003, p. Abstract No. S1472/2003

Spada C, Riccioni ME, Hassan C, Petruzzello L, Cesaro P, Costamagna G. PillCam colon capsule endoscopy: a prospective, randomized trial comparing two regimens of preparation. *J Clin Gastroenterol* 2011, 45(2):119-124

Sujatha R, Mohankumar JB, Shanmugasundaram P. A Study on Toxic Effects and Luxative Activity of Senna (*Cassia angustifolia* Vahl.) *JPAM* 2012, 6(1):257-264

Tarpila S, Tarpila A, Groehn P, Silvennoinen T, Lindberg L. Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome. *Current Topics in Nutr Res* 2004, 2(2):119-125

Vasudevan, D.M., S. Sreekumari. Textbook of biochemistry for medical students. 5th ed. Jaypee Brothers Medical Publishers, New Delhi 2007:535

Wald A. Is chronic use of stimulant laxatives harmful to the colon? *J Clin Gastroenterol* 2003, 36(5):386-389

Wanitschke R. Influence of rhein on electrolyte and water transfer in the isolated rat colonic mucosa. *Pharmacology* 1980, 20(Suppl. 1):21-26

Zhong LL, Cheng CW, Chan Y, Chan KH, Lam TW, Chen XR, et al. Chinese herbal medicine (Ma Zi Ren Wan) for functional constipation: study protocol for a prospective, double-blinded, double-dummy, randomized controlled trial. *Trials* 2013, 14:366

Zhou YX, Xia W, Yue W, Peng C, Rahman K, Zhang H. Rhein: A Review of Pharmacological Activities. *Evid Based Complement Alternat Med* 2015, 2015:578107

Ziegenhagen DJ, Zehnter E, Tacke W, Gheorghiu T, Kruis W. Senna vs. bisacodyl in addition to Golytely lavage for colonoscopy preparation--a prospective randomized trial. *Z Gastroenterol* 1992, 30(1):17-19