

8 July 2020
EMA/HMPC/52978/2017
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Thymus vulgaris L.*, *Thymus zygis L.*, aetheroleum

Final - Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Aftab K, Atta-ur-Rahman, Usmanghani K. Blood pressure lowering action of active principle from *Trachyspermum ammi* (L.) Sprague. *Phytomedicine* 1995, 2(1):35-40

Akačić B, Petričić J. Thymianöl als Anthelminiticum. *Pharmazie* 1956, 11:628-632

Allegrini J, Simeon de Bouchberg M. Une technique d'étude du pouvoir antibactérien des huiles essentielles. *Prod Probl Pharm* 1972, 27:891-897

Aydin S, Basaran AA, Basaran N. The effects of thyme volatiles on the induction of DNA damage by the heterocyclic amine IQ and mitomycin C. *Mutat Res* 2005a, 581(1-2):43-53

Aydin S, Basaran AA, Basaran N. Modulating effects of thyme and its major ingredients on oxidative DNA damage in human lymphocytes. *J Agric Food Chem* 2005b, 53:1299-1305

Aydin E, Türkez H, Keleş MS. The effect of carvacrol on healthy neurons and N2a cancer cells: some biochemical, anticancerogenicity and genotoxicity studies. *Cytotechnology* 2014, 66:149-157

Azad MF, Schwierz A, Jentsch HF. Adjunctive use of essential oils following scaling and root planing -a randomized clinical trial. *BMC Complement Altern Med* 2016, 16:171

Azirak S, Rencuzogullari E. The *in vivo* genotoxic effects of carvacrol and thymol in rat bone marrow cells. *Environ Toxicol* 2008, 23:728-735

Azizan A, Blevins RD. Mutagenicity and antimutagenicity testing of six chemicals associated with the pungent properties of specific spices as revealed by the Ames *Salmonella*/microsomal assay. *Arch Environ Contam Toxicol* 1995, 28(2):248-258

Beer AM, Lukyanov J, Sagorchev P. Effect of thymol on the spontaneous contractile activity of the smooth muscles. *Phytomedicine* 2007, 14:65-69

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. *Thymi aetheroleum (Thymianöl)*. HagerROM. Springer Verlag, Heidelberg 2008

Official address Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands

Address for visits and deliveries Refer to www.ema.europa.eu/how-to-find-us

Send us a question Go to www.ema.europa.eu/contact **Telephone** +31 (0)88 781 6000

An agency of the European Union



Böhme H, Hartke K, Hartke H, Wichtl M. Kommentar zum Europäischen Arzneibuch. Wissenschaftliche Verlagsgesellschaft, Stuttgart 2008

Braga PC, Alfieri M, Culici M, Dal Sasso M. Inhibitory activity of thymol against the formation and viability of *Candida albicans* hyphae. *Mycoses* 2007a, 50:502-506

Braga PC, Dal Sasso M, Culici M, Alfieri M. Eugenol and thymol, alone or in combination, induce morphological alterations in the envelope of *Candida albicans*. *Fitoterapia* 2007, 78:396-400

Braga PC, Dal Sasso M, Culici M, Bianchi T, Bordoni L, Marabini L. Anti-Inflammatory Activity of Thymol: Inhibitory Effect on the Release of Human Neutrophil Elastase. *Pharmacology* 2006, 77:130-136

Brandt W. Spasmolytische Wirkung ätherischer Öle. *Z Phytother* 1988, 9:33-39

Bogavac M, Karaman M, Janjušević Lj, Sudji J, Radovanović B, Novaković Z, Simeunović J, Božin B. Alternative treatment of vaginal infections – *in vitro* antimicrobial activity and toxic effect of *Coriandrum sativum* L. and *Thymus vulgaris* L. essential oils. *J Appl Microbiol* 2015, 119:697-710

Buyukleyla M, Rencuzogullari E. The effects of thymol on sister chromatid exchange, chromosome aberration and micronucleus in human lymphocytes. *Ecotoxicology and Environmental Safety* 2009, 72:943-947

Chaftar N, Girardot M, Labanowski J, Ghrairi T, Hani K, Frère J, Imbert C. Comparative evaluation of the antimicrobial activity of 19 essential oils. *Adv Exp Med Biol* 2015, 901:1-15

Charles CH, Vincent JW, Borychesski L, Amatnieks Y, Sarina M, Qaqish J, Proskin HM. Effect of an essential oil-containing dentifrice on dental plaque microbial composition. *Am J Dent* 2000, 13 (Spec No):26C-30C

Chizzola R, Michitsch B, Franz C. Antioxidative properties of *Thymus vulgaris* leaves: comparison of different extracts and essential oil chemotypes. *J Agric Food Chem* 2008, 56:6897-6904

Choi WS, Park BS, Ku SK, Lee SE. Repellent activities of essential oils and monoterpenes against *Culex pipiens pallens*. *J Am Mosq Control Assoc* 2002, 18:348-351

De Martino L, Bruno M, Formisano C, De Feo V, Napolitano F, Rosselli S, Senatore F, Chemical composition and *in vitro* antimicrobial and mutagenic activities of seven *Lamiaceae* essential oils. *Molecules* 2009, 14:4213-4230

Domaracky M, Rehak P, Juhas S, Koppel J. Effects of selected plant essential oils on the growth and development of mouse preimplantation embryos *in vivo*. *Physiol Res* 2007, 56:97-104

Dorman HJD, Deans SG. Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J Appl Microbiol* 2000, 88:308-316

Dost FH, Leiber B., editors. Menthol and menthol-containing external remedies. Thieme, Stuttgart 1967.

Dunn LL, Davidson PM, Critzer FJ. Antimicrobial Efficacy of an Array of Essential Oils Against Lactic Acid Bacteria. *J Food Sci* 2016, 81:438-444

Dursun N, Liman N, Ozyazgan J, Günes I, Saraymen R. Role of thymus oil in burn wound healing. *J Burn Care Rehabil* 2003, 24:395-399

European Pharmacopoeia 8th ed. Thyme oil thymol type–Thymi typo thymolo aetheroleum. Council of Europe. 01/2012:1374

- Fabian D, Sabol M, Domaracká K, Bujnáková D. Essential oils-their antimicrobial activity against *Escherichia coli* and effect on intestinal cell viability. *Toxicol In Vitro* 2006, 20:1435-1445
- Fachini-Queiroz FC1, Kummer R, Estevão-Silva CF, Carvalho MD, Cunha JM, Grespan R, Bersani-Amado CA, Cuman RK. Effects of thymol and carvacrol, constituents of *Thymus vulgaris* L. essential oil, on the inflammatory response. *Evid Based Complement Alternat Med* 2012, 2012:657026
- Farag RS, Daw ZY, Hewedi FM, El-Baroty GSA. Antimicrobial activity of some Egyptian spice essential oils. *J Food Protect* 1989, 52:665-667
- German Commission B Monograph. BAnz 1990, 115
- Gholijani N, Gharagozloo M, Kalantar F, Ramezani A, Amirghofran Z, Modulation of cytokine production and transcription factors activities in human Jurkat T cells by thymol and carvacrol. *Adv Pharm Bull* 2015, 5:653-660
- Giarratana F, Muscolino D, Beninati C, Giuffrida A, Panebianco A. Activity of *Thymus vulgaris* essential oil against Anisakis larvae. *Exp Parasitol* 2014, 142:7-10
- Gildemeister E, Hoffmann F. Die ätherischen Öle. Akademie-Verlag, Berlin 1961
- Gordonoff T, Janett F. Thyme and thymol as lung disinfectants and expectorants. II. *Zeitschrift fuer die Gesamte Experimentelle Medizin* 1932, 79:486-494
- Gordonoff T, Merz H. Über den Nachweis der Wirkung der Expektorantien. *Klinische Wochenschrift* 1931, 10:928-930
- Gordonoff T. Expectoration and expectorants. *Archiv der Pharmazie und Berichte der Deutschen Pharmazeutischen Gesellschaft* 1933, 271:382-387
- Gutiérrez MM, Werdin-Gonzlaes JO, Stefanazzi N, Bras C, Ferrero AA, The potential application of plant essential oil to control *Pediculus humanus capitinis* (Anoplura: Pediculidae). *Parasit Res* 2016, 115:633-641
- Haffner F, Schultz OE, Schmid W. Normdosen gebräuchlicher Arzneistoffe und Drogen. Wissenschaftliche Verlagsgesellschaft, Stuttgart 1984
- Hagan EC, Hansen WH et al. Food Flavourings and Compounds of related structure. II subacute and chronic toxicity. *Food Cosmet Toxicol* 1967, 5:141-157
- Hammer KA, Carson CF, Riley TV. Antimicrobial activity of essential oils and other plant extracts. *J Appl Microbiol* 1999, 86:985-990
- Hänsel R, Keller K, Rimpler H, Schneider G (Eds). Drogen P-Z, Thymi aetheroleum (Thymianöl). Springer-Verlag, Berlin, Heidelberg 1994, 976-980
- Hersch-Martinez P, Leanos-Miranda BE, Solorzano-Santos F. Antibacterial effects of commercial essential oils over locally prevalent pathogenic strains in Mexico. *Fitoterapia* 2005, 76:453-457
- Hikiba H, Watanabe E, Barrett JC, Tsutsui T. Ability of fourteen chemical agents used in dental practice to induce chromosome aberrations in Syrian hamster embryo cells. *J Pharmacol Sci* 2005, 97:146-152
- Homa M, Fekete IP, Böszörnyi A2, Singh YR, Selvam KP, Shobana CS, Manikandan P, Kredics L, Vágvölgyi C, Galgóczy L. Antifungal effect of essential oils against *Fusarium keratitidis* isolates. *Planta Med* 2015, 81:1277-1284
- Horváth G, Jenei JT, Vágvölgyi C, Böszörnyi A, Krisch J. Effects of essential oil combinations on pathogenic yeasts and moulds. *Acta Biol Hung* 2016, 67:205-214

Horvathova E, Sramkova M, Labaj J, Slamenova D. Study of cytotoxic, genotoxic and DNA-protective effects of selected plant essential oils on human cells cultured *in vitro*. *Neuro Endocrinol Lett* 2006, 27 (Suppl. 2):44-47

Inouye S, Takizawa T, Yamaguchi H. Antibacterial activity of essential oils and their major constituents against respiratory tract pathogens by gaseous contact. *J Antimicrob Chemother* 2001, 47:565-573

Inouye S, Uchida K, Yamaguchi H. *In-vitro* and *in-vivo* anti-*Trichophyton* activity of essential oils by vapour contact. *Mycoses* 2001a, 44:99-107

Inouye S, Uchida K, Nishiyama Y, Hasumi Y, Yamaguchi H, Abe S. Combined effect of heat, essential oils and salt on fungicidal activity against *Trichophyton mentagrophytes* in a foot bath. *Nippon Ishinkin Gakkai Zasshi* 2007, 48:27-36

Ito Y, Osa T, Kuriyama H. Effect of thymol on the electrical and mechanical activities of the guinea pig alimentary canal. *Jap J Physiol* 1974, 24:343-357

Janssen AM, Chin NLJ, Scheffer JJC, Baerheim Svendsen A. Screening for antimicrobial activity of some essential oils by the agar overlay technique. *Pharm Weekbl* 1986, 8 (Sci):289-292

Janssen AM. Antimicrobial activities of essential oils. Leiden: University of Leiden 1989, 91-108

Jeong EY, Lim JH, Kim HG, Lee HS. Acaricidal activity of *Thymus vulgaris* oil and its main components against *Tyrophagus putrescentiae*, a stored food mite. *J Food Protection* 2008, 71:351-355

Jimenez J, Navarro MC, Montilla MP, Martin A. *Thymus zygis* oil: its effect on CCl₄-induced hepatotoxicity and free radical scavenger activity. *J Ess Oil Res* 1993, 5:153-158

Jukic M, Milos M. Catalytic oxidation and antioxidant properties of thyme essential oils (*Thymus vulgaris* L.). *Croat Chem Acta* 2005, 78:105-110

Jukic M, Politeo O, Maksimovic M, Milos M, Milos M. *In vitro* acetylcholinesterase inhibitory properties of thymol, carvacrol and their derivatives thymoquinone and thymohydroquinone. *Phytotherapy Res* 2007, 21:259-261

Kavanaugh NL, Ribbeck K. Selected antimicrobial essential oils eradicate *Pseudomonas* spp. and *Staphylococcus aureus* biofilms. *Appl Environ Microbiol* 2012, 78:4057-4061

Khan MS, Ahmad I, Cameotra SS, Botha F, Sub-MICs of *Carum copticum* and *Thymus vulgaris* influence virulence factors and biofilm formation in *Candida* spp. *BMC Complement Altern Med* 2014, 14:337

Kitajima J, Ishikawa T, Urabe A, Satoh M. Monoterpenoids and their glycodides from the leaf of thyme. *Phytochemistry* 2004, 65:3279-3287

Koch C, Reichling J, Schneele J, Schnitzler P. Inhibitory effect of essential oils against herpes simplex virus type 2. *Phytomedicine* 2008, 15:71-78

Kohlert C, Schindler G, Marz RW, Abel G, Brinkhaus B, Derendorf H, Grafe EU, Veit M. Systemic availability and pharmacokinetics of thymol in humans. *J Clinical Pharmacol* 2002, 42:731-737

Kulusic T, Krisko A, Dragovic-Uzelac V, Milos M, Pifat G. The effects of essential oils and aqueous tea infusions of oregano (*Origanum vulgare* L. spp. *hirtum*), thyme (*Thymus vulgaris* L.) and wild thyme (*Thymus serpyllum* L.) on the copper-induced oxidation of human low-density lipoproteins. *Int J Food Sci Nutrition* 2007, 58:87-93

Kulusic T, Radonic A, Milos M. Inhibition of lard oxidation by fractions of different essential oils. *Grasa y Aceites* 2005, 56:284-291

Kumar P, Mishra S, Kumar A, Sharma AK. Antifungal efficacy of plant essential oils against stored grain fungi of *Fusarium* spp. *J Food Sci Technol* 2016, 53:3725-3734

Lens-Lisbonne C, Cremieux A, Maillard C, Balansard G. Méthodes d'évaluation de l'activité antibactérienne des huiles essentielles: application aux essences de thym et de cannelle. *J Pharm Belg* 1987, 42:297-302

Leung AY. Encyclopedia of common natural ingredients. John Wiley & Sons, Chichester Brisbane Toronto 1980, 309-311

Lim WC, Seo JM, Lee CI, Pyo HB, Lee BC. Stimulative and sedative effects of essential oils upon inhalation in mice. *Arch Pharm Res* 2005, 28:770-774

Lis-Balchin M, Hart S. A preliminary study of the effect of essential oils on skeletal and smooth muscle *in vitro*. *J Ethnopharmacol* 1997, 58:183-187

LLana-Ruiz-Cabello M, Maisanaba S, Puerto M, Prieto AI, Pichardo S, Jos Á, Cameán AM. Evaluation of the mutagenicity and genotoxic potential of carvacrol and thymol using the Ames Salmonella test and alkaline, Endo III- and FPG-modified comet assays with the human cell line Caco-2. *Food Chem Toxicol* 2014, 72:122-128

Madaus R. Lehrbuch der biologischen Heilmittel. Thieme, Leipzig 1938

Magyar J, Szentandrassy N, Banyasz T, Fulop L, Varro A, Nanasi P. Effects of thymol on calcium and potassium currents in canine and human ventricular cardiomyocytes. *Br J Pharmacol* 2002, 136:330-338

Maisanaba S, Prieto AI, Puerto M, Gutiérrez-Praena D, Demir E, Marcos R, Cameán AM. *In vitro* genotoxicity testing of carvacrol and thymol using the micronucleus and mouse lymphoma assays. *Mutat Res Genet Environ Mutagen* 2015, 784-785:37-44

Mancini E, Senatore F, Del Monte D, De Martino L, Grulova D, Scognamiglio M, Snoussi M, De Feo V. Studies on Chemical Composition, Antimicrobial and Antioxidant Activities of Five *Thymus vulgaris* L. Essential Oils. *Molecules* 2015, 20:12016-12028

Martindale. The extra pharmacopoeia. Pharmaceutical Press, London 1972

Maruniak J, Clark WB, Walker CB, Magnusson I, Marks RG, Taylor M, Clouser B. The effect of 3 mouthrinses on plaque and gingivitis development. *J Clin Periodontol* 1992, 19:19-23

Melo AD, Amaral AF, Schaefer G, Luciano FB, de Andrade C, Costa LB, Rostagno MH. Antimicrobial effect against different bacterial strains and bacterial adaptation to essential oils used as feed additives. *Can J Vet Res* 2015, 79:285-289

Menghini A, Savino A, Lollini MN, Caprio A. Activité antimicrobienne en contact direct et en micro-atmosphère de certaines huiles essentielles. *Plant Med Phytother* 1987, 21:36-42

Mikus J, Harkenthal M, Steverding D, Reichling J. *In vitro* effect of essential oils and isolated mono- and sesquiterpenes on *Leishmania major* and *Trypanosoma brucei*. *Planta Med* 2000, 66:366-368

Miladi H, Mili D, Ben Slama R, Zouari S, Ammar E, Bakhrouf A, Antibiofilm formation and anti-adhesive property of three mediterranean essential oils against a foodborne pathogen *Salmonella* strain. *Microb Pathog* 2016, 93:22-31

Millezi AF, das Gracas Cardoso M, Alves E, Hilsdorf Piccoli R. Reduction of *Aeromonas hidrophyla* biofilm on stainless steel surface by essential oils. *Braz J Microbiol* 2013, 44:73-80

Mohammadi B, Haeseler G, Leuwer M, Dengler R, Krampfl K, Bufler J. Structural requirements of phenol derivatives for direct activation of chloride currents via GABA(A) receptors. *Eur J Pharmacol* 2001, 421:85-91

Mühlbauer RC, Lozano A, Palacio S, Reinli A, Felix R. Common herbs, essential oils, and monoterpenes potently modulate bone metabolism. *Bone* 2003, 32:372-380

OECD (2002) Test N° 404: Acute dermal irritation/corrosion, OECD Guidelines for the testing of chemicals, Section 4: Health Effects, OECD Publishing

Opdyke DLJ (Ed.). Monographs on Fragrance Raw Materials, A Collection of Monographs Originally Appearing in Food Cosmetics Toxicology, Pergamon Press, Oxford, 1979, p. 704

Park BS, Choi WS, Kim JH, Kim KH, Lee SE. Monoterpenes From Thyme (*Thymus vulgaris*) As Potential Mosquito Repellents. *J Am Mosq Control Assoc* 2005, 21:80-83

Paster N, Juven BJ, Shaaya E, Menasherov M, Nitzan R, Weisslowicz H, Ravid U. Inhibitory effect of oregano and thyme essential oils on moulds and foodborne bacteria. *Letters Appl Microbiol* 1990, 11:33-37

Patakova D, Chladek M. Über die antibakterielle Aktivität von Thymian- und Quendelölen. *Pharmazie* 1974, 29:140-143

Penalver P, Huerta B, Borge C, Astorga R, Romero R, Perea A. Antimicrobial activity of five essential oils against origin strains of the Enterobacteriaceae family. *Acta Pathol Microbiol Immunol* 2005, 113:1-6

Pérez-Rosés R, Risco E, Vila R, Peñalver P, Cañigueral S, Biological and nonbiological antioxidant activity of some essential oils. *J Agric Food Chem* 2016, 64:4716-24

Plants in cosmetics: potentially harmful components, vol. 3, Council of Europe Publishing, Strasbourg, 2006, pp. 247-256

Radaelli M, da Silva BP, Weidlich L, Hoehne L, Flach A, da Costa LA, Ethur EM. Antimicrobial activities of six essential oils commonly used as condiments in Brazil against *Clostridium perfringens*. *Braz J Microbiol* 2016, 47:424-430

Rajkowska K, Kunicka-Styczyńska A, Maroszyńska M. Selected essential oils as antifungal agents against antibiotic-resistant *Candida* spp.: *in vitro* study on clinical and food-borne Isolates. *Microb Drug Resist* 2017, 23:18-24

Reiter M, Brandt W. Relaxant effects on Tracheal and Ileal Smooth muscles of the Guinea Pig. *Arzneim Forsch* 1985, 35:408-414

Reyes-Jurado F, López-Malo A, Palou E. Antimicrobial activity of individual and combined essential oils against foodborne pathogenic bacteria. *J Food Prot* 2016, 79:309-315

Sakkas H, Gousia P, Economou V, Sakkas V, Petsios S, Papadopoulou C. *In vitro* antimicrobial activity of five essential oils on multidrug resistant Gram-negative clinical isolates. *J Intercult Ethnopharmacol* 2016, 5:212-218

Santoro GF, das Gracas Cardoso M, Guimaraes LG, Salgado AP, Menna-Barreto RF, Soares MJ. Effect of oregano and thyme essential oils on *Trypanosome cruzi* growth and ultrastructure. *Parasitol Res* 2007, 100:783-790

Sarkozi S, Almassy J, Lukacs B, Dobrosi N, Nagy G, Jona I. Effect of natural phenol derivatives on skeletal type sarcoplasmic reticulum Ca²⁺-ATPase and ryanodine receptor. *J Muscle Res Cell Motility* 2007, 28:167-174

Schwarz K, Ernst H, Ternes W. Evaluation of Antioxidative Constituents from Thyme. *Journal of the Sci Food Agriculture* 1996, 70:217-223

Shaaya E, Ravid U, Paster N, Juven B, Zisman U, Pissarev V. Fumigant toxicity of essential oils against four major stored-product insects. *J Chem Ecol* 1991, 17:499-504

Shapiro S, Guggenheim B. The action of thymol on oral bacteria. *Oral Microbiol Immunol* 1995, 10:241-246

Sharifzadeh A, Javan AJ, Shokri H, Abbaszadeh S, Keykhosravy K. Evaluation of antioxidant and antifungal properties of the traditional plants against foodborne fungal pathogens. *J Mycol Med* 2016, 26:e11-17

Shoeibi Sh, Rahimifard N, Pirouz B, Yalfani R, Pakzda SR, Mirab Samie S, Pirali Hamedani M, mutagenicity of four natural flavors: clove, cinnamon, thyme and *Zataria multiflora* Boiss. *J Med Plants* 2009, 8(Suppl. 5):89-96

Simeon de Bouchberg M, Allegrini J, Bessiere C, Attisso M, Passet J, Granger R. Propriétés microbiologiques des huiles essentielles de chimiotypes de *Thymus vulgaris* Linnaeus. *Riv Ital EPPOS* 1976, 58:527-536

Soares IH, Loreto ÉS, Rossato L, Mario DN, Venturini TP, Baldissera F, Santorio JM, Alves SH. *In vitro* activity of essential oils extracted from condiments against fluconazole-resistant and -sensitive *Candida glabrata*. *J Mycol Med* 2015, 25:213-217

Sokovic M, Glamoclija J, Cacic A, Kataranovski D, Marin PD, Vukojevic J, Brkic D. Antifungal Activity of the Essential oil of *Thymus vulgaris* L. and Thymol on Experimentally Induced Dermatomycoses. *Drug Dev Ind Pharm* 2008, 24:1-6

Soliman KM, Badeaa RI. Effect of oil extracted from some medicinal plants on different mycotoxicogenic fungi. *Food Chem Toxicol* 2002, 40:1669-1675

Stahl E. Lehrbuch der Pharmakognosie. Gustav Fischer Verlag, Stuttgart 1962

| Stahl-Biskup E. The chemical composition of thymus oils: a review of the literature 1960-1989. *J Ess Oil Res* 1991, 3:61-82

Stammati A, Bonsi P, Zucco F, Moezelaar R, Alakomi H-L, Wright A von. Toxicity of selected plant volatiles in microbial and mammalian short-term assays. *Food Chem Toxicol* 1999, 37:813-823

Szentandrassy N, Szentesi P, Magyar J, Nanasi P, Csernoch L. Effect of thymol on kinetic properties of Ca and K currents in rat skeletal muscle. *BMC Pharmacology* 2003, 3:9

Szentandrassy N, Szigeti G, Szegedi C, et al. Effect of thymol on calcium handling in mammalian ventricular myocardium. *Life Sciences* 2004, 74:909-921

Szweda P, Gucwa K, Kurzyk E, Romanowska E, Dzierżanowska-Fangrat K, Zielińska Jurek A, Kuś PM, Milewski S. Essential oils, Silver nanoparticles and propolis as alternative agents against fluconazole resistant *Candida albicans*, *Candida glabrata* and *Candida krusei* clinical isolates. *Indian J Microbiol* 2015, 55:175-183

Takeuchi H, Lu ZG, Fujita T. New monoterpenoid glucoside from the aerial parts of thyme (*Thymus vulgaris* L.). *Biosci Biotechnol Biochem* 2004, 68:1131-1134

Thompson JD, Chalchat JC, Michet A, Linhart YB, Ehlers B. Qualitative and quantitative variation in monoterpane co-occurrence and composition in the essential oil of *Thymus vulgaris* chemotypes. *J Chem Ecol* 2003, 29:859-880

Thosar N, Basak S, Bahadure RN, Rajurkar M. Antimicrobial efficacy of five essential oils against oral pathogens: An *in vitro* study. *Eur J Dent* 2013, 7 (Suppl 1):S71-77

Tschirch A. Handbuch der Pharmakognosie. 2 Abteilungen (in 4 Bänden). Leipzig, Tauchnitz 1909-1917 (1917)

Tullio V, Nostro A, Mandras N, Dugo P, Banche G, Cannatelli MA, Cuffini AM, Alonzo V, Carlone NA. Antifungal activity of essential oils against filamentous fungi determined by broth microdilution and vapor contact methods. *J Appl Microbiol* 2007, 102:1544-1550

Twetman S, Petersson LG. Interdental caries incidence and progression in relation to mutans streptococci suppression after chlorhexidine-thymol varnish treatments in schoolchildren. *Acta Odontol Scand* 1999, 57(3):144-148

Undeğer U, Başaran A, Degen GH, Başaran N. Antioxidant activities of major thyme ingredients and lack of (oxidative) DNA damage in V79 Chinese hamster lung fibroblast cells at low levels of carvacrol and thymol. *Food Chem Toxicol* 2009, 47(8):2037-2043

Vampa G, Albasini A, Provvigionato A, Bianchi A, Melegari M. Etude chimique et microbiologique sur les huiles essentielles de Thymus. *Plant Med Phytother* 1988, 22:195-202

Vázquez-Sánchez D, Cabo ML, Rodríguez-Herrera JJ. Antimicrobial activity of essential oils against *Staphylococcus aureus* biofilms. *Food Sci Technol Int* 2015, 21:559-570

Vollmer H. Untersuchungen über Expektorantien und den Mechanismus ihrer Wirkung Klinische Wochenschrift 1932, 11:590-595

Von Skramlik E. Über die Giftigkeit und Verträglichkeit von ätherischen Ölen. *Pharmazie* 1959, 14:435-445

Wagner H, Wierer M, Bauer R. *In vitro* Hemmung der Prostaglandin-Biosynthese durch etherische Öle und phenolische Verbindungen. *Planta Med* 1986, 184-187

Yones DA, Bakir HY, Bayoumi SA. Chemical composition and efficacy of some selected plant oils against *Pediculus humanus capitis* *in vitro*. *Parasitol Res* 2016, 115:3209-3218

Youdim KA, Deans SG, Finlayson HJ. The antioxidant properties of thyme (*Thymus zygis* L.) essential oil: an inhibitor of lipid peroxidation and a free radical scavenger. *J Ess Oil Res* 2002, 14:210-215

Youdim KA, Deans SG. Beneficial effects of thyme oil on age-related changes in the phospholipid C20 and C22 polyunsaturated fatty acid composition of various rat tissues. *Biochimica et biophysica acta* 1999, 1438:140-146

Youdim KA, Deans SG. Dietary supplementation of thyme (*Thymus vulgaris* L.) essential oil during the lifetime of the rat: its effects on the antioxidant status in liver, kidney and heart tissues. *Mechanisms of ageing and development* 1999a, 109:163-175

Youdim KA, Deans SG. Effect of thyme oil and thymol dietary supplementation on the antioxidant status and fatty acid composition of the ageing rat brain. *British J Nutrition* 2000, 83:87-93

Yürüktümen A, Hocaoğlu N, Ersel M, Özsaraç M, Kiyan S. Acute hepatitis associated with *Thymus vulgaris* oil ingestion; case report. *TR J Emerg Med* 2011, 11:68-71

Zani F, Massimo G, Benvenuti S, Bianchi A, Albasini A, Melegari M, Vampa G, Bellotti A, Mazza P. Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-Assay and *Salmonella* Microsome Reversion Assay. *Planta Med* 1991, 57:237-241

References used but not quoted in the Assessment Report:

- Hänsel R, Sticher O. *Pharmakognosie – Phytopharmazie*. Springer Verlag, Heidelberg 2007
- Mills S, Bone K. *Principles and Practice of Phytotherapy*. Churchill Livingstone, Toronto 2000
- Stahl-Biskup E, Hiller K, Loew D. Thymi herba in: Wichtl M (editor): *Teedrogen und Phytopharmaka*. Wiss. VerlagsgesmbH, Stuttgart 2009