



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

23 November 2022
EMA/HMPC/551668/2016
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Vaccinium macrocarpon* Aiton, fructus

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdul MI, Jiang X, Williams KM, Day RO, Roufogalis BD, Liauw WS, *et al.* Pharmacodynamic interaction of warfarin with cranberry but not with garlic in healthy subjects. *Br J Pharmacol* 2008, 154:1691-700

Afshar K, Stothers L, Scott H, MacNeily AE. Cranberry juice for the prevention of paediatric urinary tract infection: a randomized controlled trial. *J Urology* 2012, 188(4):1584-7

Ahuja S, Kaack B, Roberts J. Loss of fimbrial adhesion with the addition of *Vaccinium macrocarpon* to the growth medium of P-fimbriated *Escherichia coli*. *J Urology* 1998, 159(2):559-562

Albassam AA, Mohamed ME, Frye RF. Inhibitory effect of six herbal extracts on CYP2C8 enzyme activity in human liver microsomes. *Xenobiotica* 2015, 45(5):406-412

Anger J, Lee U, Ackerman AL, Chou R, Chughtaim BJ, Clemens Q, *et al.* Recurrent Uncomplicated Urinary Tract Infections in Women: AUA/CUA/SUFU Guideline. *J Urology* 2019, 202(2):282-289

Ansell J. Cranberry juice is safe to consume with warfarin! Carver (MA): Cranberry Institute. 2011, 2 p

Ansell J, McDonough M, Zhao Y, Harmatz JS, Greenblatt DJ. The absence of an interaction between warfarin and cranberry juice: a randomized, double-blind trial. *J Clin Pharmacol* 2009, 49:824-30

Aston JI, Lodolce AE, Shapiro NL. Interaction between warfarin and cranberry juice. *Pharmacotherapy* 2006, 26(9):1314-1319

Auker KM, Coleman CM, Wang M, Avula B, Susanna L, Bonnet SL, *et al.* Structural Characterization of Cranberry Arabinoxyloligolucan Oligosaccharides. *J Nat Prod* 2019, 82:606-620

Avorn J, Monane M, Gurwitz JH, Choodnovskiy I, Lipsitz LA. Reduction of bacteriuria and pyuria after ingestion of cranberry juice. *JAMA* 1994, 271:751-4



- Bailey DT, Dalton C, Daugherty JF, Tempesta MS. Can a concentrated cranberry extract prevent recurrent urinary tract infections in women? A pilot study. *Phytomedicine* 2007, 14(4):237-241
- Bałań BJ, Lewicki S, Siwicki AK, Stelmasiak M, Skopiński P, Skopińska-Różewska E, *et al.* Morphometric abnormalities in spleen and kidney of the progeny of mice fed American cranberry extract (*Vaccinium macrocarpon*) during pregnancy and lactation. *Pol J Vet Sci.* 2017, 28; 20(1):57-65
- Barbosa-Cesnik C, Brown MB, Buxton M, Zhang L, DeBusscher J, Foxman B. Cranberry juice fails to prevent recurrent urinary tract infection: results from a randomized placebo-controlled trial. *Clin Infect Dis* 2011, 52(1):23-30
- Barnes J, Anderson LA, Phillipson JD. Herbal Medicines, 3rd ed. Pharmaceutical Press, London 2007
- Bártíková H, Boušová I, Jedličková P, Lněničková K, Skálová L, Szotáková B. Effect of standardized cranberry extract on the activity and expression of selected biotransformation enzymes in rat liver and intestine. *Molecules* 2014, 19(9):14948-14960
- Bartram T. Cranberries. Bartram's Encyclopedia of Herbal Medicine 1995, 133-134
- Basu A, Betts NM, Ortiz J, Simmons B, Wu M, Lyons TJ. Low energy cranberry juice decreases lipid oxidation and increases plasma antioxidant capacity in women with metabolic syndrome. *Nutr Res* 2011, 31:190-6
- Beerepoot MA, ter Riet G, Nys S, van der Wal WM, de Borgie CA, de Reijke TM, *et al.* Cranberries vs antibiotics to prevent urinary tract infections: a randomized double-blind noninferiority trial in premenopausal women. *Arch Intern Med* 2011, 171:1270-8
- Bianco L, Perrelli E, Towle V, Ness Ph, Juthani-Mehta M. Pilot randomized controlled dosing study of cranberry capsules for reduction of bacteriuria plus pyuria in female nursing home residents. *J Amer Geriatr Soc* 2012, 60(6):1180-1181
- Blatherwick NR. The specific role of foods in relation to the composition of the urine. *Arch Intern Med (Chic)* 1914, 14(3):409-450
- Blatherwick NR, Long L. Studies of urinary acidity. II. The increased acidity produced by eating prunes and cranberries. *J Biol Chem* 1923, 57:815-9
- Blumberg JB, Camesano TA, Cassidy A, Kris-Etherton P, Howell A, Manach C, *et al.* Cranberries and their bioactive constituents in human health. *Adv Nutr* 2013, 4(6):618-632
- Blumenthal M, Hall T, Goldberg A, Kunz T, Kinda K, editors. The ABC Clinical Guide to Herbs. American Botanical Council, Austin 2003
- Bodel PT, Cotran R, Kass EH. Cranberry juice and the antibacterial action of hippuric acid. *J Lab Clin Med* 1959, 54:881-888
- Bodet C, Chandad F, Grenier D. Anti-inflammatory activity of a high-molecular-weight cranberry fraction on macrophages stimulated by lipopolysaccharides from periodontopathogens. *J Dent Res* 2006, 85(3):235-239
- Boland J. The Effect of Cranberry Juice and Cranberry Derivatives on the Hemagglutination Activity of P-Fimbriated *Escherichia coli*. Available at:
https://www.uwlax.edu/urc/juronline/PDF/2002/J_Boland.pdf
https://www.uwlax.edu/globalassets/offices-services/urc/jur-online/pdf/2002/j_boland.pdf

Accessed 12/12/2016

- Bonetta A, Di Pierro F. Enteric-coated, highly standardized cranberry extract reduces risk of UTIs and urinary symptoms during radiotherapy for prostate carcinoma. *Cancer Manag Res* 2012, 4:281-6
- Bonkat G, Bartoletti RR, Bruyère F, Cai T, Geerlings SE, Köves B, *et al.* EAU Guidelines on Urological Infections. Available at: <https://uroweb.org/wp-content/uploads/EAU-Guidelines-on-Urological-Infections-2018-large-text.pdf>
- Bonkat G, Bartoletti RR, Bruyère F, Cai T, Geerlings SE, Köves B, *et al.* EAU Guidelines on Urological Infections. Available at: <https://uroweb.org/wp-content/uploads/EAU-Guidelines-on-Urological-infections-2020.pdf>
- Brinker F. Herb Contraindications and Drug interactions. 4th ed. Sandy (OR) Eclectic Medical Publications 2010
- Broussard CS, Louik C, Margaret A. Honein MA. OBSTETRICS. Herbal use before and during pregnancy American Journal of Obstetrics & Gynecology 2010, 202:443.e1-6 Available at: <https://www.ajog.org/action/showPdf?pii=S0002-9378%2809%2902003-1>
- Bruyère F. Utilisation de la canneberge dans les infections urinaires récidivantes. *Médecine et Maladies Infectieuses* 2006, 36(7):358-363
- Bukhari S, Chiragh S, Tariq S, Alam MA, Wazir MS, Suleman M. *In vitro* activity of vaccinium macrocarpon (cranberry) on urinary tract pathogens in uncomplicated urinary tract infection. *J Ayub Med Coll Abbottabad* 2015, 27(3):660-663
- Burleigh AE, Benck SM, McAchran SE, Reed JD, Krueger CG, Hopkins WJ. Consumption of sweetened, dried cranberries may reduce urinary tract infection incidence in susceptible women – a modified observational study. *Nutr J* 2013, 12(1):139
- Caljouw MA, van den Hout WB, Putter H, Achterberg WP, Cools HJ, Gussekloo J. Effectiveness of cranberry capsules to prevent urinary tract infections in vulnerable older persons: a double-blind randomized placebo-controlled trial in long-term care facilities. *J Am Geriatr Soc* 2014, 62:103–10
- Campbell G, Pickles T, Dyachkova Y. A randomised trial of cranberry versus apple juice in the management of urinary symptoms during external beam radiation therapy for prostate cancer. *Clin Oncol* 2003, 15:322-8
- Chen CS, Ho DR, Chang PJ, Lin WY, Huang YC. Urine post equivalent daily cranberry juice consumption may opsonize uropathogenicity of *Escherichia coli*. *J Infect Chemother* 2013, 19(5):812-817
- Choi EJ, Park JB, Yoon KD, Bae SK. Evaluation of the *in vitro/in vivo* potential of five berries (bilberry, blueberry, cranberry, elderberry, and raspberry ketones) commonly used as herbal supplements to inhibit uridine diphospho-glucuronosyltransferase. *Food Chem Toxicol* 2014, 72:13-19
- Chou HI, Chen KS, Wang HC, Lee WM. Effects of cranberry extract on prevention of urinary tract infection in dogs and on adhesion of *Escherichia coli* to Madin-Darby canine kidney cells. *Am J Vet Res* 2016, 77(4):421-427
- Coleman CM, Auken KM, Killday KB, Azadi P, Black I, Ferreira D. Arabinoxylloglucan oligosaccharides may contribute to the antiadhesive properties of porcine urine after cranberry consumption. *J Nat Prod* 2019, 82(3):589-605
- Coleman CM, Ferreira D. Review Oligosaccharides and Complex Carbohydrates: A New Paradigm for Cranberry Bioactivity *Molecules* 2020, 25, 881, in press, doi:10.3390/molecules25040881. Available at: www.mdpi.com/journal/molecules

Cunningham DG, Santos AF, Serres RA. Chapter 5, Color Quality of Cranberry Products American Chemical Society 2008, 54-68

Cushman M, Lim W, Zakai N. Clinical practice guide on anticoagulant dosing and management of anticoagulant associated bleeding complications in adults. *AmSoc Hematol*, Washington 2011, 8 p

Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G. Use of herbal products among 392 Italian pregnant women: focus on pregnancy outcome. *Pharmacoepidemiol Drug Safety* 2010, 19:1151-1158

Dave AA, Samuel J. Suspected Interaction of Cranberry Juice Extracts and Tacrolimus Serum Levels: A Case Report Case Reports Cureus. 2016 May 16, 8(5):e610, in press, doi:10.7759/cureus.610

De Llano DG, Esteban-Fernández A, Sánchez-Patán F, Martínlvarez PJ, Moreno-Arribas MV, Bartolomé B. Anti-Adhesive Activity of Cranberry Phenolic Compounds and Their Microbial-Derived Metabolites against Uropathogenic Escherichia coli in Bladder Epithelial Cell Cultures. *Int J Mol Sci* 2015, 16(6):12119-12130

Denis MC, Desjardins Y, Furtos A, Marcil V, Dudonné S, Montoudis A, et al. Prevention of oxidative stress, inflammation and mitochondrial dysfunction in the intestine by different cranberry phenolic fractions. *Clin Sci (Lond)* 2015, 128(3):197-212

Dignam R, Ahmed M, Kelly K, Denman SJ, Zayon M, Kleban M. The effect of cranberry juice on urinary tract infection rates in a long-term care facility. *Ann Long-Term Care* 1998, 6(5):163-7

Di Martino P, Agniel R, David K, Templer C, Gaillard JL, Denys P, et al. Reduction of Escherichia coli adherence to uroepithelial bladder cells after consumption of cranberry juice: a double-blind randomized placebo-controlled cross-over trial. *World J Urol* 2006, 24(1):21-27

Dugoua JJ, Seely D, Perri D, Mills E, Koren G. Safety and efficacy of cranberry (*vaccinium macrocarpon*) during pregnancy and lactation. *Can J Clin Pharmacol*, Vol 15 (1) Winter 2008:e80-e86, 18 January 2008

Dohadwala MM, Holbrook M, Hamburg NM, Shenouda SM, Chung WB, Titas M, et al. Effects of cranberry juice consumption on vascular function in patients with coronary artery disease. *Am J Clin Nutr* 2011, 93:934-40

Efros M, Bromberg W, Cossu L, Nakeleski E, Katz AE. Novel concentrated cranberry liquid blend, UTI-STAT with Proantinox, might help prevent recurrent urinary tract infections in women. *Urology* 2010, 76(4):841-845

EFSA. European Food Safety Authority Scientific Opinion Ocean Spray Cranberry Products and urinary tract infection in women. Scientific substantiation of a health claim related to Ocean Spray Cranberry Products® and urinary tract infection in women pursuant to Article 14 of Regulation (EC) No 1924/2006. *The EFSA Journal* 2009, 943:1-15. Available at: <https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2009.943>

EFSA. European Food Safety Authority Scientific Opinion on the substantiation of health claims related to proanthocyanidins from cranberry (*Vaccinium macrocarpon* Aiton) fruit and defence against bacterial pathogens in the lower urinary tract (ID 1841, 2153, 2770, 3328), "powerful protectors of our gums" (ID 1365), and "heart health" (ID 2499) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. *EFSA Journal* 2011, 9(6):2215. [18 pp.], in press, doi:10.2903/j.efsa.2011.2215. Available at: <https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2011.2215>

EFSA. European Food Safety Authority Scientific Opinion on the substantiation of a health claim related to CranMax® and reduction of the risk of urinary tract infection by inhibiting the adhesion of certain

bacteria in the urinary tract pursuant to Article 14 of Regulation (EC) No 1924/2006. *EFSA Journal* 2014, 12(5):3657. Available at:
<https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2014.3657>

Erichsen-Brown C. *Medicinal and Other Uses of North American Plants* Dover Publication, INC New York 1989

Ermel G, Georgeault S, Inisan C, Besnard M. Inhibition of adhesion of uropathogenic *Escherichia coli* bacteria to uroepithelial cells by extracts from cranberry. *J Med Food* 2012, 15(2):126-134

ESCOP Monographs 2nd ed. supplement. *Vaccinii macrocarpi fructus*. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009

ESCOP Monographs 2020

Esquivel-Alvarado D, Alfaro-Viquez E, Krueger CG, Vestling MM, Reed JD. Classification of proanthocyanidin profiles using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI-TOF MS) spectra data combined with multivariate analysis. *Food Chem* 2021a, 336:127667

Esquivel-Alvarado D, Alfaro-Viquez E, Krueger CG, Vestling MM, Reed JD. Identification of A-type proanthocyanidins in cranberry-based foods and dietary supplements by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, First Action Method: 2019.05. *J AOAC Int* 2021b, 104(1):223-231

Esquivel-Alvarado D, Reed JD, Krueger CG. Chapter 5 Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI-TOF MS) of proanthocyanidins to determine authenticity of functional foods and dietary supplements. In: Reed JD, Pereira de Freitas VA, Quideau S, editors. *Recent Advances in Phytochemical Research*. Vol. 7. John Wiley & Sons Ltd, 2021c, 113-129

European Commission: Commission Implementing Decision (EU) 2017/1445 of 8 August 2017 on the group of products whose principal intended action, depending on proanthocyanidins (PAC) present in cranberry (*Vaccinium macrocarpon*), is to prevent or treat cystitis. *Official Journal of the European Union* 10.08.2017, L207/28; Available at:

<https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32017D1445&from=RO>

Feliciano RP, Krueger CG, Shanmuganayagam D, Vestling MM, Reed JD. Deconvolution of matrix-assisted laser desorption/ionization time-of-flight mass spectrometry isotope patterns to determine ratios of A-type to B-type interflavan bonds in cranberry proanthocyanidins. *Food Chem* 2012a, 135:1485-1493

Feliciano RP, Shea MP, Shanmuganayagam D, Krueger CG, Howell AB, Reed JD. Comparison of Isolated Cranberry (*Vaccinium macrocarpon* Ait.) Proanthocyanidins to Catechin and Procyanidins A2 and B2 for Use as Standards in the 4-(Dimethylamino)cinnamaldehyde Assay. *J Agric Food Chem* 2012b, 60:4578-4585

Feliciano RP, Krueger CG, Reed JD. Methods to determine effects of cranberry proanthocyanidins on extra intestinal infections: Relevance for urinary tract health. *Mol Nutr Food Res* 2015, 59(7):1292-306

Feliciano RP, Boeres A, Massacessi L, Istas G, Ventura MR, NunesDos Santos C, *et al.* Identification and quantification of novel cranberry-derived plasma and urinary(poly)phenols. *Arch Biochem Biophys* 2016, 599:31-41

- Fellers CR, Redmon BC, Parrott EM. Effect of cranberries on urinary acidity and blood alkalireserve. *J Nutr* 1933, 6(5):455-63
- Foo LY, Lu Y, Howell AB, Vorsa N. The structure of cranberry proanthocyanidins which inhibit adherence of uropathogenic P-fimbriated *Escherichia coli* *in vitro*. *Phytochemistry* 2000a, 54(2):173-181
- Foo LY, Lu Y, Howell AB, Vorsa N. A-Type proanthocyanidin trimers from cranberry that inhibit adherence of uropathogenic P-fimbriated *Escherichia coli*. *J Nat Prod* 2000b, 63(9):1225-1228
- Forster DA, Denning A, Wills G, Bolger M, McCarthy E. Herbal medicine use during pregnancy in a group of Australian women. *BMC Preg Childbirth* 2006, 6:21
- Garcia-Calatayud S, Larreina Cordoba JJ, Lozano De La Torre MJ. Severe cranberry juice poisoning. *An Esp Pediatr* 2002, 56:72-3
- Gettman MT, Ogan K, Brinkley LJ, Adams-Huet B, Pak CYC, Pearle MS. Effect of cranberry juice consumption on urinary stone risk factors. *J Urol* 2005, 174:590-4
- Gibson L, Pike L, Kilbourn J.P. Clinical study Effectiveness of cranberry juice in preventing urinary tract infections in Long-term Care Facility patients. *The Journal of Naturopathic Medicine* 1991, Vol. 2., 1:45-47
- Gonthier MP, Donovan JL, Texier O, Felgines C, Remesy C, Scalbert A. Metabolism of dietary procyanidins in rats. *Free Radic Biol Med* 2003, 35(8):837-844
- Grabe M, Bjerkklund-Johansen TE, Botto H, Çek M, Naber KG, Tenke P, *et al*. Guidelines on Urological Infections European Association of Urology 2010
- Grabe M, Bjerkklund-Johansen TE, Botto H, Çek M, Naber KG, Pickard RS, *et al*. Guidelines on Urological Infections European Association of Urology 2013
- Grabe M, Bartoletti TE, Bjerkklund-Johansen TE, Cait T, Çek M, Köves B, *et al*. Guidelines on Urological Infections European Association of Urology 2015
- Grant P. Warfarin and cranberry juice: an interaction? *The Journal of Heart Valve Disease* 2004, 13(1):25-26
- Greenberg JA, Newmann SJ, Howell AB. Consumption of sweetened dried cranberries versus unsweetened raisins for inhibition of uropathogenic *Escherichia coli* adherence in human urine: a pilot study. *J Altern Complement Med* 2005, 11(5):875-878
- Greenblatt DJ, von Moltke LL, Perloff ES, Luo Y, Harmatz JS, Zinny MA. Interaction of flurbiprofen with cranberry juice, grape juice, tea, and fluconazole: *in vitro* and clinical studies. *Clin Pharmacol Ther* 2006, 79(1):125-133
- Grenier J, Fradette C, Morelli G, Merritt GJ, Vranderick M, Ducharme MP. Pomelo juice, but not cranberry juice, affects the pharmacokinetics of cyclosporine in humans. *Clin Pharmacol Ther* 2006, 79:255-62
- Griffiths AP, Beddall A, Pegler S. Fatal haemopericardium and gastrointestinal haemorrhage due to possible interaction of cranberry juice with warfarin. *J Roy Soc Promot Health* 2008, 128:324-6
- Guay DRP. Cranberry and urinary tract infections. *Drugs* 2009, 69(7):775-807
- Gupta K, Chou MY, Howell A, Wobbe C, Grady R, Stapleton AE. Cranberry products inhibit adherence of p-fimbriated *Escherichia coli* to primary cultured bladder and vaginal epithelial cells. *J Urol* 2007, 177(6):2357-2360

- Gupta A, Dwivedi M, Mahdi AA, Nagana Gowda GA, Khetrpal CL, Bhandari M. Inhibition of adherence of multi-drug resistant E. coli by proanthocyanidin. *Urol Res* 2012, 40(2):143-150
- Gupta P, Song B, Neto C, Camesano TA. Atomic force microscopy-guided fractionation reveals the influence of cranberry phytochemicals on adhesion of Escherichia coli. *Food Funct* 2016, 7(6):2655-2666
- Hasegawa H, Noguchi K, Mano Y, Fujitani H, Furuya N. Preventive effect of proanthocyanidins against infections caused by uropathogenic Escherichia coli. *Int J Antimicrob Agents* 2017, 50; Supplement 2 (S183)
- Haverkorn M, Mandigers J. Reduction of bacteriuria and pyuria using cranberry juice. (Letter). *Journal of The American Medicinal Association* 1994, 272(8):590
- Health Canada. Dried cranberry juice 2011. Available at: <http://webprod.hc-sc.gc.ca/nhpid-bdipsn/monoReq.do?id=292&lang=eng>. Accessed 08/10/2016
- Health Canada, Natural Health Product Cranberry - *Vaccinium macrocarpon*, 18 December 2018. Available at: <http://webprod.hc-sc.gc.ca/nhpid-bdipsn/monosReq.do?lang=eng>
- Heitmann K, Nordeng H, Holst L. Pregnancy outcome after use of cranberry in pregnancy – the Norwegian mother and child cohort study. *BMC Complement Altern Med*. 2013, 13:345, in press, doi:10.1186/1472-6882-13-345
- Hess MJ, Hess PE, Sullivan MR, Nee M, Yalla SV. Evaluation of cranberry tablets for the prevention of urinary tract infections in spinal cord injured patients with neurogenic bladder. *Spinal Cord* 2008, 46:622-626
- Hidalgo G, Chan M, Tufenkji N. Inhibition of Escherichia coli CFT073 fliC expression and motility by cranberry materials. *Appl Environ Microbiol* 2011, 77(19):6852-6857
- Holmes AB, Rha C. Structure and chemical composition of cranberry cell wall material. *J Food Sci* 1978, 43:112-5
- Holst L, Wright D, Haavik S, Nordeng H. The use and the user of herbal remedies during pregnancy. *J Altern Comp Med* 2009, 15:787-92
- Hong V, Wrolstad RE. Detection of adulteration in commercial cranberry juice drinks and concentrates. *J Assoc Off Anal Chem* 1986, 69(2):208-213
- Hotchkiss AT, Nuñez A, Strahan GD, Chau HK, White AK, Marais JPJ, et al. Cranberry Xyloglucan Structure and Inhibition of Escherichia coli Adhesion to Epithelial Cells. *Journal of Agricultural and Food Chemistry* 2015, 63(23):5622–5633
- Hout WB, Caljouw MAA, Putter H, Cools HJM, Gussekloo J. Cost-Effectiveness of Cranberry Capsules to Prevent Urinary Tract Infection in Long-Term Care Facilities: Economic Evaluation with a Randomized Controlled Trial. *J Am Geriatr Soc* 2014, 62(1):111–116
- Howell AB, Leahy M, Kurowska E, Guthrie N. *In vivo* evidence that cranberry proanthocyanidins inhibit adherence of P-fimbriated E. coli bacteria to uroepithelial cells. *FASEB* 2001, 15:A284
- Howell AB, Reed JD, Krueger CG, Winterbottom R, Cunningham DG, Leahy M. A-type cranberry proanthocyanidins and uropathogenic bacterial anti-adhesion activity. *Phytochemistry* 2005, 66(18):2281-2291
- Howell AB, Botto H, Combescure C, Blanc-Potard AB, Gausa L, Matsumoto T, et al. Dosage effect on uropathogenic Escherichia coli anti-adhesion activity in urine following consumption of cranberry

- powder standardized for proanthocyanidins content: a multicentric randomized double blind study. *BMC Infect Dis* 2010, 10:94
- Howell A, Souza D, Roller M, Fromentin E. Comparison of the Anti-Adhesion Activity of Three Different Cranberry Extracts on Uropathogenic P-fimbriated *Escherichia coli*: a Randomized, Double-blind, Placebo Controlled, *Ex Vivo*, Acute Study. *Nat Prod Commun* 2015, 10(7):1215-1218
- Huang Y, Nikolic D, Pendland S, Doyle BJ, Locklear TD, Mahady GB. Effects of cranberry extracts and ursolic acid derivatives on P-fimbriated *Escherichia coli*, COX-2 activity, pro-inflammatory cytokine release and the NF-kappabeta transcriptional response *in vitro*. *Pharm Biol* 2009, 47(1):18-25
- Iswaldi I, Arráez-Román D, Gómez-Caravaca AM, Contreras Mdel M, Uberos J, Segura-Carretero A *et al*. Identification of polyphenols and their metabolites in human urine after cranberry-syrup consumption. *Food Chem Toxicol* 2013, 55:484-492
- Jensen HD, Struve C, Christensen SB, Kroghfelt KA. Cranberry Juice and Combinations of Its Organic Acids Are Effective against Experimental Urinary Tract Infection. *Front Microbiol*. 2017, 8:542
- Jepson RG, Craig JG. Cranberries for preventing urinary tract infections (Review). *Cochrane Database Syst Rev* 2008
- Jepson RG, Williams G, Craig JC. Cranberries for preventing urinary tract infections. *Cochrane Database Syst Rev*. 2012, 10:CD001321, in press, doi:10.1002/14651858.CD001321.pub5
- Juthani-Mehta M, Perley L, Chen S, Dziura J, Gupta K. Feasibility of cranberry capsule administration and clean-catch urine collection in long-term care residents. *J Am Geriatr Soc* 2010, 58:2028-30
- Kahn HD, Panariello VA, Saeli J, Sampson JR, Schwartz E. Implications for therapy of Urinary tract infection and Calculi. Effect of cranberry juice on urine, *Journal of the American Dietetic Association* 1967, 251-254
- Kennedy DA, Lupattelli A, Koren G, Nordeng H. 2013. Herbal medicine use in pregnancy: results of a multinational study. *BMC Comp Altern Med* 2013, 13:355
- Khanal RC, Howard LR, Wilkes SE, Rogers TJ, Prior RL. Urinary excretion of (Epi)catechins in rats fed different berries or berry products. *J Agric Food Chem* 2010, 58(21):11257-11264
- Kim E, Sy-Cordero A, Graf TN, Brantley SJ, Paine MF, Oberlies NH. Isolation and identification of intestinal CYP3A inhibitors from cranberry (*Vaccinium macrocarpon*) using human intestinal microsomes. *Planta Med* 2011, 77(3):265-270
- Kinney AB, Blount M. Effect of cranberry juice on urinary pH. *Nursing research* 1979, 28(5)287-290
- Kontiokari T, Sundquist K, Nuutinen M, Pokka T, Koskela M, Uhari M. Randomised trial of cranberry-lingonberry juice und *Lactobacillus GG* drink for the prevention of urinary tract infections in women. *BMJ*. 2001, 322(7302):1571
- Krueger CG, Meudt JJ, Howell AB, Khoo C, Shanmuganayagam D. Consumption of cranberry powder shifts urinary protein profile in healthy human subjects. *FASEB J Suppl*. 2013b, 27(1):637.32
- Krueger CG, Reed JD, Feliciano RP, Howell AB. Quantifying and characterizing proanthocyanidins in cranberries in relation to urinary tract health. *Anal Bioanal Chem* 2013a, 405:4385-4396
- Lacombe A, McGivney C, Tadepalli S, Sun X, Wu VC. The effect of American cranberry (*Vaccinium macrocarpon*) constituents on the growth inhibition, membrane integrity, and injury of *Escherichia coli* O157:H7 and *Listeria monocytogenes* in comparison to *Lactobacillus rhamnosus*. *Food Microbiol* 2013, 34(2):352-359

- Langhammer AJ, Nilsen OG. *In vitro* inhibition of human CYP1A2, CYP2D6, and CYP3A4 by six herbs commonly used in pregnancy. *Phytother Res* 2014, 28(4):603-610
- LaPlante KL, Sarkisian SA, Woodmansee S, Rowley DC, Seeram NP. Effects of cranberry extracts on growth and biofilm production of *Escherichia coli* and *Staphylococcus* species. *Phytother Res* 2012, 26(9):1371-1374
- Lavigne JP, Bourg G, Combescure C, Botto H, Sotto A. In-vitro and in-vivo evidence of dose-dependent decrease of uropathogenic *Escherichia coli* virulence after consumption of commercial *Vaccinium macrocarpon* (cranberry) capsules. *Clin Microbiol Infect* 2008, 14(4):350-355
- Ledda A, Bottari A, Luzzi R, Belcaro G, Hu S, Dugall M, *et al.* Cranberry supplementation in the prevention of non-severe lower urinary tract infections: a pilot study. *Eur Rev Med Pharmacol Sci* 2015, 19(1):77-80
- Ledda A, Belcaro G, Dugall M, Riva A, Togni S, Eggenhoffner R, *et al.* Highly standardized cranberry extract supplementation (Anthocran®) as prophylaxis in young healthy subjects with recurrent urinary tract infections. *Eur Rev Med Pharmacol Sci* 2017, 21(2):389-393
- Lee BB, Haran MJ, Hunt LM, Simpson JM, Marial O, Rutkowski SB, *et al.* Spinal-injured neuropathic bladder antiseptis (SINBA) trial. *Spinal Cord* 2007, 45:542
- Leitão DP, Polizello AC, Ito IY, Spadaro AC. Antibacterial screening of anthocyanic and proanthocyanic fractions from cranberry juice. *J Med Food* 2005, 8(1):36-40
- Li M, Andrew MA, Wang J, Salinger DH, Vicini P, Grady RW, *et al.* Effects of cranberry juice on pharmacokinetics of b-lactam antibiotics following oral administration. *Antimicrob Agents Chemother* 2009, 53:2725-32
- Li Z, Seeram NP, Carpenter CL, Thames G, Minutti C, Bowerman S. Cranberry does not affect prothrombin time in male subjects on warfarin. *J Am Diet Assoc* 2006, 106:2057-61
- Lilja JJ, Backman JT, Neuvonen PJ. Effects of daily ingestion of cranberry juice on the pharmacokinetics of warfarin, tizanidine, and midazolam – probes of CYP2C9, CYP1A2, and CYP3A4. *Clin Pharmacol Ther* 2007, 81:833-9
- Lin B, Johnson BJ, Rubin RA, Malanoski AP, Ligler FS. Iron chelation by cranberry juice and its impact on *Escherichia coli* growth. *Biofactors* 2011, 37(2):121-130
- Linsenmeyer TA, Harrison B, Oakley A, Kirshblum S, Stock JA, Millis SR. Evaluation of cranberry supplement for reduction of urinary tract infections in individuals with neurogenic bladders secondary to spinal cord injury. A prospective, double-blinded, placebo-controlled, crossover study. *J Spinal Cord Med*. 2004, 27:29-34
- Liu Y, Black MA, Caron L, Camesano TA. Role of cranberry juice on molecular-scale surface characteristics and adhesion behaviour of *Escherichia coli*. *Biotechnol Bioeng* 2006, 93(2):297-305
- Liu Y, Gallardo-Moreno AM, Pinzon-Arango PA, Reynolds Y, Rodriguez G, Camesano TA. Cranberry changes the physicochemical surface properties of *E. coli* and adhesion with uroepithelial cells. *Colloids Surf B Biointerfaces* 2008, 65(1):35-42
- Liu Y, Pinzón-Arango PA, Gallardo-Moreno AM, Camesano TA. Direct adhesion force measurements between *E. coli* and human uroepithelial cells in cranberry juice cocktail. *Mol Nutr Food Res* 2010, (12):1744-1752
- Louik C, Gardiner P, Kelly K, Mitchell AA. Use of herbal treatments in pregnancy. *Am J Obstet Gynecol* 2010, 202:439.e1-439.e10

Luís Â, Domingues F, Pereira L. Can Cranberries Contribute to Reduce the Incidence of Urinary Tract Infections? A Systematic Review with Meta-Analysis and Trial Sequential Analysis of Clinical Trials. *The Journal of Urology* 2017, 198(3):614–621

Madrigal-Carballo S, Rodríguez G, Sibaja M, Reed JD, Vila AO, Molina F. Chitosomes loaded with cranberry proanthocyanidins attenuate the bacterial lipopolysaccharide-induced expression of iNOS and COX-2 in raw 264.7 macrophages. *J Liposome Res* 2009, 19(3):189-196

Madrigal-Santillán E, Fragoso-Antonio S, Valadez-Vega C, Solano-Solano G, Zúñiga Pérez C, Sánchez-Gutiérrez M, et al. Investigation on the Protective Effects of Cranberry Against the DNA Damage Induced by Benzo[a]pyrene. *Molecules* 2012, 17:4435-4451. Available at: <https://www.mdpi.com/journal/molecules>

Magariños HL, Sahr C, Selaive SD, Costa ME, Figuerola FE, Pizarro OA. *In vitro* inhibitory effect of cranberry (*Vaccinium macrocarpon* Ait.) juice on pathogenic microorganisms. *Prikl Biokhim Mikrobiol* 2008, 44(3):333-336

Madden E, McLachlan C, Oketch-Rabah H, Calderón AI. Safety of Cranberry: Evaluation of Evidence of Kidney Stone Formation and Botanical Drug-Interactions. *Planta Med* 2021, in press, doi: 10.1055/a-1497-624

Maki KC, Kaspar KL, Khoo C, Derrig LH, Schild AL, Gupta K. Consumption of a cranberry juice beverage lowered the number of clinical urinary tract infection episodes in women with a recent history of urinary tract infection. *Am J Clin Nutr* 2016, 103(6):1434-1442

Marlett JA, Vollendorf NW. Dietary fiber content and composition of different forms of fruits. *Food Chem* 1994, 51:39-44

Mathison BD, Kimble LL, Kaspar KL, Khoo C, Chew BP. Consumption of cranberry beverage improved endogenous antioxidant status and protected against bacteria adhesion in healthy humans: a randomized controlled trial. *Nutr Res* 2014, 34(5):420-427

Mazokopakis EE, Karefilakis CM, Starakis IK. Efficacy of cranberry capsules in prevention of urinary tract infections in postmenopausal women. *J Altern Comp Med* 2009, 15:1155

McKay DL, Chen CY, Zampariello CA, Blumberg JB. Flavonoids and phenolic acids from cranberry juice are bioavailable and bioactive in healthy older adults. *Food Chem* 2015, 168:233-240

McMurdo ME, Argo I, Phillips G, Daly F, Davey P. Cranberry or trimethoprim for the prevention of recurrent urinary tract infections? A randomized controlled trial in older women. *J Antimicrob Chemother* 2009, 63(2):389-395

McMurdo ME, Bissett LY, Price RJ, Phillips G, Crombie IK. Does ingestion of cranberry juice reduce symptomatic urinary tract infections in older people in hospital? A double-blind, placebo-controlled trial. *Age Ageing* 2005, 34(3):256-61

Mellen CK, Ford M, Rindone JP. Effect of high-dose cranberry juice on the pharmacodynamics of warfarin in patients. *Br J Clin Pharmacol* 2010, 70:139-42

Menghini L, Leporini L, Scanu N, Pintore G, La Rovere R, Di Filippo ES, et al. Effect of phytochemical concentrations on biological activities of cranberry extracts. *J Biol Regul Homeost Agents* 2011, 25(1):27-35

Mergenhagen KA, Sherman O. Elevated International Normalized Ratio after concurrent ingestion of cranberry sauce and warfarin. *Am J Health Syst Pharm* 2008, 65:2113-6

- Milbury PE, Vita JA, Blumberg JB. Anthocyanins are bioavailable in humans following an acute dose of cranberry juice. *J Nutr* 2010, 140(6):1099-1104
- Mills S, Bone K. *The Essential Guide to Herbal Safety*, Elsevier Limited, Philadelphia 2005, p 349 - 352
- Moen DV. Observations on the effectiveness of cranberry juice in urinary infections. *Wis Med J* 1962, 61:282-283
- Mohamed ME, Frye RF. Inhibitory effects of commonly used herbal extracts on UDP-glucuronosyltransferase 1A4, 1A6, and 1A9 enzyme activities. *Drug Metab Dispos* 2011, 39(9):1522-1528
- Ngo N, Yan Z, Graf TN, Carrizosa DR, Kashuba AD, Dees EC, *et al.* Identification of a cranberry juice product that inhibits enteric CYP3A-mediated first-pass metabolism in humans. *Drug Metab Dispos* 2009, 37(3):514-522
- Ngo N, Brantley SJ, Carrizosa DR, Kashuba AD, Dees EC, Kroll DJ, *et al.* The warfarin-cranberry juice interaction revisited: A systematic *in vitro-in vivo* evaluation. *J Exp Pharmacol* 2010, 2010(2):83-91
- Nicolosi D, Tempera G, Genovese C, Furneri PM. Anti-Adhesion Activity of A2-type Proanthocyanidins (a Cranberry Major Component) on Uropathogenic E. coli and P. mirabilis Strains. *Antibiotics, Basel* 2014, 3(2):143-154
- Nordeng H, Bayne K, Havnen GC, Paulsen BS. Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. *Comp Ther Clin Pract* 2011, 17:147-51
- Occhipinti A, Germano A, Maffei ME. Prevention of Urinary Tract Infection with Oximacro, A Cranberry Extract with a High Content of A-Type Proanthocyanidins: A Pre-Clinical Double-Blind Controlled Study. *Urol J* 2016, 13(2):2640-9
- Ocean Spray Cranberry product. Available at: www.oceanspray.de
- Ou K, Percival SS, Zou T, Khoo C, Gu L. Transport of cranberry A-type procyanidin dimers, trimers, and tetramers across monolayers of human intestinal epithelial Caco-2 cells. *J Agric Food Chem* 2012, 60(6):1390-1396
- Palikova I, Vostalova J, Zdarilova A, Svobodova A, Kosina P, Vecera R, *et al.* Long-term effects of three commercial cranberry products on the antioxidative status in rats: a pilot study. *J Agric Food Chem* 2010, 58:1672-1678
- Papas PN, Brusca CA, Ceresia GC. Cranberry juice in the treatment of urinary tract infections. *Southwest Med* 1966, 47(1):17-20
- Parfitt K. *Martindale The complete drug reference*, 32 ed. Pharmaceutical Press 1999, 1568
- Peron G, Pellizzaro A, Brun P, Schievano E, Mammi S, Sut S, *et al.* Antiadhesive Activity and Metabolomics Analysis of Rat Urine after Cranberry (*Vaccinium macrocarpon* Aiton) Administration. *J Agric Food Chem* 2017, 65(28):5657-5667
- Peron G, Sut S, Pellizzaro A, Brun P, Voinovich D, Castagliuolo I, *et al.* The antiadhesive activity of cranberry phytocomplex studied by metabolomics: Intestinal PAC-A metabolites but not intact PAC-A are identified as markers in active urines against uropathogenic Escherichia coli. *Fitoterapia*. 2017, 122:67-75
- Pierre JF, Heneghan AF, Feliciano RP, Shanmuganayagam D, Roenneburg DA, Krueger CG, *et al.* Cranberry proanthocyanidins improve the gut mucous layer morphology and function in mice receiving elemental enteral nutrition. *J Parenter Enteral Nutr* 2013, 37(3):401-409

- Pierre JF, Heneghan AF, Feliciano RP, Shanmuganayagam D, Krueger CG, Reed JD, *et al.* Cranberry proanthocyanidins improve intestinal sIgA during elemental enteral nutrition. *J Parenter Enteral Nutr* 2014, 38(1):107-114
- Pinzón-Arango PA, Holguin K, Camesano TA. Impact of Cranberry Juice and Proanthocyanidins on the Ability of *Escherichia coli* to Form Biofilms. *Food Sci Biotechnol* 2011, 20(5):1315–1321
- Pinzón-Arango PA, Liu Y, Camesano TA. Role of cranberry on bacterial adhesion forces and implications for *Escherichia coli*-uroepithelial cell attachment. *J Med Food* 2009, 12(2):259-270
- Puski G, Francis FJ. Flavonol glycosides in cranberries. *J Food Sci* 1967, 32:527-530
- Rafsanjany N, Senker J, Brandt S, Dobrindt U, Hensel A. *In Vivo* Consumption of Cranberry Exerts *ex Vivo* Antiadhesive Activity against FimH-Dominated Uropathogenic *Escherichia coli*: A Combined *in Vivo*, *ex Vivo*, and *in Vitro* Study of an Extract from *Vaccinium macrocarpon*. *J Agric Food Chem* 2015, 63(40):8804-8818
- Rajbhandari R, Peng N, Moore R, Arabshahi A, Wyss JM, Barnes S, *et al.* Determination of cranberry phenolic metabolites in rats by liquid chromatography-tandem mass spectrometry. *J Agric Food Chem* 2011, 59(12):6682-6688
- Rane HS, Bernardo SM, Howell AB, Lee SA. Cranberry-derived proanthocyanidins prevent formation of *Candida albicans* biofilms in artificial urine through biofilm- and adherence-specific mechanisms. *J Antimicrob Chemother* 2014, 69(2):428-436
- Redmond EJ, Murphy CF, Leonard J, Faulds K, Abdelfadil S, Crowley VE, *et al.* The influence of dietary supplementation with cranberry tablets on the urinary risk factors for nephrolithiasis. *World J Urol* 2018, 37(3):561-566
- Rindone JP, Murphy TW. Warfarin-cranberry juice interaction resulting in profound hypoprothrombinemia and bleeding. *American Journal of Therapeutics* 2005, 13(3):283-284
- Risco E, Miguélez C, Sánchez de Badajoz E, Rouseaud A. Effect of american cranberry (*Cysticlean*) on *Escherichia coli* adherence to bladder epithelial cells. *In vitro* and *in vivo* study. *Arch Esp Urol* 2010, 63(6):422-430
- Rodríguez-Pérez C, Quirantes-Piné R, Uberos J, Jiménez-Sánchez C, Peña A, Segura-Carretero A. Antibacterial activity of isolated phenolic compounds from cranberry (*Vaccinium macrocarpon*) against *Escherichia coli*. *Food Funct* 2016, 7(3):1564-1573
- Ruel G, Pomerleau S, Bouture P, Lamarche B, Couillard C. Changes in plasma antioxidant capacity and oxidized low-density lipoprotein levels in men after short-term cranberry juice consumption. *Metabolism: Clinical and Experimental* 2005, 54(7):856-861
- Salo J, Uhari M, Helminen M, Korppi M, Nieminen T, Pokka T, *et al.* Cranberry juice for the prevention of recurrences of urinary tract infections in children: a randomized placebo-controlled trial. *Clin Infect Dis* 2012, 54(3):340-6
- Scharf B, Sendker J, Dobrindt U, Hensel A. Influence of Cranberry Extract on Tamm-Horsfall Protein in Human Urine and its Antiadhesive Activity Against Uropathogenic *Escherichia coli*. *Planta Medica* 2018, in press, doi:10.1055/a-0755-7801
- Scottish Intercollegiate Guidelines Network (SIGN). Management of suspected bacterial urinary tract infection in adults. SIGN, Edinburgh 2012
- Seeram NP, Momin RA, Nair MG, Bourquin LD. Cyclooxygenase inhibitory and antioxidant cyanidin glycosides in cherries and berries. *Phytomedicine* 2001, 8(5):362-369

- Sengupta K, Alluri KV, Golakoti T, Gottumukkala GV, Raavi J, Kotchrlakota L, *et al.* A randomized, double blind, controlled, dose dependent clinical trial to evaluate the efficacy of a proanthocyanidin standardized whole cranberry (*Vaccinium macrocarpon*) powder on infections of the urinary tract. *Curr Bioact Compd* 2011, 7(1):39-46
- Shanmuganayagam D, Johnson RE, Jennifer JM, Feliciano RP, Kohlmann KL, Nechyporenko V, *et al.* A-type proanthocyanidins from cranberry inhibit the ability of extraintestinal pathogenic *E. coli* to invade gut epithelial cells and resist killing by macrophages. *FASEB* 2013, 27:637.16
- Siciliano AA. Cranberry, *Vaccinium macrocarpon*. *HerbalGram* 1996, 38:50-54
- Singh I, Gautam LK, Kaur IR. Effect of oral cranberry extract (standardized proanthocyanidin-A) in patients with recurrent UTI by pathogenic *E. coli*: a randomized placebo-controlled clinical research study. *Int Urol Nephrol* 2016, 48(9):1379-1386
- Sobota AE. Inhibition of bacterial adherence by cranberry juice: potential use for the treatment of urinary tract infections. *J Urol* 1984; 131(5):1013-1016
- Stapleton AE, Dziura J, Hooton TM, Cox ME, Yarova-Yarovaya Y, Chen S, *et al.* Recurrent urinary tract infection and urinary *Escherichia coli* in women ingesting cranberry juice daily: a randomized controlled trial. *Mayo Clin Proc* 2012, 87(2):143-150
- Sternlieb P. Cranberry juice in renal disease. *New Engl J Med* 1963, 268:57
- Stothers L. A randomized trial to evaluate effectiveness and cost effectiveness of naturopathic cranberry products as prophylaxis against urinary tract infection in women. *Can J Urol* 2002, 9(3):1558-1562
- Stothers K, Stothers L. A cost effectiveness analysis of naturopathic cranberry products used as prophylaxis against urinary tract infection in women. *J Urol* 2001, 165:10
- Sun J, Marais JP, Khoo C, LaPlante K, Vejborg RM, Givskov M, *et al.* Cranberry (*Vaccinium macrocarpon*) oligosaccharides decrease biofilm formation by uropathogenic *Escherichia coli*. *J Funct Foods* 2015, 17:235-242
- Suvarna R, Pirmohamed M, Henderson L. Possible interaction between warfarin and cranberry juice. *BMJ* 2003, 327:1454
- Sweetman S, editor. Martindale: The Complete Drug Reference. Pharmaceutical Press, London. Available at: <http://www.medicinescomplete.com>. Accessed on 03 June 2011 (GMT).
- Takahashi S, Hamasuna R, Yasuda M, Arakawa S, Tanaka K, Ishikawa K, *et al.* A randomized clinical trial to evaluate the preventive effect of cranberry juice (UR65) for patients with recurrent urinary tract infection. *J Infect Chemother* 2013, 19(1):112-7
- Tempera G, Corsello S, Genovese C, Caruso FE, Nicolosi D. Inhibitory activity of cranberry extract on the bacterial adhesiveness in the urine of women: an ex-vivo study. *Int J Immunopathol Pharmacol* 2010, 23(2):611-618
- Terris MK, Issa MM, Tacker JR. Dietary supplementation with cranberry concentrate tablets may increase the risk of nephrolithiasis. *Urology* 2001, 57(1):26-9
- The United States Pharmacopeia National Formulary, 24, 2000 and 32, 2009
- Thomson F, Perry L. Hyperkalaemia associated with cranberry juice. *Pharm Prac* 2001, 11:215-6
- Tyler VE. Herbs of choice: the therapeutic use of phytomedicinals. Haworth/Pharmaceutical products Press, Binghamton (NY) 1994

- Uesawa Y, Mohri K. Effects of cranberry juice on nifedipine pharmacokinetics in rats. *Journal of Pharmacy and Pharmacology* 2006, 58(8):1067-72
- Ulrey RK, Barksdale SM, Zhou W, van Hoek ML. Cranberry proanthocyanidins have anti-biofilm properties against *Pseudomonasaeruginosa*. *BMC Complement Altern Med* 2014, 14:499
- Upton R, editor. Cranberry fruit. American Herbal Pharmacopoeia and Therapeutic Compendium 2002
- Upton R, Brendler T, editors. Cranberry fruit. American Herbal Pharmacopoeia 2016
- U.S. Department of Health and Human Services & National Institutes of Health Urinary Tract Infection in adults 2005
- U.S. Department of Health and Human Services & National Institutes of Health, What I need to know about Urinary Tract infections 2007
- U.S. Department of Health and Human Services & National Institutes of Health, Herbs at a glance Cranberry 2010
- Ushijima K, Tsuruoka S, Tsuda H, Hasegawa G, Obi Y, Kaneda T, *et al.* Cranberry juice suppressed the diclofenac metabolism by human liver microsomes, but not in healthy human subjects. *Br J Clin Pharmacol* 2009, 68:194-200
- Valentova K, Stejskal D, Bednar P, Vostalova J, Cíhalík C, Vecerova R, *et al.* Biosafety, antioxidant status, and metabolites in urine after consumption of dried cranberry juice in healthy women: a pilot double-blind placebo-controlled trial. *J Agric Food Chem* 2007, 55(8):3217-3224
- Viskelis P, Rubinskiene M, Jasutiene I, Sarkinas A, Daubaras R, Cesoniene L. Anthocyanins, antioxidative, and antimicrobial properties of American cranberry (*Vaccinium macrocarpon* Ait.) and their press cakes. *J Food Sci* 2009, 74(2):C157-61
- Vostalova J, Vidlar A, Simanek V, Galandakova A, Kosina P, Vacek J, *et al.* Are high roanthocyanidins key to cranberry efficacy in the prevention of recurrent urinary tract infection? *Phytother Res* 2015, 29(10):1559-1567
- Walker EB, Barney DP, Mickelsen JN, Walton RJ, Mickelsen RA. Cranberry concentrate: UTI prophylaxis. *The Journal of Family Practice* 1997, 45(2):167-168
- Walsh JM, Ren X, Zampariello C, Polasky DA, McKay DL, Blumberg JB, *et al.* Liquid chromatography with tandem mass spectrometry quantification of urinaryproanthocyanin A2 dimer and its potential use as a biomarker of cranberry intake. *J Sep Sci* 2016, 39(2):342-349
- Wang C, Zuo Y, Vinson JA, Deng Y. Absorption and excretion of cranberry-derived phenolics in humans *Food Chem* 2012, 132(3):1420-1428
- Wanwimolruk S, Prachayasittikul S, Prachayasittikul V, Bernichi B. Effect of cranberry dietary supplements with different brands on human CYP3A4 enzyme. *EXCLI J* 2012, 11:108-115
- Weiss J, Klein K, Samann H, Gartner H. Ergebnisse von Untersuchung über Gehalte einiger Inhaltsstoffe von Cranberries (*Vaccinium macrocarpon* Ait.) sowie die Verarbeitung der Beeren zu Saft. Mitteilungen Klosterneuburg, Rebe und Wein, Obstbau und Früchteverwertung 27, 1977, p 83-86
- Welch JM, Forster K. Probable elevation in International Normalized Ratio from cranberry juice. *Pharm Technol* 2007, 23:104-7
- Williamson EM. Potter's Herbal Cyclopedia. Cromwell Press, Trowbridge, Wiltshire 2003

- Wing DA, Rumney PJ, Preslicka CW, Chung JH. Daily cranberry juice for the prevention of asymptomatic bacteriuria in pregnancy: a randomized, controlled pilot study. *J Urol* 2008, 180(4):1367–1372
- Wing DA, Rumney PJ, Leu SY, Zaldivar F. Comparison of urinary cytokines after ingestion of cranberry juice cocktail in pregnant subjects: a pilot study. *Am J Perinatol* 2010, 27:137-42
- WHO monographs on selected medicinal plants. Vol 4. Fructus macrocarpi. World Health Organisation. Geneva 2009
- Wojnicz D, Sycz Z, Walkowski S, Gabrielska J, Aleksandra W, Alicja K, *et al.* Study on the influence of cranberry extract Żuravit S·O·S(®) on the properties of uropathogenic *Escherichia coli* strains, their ability to form biofilm and its antioxidant properties. *Phytomedicine* 2012, 19(6):506-514
- Wojnicz D, Tichaczek-Goska D, Korzekwa K, Kicia M, Hendrich AB. Study of the impact of cranberry extract on the virulence factors and biofilm formation by *Enterococcus faecalis* strains isolated from urinary tract infections. *Int J Food Sci Nutr* 2016, 25:1-12
- Zafriri D, Ofek I, Adar R, Pocino M, Sharon N. Inhibitory activity of cranberry juice on adherence of type 1 and type P fimbriated *Escherichia coli* to eucaryotic cells. *Antimicrob Agents Chemother* 1989, 33(1):92-98

Articles reviewed, but not mentioned in the Assessment report:

- Allan GM, Nicolle L. Cranberry for preventing urinary tract infection. *Can Fam Physician* 2013, 59(4):367
- Ayaz M, Ullah F, Sadiq A, Ullah F, Ovais M, Ahmed J, *et al.* Synergistic interactions of phytochemicals with antimicrobial agents: Potential strategy to counteract drug resistance. *Chemico-Biological Interactions* 2019, in press, doi:10.1016/j.cbi.2019.05.050
- Barbosa S, Pardo-Mates N, Hidalgo-Serrano M, Saurina J, Puignou L, Nuñez O. Detection and Quantitation of Frauds in the Authentication of Cranberry-Based Extracts by UHPLC-HRMS (Orbitrap) Polyphenolic Profiling and Multivariate Calibration Methods. *Journal of Agricultural and Food Chemistry* 2018, in press, doi:10.1021/acs.jafc.8b02855
- Barnoiu OS, Sequeira-García Del Moral J, Sanchez-Martínez N, Díaz-Molina P, Flores-Sirvent L, Baena-González V. American cranberry (proanthocyanidin 120 mg): its value for the prevention of urinary tracts infections after ureteral catheter placement. *Actas Urol Esp.* 2015;39(2):112-7
- Beerepoot MAJ, Geerlings SE, van Haarst EP, van Charante MN, ter Riet G. Nonantibiotic prophylaxis for recurrent urinary tract infections: a systematic review and metaanalysis of randomized controlled trials. *J Urology* 2013, 190(6):1981-9
- Bonetta A, Roviello G, Generali D, Zanotti L, Cappelletti MR, Pacifico C, *et al.* Enteric-coated and highly standardized cranberry extract reduces antibiotic and nonsteroidal anti-inflammatory drug use for urinary tract infections during radiotherapy for prostate carcinoma. *Res Rep Urol* 2017, 9:65-69
- Brannon JR, Dunigan TL, Beebout CJ, Ross T, Wibe MA, Reynolds WS, *et al.* Invasion of vaginal epithelial cells by uropathogenic *Escherichia coli*. *Nat Commun* 2020, 11:2803, in press, doi:10.1038/s41467-020-16627-5
- Brendler T, Howell A. American Cranberry (*Vaccinium macrocarpon* Ait.) and the Maintenance of Urinary Tract Health, in Mathe A. ed. 2020. Medicinal and Aromatic Plants of North America. Medicinal and Aromatic Plants of the World, Vol 6

- Bruyère F, Azzouzi AR, Lavigne JP, Droupy S, Coloby P, Game X, *et al.* A Multicenter, Randomized, Placebo-Controlled Study Evaluating the Efficacy of a Combination of Propolis and Cranberry (*Vaccinium macrocarpon*) (DUAB®) in Preventing Low Urinary Tract Infection Recurrence in Women Complaining of Recurrent Cystitis. *Urologia Internationalis* 2019, 103(1):41–48
- Cai T, Caola I, Tessarolo F, Piccoli F, D’Elia C, Caciagli P, *et al.* Solidago, orthosiphon, birch and cranberry extracts can decrease microbial colonization and biofilm development in indwelling urinary catheter: a microbiologic and ultrastructural pilot study. *World J Urol* 2014, 32:1007–14
- Chen CS, Chang PJ, Ho DR. Pilot study on the effect of composite UmayC in catheter-associated lower urinary tract infection. *Urol Int* 2010, 85(1):60-65
- Chen O, Mah E, Liska D. Effect of Cranberry on Urinary Tract Infection Risk: A Meta-Analysis. *Current Developments in Nutrition* 2019, 3(1):P06-116-19
- Chughtai B, Thomas D, Howell A. Variability of commercial cranberry dietary supplements for the prevention of uropathogenic bacterial adhesion. *Am J Obstet Gynecol.* 2016, 215(1):122-3.
- De Almeida Alvarenga L, Borges NA, Moreira L de SG, Resende Teixeira KT, Carraro-Eduardo JC, Dai L, Mafra D. Cranberries – potential benefits in patients with chronic kidney disease. *Food & Function.* 2019, 10:3103-3112
- De Llano DG, Liu H, Khoo C, Moreno-Arribas MV, Bartolomé B. Some new findings regarding the antiadhesive activity of cranberry phenolic compounds and their microbial-derived metabolites against uropathogenic bacteria. *J Agric Food Chem* 2019, 67(8):2166-2174
- Diaz-Garcia L, Schlautman B, Covarrubias-Pazaran G, Maule A, Johnson-Cicalese J, Grygleski E, Vorsa N, Zalapa J. Massive phenotyping of multiple cranberry populations reveals novel QTLs for fruit anthocyanin content and other important chemical traits. *Mol Genet Genomics.* 2018, 293(6):1379-1392
- Dinh J, Angeloni JT, Pederson DB, Wang X, Cao M, Dong Y. Cranberry extract standardized for proanthocyanidins promotes the immune response of *Caenorhabditis elegans* to *Vibrio cholerae* through the p38 MAPK pathway and HSF-1. *PLoS One* 2014, 25, 9(7):e103290
- Dotis J, Stabouli S, Pavlaki A, Papachristou F, Printza N. Cranberry Standardized Capsules May Prevent Recurrences of Urinary Tract Infections in Children. *Clinics in Pediatrics* 2018, 1:1007
- Durham SH, Stamm PL, Eiland LS. Cranberry products for the prophylaxis of urinary tract infections in pediatric patients. *Ann Pharmacother* 2015, 49(12):1349–56
- Feliciano RP, Mills CE, Istaş G, Heiss C, Rodríguez-Mateos A. Absorption, Metabolism and Excretion of Cranberry (Poly)phenols in Humans: A Dose Response Study and Assessment of Inter-Individual Variability. *Nutrients.* 2017, 11, 9(3), in press, doi:10.3390/nu9030268
- Fellers CR. Esselen WB. Cranberries and Cranberry Products, Amherst, Bulletin 481, May 1955
- Fernandes A, Pereira T, Mendes A, Birne A, Matias R, Jorge P. Are cranberry capsules effective in preventing urinary tract infections in kidney transplant women? Randomized trial. *Nephrol Dialysis Transplant* 2016, 31(1):i577
- Fernández-Puentes V, Uberos J, Rodríguez-Belmonte R, Noguerras-Ocaña M, Blanca-Jover E, Narbona-López E. Efficacy and safety profile of cranberry in infants and children with recurrent urinary tract infection. *An Pediatr (Barc)* 2015, 82(6):397-403

- Ferrara P, Romaniello L, Vitelli O, Gatto A, Serva M, Cataldi L. Cranberry juice for the prevention of recurrent urinary tract infections: a randomized controlled trial in children. *Scand J Urol Nephrol* 2009, 43(5):369-72
- Foxman B, Cronenwett AE, Spino C, Berger MB, Morgan DM. Cranberry juice capsules and urinary tract infection after surgery: results of a randomized trial. *Am J Obstet Gynecol* 2015, 213:194.e1-8
- Fu Z, Liska D, Talan D, Chung M. An updated meta-analysis of Cranberry and recurrent urinary tract infections in women. *FASEB Journal* 2017a, 31:1 Supplement 1, lb343-lb343
- Fu Z, Liska D, Talan D, Chung M. Cranberry Reduces the Risk of Urinary Tract Infection Recurrence in Otherwise Healthy Women: A Systematic Review and Meta-Analysis. *Journal of Nutrition* 2017b, 147(12):2282-2288
- Gallien P, Amarenco G, Benoit N, Bonniaud V, Donzé C, Kerdraon J, *et al.* Cranberry versus placebo in the prevention of urinary infections in multiple sclerosis: a multicenter, randomized, placebo-controlled, double-blind trial. *Mult Scler J* 2014, 20(9):1252-59
- Geerlings SE, Beerepoot MAJ, Prins JM. Prevention of Recurrent Urinary Tract Infections in Women. *Infectious Disease Clinics of North America* 2014, 28(1):135-147
- Gilbert NM, O'Brien VP, Lewis AL. Transient microbiota exposures activate dormant Escherichia coli infection in the bladder and drive severe outcomes of recurrent disease. *PLoS Pathog.* 2017, 13(3):e1006238
- Gullickson E, Krueger CG, Birmingham A, Maranan M, Reed JD. Development of a cranberry standard for quantification of insoluble cranberry (*Vaccinium macrocarpon* Ait.) proanthocyanidins. *Journal of Agricultural and Food Chemistry* 2019, in press, doi:10.1021/acs.jafc.9b03696
- Gunnarsson AK, Gunningberg L, Larsson S, Jonsson KB. Cranberry juice concentrate does not significantly decrease the incidence of acquired bacteriuria in female hip fracture patients receiving urine catheter: a double-blind randomized trial. *Clin Interv Aging* 2017, 12:137-43
- Hamilton K, Bennett NC, Purdie G, Herst PM. Standardized cranberry capsules for radiation cystitis in prostate cancer patients in New Zealand: a randomized double blinded, placebo controlled pilot study. *Support Care Cancer* 2015, 23(1):95-102
- Han CH, Kim SH, Kang SH, Shin OR, Lee HK, Kim HJ, *et al.* Protective effects of cranberries on infection-induced oxidative renal damage in a rabbit model of vesico-ureteric reflux. *BJU Int* 2007, 100(5):1172-1175
- Health Canada, Natural Health Product, Dried cranberry juice December 18. Available at: <http://webprod.hc-sc.gc.ca/nhp/id-bdipsn/atReq.do?atid=cranberry.dried.canneberge.deshydrate&lang=eng>
- Hisano M, Bruschini H, Nicodemo AC, Srougi M. Cranberries and lower urinary tract infection prevention. *Clinics*, Sao Paulo 2012, 67:661-8
- Jagannathan V, Viswanathan P. Proanthocyanidins-Will they effectively restrain conspicuous bacterial strains devolving on urinary tract infection? *Journal of Basic Microbiology* 2018, 58(7),567-578
- Jepson RG, Mihaljevic L, Craig JC. Cranberries for preventing urinary tract infections (Review). *Cochrane Database Syst Rev* 2, 2004, CD00132
- Juthani-Mehta M, Van Ness PH, Bianco L, Rink A, Rubeck S, Ginter S, *et al.* Effect of Cranberry Capsules on Bacteriuria Plus Pyuria among Older Women in Nursing Homes: A Randomized Clinical Trial. *JAMA*. 2016, 316(18):1879-1887

- Kaspar KL, Howell AB, Khoo C. *Ex vivo* anti-adhesion activity of a proanthocyanidin standardized cranberry powder beverage. *FASEB J* 2013, 27:1079.42-42
- Khanal R, Howard LR, Prior RL. Urinary excretion of phenolic acids in rats fed cranberry, blueberry, or black raspberry powder. *J Agric Food Chem* 2014, 62(18):3987-3996
- Khoo C, Falk M, Zhang J. Cranberry Polyphenols: Effects on Cardiovascular Risk Factors. *Polyphenols: Prevention and Treatment of Human Disease* 2018, 107–122, in press, doi:10.1016/b978-0-12-813008-7.00009-6
- Khoo C, Liu H. Effect of Cranberry Polyphenols and Metabolites on Microbial Activity and Impact on Urinary Tract Health. *Polyphenols: Prevention and Treatment of Human Disease*, 2018; 89–105. doi:10.1016/b978-0-12-813008-7.00008-4
- Kim HW, Chung DH, Kim SA, Rhee MS. Synergistic cranberry juice combinations with natural-borne antimicrobials for the eradication of uropathogenic *Escherichia coli* biofilm within a short time. *Letters in Applied Microbiology* 2019, in press, doi:10.1111/lam.13140
- Kowalska K, Olejnik, A. Beneficial effects of cranberry in the prevention of obesity and related complications: Metabolic syndrome and diabetes – A review. *Journal of Functional Foods* 2016, 20:171–181
- Krueger CG, Chesmore N, Chen X, Parker J, Khoo C, Marais J, *et al.* Critical reevaluation of the 4-(dimethylamino)cinnamaldehyde assay: Cranberry proanthocyanidin standard is superior to procyanidin A2 dimer for accurate quantification of proanthocyanidins in cranberry products. *J Functional Foods* 2016, 22:13-19
- Lavigne JP, Vitrac X, Bernard L, Bruyère F, Sotto A. Propolis can potentialise the anti-adhesion activity of proanthocyanidins on uropathogenic *Escherichia coli* in the prevention of recurrent urinary tract infections. *BMC Res Notes* 2011, 4:522
- Ledda A, Belcaro G, Dugall M, Feragalli B, Riva A, Togni S, *et al.* Supplementation with high titer cranberry extract (Anthocran®) for the prevention of recurrent urinary tract infections in elderly men suffering from moderate prostatic hyperplasia: a pilot study. *Eur Rev Med Pharmacol Sci* 2016, 20(24):5205-5209
- Lee MMY, Williams S, Colquhoun K. Management of recurrent urinary tract infections in elderly inpatients. *Age and Ageing* 2014, 43(1):i5–i5
- Letouzey V, Ulrich D, Demattei C, Alonso S, Huberlant S, Lavigne JP, *et al.* Cranberry capsules to prevent nosocomial urinary tract bacteriuria after pelvic surgery: a randomised controlled trial. *BJOG*. 2017, 124(6):912-917
- Liska DJ, Kern HJ, Maki KC. Cranberries and Urinary Tract Infections: How Can the Same Evidence Lead to Conflicting Advice? *Adv Nutr* 2016, 7(3):498-506
- Liu H, KhooC. A Randomized, Double-Blind, Placebo-Controlled Pilot Study to Assess the Urinary Anti-Adhesion Activity Following Consumption of Cranberry + health™ Cranberry Supplement. *Current Developments in Nutrition* 2019, 3(1):P06-114-19
- Luganini A, Terlizzi ME, Catucci G, Gilardi G, Maffei ME, Gribaudo G. The Cranberry Extract Oximacro® Exerts *in vitro* Virucidal Activity Against Influenza Virus by Interfering With Hemagglutinin. *Front Microbiol.* 2018, 9:1826
- Ma H, Johnson SL, Liu W, DaSilva NA, Meschwitz S, Dain JA, *et al.* Evaluation of Polyphenol Anthocyanin-Enriched Extracts of Blackberry, Black Raspberry, Blueberry, Cranberry, Red Raspberry,

and Strawberry for Free Radical Scavenging, Reactive Carbonyl Species Trapping, Anti-Glycation, Anti- β -Amyloid Aggregation, and Microglial Neuroprotective Effects. *Int J Mol Sci* 2018, 19(2). pii: E461

Micali S, Isgro G, Bianchi G, Miceli N, Calapai G, Navarra M. Cranberry and recurrent cystitis: more than marketing? *Crit Rev Food Sci Nutr* 2014, 54(8):1063–1075

Mutlu H, Ekinçi Z. Urinary tract infection prophylaxis in children with neurogenic bladder with cranberry capsules: randomized controlled trial. *ISRN Pediatr*. 2012, 2012:317280

Nardi GM, Farias Januario AG, Freire CG, Megiolaro F, Schneider K, Perazzoli MR, *et al*. Anti-inflammatory Activity of Berry Fruits in Mice Model of Inflammation is Based on Oxidative Stress Modulation. *Pharmacognosy Res* 2016, 8(1):S42-S49

Neto CC, Penndorf KA, Feldman M, Meron-Sudai S, Zakay-Rones Z, Steinberg D, *et al*. Characterization of non-dialyzable constituents from cranberry juice that inhibit adhesion, co-aggregation and biofilm formation by oral bacteria. *Food Funct* 2017, 8:1955–65

Nishizaki N, Someya T, Hirano D, Fujinaga S, Ohtomo Y, Shimizu T, *et al*. Can cranberry juice be a substitute for cefaclor prophylaxis in children with vesicoureteral reflux? *Pediatr Int* 2009, 51:433–434

O'May C, Amzallag, O Bechir K, Tufenkji N. Cranberry derivatives enhance biofilm formation and transiently impair swarming motility of the uropathogen *Proteus mirabilis* HI4320. *Can J Microbiol* 2016, 62(6):464-474

Pagonas N, Hörstrup J, Schmidt D, Benz P, Schindler R, Reinke P, *et al*. Prophylaxis of Recurrent Urinary Tract Infection After Renal Transplantation by Cranberry Juice and L-Methionine. *Transplantation Proceedings* 2012, 44(10):3017–3021

Pereira TA, Fernandes AR, Mendes A, Oliveira R, Casqueiro A, Birne R, *et al*. Are Cranberry Capsules Effective and Safe in Preventing Urinary Tract Infections in Kidney Transplantation? A randomized pilot clinical trial. *Port J Nephrol Hypert* 2017, 31(1):18-24

Perez-Lopez FR, Haya J, Chedraui P. Vaccinium macrocarpon: an interesting option for women with recurrent urinary tract infections and other health benefits. *J Obstet Gynaecol Res* 2009, 35(4):630–639

Peters D, Pelletier KR, editors. *New medicine*. DK publishing, New York 2005

Roshdibonab F, Mohammadbager FazlJoo S, Torbati M, Mohammadi Gh, Asadloo M, Noshad H. The Role of Cranberry in Preventing Urinary Tract Infection in Children; a Systematic Review and Meta-Analysis. *Int J Pediatr* 2017, 5(12):6457-68, in press, doi:10.22038/ijp.2017.27041.2327

Saitone TL, Sexton RJ, Sexton-Ward A. The Hospital-Acquired Conditions (HAC) Reduction Program: using cranberry treatment to reduce catheter-associated urinary tract infections and avoid Medicare payment reduction penalties, *Journal of Medical Economics* 2017, in press, doi:10.1080/13696998.2017.1396993

Sánchez-Patán F, Bartolomé B, Martín Alvarez PJ, Anderson M, Howell A, Monagas M. Comprehensive assessment of the quality of commercial cranberry products. Phenolic characterization and *in vitro* bioactivity. *J Agric Food Chem* 2012, 60(13):3396-3408

Scharf B, Schmidt TJ, Rabbani S, Stork C, Dobrindt U, Sendker J, *et al*. Antiadhesive natural products against uropathogenic *E. coli*: What can we learn from cranberry extract? *Journal of Ethnopharmacology* 2020, 257. Available at: <https://doi.org/10.1016/j.jep.2020.112889>

Schlager T, Anderson S, Trudell J, Hendley JO. Effect of cranberry juice on bacteriuria in children with neurogenic bladder receiving intermittent catheterization. *J Pediatr* 1999, 135(6):698-702.

- Sengupta K, Alluri KV, Golakoti T, Gottumukkala GV, Raavi J, Kotchrlakota L, *et al.* A randomized, double blind, controlled, dose dependent clinical trial to evaluate the efficacy of a proanthocyanidin standardized whole cranberry (*Vaccinium macrocarpon*) powder on infections of the urinary tract. *Current bioactive compounds* 2011, 7(1):39-46
- Stein R, Dogan HS, Hoebeke P, Kočvara R, Nijman RJ, Radmayr C, *et al.* European Association of Urology; European Society for Pediatric Urology. Urinary tract infections in children: EAU/ESPU guidelines. *Eur Urol* 2015, 67(3):546-58
- Storm DW, Braga LH, Cooper CS. Continuous Antibiotic Prophylaxis in Pediatric Urology. *Urologic Clinics of North America* 2018
- Stothers L, Brown P, Fenster H, Levine M, Berkowitz J. Dose response o cranberry in the treatment of lower urinary tract infections in women. *J Urol* 2016, 195, Supplement 4S, e355, MP26-05
- Sun J, Liu W, Ma H, Marais JP, Khoo C, Dain JA, *et al.* Effect of cranberry (*Vaccinium macrocarpon*) oligosaccharides on the formation of advanced glycation end-products. *J Berry Res* 2016, 16, 6(2):149-158
- Sundararajan A, Rane HS, Ramaraj T, Sena J, Howell AB, Bernardo SM, *et al.* Cranberry-derived proanthocyanidins induce a differential transcriptomic response within *Candida albicans* urinary biofilms. *PLoS One* 2018, 13(8):e0201969, in press, doi:10.1371/journal.pone.0201969. eCollection 2018
- Temiz Z, Cavdar I. The effects of training and the use of cranberry capsule in preventing urinary tract infections after urostomy. *Complementary Therapies in Clinical Practice* 2018, 31:111–117
- Terlizzi ME, Gribaudo G, Maffei ME. UroPathogenic *Escherichia coli* (UPEC) infections: virulence factors, bladder responses, antibiotic, and non-antibiotic antimicrobial strategies. *Front Microbiol* 2017, 8:1566
- Thomas D, Rutman M, Cooper K, Abrams A, Finkelstein J, Chughtai B. Does cranberry have a role in catheter-associated urinary tract infections? *Can Urol Assoc J* 2017, 11(11):421-424
- Turbitt JR, Colson KL, Killday KB, Milstead A, Neto CC. Application of 1 H-NMR-based metabolomics to the analysis of cranberry (*Vaccinium macrocarpon*) supplements. *Phytochemical Analysis*. 2019, in press, doi:10.1002/pca.2867
- Uberos J, Rodríguez-Belmonte R, Rodríguez-Pérez C, Molina-Oya M, Blanca-Jover E, Narbona-Lopex E, *et al.* Phenolic acid content and antiadherence activity in the urine of patients treated with cranberry syrup (*Vaccinium macrocarpon*) vs. trimethoprim for recurrent urinary tract infection. *J Funct Foods* 2015, 18:608–616
- Uberos J, Fernandez-Puentes V, Molina-Oya M, Rodriguez Belmonte R, Ruiz-Lopez A, Tortosa-Pinto P, *et al.* Urinary excretion of phenolic acids by infants and children: a randomised double-blind clinical assay. *Clinical medicine insights. Pediatrics* 2012, 6:67-74
- USDA. United States Department of Agriculture. United States Standards for Grades of Fresh Cranberries Effective 26 August 1971, (Reprinted - January 1997)
- USDA. United States Department of Agriculture. Agricultural Research Service, National Genetic Resources Program. Germplasm Resources Information Network (GRIN) [online database]. Beltsville (MD): National Germplasm Resources Laboratory. [*Vaccinium macrocarpon* Aiton.: Last updated 2010 January 14; Accessed 2011 March 22]. Available at: http://www.ars-grin.gov/cgi-bin/npgs/html/tax_search.pl

- Vadekeetil A, Alexandar V, Chhibber S, Harjai K. Adjuvant effect of cranberry proanthocyanidin active fraction on antiviral property of ciprofloxacin against *Pseudomonas aeruginosa*. *Microbial Pathogenesis* 2016, 90,98–103
- Vasileiou I, Katsargyris A, Theocharis S, Giaginis C. Current clinical status on the preventive effects of cranberry consumption against urinary tract infections. *Nutr Res* 2013, 33(8):595-607
- Van den Hout WB, Caljouw MA, Putter H, Cools HJ, Gussekloo J. Cost-effectiveness of cranberry capsules to prevent urinary tract infection in long-term care facilities: economic evaluation with a randomized controlled trial. *J Am Geriatr Soc* 2014, 62(1):111-6
- Van Dooren I, Foubert K, Theunis M, Naessens T, Pieters L, Apers S. Advantages of a validated UPLC-MS/MS standard addition method for the quantification of A-type dimeric and trimeric proanthocyanidins in cranberry extracts in comparison with well-known quantification methods. *Journal of Pharmaceutical and Biomedical Analysis* 2018, 148:32–41
- Vidlar A, Vostalova J, Ulrichova J, Student V, Stejskal D, Reichenbach R, et al. The effectiveness of dried cranberries (*Vaccinium macrocarpon*) in men with lower urinary tract symptoms. *Br J Nutr* 2010, 104(8):1181-9
- Vidlar A, Student V Jr, Vostalova J, Fromentin E, Roller M, Simanek V, et al. Cranberry fruit powder (Flowens™) improves lower urinary tract symptoms in men: a double-blind, randomized, placebo-controlled study. *World J Urol* 2016, 34(3):419-424
- Waites KB, Canupp KC, Armstrong S, DeVivo MJ. Effect of cranberry extract on bacteriuria and pyuria in persons with neurogenic bladder secondary to spinal cord injury. *J Spinal Cord Med.* 2004, 27(1):35-40
- Wan KS, Liu CK, Lee WK, Huang CS. Cranberries for Preventing Recurrent Urinary Tract Infections in Uncircumcised Boys. *Altern Ther Health Med.* 2016, 22(6):20-23
- Wang Chih-Hung, Fang Cheng-Chung, Chen Nai-Chuan, Liu Sot Shih-Hung, Yu Ping-Hsun, Wu Tao-Yu et al. Cranberry-containing products for prevention of urinary tract infections in susceptible populations: a systematic review and meta-analysis of randomized controlled trials. *Archives of Internal Medicine* 2012, 172(13), 988-96
- Wang Y, Vorsa N, Harrington PB, Chen P. Non-Targeted Metabolomic Study on Variation of Phenolics in Different Cranberry Cultivars Using UPLC-IM-HRMS. *Journal of Agricultural and Food Chemistry* 2018, in press, doi:10.1021/acs.jafc.8b05029
- Wiersema J, Léon B. *World Economic Plants A Standard Reference*. Boca Raton (FL): CRC Press LLC. 1999
- Xiao X, Kim J, Sun Q, Kim D, Park CS, Lu TS, et al. Preventive effects of cranberry products on experimental colitis induced by dextran sulphate sodium in mice. *Food Chem* 2015, 167:438-446
- Zhang L, Wang Y, Li D, Ho CT, Li J, Wan X. The absorption, distribution, metabolism and excretion of procyanidins. *Food Funct* 2016, 7(3):1273-81
- Zhao S, Liu H, Khoo C, Gu L. Classification of Cranberry Juice Consumers and Non-consumers with Urine Metabolome in a Double Blinded, Placebo-controlled, Cross-over Design Study. *Current Developments in Nutrition* 2019, 3(1):P06-032