



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

30 March 2022  
EMA/HMPC/489143/2020  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Centella asiatica* (L.) Urb., herba

Final

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abdul Hamid A, Shah ZM, Muse R, Mohamed S. Characterisation of antioxidative activities of various extracts of *Centella asiatica* (L). Urban. *Food Chem* 2002, 77:465-9

Ahmed AS, Taher M, Mandal UK, Jaffri JM, Susanti D, Mahmood S, *et al.* Pharmacological properties of *Centella asiatica* hydrogel in accelerating wound healing in rabbits. *BMC Compl Alt Med* 2019, 19:213

Akbar B, Susilo, Nissa RA, Ritonga RF, Lestari S, Astuti Y, *et al.* Antifertility Effect of the Ethanol Extract of *Centella asiatica* L. Urban Against the White Rat (*Rattus norvegicus* L.) in the Early Post-Implantation. *J Phys: Conf Ser* 2018, 1114(1):012002

Alternative Medicine Review. 2007. *Centella asiatica* internet monograph 12:1, 69-72. Available at: [http://www.anaturalhealingcenter.com/documents/Thorne/monos/Centella-asiatica-mono\\_12.1.pdf](http://www.anaturalhealingcenter.com/documents/Thorne/monos/Centella-asiatica-mono_12.1.pdf)

Allegra C, Pollari G, Criscuolo A, Bonifacio M, Tabassi D. [*Centella asiatica* extract in venous disorders of the lower limbs. Comparative clinico-instrumental studies with a placebo]. *Clin Ter* 1981, 99(5):507-13 [Italian]

Ambrose DCP, Manickavasagan A, Naik R. Leafy Medicinal Herbs. Botany, Chemistry, Postharvest Technology and Uses. 2016; Chapter 7: 85-106

Anand T, Naika M, Kumar GP, Khanum F. Antioxidant and DNA damage preventive properties of *Centella asiatica* (L) Urb. *Pharmacogn J* 2010, 2(17):53-58

Arumugam T, Ayyanar M, Pillai YJK, Sekat T. Phytochemical screening and antibacterial activity of leaf and callus extracts of *Centella asiatica*. *Bangladesh J Pharmacol* 2011, 6:55-60



Awad R, Levac D, Cybulska P, Merali Z, Trudeau VL, Arnason JT. Effects of traditionally used anxiolytic botanicals on enzymes of the gamma-aminobutyric acid (GABA) system. *Can J Physiol Pharmacol* 2007, 85:933-42

Barnes J, Anderson LA, Phillipson JD. Herbal Medicines. 3<sup>rd</sup> ed. Pharmaceutical press, London 2007, 371-73

Bhuyan B, Baishya K. Ethno medicinal value of various plants used in the preparation of traditional rice beer by different tribes of Assam, India. *Drug Invent Today* 2013, 5(4):335-341

Bian D, Zhang J, Wu X, Dou Y, Yang Y, Tan Q, et al. Asiatic acid isolated from *Centella Asiatica* inhibits TGF- $\beta$ 1 -induced collagen expression in human keloid fibroblasts via PPAR- $\gamma$  activation. *Int J Biol Sci* 2013, 9(10):1032-1042

Bradwejn J, Zhou Y, Koszycki D, Shlik J. Double-blind, placebo-controlled study on the effects of Gotu Kola (*Centella asiatica*) on acoustic startle response in healthy subjects. *J Clin Psychopharm* 2000, 20:680-4

Brinkhaus B, Lindner M, Schuppan D, Hahn EG. Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. *Phytomedicine* 2000, 7(5):427-448

British Herbal Pharmacopoeia. British Herbal Medicine Association. Exeter 1983, 56-57

Centellase® Summary of Product Characteristics. Available at:

[https://farmaci.agenziafarmaco.gov.it/aifa/servlet/PdfDownloadServlet?pdfFileName=footer\\_000143\\_016222\\_RCP.pdf&retry=0&sys=m0b1l3](https://farmaci.agenziafarmaco.gov.it/aifa/servlet/PdfDownloadServlet?pdfFileName=footer_000143_016222_RCP.pdf&retry=0&sys=m0b1l3)

Cesarone MR, Incandela L, De Sanctis MT, Belcaro G, Bavera P, Bucci M, et al. Evaluation of treatment of diabetic microangiopathy with Total Triterpenic Fraction of *Centella asiatica*: A clinical prospective randomized trial with a microcirculatory model. *Angiology* 2001, 52(2):S49-S54

Chandrika UG, Kumarab PAASP. Gotu Kola (*Centella asiatica*): nutritional properties and plausible health benefits. *Adv Food Nutr Res* 2015, 76:125-157

Cheng CL, Guo JS, Luk J, Koo MW. The healing effects of *Centella* extract and asiaticoside on acetic acid induced gastric ulcers in rats. *Life Sci* 2004, 74:2237-49

Cheng CL, Koo MW. Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Sci* 2000, 67:2647-53

Chintapanti S, Reddy KP, Reddy PS. Behavioral and neurochemical consequences of perinatal exposure to lead in adult male Wistar rats: protective effect by *Centella asiatica*. *Environ Sci Pol Res* 2018, 25:13173-13185

Chipavat S, Chavalittumrong P, Tantisira MH. Acute and sub-chronic toxicity studies of a standardized extract of *Centella asiatica* ECa 233. *Thai J Pharm Sci* 2011, 35:55-64

Chong NJ, Aziz Z. A systematic review on the chemical constituents of *Centella asiatica*. *RJPBCS* 2011, 2(3):445-459

Corazza M, Virgili A, Toni G, Minghetti S, Tiengo S, Borghi A. Level of use and safety of botanical products for itching vulvar dermatoses. Are patch tests useful? *Contact Dermatitis* 2013, 74(5):289-294

- Cosmetic Ingredient Review Expert Panel, 2015. Safety assessment of *Centella asiatica*-derived ingredients as used in cosmetics. Available at: <https://www.cir-safety.org/sites/default/files/centel062015FR.pdf>
- Danese P, Carnevali C, Bertazzoni MG. Allergic contact dermatitis due to *Centella asiatica* extract. *Contact Dermatitis* 1994, 31:201
- Dantuluri S. Gotu Kola induced hepatotoxicity in a child—Need for caution with alternative remedies. *Dig Liver Dis* 2011, 43(6):500
- Das DC, Sinha NK, Chattopadhyay JC, Das M, Samanta P. The use of medicinal plants for the treatment of gonorrhoea and syphilis in South West Bengal of India. *Int J Phytomed* 2013, 5(1):14-17
- De Rus Jacquet A, Subedi R, Ghimire SK, Rochet J. Nepalese traditional medicine and symptoms related to Parkinson's disease and other disorders: patterns of the usage of plant resources along the Himalayan altitudinal range. *J Ethnopharmacol* 2014, 153:178-189
- Dey A, Gorai P, Mukherjee A, Dhan R, Modak BP. Ethnobiological treatments of neurological conditions in the Chota Nagpur Plateau, India. *J Ethnopharmacol* 2017, 198:33-44
- Dhar ML, Dhar MM, Dhawan BN, Mehrotra BN, Ray C. Screening of Indian plants for biological activity: I. *Indian J Exp Biol* 1968, 6:232-47.
- EMA. The Committee for Veterinary Medicinal Products. *Centella asiatica* extractum - summary report. EMA/MRL/494, September 1998
- ESCOP Monographs 2<sup>nd</sup> ed. Supplement 2009. *Centellae asiaticae herba*. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2009, 36-44
- European Pharmacopoeia 10<sup>th</sup> ed. *Centella – Centellae asiaticae herba*. Council of Europe 1/2016: 1498
- Farhana KM, Malueka RG, Wibowo S, Gofir A. Effectiveness of Gotu Kola extract 750 mg and 1000 mg compared with folic acid 3 mg in improving vascular cognitive impairment after stroke. *E-Based Compl Alt Med* 2016, 2016: 2795915
- Fong SYK, Wong YC, Zuo Z. Alterations in the CNS effects of anti-epileptic drugs by Chinese herbal medicines. *Exp Opin Drug Metab Toxicol* 2014, 10(2):249-267
- Gadahad MR, Rao M, Rao G. Enhancement of hippocampal CA3 neuronal dendritic arborization by *Centella asiatica* (Linn) fresh leaf extract treatment in adult rats. *J Chin Med Assoc* 2008, 71:6-13
- George M, Joseph L, Ramaswamy. Anti-allergic, anti-pruritic, and anti-inflammatory activities of *Centella asiatica* extracts. *Afr. J. Trad. CAM* 2009, 6(4):554-559
- Giribabu N, Srinivasarao N, Rekha SS, Muniandy S, Salleh N. *Centella asiatica* attenuates diabetes induced hippocampal changes in experimental diabetic rats. *E-Based Compl Alt Med* 2014, 2014:592062
- Global Information Hub on Integrated Medicine. *Centella asiatica* (L.) Urban. Malaysian Herbal Monograph, Available at: [https://www.globinmed.com/index.php?option=com\\_content&view=article&id=102002:centella-asiatica-l-urban&Itemid=143](https://www.globinmed.com/index.php?option=com_content&view=article&id=102002:centella-asiatica-l-urban&Itemid=143)
- Gnanapragasam A, Ebenezer KK, Sathish V, Govindaraju P, Devaki T. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. *Life Sci* 2004, 76:585-97

- Gomes J, Pereira T, Vilarinho C, da Luiz Duarte M, Brito C. Contact dermatitis due to *Centella asiatica*. *Contact Dermatitis* 2010, 62(1):54-55
- Gray NE, Sampath H, Zweig JA, Quinn JF, Soumyanath A. *Centella asiatica* attenuates  $\beta$ -amyloid-induced oxidative stress and mitochondrial dysfunction. *J Alzheimers Dis*. 2015, 45(3):933-946
- Gray NE, Harris CJ, Quinn JF, Soumyanath A. *Centella asiatica* modulates antioxidant and mitochondrial pathways and improves cognitive function in mice. *J Ethnopharmacol* 2016, 180:78-86
- Gray NE, Zweig JA, Matthews DG, Caruso M, Quinn JF, Soumyanath A. *Centella asiatica* attenuates mitochondrial dysfunction and oxidative stress in A $\beta$ -exposed hippocampal neurons. *Oxid Med Cell Long* 2017, 2017:7023091
- Gray NE, Alcazar Magana A, Lak P, Wright KM, Quinn J, Stevens JF, et al. *Centella asiatica*: phytochemistry and mechanisms of neuroprotection and cognitive enhancement. *Phytochem Rev* 2018a, 17:161-194
- Gray NE, Zweig JA, Caruso M, Zhu JY, Wright KM, Quinn JF, et al. *Centella asiatica* attenuates hippocampal mitochondrial dysfunction and improves memory and executive function in  $\beta$ -amyloid overexpressing mice. *Mol Cell Neurosci* 2018b, 93:1-9
- Gupta YK, Veerendra Kumar MH, Srivastava AK. Effect of *Centella asiatica* on pentylentetrazole-induced kindling, cognition and oxidative stress in rats. *Pharm Biochem Behav* 2003, 74:579-85
- Hamid IS, Widjaja NMR, Damayanti R. Anticancer activity of *Centella asiatica* leaves extract in benzo(a)pyrene-induced mice. *Int J Pharmacogn Phytochem Res* 2016, 8(1):80-84
- Hashim P, Sidek H, Helan MHM, Sabery A, Palanisamy UD, Ilham M. Triterpene Composition and Bioactivities of *Centella asiatica*. *Molecules* 2011, 16:1310-1322
- Hausen BM. *Centella asiatica* (Indian pennywort), an effective therapeutic but a weak sensitizer. *Contact Dermatitis* 1993, 29:175-79
- Heidari M, Heidari-Vala H, Sadeghi MR, Akhondi MM. The inductive effects of *Centella asiatica* on rat spermatogenic cell apoptosis *in vivo*. *J Nat Med* 2012, 66(2):271-278
- Herbert D, Paramasivan CN, Prabhakar R, Swaminathan G. *In vitro* experiments with *Centella asiatica*: investigation to elucidate the effect of an indigenously prepared powder of this plant on the acid-fastness and viability of *M. tuberculosis*. *Indian J Lepr* 1994, 66:65-8
- Husain GM, Mishra D, Singh PN, Rao CV, Kumar V. Ethnopharmacological review of native traditional medicinal plants for brain disorders. *Pharm Rev* 2007, 1:19-28
- Idrus RBH, Chowdhury SR, Manan NABA, Fong OS, Adenan MI, Bin Saim A. Aqueous extract of *Centella asiatica* promotes corneal epithelium wound healing *in vitro*. *J Ethnopharm* 2012, 140:333-338
- Idrus RBH, Yunus MHM, Simat SF, Sainik NQAV, Adenan MI, Bin Saim A. Aqueous extract of *Centella asiatica* as a potential anti-keloid agent. *IJPSR* 2018, 9(3):1281-1290
- Izu R, Aguirre A, Gil N, Díaz-Pérez JL. Allergic contact dermatitis from a cream containing *Centella asiatica* extract. *Contact Dermatitis* 1992, 26:192-213
- Jana U, Sur TK, Maity LN, Debnath PK, Bhattacharyya D. A clinical study on the management of generalized anxiety disorder with *Centella asiatica*. *Nepal Med Coll J* 2010; 12(1):8-11
- Jared SR. Enhancement of memory in rats with *Centella asiatica*. *Biomed Res* 2010, 21(4):429-432

- Jenwitheesuk K, Rojsanga P, Chowchuen B, Sarakunprapha P. A prospective randomized, controlled, double-blind trial of the efficacy using *Centella* cream for scar improvement. *E Based Compl Alt Med* 2018, 2018:9525624
- Jorge OA, Jorge AD. Hepatotoxicity associated with the ingestion of *Centella asiatica*. *Rev Esp Enferm Dig* 2005, 97:115-24
- Joshi K, Chaturvedi P. Therapeutic efficiency of *Centella asiatica* (L.) Urb. An underutilized green leafy vegetable: an overview. *Int J Pharm Bio Sci* 2013, 4(1):135-149
- Kadir MF, Bin Sayeed M, Setu NI, Mostafa A, Mia MMK. Ethnopharmacological survey of medicinal plants used by traditional health practitioners in Thanchi, Bandarban Hill Tracts, Bangladesh. *J Ethnopharmacol* 2014, 155:495-508
- Kar A, Pandit S, Mukherjee K, Bahadur S, Mukherjee PK. Safety assessment of selected medicinal food plants used in Ayurveda through CYP450 enzyme inhibition study. *J Sci Food Agric* 2017, 97(1):333-340
- Kartnig T. Clinical applications of *Centella asiatica* (L.). *Herbs Spices Med Plants* 1988, 3:145-73
- Kartnig T, Hoffmann-Bohm K. *Centella*. In: Hansel R, Keller K, Rimpler H, Schneider G, editors. Hager's Handbuch der Pharmazeutischen Praxis. *Springer*, Berlin Heidelberg New York 1992, 764-765
- Khurshid F, Govindasamy J, Khaliluòòah H, Nonami MS, Shahid M, Ain MR, *et al.* Effect of *Centella asiatica* formulation on the pharmacokinetics of amitriptyline in rats: a herb-drug interaction study. *Lat Am J Pharm* 2018, 37(4):663-670
- Kim YJ, Cha HJ, Nam KO, Yoon Y, Lee H, An S. *Centella asiatica* extracts modulate hydrogen peroxide-induced senescence in human dermal fibroblasts. *Exper Dermatol* 2011, 20:998-1003
- Kimura Y, Sumiyoshi M, Samukawa K, Satake N, Sakanaka M. Facilitating action of asiaticoside at low doses on burn wound repair and its mechanism. *Eur J Pharmacol* 2008, 584:415-423
- Kumari S, Deori M, Elancheran R, Kotoky J, Devi R. *In vivo* and *in vitro* antioxidant, anti-hyperlipidemic properties and chemical characterization of *Centella asiatica* (L.) extract. *Front Pharmacol.* 2016, 7:400
- Kunta RK, Vadlapudi V. *In vitro* antibacterial potentiality of *Centella asiatica*. *Biomed. & Pharmacol. J.* 2009, 2(2):293-296
- Kwon MC, Choi WY, Seo YC, Kim JS, Yoon CS, Lim HW, *et al.* Enhancement of the skin-protective activities of *Centella asiatica* L. Urban by a nano-encapsulation process. *J Biotechnol* 2012, 157:100-106
- Laerum OD, Iversen OH. Reticuloses and epidermal tumors in hairless mice after topical skin applications of cantharidin and asiaticoside. *Cancer Res* 1972, 32:1463-1469
- Lee J, Jung E, Kim Y, Park J, Park J, Hong S, *et al.* Asiaticoside induces human collagen I synthesis through TDFβReceptor I kinase (TβRI kinase)-independent Smad signaling. *Planta Med* 2006, 72:324-328
- Lee JH, Kim HL, Lee MH, You KE, Kwon BJ, Seo HJ, *et al.* Asiaticoside enhances normal human skin cell migration, attachment and growth *in vitro* wound healing model. *Phytomedicine* 2012, 19(13):1223-1227
- Li D, Zheng X, Duan L, Deng S, Ye W, Wang A, *et al.* Ethnobotanical survey of herbal tea plants from the traditional markets in Chaoshan, China. *J Ethnopharmacol* 2017, 205:195-206

- Lou JS, Dimitrova DM, Murchison C, Arnold GC, Belding H, Seifer N, *et al.* *Centella asiatica* triterpenes for diabetic neuropathy: a randomized, double-blind, placebo-controlled, pilot clinical study. *Exper Dermatol*, 2 Suppl. 1, 2018, (6) 20:12-22
- Madaus G. Lehrbuch der Biologischen Heilmittel. 1938 *Hydrocotyle asiatica*. Wassernabel. Umbelliferae. Available at: <https://www.henriettes-herb.com/eclectic/madaus/hydrocotyle-asia.html>
- Mahanom H, Azizah AH, Suhaila M, Nazamid S, Maznah I, Hair BM. Effect of *Centella asiatica* extract and powder on hydrogen peroxide-treated *Sprague-Dawley* rats. *J. Trop. Agric. Food. Sc.* 2011, 39(1):1-10
- Manasa MR and Sachin ID. Anticonvulsant action of aqueous extract of *Centella asiatica* and sodium valproate—A comparative study in pentylenetetrazole-induced seizures. *Nat J Physiol, Pharm Pharmacol* 2016, 6(2):128-131
- Marastoni F, Baldo A, Redaelli G, Ghiringhelli L. [*Centella asiatica* extract in venous pathology of the lower limbs and its evaluation as compared with tribenoside]. *Minerva Cardioangiol* 1982, 30(4):201-207 [Italian]
- Mitha KV, Yadav S, Ganaraja B. Improvement in cognitive parameters among offsprings born to alcohol fed female Wistar rats following long term treatment with *Centella Asiatica*. *Indian J Physiol Pharmacol* 2016, 60(2):167-173
- Natarajan S, Paily PP. Effect of topical *Hydrocotyle Asiatica* in psoriasis. *Ind J Dermatol* 1973, 18(4):82-85
- Nowwarote N, Osathanon T, Jitjaturunt P, Manopattanasoontorn S, Pavasant P. Asiaticoside induces type I collagen synthesis and osteogenic differentiation in human periodontal ligament cells. *Phytoter Res* 2013, 27(3):457-462
- Nurlaily A, Noor Baitee AR, Musalmah M. Comparative antioxidant and anti-inflammatory activity of different extracts of *Centella asiatica* (L.) Urban and its active compounds, asiaticoside and madecassoside. *Med & Health* 2012, 7(2):62-72
- Oruganti M, Roy BK, Singh KK, Prasad R, Kumar S. Safety assessment of *Centella asiatica* in albino rats. *Pharmacognosy Journal* 2010, 2(16):5-13
- Pan Y, Abd-Rashid BA, Ismail Z, Ismail R, Mak JW, Pook PCK, *et al.* *In vitro* modulatory effects on three major human cytochrome P450 enzymes by multiple active constituents and extracts of *Centella asiatica*. *J Ethnopharmacol* 2010, 130(2):275-283
- Panmei R, Gajurel PR, Singh B. Ethnobotany of medicinal plants used by the Zeliangrong ethnic group of Manipur, northeast India. *J Ethnopharmacol* 2019, 235:164-182
- Paocharoen V. The efficacy and side effects of oral *Centella asiatica* extract for wound healing promotion in diabetic wound patients. *J Med Assoc Thai* 2010, 93(7):S166-S170
- Paolino D, Cosco D, Cilurzo F, Trapasso E, Morittu VM, Celia C, *et al.* Improved *in vitro* and *in vivo* collagen biosynthesis by asiaticoside-loaded ultradeformable vesicles. *J Control Rel* 2012, 162:143-151
- Paul S, Devi N, Sarma GC. Ethnobotanical utilization of some medicinal plants by Bodo people of Manas biosphere reserve in the treatment of malaria. *Int. Res. J. Pharm.* 2013, 4(6):102-105
- PDR for Herbal Medicines – Gotu Kola (*Centella asiatica*), *Medical Economics Company, Inc* 2000, 359-361

- Pittella F, Dutra RC, Junior DD, Lopes MTP, Barbosa NR. Antioxidant and Cytotoxic Activities of *Centella asiatica* (L.) Urb. *Int. J. Mol. Sci.* 2009, 10:3713-3721
- Pointel JP, Boccalon H, Cloarec M, Ledevheat C, Joubert M. Titrated extract of *Centella asiatica* (TECA) in the treatment of venous insufficiency of the lower limbs. *Angiology* 1987, 38(1):46-50
- Prakash A, Kumar A. Mitoprotective effect of *Centella asiatica* against aluminum-induced neurotoxicity in rats: possible relevance to its anti-oxidant and anti-apoptosis mechanism. *Neurol Sci* 2013, 34:1403-1409
- Punturee K, Wild CP, Kasinrerker W, Vinitketkumnuen U. Immunomodulatory activities of *Centella asiatica* and *Rhinacanthus nasutus* extracts. *Asian Pac J Cancer Prev* 2005, 6:396-400
- Puttarak P, Dilokthornsakul P, Saokaew S, Dhippayorn T, Kongkaew C, Sruamsiri R, *et al.* Effects of *Centella asiatica* (L.) Urb. on cognitive function and mood related outcomes: A Systematic Review and Meta-analysis. *Sci Rep* 2017, 7(1):10646
- Rai N, Agrawal RC, Khan A. Inhibition of DMBA induced mouse skin carcinogenesis by *Centella asiatica* extract. *Pharmacol online* 2011, 3:536-546
- Ramesh BN, Indi SS, Rao KSJ. Studies to understand the effect of *Centella asiatica* on A $\beta$ (42) aggregation *in vitro*. *Curr Trends Biotechnol Pharm* 2010, 4(2):716-724
- Randriamampionona D, Diallo B, Rakotoniriana F, Rabemanantsoa C, Cheuk K, Corbisier AM, *et al.* Comparative analysis of active constituents in *Centella asiatica* samples from Madagascar: application for *ex situ* conservation and clonal propagation. *Fitoterapia* 2007, 78:482-489
- Rao SB, Chetana M, Uma Devi P. *Centella asiatica* treatment during postnatal period enhances learning and memory in mice. *Physiol & Behav* 2005, 86:449-457
- Rotblatt M, Ziment I. Evidence-based herbal medicine. Hanley & Belfus inc. Medical Publishers, Philadelphia 2001, 227-30
- Saeidinia A, Keihanian F, Lashkari AP, Lahiji HG, Mobayyen M, Heidarzade A, *et al.* Partial-thickness burn wounds healing by topical treatment: a randomized controlled comparison between silver sulfadiazine and centiderm. *Medicine (Baltimore)* 2017, 96(9):e6168.
- Sahu NP, Subodh KR, Mahato SB. Spectroscopic determination of structures of triterpenoid trisaccharides from *Centella asiatica*. *Phytochemistry* 1989, 28:2852-28
- Sainath SB, Meena R, Supriya C, Reddy KP, Reddy PS. Protective role of *Centella asiatica* on lead-induced oxidative stress and suppressed reproductive health in male rats. *Envir Toxicol Pharmacol* 2011, 32:146-154
- Saokaew S, Suwankesawong W, Permsuwan U, Chaiyakunapruk N. Safety of herbal products in Thailand: an analysis of reports in the Thai Health Product Vigilance Center Database from 2000 to 2008. *Drug Saf* 2011, 34(4):339-350
- Sardar AA, Khan Z, Perveen A, Zereen A. Appraisal of ethnobotanical uses of the wetland plants of Punjab, Pakistan. *Afr. J. Trad. CAM* 2015, 12(4):9-13
- Savai J, Varghese A, Pandita N, Chintamanemi M. Investigation of CYP3A4 and CYP2D6 interactions of *Withania somnifera* and *Centella asiatica* in human liver microsomes. *Phytother Res* 2015, 29(5):785-790

- Sawatdee S, Choochuay K, Chanthorn W, Srichana T. Evaluation of the topical spray containing *Centella asiatica* extract and its efficacy on excision wounds in rats. *Acta Pharm.* 2016, 66:233-244
- Semenya S, Potgieter M, Erasmus L. Ethnobotanical survey of medicinal plants used by Bapedi healers to treat diabetes mellitus in the Limpopo Province, South Africa. *J Ethnopharmacol* 2012, 141:440-445
- Shah GM, Abbasi AM, Khan N, Guo X, Khan MA, Hussain M, *et al.* Traditional uses of medicinal plants against malarial disease by the tribal communities of Lesser Himalayas–Pakistan. *J Ethnopharmacol* 2014, 155:450-462
- Shukla A, Rasik AM, Jain GK, Shankar R, Kulshrestha DK, Dhawan BN. *In vitro* and *in vivo* wound healing activity of asiaticoside isolated from *Centella asiatica*. *J Ethnopharmacol* 1999, 65:1-11
- Siddique YH, Ara G, Beg T, Faisal M, Ahmad M, Afzal M. Antigenotoxic role of *Centella asiatica* L. extract against cyproterone acetate induced genotoxic damage in cultured human lymphocytes. *Toxicol In Vitro* 2008, 22:10-17
- Somboonwong J, Kankaisre M, Tantisira B, Tantisira MH. Wound healing activities of different extracts of *Centella asiatica* in incision and burn wound models: an experimental animal study. *BMC Compl Alt Med* 2012, 12:103
- Somchit MN, Sulaiman MR, Zuraini A, Samsuddin L, Sonchit N, Israf DA, *et al.* Antinociceptive and antiinflammatory effects of *Centella asiatica*. *Indian J Pharmacol* 2004, 6:377-380
- Song J, Dai Y, Zhang H, Xu X, Xia Y, Gong Z. Madecassoside induces apoptosis of keloid fibroblasts via a mitochondrial-dependent pathway. *Drug Devel Res* 2011, 72:315-322
- Song J, Xu H, Lu Q, Xu Z, Bian D, Xia Y, *et al.* Madecassoside suppresses migration of fibroblasts from keloids: involvement of p38 kinase and PI3K signalling pathways. *Burns* 2012, 38(5):677-684
- Soumyanath A, Zhong Y, Henson E, Wadsworth T, Bishop J, Gold BG, *et al.* *Centella asiatica* extract improves behavioral deficits in a mouse model of Alzheimer's disease: investigation of a possible mechanism of action. *Int J Alzheimer's Dis* 2012, 2012(5868):381974
- Soyingbe OS, Mongalo NI, Makhafola TJ. *In vitro* antibacterial and cytotoxic activity of leaf extracts of *Centella asiatica* (L.) Urb, *Warburgia salutaris* (Bertol. F.) Chiov and *Curtisia dentata* (Burm. F.) C.A.Sm medicinal plants used in South Africa. *BMC Compl Alt Med* 2018, 18:315
- Subathra M, Shila S, Devi MA, Panneerselvam C. Emerging role of *Centella asiatica* in improving agerelated neurological antioxidant status. *Exp Gerontol* 2005, 40:707-715
- Suguna L, Sivakumar P, Chandrakasan G. Effects of *Centella asiatica* extract on dermal wound healing in rats. *Indian J Exp Biol* 1996, 34:1208-1211
- Sujarwo W, Keim AP, Savo V, Guarrera PM, Caneva G. Ethnobotanical study of *Loloh*: Traditional herbal drinks from Bali (Indonesia). *J Ethnopharmacol* 2015, 169:34-48
- Tang B, Zhu B, Liang Y, Bi L, Hu Z, Chen B, *et al.* Asiaticoside suppresses collagen expression and TGF- $\beta$ /Smad signalling through inducing Smad7 and inhibiting TGF- $\beta$ RI and TGF- $\beta$ RII in keloid fibroblasts. *Arch Dermatol Res* 2011, 303(8):563-572
- Thirawarapan SS, Jariyapongsakul A, Suvitayavat W, Muangnongwa S, Sribusarakum A. Anti-hypertensive and cerebral blood flow improving actions of *Centella asiatica* (L.) Urban leaves juice in deoxycorticosterone acetate-salt hypertensive rats. *Pharm Sci Asia* 2019, 46(3):184-192

Umamageswari MS, Latha K, Sathiya Vinhotra AT, Rhevanth V, Velarul S, Surapaneni KM. Evaluation of anti-convulsant activity of aqueous leaf extract of *Centella asiatica* in Wistar Albino Rats. *IJPPR* 2015, 7(4):690-695

Veerendra Kumar MH, Gupta YK. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *J Ethnopharmacol* 2002, 79:253-260

Visweswari G, Prasad KS, Chetan PS, Lokanatha V, Rajendra W. Evaluation of the anticonvulsant effect of *Centella asiatica* (gotu kola) in pentylenetetrazol-induced seizures with respect to cholinergic neurotransmission. *Epilepsy & Behavior* 2010a, 17:332-335

Visweswari G, Prasad KS, Chetan PS, Lokanatha V, Rajendra W. The antiepileptic effect of *Centella asiatica* on the activities of  $\text{Na}^+/\text{K}^+$ ,  $\text{Mg}^{2+}$  and  $\text{Ca}^{2+}$ -ATPases in rat brain during pentylenetetrazol-induced epilepsy. *Ind J Pharmacol* 2010b, 42(2):82-86

Wattanathorn J, Mator L, Muchimapura S, Tongun T, Pasuriwong O, Piyawatkul N, *et al.* Positive modulation of cognition and mood in the healthy elderly volunteer following the administration of *Centella asiatica*. *J Ethnopharmacol* 2008, 116:325-332

WHO monographs on selected medicinal plants. Vol 1. Herba Centellae. World Health Organization. Geneva 1999, 77-85

Williamson EM. Potter's Cyclopaedia of Botanical Drugs and Preparations. The C.W. Daniel Company Ltd, Essex, England 2003, 229-230

Wolfram S. Experiences with Madecassol in the treatment of ulcerative skin changes. *Wien Med Wochenschr* 1965, 115:439-442

Wu F, Bian D, Xia Y, Gong Z, Tan Q, Chen J, *et al.* Identification of major active ingredients responsible for burn wound healing of *Centella asiatica* herbs. *E Based Compl Alt Med* 2012, 2012(4):848093

Wu Y, Gao S, Yuan T. Enhancement of bleomycin sensitivity in human lung cancer cell line using *Centella asiatica* leaf extract. *Trop J Pharm Res* 2016, 15(2):335-339

Wu X, Bian D, Dou Y, Gong z, Tan Q, Xia Y, Dai Y. Asiaticoside hinders the invasive growth of keloid fibroblasts through inhibition of the GDF-9/MAPK/Smad pathway. *J Biochem Mol Toxicol* 2017, 31(8)

Yadav MK, Singh SK, Singh M, Mishra SS, Singh AK, Tripathi JS, *et al.* *In vivo* toxicity study of ethanolic extracts of *Evolvulus alsinoides* & *Centella asiatica* in Swiss albino mice. *Open Access Maced J Med Sci* 2019, 7(7):1071-1076

Yao CH, Yeh JY, Chen YS, Li MH, Huang CH. Wound-healing effect of electrospun gelatin nanofibres containing *Centella asiatica* extract in a rat model. *J Tissue Regen Med* 2017, 11:905-915

Yen GC, Chen HY, Peng HH. Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of emerging edible plants. *Food Chem Toxicol* 2001, 39(11):1045-1053

Yunianto I, Bashah NAK, Noor MM. Antifertility properties of *Centella asiatica* ethanolic extract as a contraceptive agent: preliminary study of sperm proteomic. *Asian Pacific J Reprod* 2017, 6(5):212-216

Zhang CZ, Niu J, Chong YS, Huang YF, Chu Y, Xie SY, *et al.* Porous microspheres as promising vehicles for the topical delivery of poorly soluble asiaticoside accelerate wound healing and inhibit scar formation *in vitro* & *in vivo*. *Eur J Pharm Biopharm* 2016, 109:1-13