

10 March 2015
EMA/HMPC/377676/2014
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Linum usitatissimum* L., semen

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Adlercreutz H. Does fiber-rich food containing animal lignan precursors protect against both colon and breast cancer? An extension of the „fiber hypothesis“. *Gastroenterology* 1984, 86(4):761-764

Adlercreutz H, Höckerstedt K, Bannwart C, Bloigu S, Hämäläinen E, Fotsis T *et al.* Effect of dietary components, including lignans and phytoestrogens, on enterohepatic circulation and liver metabolism of estrogens and on sex hormone binding globulin (SHBG). *J Steroid Biochem* 1987, 27(4-6):1135-1144

Alonso L, Marcos ML, Blanco JG, Navarro JA, Juste S, del Mar Gracés *et al.* Anaphylaxis caused by linseed (flaxseed) intake. *J Allergy Clin Immunol* 1996, 98(2):469-470

American Conference of Governmental Industrial Hygienists (ACGIH). Threshold limit values for chemical substances and physical agents and biological exposures indices. ACGIH, Cincinnati, OH 1995

Anon. Leinsamen-Blausäurevergiftung nicht zu befürchten. *Dtsch Apoth Ztg* 1983, 123:876

Ansenberger K, Richards C, Zhuge Y, Barua A, Bahr JM, Luborsky JL *et al.* Decreased severity of ovarian cancer and increased survival in hens fed a flaxseed-enriched diet for 1 year. *Gynecol Oncol* 2010, 117(2):341-347

Arts CJ, Govers CA, van den Berg H, Wolters MG, van Leeuwen P, Thijssen JH. *In vitro* binding of estrogens by dietary fiber and the vivo apparent digestibility tested in pigs. *J Steroid Biochem Mol Biol* 1991, 38(5):621-628

Austria JA, Richard MN, Chahine MN, Edel AL, Malcolmson LJ, Dupasquier CM *et al.* Bioavailability of alpha-linolenic acid in subjects after ingestion of three different forms of flaxseed. *J Am Coll Nutr* 2008, 27(2):214-221

Axelsson M, Sjövall J, Gustafsson BE, Setchell KD. Origin of lignans in mammals and identification of a precursor from plants. *Nature* 1982, 298(5875):659-660

- Azrad M, Zhang K, Vollmer RT, Madden J, Polascik TJ, Snyder DC *et al.* Prostatic alpha-linolenic acid (ALA) is positively associated with aggressive prostate cancer: a relationship which may depend on genetic variation in ALA metabolism. *PLoS One* 2012, 7(12):e53104
- Benedum J, Loew D, Schilcher H. Arzneipflanzen in der Traditionellen Medizin. 3th ed. Kooperation Phytopharmaka GbR, Bonn 2000
- Bentz S, Hausmann M, Piberger H, Kellermeier S, Paul S, Held L *et al.* Clinical relevance of IgG antibodies against food antigens in Crohn's disease: a double-blind cross-over diet intervention study. *Digestion* 2010, 81(4):252-264
- Berendes, editor. Des Pedanios Dioskuridesdes aus Anazarbos (Materia Medica). Vol 2. Verlag von Ferdinand Enke, Stuttgart 1902. Available at: <https://archive.org/stream/despedaniosdios00pedagoog#page/n219/mode/1up>. Accessed 14/04/2015
- Bhatia AL, Sharma A, Patni S, Sharma AL. Prophylactic effect of flaxseed oil against radiation-induced hepatotoxicity in mice. *Phytother Res* 2007, 21(9):852-859
- Billinsky J, Glew RA, Cornish SM, Whiting SJ, Thorpe LU, Alcorn J *et al.* No evidence of hypoglycemia or hypotension in older adults during 6 months of flax lignan supplementation in a randomized controlled trial: a safety evaluation. *Pharm Biol* 2013, 51(6):778-782
- Blaschek W, Hilgenfeldt U, Holzgrabe U, Reichling J, Ruth P, editors. HagerROM 2011: Hagers Enzyklopädie der Drogen und Arzneistoffe. Springer-Verlag, Berlin Heidelberg 2011
- Bloedon LT, Balikai S, Chittams J, Cunnane SC, Berlin JA, Rader DJ *et al.* Flaxseed and cardiovascular risk factors: results from a double blind, randomized, controlled clinical trial. *J Am Coll Nutr* 2008, 27(1):65-74
- Bommarreddy A, Arasada BL, Mathees DP, Dwivedi C. Chemopreventive effects of dietary flaxseed on colon tumor development. *Nutr Cancer* 2006, 54(2):216-222
- Bommarreddy A, Zhang X, Schrader D, Kaushik RS, Zeman D, Matthees DP *et al.* Effects of dietary flaxseed on intestinal tumorigenesis in Apc(Min) mouse. *Nutr Cancer* 2009, 61(2):276-283
- Borriello SP, Setchell KD, Axelson M, Lawson AM. Production and metabolism of lignans by the human faecal flora. *J Appl Bacteriol* 1985, 58(1):37-43
- Cockerell KM, Watkins AS, Reeves LB, Goddard L, Lomer MC. Effects of linseeds on the symptoms of irritable bowel syndrome: a pilot randomised controlled trial. *J Hum Nutr Diet* 2012, 25(5):435-443
- Colli MC, Bracht A, Soares AA, de Oliveira AL, Bôer CG, de Souza CG *et al.* Evaluation of the efficacy of flaxseed meal and flaxseed extract in reducing menopausal symptoms. *J Med Food* 2012, 15(9):840-845
- Culbreth DMR. A Manual of Materia Medica and Pharmacology. 7th ed. Lea & Febiger, Philadelphia 1927
- Cummings JH. Dietary fibre. *Br Med Bull* 1981, 37(1):65-70
- Cunnane SC, Ganguli S, Menard C, Liede AC, Hamadeh MJ, Chen ZY *et al.* High alpha-linolenic acid flaxseed (*Linum usitatissimum*): some nutritional properties in humans. *Br J Nutr* 1993, 69(2):443-453
- Cunnane SC, Hamadeh MJ, Liede AC, Thompson LU, Wolever TM, Jenkins DJ. Nutritional attributes of traditional flaxseed in healthy young adults. *Am J Clin Nutr* 1995, 61(1):62-68

Demark-Wahnefried W, Robertson CN, Walther PJ, Polascik TJ, Paulson DF, Vollmer RT. Pilot study to explore effects of low-fat, flaxseed-supplemented diet on proliferation of benign prostatic epithelium and prostate-specific antigen. *Urology* 2004, 63(5):900-904

Dodin S, Lemay A, Jacques H, Légaré F, Forest JC, Mâsse B. The effects of flaxseed dietary supplement on lipid profile, bone mineral density, and symptoms in menopausal women: a randomized, double-blind, wheat germ placebo-controlled clinical trial. *J Clin Endocrinol Metab* 2005, 90(3):1390-1397

Dragendorff G. Die Heilpflanzen der verschiedenen Völker und Zeiten. Werner Fritsch, München 1967

Eilati E, Bahr JM, Hales DB. Long term consumption of flaxseed enriched diet decreased ovarian cancer incidence and prostaglandin E₂ in hens. *Gynecol Oncol* 2013, 130(3):620-628

ESCOP Monographs 2nd ed. Lini semen – Linseed. European Scientific Cooperative on Phytotherapy, editor. Thieme, Stuttgart 2003, 290

European Pharmacopoeia 8th ed. Linseed - Lini semen. Council of Europe. 04/2011:0095

Evans WC. Trease and Evans' Pharmacognosy. 13th ed. Baillière Tindall, London 1989

Exner M, Hermann M, Hofbauer R, Hartmann B, Kapiotis S, Gmeiner B. Thiocyanate catalyzes myeloperoxidase-initiated lipid oxidation in LDL. *Free Radic Biol Med* 2004, 37(2):146–155

Faintuch J, Horie LM, Barbeiro HV, Barbeiro DF, Soriano FG, Ishida RK *et al.* Systemic inflammation in morbidly obese subjects: response to oral supplementation with alpha-linolenic acid. *Obes Surg* 2007, 17(3):341-347

Faintuch J, Bortolotto LA, Marques PC, Faintuch JJ, França JI, Cecconello I. Systemic inflammation and carotid diameter in obese patients: pilot comparative study with flaxseed powder and cassava powder. *Nutr Hosp* 2011, 26(1):208-113

Farahpour MR, Taghikhani H, Habibi M, Zandieh, MA. Wound healing activity of flaxseed *Linum usitatissimum* L. in rats. *Afr J Pharm Pharmacol* 2011, 5(21):2386-2389

Fischer G. Heilkräuter und Arzneipflanzen. 3rd ed. Karl F. Haug Verlag, Ulm/Donau 1966

Fremont S, Moneret-Vautrin DA, Franck P, Morisset M, Croizier A, Codreanu F *et al.* Prospective study of sensitization and food allergy to flaxseed in 1,317 subjects. *Eur Ann Allergy Clin Immunol* 2010, 42(3):103-111

Gracious BL, Chirieac MC, Costescu S, Finucane TL, Youngstrom EA, Hibbeln JR. Randomized, placebo-controlled trial of flax oil in pediatric bipolar disorder. *Bipolar Disord* 2010, 12(2):142-154

Grutzner KI, Muller A, Schollig HP. Wirksamkeit einer Schleimzubereitung aus Leinsamen bei funktionellen Oberbauchbeschwerden. [Efficacy of linseed mucilage preparation in patients with functional upper abdominal complaints.] *Z Phytotherapie* 1997, 18(5):263-269

Guillon F, Champ M. Structural and physical properties of dietary fibres, and consequences of processing on human physiology. *Food Res Int* 2000, 33(3-4):233-245

Hallund J, Ravn-Haren G, Bügel S, Tholstrup T, Tetens I. A lignan complex isolated from flaxseed does not affect plasma lipid concentrations or antioxidant capacity in healthy postmenopausal women. *J Nutr* 2006, 136(1):112-116

Hardt M, Geisthövel W. Schwerer Obstruktionsileus durch Leinsamenbezoar *Med Klin* 1986, 81:541–543

- Hutchins AM, Slavin JL. Effects of flaxseed on sex hormone metabolism. In: Thompson LU, Cunnane SC, editors. Flaxseed in human nutrition. 2nd ed. AOCS Publishing 2003, 126-149
- Jenkins DJ, Kendall CW, Vidgen E, Agarwal S, Rao AV, Rosenberg RS *et al.* Health aspects of partially defatted flaxseed, including effects on serum lipids, oxidative measures, and *ex vivo* androgen and progestin activity: a controlled crossover trial. *Am J Clin Nutr* 1999, 69(3):395-402
- Joshi K, Lad S, Kale M, Patwardhan B, Mahadik SP, Patni B *et al.* Supplementation with flax oil and vitamin C improves the outcome of Attention Deficit Hyperactivity Disorder (ADHD). *Prostaglandins Leukot Essent Fatty Acids* 2006, 74(1):17-21
- Kaithwas G, Majumdar DK. *In vitro* antioxidant and *in vivo* antidiabetic, antihyperlipidemic activity of linseed oil against streptozotocin-induced toxicity in albino rats. *Eur J of Lipid Sci Tech* 2012, 114(11):1237-1245
- Kaithwas G, Mukerjee A, Kumar P, Majumdar DK. *Linum usitatissimum* (linseed/flaxseed) fixed oil: antimicrobial activity and efficacy in bovine mastitis. *Inflammopharmacology* 2011a, 19(1):45-52
- Kaithwas G, Mukherjee A, Chaurasia AK, Majumdar DK. Antiinflammatory, analgesic and antipyretic activities of *Linum usitatissimum* L. (flaxseed/linseed) fixed oil. *Indian J Exp Biol* 2011b, 49(12):932-938
- Kamano K, Okuyama H, Konishi R, Nagasawa H. Effects of a high-linoleate and a high-alpha-linolenate diet on spontaneous mammary tumourigenesis in mice. *Anticancer Res* 1989, 9(6):1903-1908
- Kinniry P, Amrani Y, Vachani A, Solomides CC, Arguiri E, Workman A *et al.* Dietary flaxseed supplementation ameliorates inflammation and oxidative tissue damage in experimental models of acute lung injury in mice. *J Nutr* 2006, 136(6):1545–1551
- Kitts DD, Yuan YV, Wijewickreme AN, Thompson LU. Antioxidant activity of the flaxseed lignan secoisolariciresinol diglycoside and its mammalian lignan metabolites enterodiol and enterolactone. *Mol Cell Biochem* 1999, 202(1-2):91–100
- Klein H, Weigert P. Schwermetalle in Leinsamen. [Heavy metals in linseed]. *Bundesgesundhbl* 1987, 30(11):391-395
- Klein V, Chajès V, Germain E, Schulgen G, Pinault M, Malvy D *et al.* Low alpha-linolenic acid content of adipose breast tissue is associated with an increased risk of breast cancer. *Eur J Cancer* 2000, 36(3):335-340
- Kommission E. Aufbereitungsmonographie Lini semen (Leinsamen). *Bundesanzeiger* (Nr. 228) vom 05/12/1984
- Kurth W. Therapeutische Wirksamkeit, Verträglichkeit und Akzeptabilität von Linusit® in der Praxis. *Der Kassenarzt* 1976, 16:3546-3551
- Kurzer MS, Lampe JW, Martini MC, Adlercreutz H. Fecal lignan and isoflavonoid excretion in premenopausal women consuming flaxseed powder. *Cancer Epidemiol Biomarkers Prev* 1995, 4(4):353-358
- Lampe JW, Martini MC, Kurzer MS, Adlercreutz H, Salvin JL. Urinary lignan and isoflavonoid excretion in premenopausal women consuming flaxseed powder. *Am J Clin Nutr* 1994, 60(1):122-128
- Lawrenz J, Herndon B, Kamal A, Mehrer A, Dim DC, Baidoo C *et al.* Dietary Flaxseed Oil Protects against Bleomycin-Induced Pulmonary Fibrosis in Rats. *Pulm Med* 2012, 2012:457031, 1-11

Leclerc H. Précis de Phytothérapie. 5th ed. Masson, Paris 1983

Lee JC, Bhora F, Sun J, Cheng G, Arguiri E, Solomides CC *et al.* Dietary flaxseed enhances antioxidant defenses and is protective in a mouse model of lung ischemia-reperfusion injury. *Am J Physiol Lung Cell Mol Physiol* 2008, 294(2):L255–265

Lee JC, Krochak R, Blouin A, Kanterakis S, Chatterjee S, Arguiri E *et al.* Dietary flaxseed prevents radiation-induced oxidative lung damage, inflammation and fibrosis in a mouse model of thoracic radiation injury. *Cancer Biol Ther* 2009, 8(1):47-53

Lemos J, Alencastro MG, Konrath AV, Cargnin M, Manfro RC. Flaxseed oil supplementation decreases C-reactive protein levels in chronic hemodialysis patients. *Nutr Res* 2012, 32(12):921-927

Lewis JH, Weingold AB. The use of gastrointestinal drugs during pregnancy and lactation. *Am J Gastroenterol* 1985, 80(11):912-923

Lewis WH, Elvin-Lewis MPF. Medical Botany: Plants affecting man's health. 1st ed. John Wiley & Sons, New York 1977

Lindahl G, Saarinen N, Abrahamsson A, Dabrosin C. Tamoxifen, flaxseed, and the lignan enterolactone increase stroma- and cancer cell-derived IL-1Ra and decrease tumor angiogenesis in estrogen-dependent breast cancer. *Cancer Res* 2011, 71(1):51-60

Lorenc-Kubis I, Kowalska J, Pochroń B, Zuzło A, Wilusz T. Isolation and amino acid sequence of a serine proteinase inhibitor from common flax (*Linum usitatissimum*) seeds. *Chembiochem* 2001, 2(1):45-51

Lucas EA, Mahajan SS, Soung do Y, Lightfoot SA, Smith BJ, Arjmandi BH. Flaxseed but not flaxseed oil prevented the rise in serum cholesterol due to ovariectomy in the Golden Syrian hamsters. *J Med Food* 2011, 14(3):261-267

Luyengi L, Pezzuto JM, Waller DP, Beecher CW, Fong, HH, Che CT *et al.* Linusitamarin, a new phenylpropanoid glucoside from *Linum usitatissimum*. *J Nat Prod* 1993, 56(11):2012-2015

Madaus G. Lehrbuch der biologischen Heilmittel. Vol 2. Reprint (1938). Georg Olms Verlag, Hildesheim New York 1976

Mani UV, Mani I, Biswas M, Kumar SN. An open-label study on the effect of flax seed powder (*Linum usitatissimum*) supplementation in the management of diabetes mellitus. *J Diet Suppl* 2011, 8(3):257-265

Martindale W. The Extra Pharmacopoeia: Incorporating Squire's "Companion". 25th ed. Pharmaceutical press, London 1967

Martindale W. The Extra Pharmacopoeia: Incorporating Squire's "Companion". 26th ed. Pharmaceutical press, London 1972

Meier P, Seiler WO, Stähelin HB. Bulk-forming agents as laxatives in geriatric patients. *Schweiz Med Wochenschr* 1990, 120(9):314-317

Menéndez JA, Vázquez-Martín A, Ropero S, Colomer R, Lupu R. HER2 (erbB-2)-targeted effects of the omega-3 polyunsaturated fatty acid, alpha-linolenic acid (ALA; 18:3n-3), in breast cancer cells: the "fat features" of the "Mediterranean diet" as an "anti-HER2 cocktail". *Clin Transl Oncol* 2006, 8(11):812-820

- Naqshbandi A, Khan W, Rizwan S, Khan F. Studies on the protective effect of flaxseed oil on cisplatin-induced hepatotoxicity. *Hum Exp Toxicol* 2012, 31(4):364-375
- Nesbitt PD, Lam Y, Thompson LU. Human metabolism of mammalian lignan precursors in raw and processed flaxseed. *Am J Clin Nutr* 1999, 69(3):549-555
- Obermann KR, Morris JC, Roe CM. Exploration of 100 commonly used drugs and supplements on cognition in older adults. *Alzheimers Dement* 2013, 9(6):724-732
- Oomah BD, Mazze G, Kenaschuk EO. Cyanogenic compounds in flaxseed. *J Agric Food Chem* 1992, 40(8):1346-1348
- Pan A, Sun J, Chen Y, Ye X, Li H, Yu Z *et al.* Effects of a flaxseed-derived lignan supplement in type 2 diabetic patients: a randomized, double-blind, cross-over trial. *PLoS One* 2007, 2(11):e1148
- Pan A, Yu D, Demark-Wahnefried W, Franco OH, Lin X. Meta-analysis of the effects of flaxseed interventions on blood lipids. *Am J Clin Nutr* 2009 90(2):288-297
- Patade A, Devareddy L, Lucas EA, Korlagunta K, Daggy BP, Arjmandi BH. Flaxseed reduces total and LDL cholesterol concentrations in Native American postmenopausal women. *J Womens Health (Larchmt)* 2008, 17(3):355-366
- Penso G. Piante Medicinali Nella Terapia Medica: manuale di farmacognosia pratica e clinica. 2nd ed. Organizzazione Editoriale Medico Farmaceutica, Milano 1989
- Petroski D. Bulk Fiber Therapy – The impact of product selection on patient acceptance and compliance. *Today's Therapeutic Trends* 2000, 18(2):97-105
- Pharmacopoeia Commission of the Ministry of Public Health, P.R. China. A colored atlas of the Chinese materia medica specified in pharmacopoeia of the people's republic of China. Joint publishing (H.K.) CO., LTD., 1995
- Phipps WR, Martini MC, Lampe JW, Slavin JL, Kurzer MS. Effect of flax seed ingestion on the menstrual cycle. *J Clin Endocrinol Metab* 1993, 77(5):1215-1219
- Prasad K. Hydroxyl radical-scavenging property of secoisolariciresinol diglucoside (SDG) isolated from flax-seed. *Mol Cell Biochem* 1997, 168(1-2):117-123
- Prasad A, Kumar R, Ramanan H, Khandige N, Prabhu K. A case of flax seed induced rhabdomyolysis. *J Clin Diagn Res* 2012, 6(10):1770-1771
- Prim CR, Baroncini LAV, Précoma LB, Caron PH, Winter G, Poletti MO *et al.* Effects of linseed consumption for a short period of time on lipid profile and atherosclerotic lesions in rabbits fed a hypercholesterolaemic diet. *Br J Nutr* 2012, 107(5):660-664
- Pruthi S, Qin R, Terstreip SA, Liu H, Loprinzi CL, Shah TR *et al.* A phase III, randomized, placebo-controlled, double-blind trial of flaxseed for the treatment of hot flashes: North Central Cancer Treatment Group N08C7. *Menopause* 2012, 19(1):48-53
- Rallidis LS, Paschos G, Papaioannou ML, Liakos GK, Panagiotakos DB, Anastasiadis G *et al.* The effect of diet enriched with alpha-linolenic acid on soluble cellular adhesion molecules in dyslipidaemic patients. *Atherosclerosis* 2004, 174(1):127-132
- Ratnayake WMN, Behrens WA, Fischer PWF, Abbe MRL, Mongeau R, Beare-Rodgers JL. Chemical and Nutritional Studies of Flax-Seed (Variety Linott) in Rats. *J Nutr Biochem* 1992, 3(5):232-240

- Razi SS, Latif MJ, Li X, Afthinos JN, Ippagunta N, Schwartz G *et al.* Dietary flaxseed protects against lung ischemia reperfusion injury via inhibition of apoptosis and inflammation in a murine model. *J Surg Res* 2011, 171(1):e113-121
- Sarris J, Mischoulon D, Schweitzer I. Omega-3 for bipolar disorder: meta-analyses of use in mania and bipolar depression. *J Clin Psychiatry* 2012, 73(1):81-86
- Schilcher H. Zyanidvergiftung durch Leinsamen? *Dtsch Ärzteblatt* 1979, 76:955-956
- Schilcher H. Phytopharmaka bei Magen- und Darmerkrankungen. *Dtsch Apoth Ztg* 1990, 130:555-560
- Schilcher H. Droht die schleichende Vergiftung? Antwort in *Medical Tribune* (MTD 46/2001), 44
- Schilcher H., Schulz V., Nissler A. Zur Wirksamkeit und Toxikologie von Samen Lini. *Z Phytotherapie* 1986, 7:113-117
- Schilcher H, Wilkens-Sauter M. Quantitative Bestimmung cyanogener Glykoside in *Linum usitatissimum* mit Hilfe der HPLC. *Fette Wiss Technol* 1986, 88(8):287-290
- Schulz V, Löffler A, Pasch T, Loeschcke G, Busse J. Blausäurespiegel im Blut nach Leinsamen, Bittermandeln, Kaliumzyanid und Natriumprussid. In: Schlegel, B. Verhandlungen der Deutschen Gesellschaft für innere Medizin. J. F. Bergmann Verlag, Munchen 1981, 1189-1192
- Schulz V, Löffler A, Gheorghiu T. Resorption von Blausäure aus Leinsamen. *Leber Magen Darm* 1983, 13(1):10-14
- Schwab US, Callaway JC, Erkkilä AT, Gynther J, Uusitupa MI, Järvinen T. Effects of hempseed and flaxseed oils on the profile of serum lipids, serum total and lipoprotein lipid concentrations and haemostatic factors. *Eur J Nutr* 2006, 45(8):470-477
- Simbalista RL, Sauerbronn AV, Aldrighi JM, Arêas JA. Consumption of a flaxseed-rich food is not more effective than a placebo in alleviating the climacteric symptoms of postmenopausal women. *J Nutr* 2010, 40(2):293-297
- Smith CE, Freeman LM, Rush JE, Cunningham SM, Biourge V. Omega-3 fatty acids in Boxer dogs with arrhythmogenic right ventricular cardiomyopathy. *J Vet Intern Med* 2007, 21(2):265-273
- Sprando RL, Collins TFX, Wiesenfeld PW. Effect of flaxseed consumption on male and female reproductive function and fetal development. In: Thompson LU, Cunnane SC. Flaxseed in human nutrition. 2nd ed. AOCS Publishing 2003, 342-362
- Standardzulassungen. Leinsamen. 1996 February 11. Erg.-Lfg.
- Stahl E. Lehrbuch der Pharmakognosie. 9th ed. Gustav Fischer Verlag, Stuttgart 1962
- Steinegger E, Hänsel R. Lehrbuch der Pharmakognosie und Phytopharmazie, 4th ed. Springer-Verlag, Berlin-Heidelberg 1988
- Tarpila S, Aro A, Salminen I, Tarpila A, Kleemola P, Akkila J *et al.* The effect of flaxseed supplementation in processed foods on serum fatty acids and enterolactone. *Eur J Clin Nutr* 2002, 56(2):157-165
- Tarpila S, Tarpila A, Grohn P, Silvennoinen T, Lindberg L. Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome. *Curr Top Nutraceut R* 2004, 2(2):119-125

Taylor MR. Warning Statements Required for Over-The-Counter Drugs Containing Water-Soluble. Gums as Active Ingredients. Federal Register/ Vo. 58, No. 164 / Thursday, August 26, 1993 / Rules and Regulations

Theodorus J. Lein. In: Theodorus J. Kräuterbuch „Tabernaemontanus“, Anno 1625

Thompson LU, Chen JM, Li T, Strasser-Weippl K, Goss PE. Dietary flaxseed alters tumor biological markers in postmenopausal breast cancer. *Clin Cancer Res* 2005, 11(10):3828-3835

Truan JS, Chen JM, Thompson LU. Flaxseed oil reduces the growth of human breast tumors (MCF-7) at high levels of circulating estrogen. *Mol Nutr Food Res* 2010, 54(10):1414-1421

Tülüce Y, Özkol H, Koyuncu I. Photoprotective effect of flax seed oil (*Linum usitatissimum* L.) against ultraviolet C-induced apoptosis and oxidative stress in rats. *Toxicol Ind Health* 2012, 28(2):99-107

Tyagi A, Kumar U, Reddy S, Santosh VS, Mohammed SB, Ehtesham NZ *et al.* Attenuation of colonic inflammation by partial replacement of dietary linoleic acid with α -linolenic acid in a rat model of inflammatory bowel disease. *Br J Nutr* 2012, 108(9):1612-1622

Usmanghani K, Saeed A, Alam MT. Indusynic Medicine: Traditional Medicine of Herbal, Animal and Mineral Origin in Pakistan. Department of Pharmacognosy, Faculty of Pharmacy, University of Karachi, Pakistan 1997

Weiss RF. Lehrbuch der Phytotherapie. 4th ed. Sulzberg-Druck GmbH, Sulzberg 1980

Weiss RF, Fintelmann V. Lehrbuch der Phytotherapie. 9th ed. Hippokrates Verlag, 1999

Wendland E, Farmer A, Glasziou P, Neil A. Effect of alpha linolenic acid on cardiovascular risk markers: a systematic review. *Heart* 2006, 92(2):166-169

Wilcox G, Wahlgvist ML, Burger HG, Medley G.. Oestrogenic effects of plant foods in postmenopausal women. *BMJ* 1990, 301(6757):905-906

Willuhn G. Leinsamen. In: Wichtl M, editor. Teedrogen. 2nd ed. Wissenschaftliche Verlagsgesellschaft, Stuttgart 1989, 306-308

Wilkinson P, Leach C, Ah-Sing EE, Hussain N, Miller GJ, Millward DJ *et al.* Influence of alpha-linolenic acid and fish-oil on markers of cardiovascular risk in subjects with an atherogenic lipoprotein phenotype. *Atherosclerosis* 2005, 181(1):115-124

Wirths W, Berglar T, Dieckhues A, Bauer G. Ballaststoffreiche Zwischenmahlzeit in ihrer Wirkung auf Verdauungstätigkeit und Blutlipide älterer Probanden. *Z Gerontol* 1985, 18(2):107-110

Wong H, Chahal N, Manhiot C, Niedra E, McCrindle BW. Flaxseed in pediatric hyperlipidemia: a placebo-controlled, blinded, randomized clinical trial of dietary flaxseed supplementation for children and adolescents with hypercholesterolemia. *JAMA Pediatr* 2013, 167(8):708-713

Zanwar AA, Hegde MV, Bodhankar SL. Antihyperlipidemic effect of flax lignan concentrate in triton induced hyperlipidemic rats. *Int J Pharmacol* 2012, 8(5):355-363

Zhang W, Wang X, Liu Y, Tian H, Flickinger B, Empie MW *et al.* Effects of dietary flaxseed lignan extract on symptoms of benign prostatic hyperplasia. *J Med Food* 2008a, 11(2):207-214

Zhang W, Wang X, Liu Y, Tian H, Flickinger B, Empie MW *et al.* Dietary flaxseed lignan extract lowers plasma cholesterol and glucose concentrations in hypercholesterolaemic subjects. *Br J Nutr* 2008b, 99(6):1301-1309

References assessed, but not cited in the assessment report:

- Baird LG, Dawson LE, Young IS, O'Connell NE. Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed. *J Anim Sci* 2010, 88(7):2403-2409
- Bobkiewicz-Kozłowska T, Forjasz-Grus R, Korzeniowska E. The antiulcer activity of flax seed commercial preparations in acute and chronic gastric ulcers in rats. *Herba pol* 2003, 49(3-4):378-380
- Brunton LL. Laxatives. In: Gilman AG, Rall TW, Nies AS, Taylor P, editors. The pharmacological basis of therapeutics. Pergamon Press, New York 1990, 915-918
- Chilton FH, Rudel LL, Parks JS, Arm JP, Seeds MC. Mechanisms by which botanical lipids affect inflammatory disorders. *Am J Clin Nutr* 2008, 87(2):498S-503S
- Czygan F-C. Leinsamen (Semen Lini) ist ungiftig! *Z Phytotherapie* 1984, 5:770-771
- Delgado-Pando G, Cofrades S, Rodríguez-Salas L, Jiménez-Colmenero F. A healthier oil combination and konjac gel as functional ingredients in low-fat pork liver pâté. *Meat Sci* 2011, 88(2):241-248
- Demark-Wahnefried W, George SL, Switzer BR, Snyder DC, Madden JF, Polascik TJ *et al.* Overcoming challenges in designing and implementing a phase II randomized controlled trial using a presurgical model to test a dietary intervention in prostate cancer. *Clin Trials* 2008, 5(3):262-272
- Eder K, Slomma N, Becker K, Brandsch C. Effect of linseed oil supplementation on concentrations of (n-3) polyunsaturated fatty acids in liver phospholipids of rats fed diets containing either an oil rich in conjugated linoleic acids, sunflower oil or high-oleic acid sunflower oil. *J Anim Physiol Anim Nutr* 2005, 89(1-2):45-54
- Laine E, Hano C, Lamblin, F. Les lignanes phytoestrogènes du lin sont-ils des bienfaiteurs méconnus? [Do phytoestrogen lignans have unknown benefits?]. *Phytotherapie* 2007, 5(3):121-128
- Styrczewska M, Kulma A, Ratajczak K, Amarowicz R, Szopa J. Cannabinoid-like anti-inflammatory compounds from flax fiber. *Cell Mol Biol Lett* 2012, 17(3):479-499