



European Medicines Agency
Evaluation of Medicines for Human Use

London, 6 November 2008
Doc. Ref.: EMEA/HMPC/600670/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

LIST OF REFERENCES SUPPORTING THE ASSESSMENT REPORT ON:

Polypodii rhizoma
***Polypodium vulgare* L., rhizoma**
(polypody rhizome)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Adrian-Romero M, Blunden G, Carpenter BG, Tyihák E. HPLC Quantification of Formaldehyde, as formaldemethone, in plants and plant-like organisms. *Chromatographia* 1999, 50 (3/4): 160-167.

Arai Y, Shiojima K, Ageta H. Fern constituents: cyclopodmenyl acetate, a cycloartanoid having a new 33-carbon skeleton, isolated from *Polypodium Vulgare*. *Chemical and Pharmaceutical Bulletin* 1989, 37 (2): 560-562.

Arai Y, Yamaide M, Yamazaki S, Ageta H. Fern constituents: triterpenoids isolated from *Polypodium vulgare*, *P. fauriei* and *P. virginianum*. *Phytochemistry* 1991, 30 (10): 3369-3377.

Artsdatabanken; <http://artskart.artsdatabanken.no/FaneKart.aspx> (Species maps). The English version is on the Norwegian Biodiversity Centre: www.biodiversity.no retrieved 20 November 2007.

Berger F von. Die wichtigsten, im Europäischen Handel vorkommenden Drogen. *Scientia Pharmaceutica* 1939, 10: 145- 147.

Berlin NJ. Den Svenska Farmakopeen. C.W.K Gleerups Förlag, Stockholm 1849, 514-515.

Berti G, Bottari F, Macchia B, Marsili A, Ourisson G, Piotrowska H. Triterpènes cyclo-lanostaniques isolés de Fougères. *Bulletin de la Société Chimique de France* 1964, 9: 2359-2360.

Berti G, Bottari F, Marsili A, Morelli I. A triterpenoid epoxide from *Polypodium vulgare*. *Tetrahedron Letters* 1966, 9: 979-982.

Berti G, Bottari F, Marsili A, Morelli I. 31-norcycloartanol and cycloartanol from *Polypodium vulgare*. *Tetrahedron Letters* 1967, 2: 125-130.

7 Westferry Circus, Canary Wharf, London, E14 4HB, UK

Tel. (44-20) 74 18 84 00 Fax (44-20) 75 23 70 51

E-mail: mail@emea.europa.eu <http://www.emea.europa.eu>

© European Medicines Agency, 2008. Reproduction is authorised provided the source is acknowledged

- Berti G, Bottari F, Marsili A, Morelli I, Mandelbaum A. The isolation of serratene from *Polypodium vulgare*. Journal of the Chemical Society, Chemical Communications 1967, 1: 50.
- Bown D. New Encyclopedia of Herbs & Their Uses. London: DK 2002, 327.
- Campbell, NA and JB Reece. Biology, 6th ed. Pearson/Benjamin Cummings, Sansome 2002, 588-594; 721-724.
- Chevallier A. The Encyclopedia of Medicinal Plants. Dorling Kindersley, London 1996, 252.
- Chiej R. The Macdonald Encyclopedia of Medicinal Plants. Macdonald & Co, Verona 1988, 244.
- Chiricuta I, Uray Z, Maniu M, Frenkel Z, Abraham A D. The response of some endocrine glands to acute polydin therapy. Rom. Revista de Chirurgie, Oncologie, Radiologie, ORL, Oftalmologie, Stomatologie: Oncologia 1985, 24: 9-13.
- Chopra RN, Nayar SL, Chopra IC Glossary of Indian Medicinal Plants. Council of Scientific & Industrial Reserach, New Delhi 1956, 201.
- Christophersen, Erling. Norske Medisinplanter. Aschehoug & Co, Oslo 1960, 65.
- Constantinescu E, Palade M, Panait I. Chemische Studien an Rhizoma Polypodii. Die Pharmazie 1966, 21(2): 121-123.
- Davys M, Alcaide A, Pinte F, Barbier M. Pollinastanol dans la Fougère *Polypodium vulgare* L. et la Salsepareille *Smilax medica* Schlecht et Cham. Comptes Rendus de l 'Academie des Sciences du Paris 1970, 269 (20): 2033-2035.
- De Souza NJ, Ghisalberti EL, Rees H, Goodwin TW. Studies on insect moulting hormones: biosynthesis of ecdysone, ecdysterone and 5 β -hydroxyecdysterone in *Polypodium vulgare*. Phytochemistry 1970, 9: 1247-1252.
- Det Beste. Våre Medisinske Planter. Forlaget Det Beste A/S Oslo, Barcelona 1984: 250.
- Duke JA, Ayensu ES. Medicinal Plants of China 4, Vol. 2. Reference Publications; Michigan 1985, 517-518.
- EFSA: Public Hearing. Safety Assessment of Botanicals and Botanicals Preparations Intended for Use as Food supplements:
http://www.efsa.europa.eu/EFSA/efsa_locale-1178620753812_1178669754855.htm Retrived 2004-02-04.
- Faarlund T, Wendelberger E. Legeplanter. NKS, Oslo 1981, 18
- Foster S. A Field Guide to Medicinal Plants. Houghton Mifflin, Boston 1990, 306.
- Frerichs G, Hager H, Arends G Zörnig H. Hagers Handbuch der Pharmazeutischen Praxis, Band 1, Springer, Berlin 1938, 1302-1303.
- Ghisalberti EL, De Souza NJ, Rees HH, Goad LJ, Goodwin TW. Biosynthesis of Cyclolaudenol in *Polypodium vulgare* Linn. Journal of the Chemical Society, Chemical Communications 1969, 23: 1401-1403.

Glei M, Matuschek M, Steiner C, Böhm V, Persin C, Pool- Zobel BL. Initial *in vitro* toxicity testing of functional foods rich in catechins and anthocyanins in human cells. Toxicology In Vitro 2003, 17: 723-729.

Grieve, M. (1995). A Modern Herbal/ <http://www.botanical.com/botanical/mgmh/f/ferns-08.html>. Retrieved 15. November 2007.

Grzybek J. Biological and phytochemical investigations on *Polypodium vulgare* L., growing in Poland. III. Polyphenolic compounds and free sugars in leaves. Acta Biologica Cracoviensia, Series Botanica 1976, 19: 69-82

Hegnauer R. Chemotaxonomie der Pflanzen, vol. I. Birkhäuser Verlag, Stuttgart 1962, 287-288.

Heinrich G, Hoffmeister H. 5 β -Hydroxyecdysterone, ein Pflanzensteroid mit Häutungshormonaktivität aus *Polypodium vulgare* L. Tetrahedron Letters 1967, 6063-6064.

Hostettmann K. and A. Marston. Saponins. University Press, Cambridge 1995, 86-87.

Husson GP, Vilagines R, Delaveau P. Recherche de Propriétés Antivirales de quelques Extraits D'origine Naturelle. Ann. Pharmaceutiques Françaises 1986, 44: 41-48.

Høeg OA. Planter og Tradisjon. Universitetsforlaget, Oslo 1975, 516-518.

Jermstad A, Brochmann-Hanssen E, Svendsen AB. Meddelelser fra Norsk Farmaceutisk Selskap 1949, 11(6): 65-73, 79-93, 97-104.

Jizba J, Dolejš L, Herout V, Šorm F, Fehlhäber HW, Snatzke G, Tschesche R, Wulff G. Polypodosaponin, ein Neuer Saponintyp aus *Polypodium vulgare* L. Chemische Berichte 1971, 104 (3): 837-846.

Jizba J, Herout V, Šorm F. Isolation of Ecdysterone (Crustecdysone) from *Polypodium vulgare* L. Rhizomes. Tetrahedron Letters 1967, 18: 1689-1691.

Jizba J, Herout V, Šorm F. Polypodine B – a novel ecdysone-like substance from plant material. Tetrahedron Letters 1967, 51: 5139-5143.

Jizba J, Herout V. Isolation of constituents of common polypody rhizomes. Collection Czechoslovak Chemical Communications 1967, 32: 2867-2874.

Källman S . Vilda Växter som Mat och Medicin. ICA bokförlag, Västerås 2006, 70-71.

Kinghorn AD, Kaneda N, Baek N, Kennelly E J, Soejarto DD. Noncariogenic intense natural sweeteners. Medicinal Research Reviews 1998, 18 (5): 347-360.

Krishnakumaran A, Schneiderman HA. Chemical control of moulting in arthropods. Nature 1968, 220: 601-603.

Lid J, Lid DT. Norsk Flora 7. Det Norske Samlaget, Otta 2005, 138.

Ljungqvist K. Nyttans växter. Dals Rostock, Calluna Förlag 2006, 399.

Lyle TJ. Physio-Medical Therapeutics, Materia Medica and Pharmacy. The National Association of Medical Herbalists of Great Britain, Ltd; London 1932, 288.

- Madaus G. Lehrbuch der Biologischen Heilmittel, Band 3. Georg Thieme Verlag, Leipzig 1938, 2198-2202.
- Mannan A, Khan RA, Asif M. Pharmacodynamic studies on *Polypodium vulgare* (Linn.). Indian Journal of Experimental Biology 1989, 27: 556-560.
- Meltzer HM, Malterud KE. Can dietary flavonoids influence the development of coronary heart disease? Scandinavian Journal of Nutrition 1997, 41(1): 50-57.
- Middelkamp-Hup M, Pathak MA, Parrado C, Garcia-Calero T, Rius-Diaz F, Fitzpatrick TB, Gonzalez S. Orally administered *Polypodium leucotomos* extract decreases psoralen-UVA-induced phototoxicity, pigmentation, and skin damage of human skin. Journal of the American Academy of Dermatology 2007, 50: 41-49.
- Middelkamp-Hup M, Bos JD, Rius-Diaz F, Gonzalez S. Treatment of vitiligo with NB-UVB and oral *Polypodium leucotomos* extract: a randomized double-blind placebo controlled study. Journal Compilation of the European Academy of Dermatology and Venerology 21: 942-950.
- Moran RC. A Natural History of Ferns. Timber Press, Portland/Cambridge 2004, 90-96.
- Nabors MW. Introduction to Botany. Pearson/Benjamin Cummings, Sansome 2004, 60-61, 454-459.
- Nadkarni KM. Dr. K.M. Nadkarni's Indian Materia Medica. Popular Prakashan, Bombay 1976, 1001.
- Nielsen H. Planter i Folkemedisinen. J. W. Cappelens Forlag, Oslo 1977, 91.
- Nishizawa M, Yamada H. Intensely Sweet Saponin Osladin: Synthetic and Structural Study In: Waller, Yamasaki Plenum Press NY, 1996. Saponins Used in Food and Agriculture. Advances in Experimental Medicine and Biology. 1996, 405:25-36.
- Partin JF, Pushkin YR. Tachyarrhythmia and hypomania with horny goat weed. Psychosomatics 2004, 45(6): 536-537.
- Potterton D. Culpepper's Colour Herbal. W Foulsham and Co Ltd., Berkshire 1983, 147.
- Reichborn-Kjennerud I.. Våre folkemedisinske lægeurter. Oslo (Kristiania) 1922, 5-18.
- Rodriguez A, De Barrio M, De Frutos C, Benito V de, Baeza ML. Occupational allergy to ferns. Allergy 2001, 56 (1): 89-90.
- Ryvarden L.. Norske Planter 1 .J. W. Cappelens Forlag A.S., Oslo 1993, 43-44.
- Shivas MG. Contributions to the cytology and taxonomy of species of *Polypodium* in Europe and America. Journal of the Linnean Society of Botany 1961, 58 (370):13-25, 27-38.
- Smith AR, Pryer KM, Schuettpelz E, Korall P, Schneider H, Wolf PG. A classification for extant ferns. Taxonomy 2006, 55(3): 705-731.
- Stern KR. Introductory Plant Biology 7th ed, Wm. C. Brown Publishers, Dubuque 1997, 61-72, 88, 374-378, 549.
- Svanberg I. Människor och Växter. Bokförlaget Arena, Stockholm 1998, 284.

The International Plant Name Index: http://www.ipni.org/ipni/idPlantNameSearch.do?id=17028560-1&back_page=%2Fipni%2FeditSimplePlantNameSearch.do%3Ffind_wholeName%3DAspidium%2Bfilix-mas%26output_format%3Dnormal . Retrieved 20. September 2007.

Umek A, Pavli V, Puki M. Determination of glycyrrhizine in radix *Glycyrrhizae* and rhizoma *Polypodii*. Farmaceutski Vestnik 1984, 35: 13-18

Vijver LM, Uffellie OF. An investigation on the presence of glycyrrhizinic acid in rhizomes of *Polypodium vulgare* L., collected in the Netherlands. Pharmaceutisch Weekblad 1966, 101: 1137-1139.

Volmar P, Reeb E. *Polypodium vulgare* L. Journal de Pharmacie d'Alsace et de Lorraine, 1924, 190-193.

Wall ME, Wani MC, Brown DM. Effect of tannins on screening of plant extracts for enzyme inhibitory activity and techniques for their removal. Phytomedicine 1996, 3(3): 281-285.

Weinges VK, Wild R. Die Konstitution des Polydins. Liebigs Annalen der Chemie 1970, 734(46): 46-55.

Williamson EM. Potter's Herbal Cyclopaedia. Saffron Walden, Essex 2003, 352.

Yamada H, Nishizawa M, Katayama C. Osladin, a sweet principle of *Polypodium vulgare*. Tetrahedron Letters 1992, 33(28): 4009- 4010.

Øllgaard B, Tind K. Scandinavian Ferns. Rhodos, Aarhus 1993, 88-91.