

25 September 2019  
EMA/HMPC/441802/2017  
Committee on Herbal Medicinal Products (HMPC)

## List of references supporting the assessment of *Valeriana officinalis* L., radix and *Humulus lupulus* L., flos

Final - Revision 1

**The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.**

Abourashad EA, Koetter U, Brattström A. *In vitro* binding experiments with a valerian, hops and their fixed combination extract (Ze91019) to selected central nervous system receptors. *Phytomedicine* 2004; 11:633-638

Baldini W, Cattabeni F. Displacement of [<sup>3</sup>H]N<sub>6</sub>-cyclohexyladenosine binding to rat cortical membranes by an hydroalcoholic extract of *Valeriana officinalis*. *Med Sci Res* 1989; 17:639-640

Bodesheim U, Hoelzl J. Isolierung, Strukturaufklärung und Radiorezeptorassay von Alkaloiden und Lignanen aus *Valeriana officinalis* L. *Pharmazie* 1997; 52:386-391 [German]

Brattström A. Wirksamkeitsnachweis von Phytopharmaaka am Beispiel einer Hopfen-Baldrian-Kombination. *Forsch Komplementärmed* 1996; 3:188-195

Brattström A. Scientific evidence for a fixed extract combination (Ze 91019) from valerian and hops traditionally used as a sleep-induced aid. *Wien Med Wochenschr* 2007; 157(13-14):367-370

Butterweck V, Brattstroem A, Grundmann O, Koetter U. Hypothermic effects of hops are antagonized with the competitive melatonin receptor antagonist luzindole in mice. *J Pharm Pharmacol* 2007; 59:549-552

Cavadas C, Araújo I, Cotrim MD, Amaral T, Cunha AP, Macedo T, et al. *In vitro* study on the interaction of *Valeriana officinalis* L. extracts and their amino acids on GABA-A receptor in rat brain. *Arzneim.-Forsch/Drag Res* 1995; 45/II(7): 753-755

Choi HS, Ko BS, Kim HD, Hong K-B, Suh HJ. Effect of valerian/hop mixture on sleep-related behaviors in *Drosophila melanogaster*. *Biol Pharm Bull* 2017; 40:1101-1110



Dimpfel W, Suter A. Sleep improving effects of a single administration of a valerian/hops fluid extract—a double blind, randomised, placebo-controlled sleep-EEG study in a parallel design using electrohypnograms. *Eur J Med Res* 2008; 13: 200-204

Dorn M. Efficacy and tolerability of valerian versus oxazepam in non-organic and non-psychiatric insomnias: a randomised, double-blind, clinical, comparative study. *Komplementärmedizin und Klassische Naturheilkunde* 2000; 7: 79-84

Estrada J, Gozala F, Cecchini L, Casquette E. Contact urticaria from hops (*Humulus lupulus*) in a patient with previous urticaria-angioedema from peanut, chestnut, and banana. *Contact Dermat* 2002; 46: 127

Flesch P. Hopfen-Baldrian-Kombination als Benzodiazepin-Ersatz? *Geriatrie Praxis* 1, 1997 (suppl.) 21-23

Füssel A, Wulf A, Brattström, A. Effect of a fixed valerian-hop extract combination (ZE91019) on sleep polygraphy in patients with non-organic insomnia: a pilot study. *Eur J Med Res* 2000; 18(5):385-390

Göggelmann W, Schimmer O. Mutagenic activity of phytotherapeutic drugs. In: Knudsen I, editor. *Genetic Toxicology of the Diet*. New York, Alan R. Liss, 1986; 63-72

Görtelmeyer R, in Weyer G, Internationale Skalen für Psychiatrie, Göttingen: Belz, 2005: pp. 357-370

Grundmann O, Brattström A, Koetzer U, Butterweck V. Hypothermic effects of hops could antagonise with the competitive melatonin receptor antagonist luzindole. *Planta Medica* 2006; 72(11):1065, 281 (abstract)

Hölzl J: Baldrianwurzel. *Z Phytotherapie* 1998; 19:47-54 [German]

Jo K, Hong K-B, Park Y, Suh HJ. Effects of valerian/hop mixture on sleep quality in vertebrate and invertebrate model. *FASEB Journal* 2015; 29 Suppl (1): LB342

Kelber O, Wegener T, Steinhoff B, Staiger C, Wiesner J, Knöss W et al. Assessment of genotoxicity of herbal medicinal products: application of the "bracketing and matrixing" concept using the example of Valerianae radix (valerian root). *Phytomedicine* 2014; 21(8-9):1124-1129

Koetter U, Schrader E, Käufeler R, Brattström A. A randomised, double-blind, placebo-controlled, prospective clinical study to demonstrate clinical efficacy of a fixed valerian hops extract combination (Ze 91019) in patients suffering from non-organic sleep disorder. *Phytoher Res* 2007; 21:847-851

Lataster MJ, Brattström A. Die Behandlung von Patienten mit Schlafstörungen. Wirksamkeit und Verträglichkeit von Baldrian-Hopfen-Dragees. *Notabene Medici* 1996; 4:182-185

Leathwood PD, Chauffard F, Heck E, Munoz-Box R. Aqueous extracts of valerian root (*Valeriana officinalis* L.) improves sleep quality in man. *Pharmacol Biochem Behav* 1982; 17:65-71

Leuschner J, Müller J, Rudmann M. Characterisation of the central nervous depressant activity of a commercially available valerian root extract. *Arzneim Forsch.* 1993; 43(1):638-641

Mennini T, Bernasconi P, Bombardelli E, Morazzoni P: *In vitro* study on the interactions of extracts and pure compounds from *Valeriana officinalis* roots with GABA, benzodiazepine and barbiturate receptors in rat brain. *Fitoterapia* 1993; 64(4):291-300

Morin CM, Koetter U, Bastien C, Ware JC, Wootton V. Valerian-hops combination and diphenhydramine for treating insomnia: a randomised placebo-controlled clinical trial. *Sleep* 2005; 28(11):1465-1471

Mueller-Limmroth W, Ehrenstein W. Experimental studies of the effects of Seda-Kneipp on the sleep of sleep disturbed subjects: implications of the treatment of different sleep disturbances. *Med Klin* 1977; 72:1119-1125

Mueller CE, Schumacher R, Brattström A, Abourashed EA, Koetter E. Interactions of valerian extracts and a fixed valerian-hop extract combination with adenosine receptors. *Life Sciences* 2002; 71(16):1939-1949

Notter D, Brattström A, Morandell D, Polasek W. Wirksamkeit und Sicherheit eines Baldrian-Hopfen-Kombinationspräparates bei verschiedenen Schlafstörungen. *Phytotherapie* 2003; 3:9-12

Ortiz JG, Nieves-Natal J, Chavez P. Effects of *Valeriana officinalis* extracts on [ $^3$ H]flunitrazepam binding, synaptosomal [ $^3$ H]GABA uptake and hippocampal [ $^3$ H]GABA release. *Neurochem Res* 1999; 24:1373-1378

Prieto JM, Mellinas-Gomez M, Zloh M. Application of diffusion-edited and solvent suppression  $^1$ H-NMR to the direct analysis of markers in valerian-hop liquid herbal products. *Phytochemical analysis* 2016; 27:100-106

Rodenbeck A, Simen S, Cohrs S, Jordan W, Kinkelbur J, Staedt J, et al. Veränderte Schlafstadiumstruktur als Hinweis auf die GABAerge Wirkung eines Baldrian-Hopfen-Präparates bei Patienten mit psychophysiologische Insomnie. *Somnologie* 1998; 2:26-31

Schellenberg A, Sauer S, Abourashed EA, Koetter U, Brattström A. The fixed combination of valerian and hops (Ze91019) acts via a central adenosine mechanism. *Planta Med* 2004; 70:694-697

Schmitz M, Jäckel M. Comparative study for assessing quality of life of patients with exogenous sleep disorders (temporary sleep onset and sleep interruption disorders) treated with a hops-valerian preparation and a benzodiazepine drug. *Wien Med Wochenschr* 1998; 148:291-298

Vonderheid-Guth B, Iodora A, Brattström A, Dimpfel W. Pharmacodynamic effects of valerian and hops extract combination (Ze 91019) on the quantitative-topographical EEG in healthy volunteers. *Eur J Med Res* 2000; 5:139-144

Vorbach EU, Goertelmeyer R, Brüning J. Therapie von Insomnien. Wirksamkeit und Verträglichkeit eines Baldrianpräparates. *Psychopharmakontherapie* 1996; 3:109-115

Wegener T. Phytopharmaaka zur Anxiolyse. Zur Wirkung einer Kombination von Baldrian und Hopfen bei Angstzuständen. *Dt Apoth Ztg* 2003; 143:618-625

Yuan CH, Mehendale S, Yiao Y, et al.: The gamma-aminobutyric acidergic effects of valerian and valerenic acid on rat brainstem neuronal activity. *Anesth Anal* 2004; 98:353-358

Ziegler G, Ploch, Miettinen-Baumann A, Colle W. Efficacy and tolerability of valerian extract LI 156 compared with oxazepam in the treatment of non-organic insomnia—a randomised, double-blind, comparative clinical study. *Eur J Med Res* 2002; 7:480-486