



This document was valid from October 2007 until November 2013. It is now superseded by a new version adopted by the HMPC on 12 November 2013 and published on the EMA website.

Thymi herba
Thymus vulgaris L.; *Thymus zygis* L.
(thyme herb)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Allegrini J, Simeon de Bouchberg M, Une technique d'étude du pouvoir antibactérien des huiles essentielles. *Prod Probl Pharm* 1972; 27: 891 - 7

Aydin S, Basaran AA, Basaran N, Modulating effects of thyme and its major ingredients on oxidative DNA damage in human lymphocytes. *J Agric Food Chem*. 2005; 53: 1299 - 305

Aydin S, Basaran AA, Basaran N, The effects of thyme volatiles on the induction of DNA damage by the heterocyclic amine IQ and mitomycin C. *Mutat Res*. 2005 ; 581(1-2): 43 - 53.

Azizan A, Blevins RD, Mutagenicity and antimutagenicity testing of six chemicals associated with the pungent properties of specific spices as revealed by the Ames Salmonella/microsomal assay. *Arch Environ Contam Toxicol*. 1995; 28(2): 248 - 58

Baba S, Osakabe N, Natsume M, Terao J, Orally administered rosmarinic acid is present as the conjugated and/or methylated forms in plasma, and is degraded and metabolized to conjugated forms of caffeic acid, ferulic acid and m-coumaric acid. *Life Sci*. 2004; 75: 165 - 78

Basch E, Ulbricht C, Hammerness P, Bevins A, Sollars D, Thyme (*Thymus vulgaris* L.), thymol. *J Herb Pharmacother*. 2004; 4(1): 49 - 67

Beer AM, Lukanov J, Sagorchev P, Effect of thymol on the spontaneous contractile activity of the smooth muscles. *Phytomedicine* 2007; 14: 65 - 9

Benito M, Jorro G, Morales C, Pelaez A, Fernandez A, Labiate allergy: systemic reactions due to ingestion of oregano and thyme. *Ann. Allergy Asthma Immunol* 1996; 76: 416 - 8

Boskabady MH, Aslani MR, Kiani S, Relaxant effect of *Thymus vulgaris* on guinea-pig tracheal chains and its possible mechanism(s). *Phytother Res*. 2006; 20(1): 28 - 33

Braga PC, Dal Sasso M, Culici M, Bianchi T, Bordoni L, Marabini L, Anti-inflammatory activity of thymol: inhibitory effect on the release of human neutrophil elastase. *Pharmacology* 2006; 77(3): 130 - 6

Buechi S, Vogelin R, von Eiff MM, Ramos M, Melzer J, Open trial to assess aspects of safety and efficacy of a combined herbal cough syrup with ivy and thyme. *Forsch Komplementärmed Klass Naturheilkd* 2005; 12(6): 328 - 32

- Chalchat JC, Garry RPh, Correlation composition chimique / activite antimicrobienne: V – contribution a la comparaison de 2 methodes de determination des CMI. *Plantes Med Phytother* 1991; 25: 184 - 93
- Charles CH, Vincent JW, Borycheski L, Amatnieks Y, Sarina M, Qaqish J, Proskin HM, Effect of an essential oil-containing dentifrice on dental plaque microbial composition. *Am J Dent* 2000; 13(Spec No): 26C - 30C
- Choi WS, Park BS, Ku SK, Lee SE, Repellent activities of essential oils and monoterpenes against *Culex pipiens pallens*. *J Am Mosq Control Assoc* 2002; 18(4): 348 - 51
- The complete German commission E monographs. Translation by Blumenthal M et al, American Botanical Council, Austin 1998
- Czygan FC, Hiller K in Wichtl M, *Thymi herba*. In: Wichtl M, editor: *Herbal drugs and Phytopharmaceuticals*. Stuttgart: medpharm Scientific Publishers, 2004: 607 - 10
- Dapkevicius A, van Beek TA, Lelyveld GP, van Veldhuizen A, de Groot A, Linssen JP, Venskutonis R, Isolation and structure elucidation of radical scavengers from *Thymus vulgaris* leaves. *J Nat Prod* 2002; 65(6): 892 - 6
- Deans SG, Ritchie G, Antibacterial properties of plant essential oils. *Int J Food Micro* 1987; 5: 165 – 80
- Dentinox: Integrierter Abschlussbericht vom 4.12.1997 für Dentinox Gesellschaft KG, Berlin. Anwendung von Hustagil Thymian-Hustensaft bei Kindern mit Erkältungskrankheiten der oberen Luftwege oder mit Beschwerden der Bronchitis. Cited in ESCOP Monographs. ESCOP 2003.
- Domaracky M, Rehak P, Juhas S, Koppel J, Effects of selected plant essential oils on the growth and development of mouse preimplantation embryos in vivo. *Physiol Res*. 2007; 56: 97 - 104
- Dorsch W, Loew D, Meyer-Buchtela E, Schilcher H, *Thymi herba*. *Kinderdosierungen von Phytopharmaka*. Bonn: Kooperation Phytopharmaka, 2002
- Englberger W, Hadding U, Etschenberg E, Graf E, Leyck S, Winkelmann J, Parnham MJ, Rosmarinic acid: A new inhibitor of complement C3-convertase with anti-inflammatory activity. *Int J Immunopharm* 1988; 10: 729 - 37
- Ernst E, März R, Sieder Ch, A controlled multi-centre study of herbal versus synthetic secretolytic drugs for acute bronchitis. *Phytomedicine* 1997; 4: 287 - 93
- ESCOP Monograph, *Thymi herba* (thyme). ESCOP Monographs Second edition (ESCOP 2003)
- Frag RS, Salem H, Badei AZMA, Hassanein DE, Biochemical studies on the essential oils of some medicinal plants. *Fette, Seifen, Anstrichmittel* 1986; 88: 69 - 72
- Fasse M, Bässler D, Zieseniß E, Behandlung akuter Erkältungskrankheiten bei Kindern – Ergebnisse einer Anwendungsbeobachtung mit einem Primel-Thymian-Präparat. *päd* 2006; 12: 3 - 8
- Fintelmann V, Weiss R, *Lehrbuch der Phytotherapie*. Stuttgart, Hippokrates Verlag, 2002
- Foster BC, Vandenhoeck S, Hana J, Krantis A, Akhtar MH, Bryan M, Budzinsky JW, Ramputh A, Amason JT, In vitro inhibition of human cytochrome P450-mediated metabolism of marker substrated by natural products. *Phytomedicine* 2003; 10: 334 - 42
- Gaedcke F, *Thymianfluidextrakt DAB*. *Dtsch Apoth Ztg* 144; 34: 3801 - 3
- Gao LP, Wei HL, Zhao HS, Xiao SY, Zheng RL, Antiapoptotic and antioxidant effects of rosmarinic acid in astrocytes. *Pharmazie* 2005; 60(1): 62 - 5
- Garcia DA, Bujons J, Vale C, Sunol C, Allosteric positive interaction of thymol with the GABAA receptor in primary cultures of mouse cortical neurons. *Neuropharmacology* 2006; 50(1): 25 - 35
- Giordani R, Regli P, Kaloustian J, Mikail C, Abou L, Portugal H, Antifungal effect of various essential oils against *Candida albicans*. Potentiation of antifungal action of amphotericin B by essential oil from *Thymus vulgaris*. *Phytother Res* 2004; 18(12): 990 - 5

- Gracza L, Koch H, Löffler E, Isolierung von Rosmarinsäure aus *Symphytum officinale* und ihre anti-inflammatorische Wirksamkeit in einem In-vitro-Modell. *Arch Pharm* 1985; 318: 1090 - 5
- Gruenwald J, Graubaum HJ, Busch R, Efficacy and tolerability of a fixed combination of thyme and primrose root in patients with acute bronchitis. A double-blind, randomized, placebo-controlled clinical trial. *Arzneimittelforschung* 2005; 55(11): 669 - 76
- Gruenwald J, Graubaum HJ, Busch R, Evaluation of the non-inferiority of a fixed combination of thyme fluid- and primrose root extract in comparison to a fixed combination of thyme fluid extract and primrose root tincture in patients with acute bronchitis. A single-blind, randomized, bi-centric clinical trial. *Arzneimittelforschung* 2006; 56(8): 574 - 81
- Hänsel R, Keller K, Rimpler H, Schneider G, editors, *Thymus*. In: *Hagers Handbuch der Pharmazeutischen Praxis*, 5th ed. Vol 6, Drogen P-Z. Berlin. Springer-Verlag, 1994: 966 - 90
- Hänsel R, Sticher O, *Pharmakognosie – Phytopharmazie*. Springer, Heidelberg, 2007
- Haraguchi H, Saito T, Ishikawa H, Date H, Kataoka S, Tamura Y, Mizutani K, Antiperoxidative components in *Thymus vulgaris*. *Planta Med.* 1996; 62(3):217 - 21
- Haroun EM, Mahmoud OM, Adam SE, Effect of feeding *Cuminum cyminum* fruits, *Thymus vulgaris* leaves or their mixture to rats. *Vet Hum Toxicol* 2002; 44(2): 67 - 9
- Hikiba H, Watanabe E, Barrett JC, Tsutsui T, Ability of fourteen chemical agents used in dental practice to induce chromosome aberrations in Syrian hamster embryo cells. *J Pharmacol Sci* 2005; 97(1): 146 - 52
- Horvathova E, Sramkova M, Labaj J, Slamenova D, Study of cytotoxic, genotoxic and DNA-protective effects of selected plant essential oils on human cells cultured in vitro. *Neuro Endocrinol Lett* 2006; 27(Suppl2): 44 - 7
- Huang SS, Zheng RL, Rosmarinic acid inhibits angiogenesis and its mechanism of action in vitro. *Cancer Lett* 2006; 239(2): 271 - 80.
- Inouye S, Takizawa T, Yamaguchi H, Antibacterial activity of essential oils and their major constituents against respiratory tract pathogens by gaseous contact. *J Antimicrob Chemother* 2001; 47: 565 – 73
- Ismail C, Willer G, Steindl H, Bronchipret bei akuter Bronchitis. *Schweiz Zschr Ganzheitsmedizin* 2003, 15: 171-5
- Janssen AM, Chin NLJ, Scheffer JJC, Baerheim Svendsen A, Screening for antimicrobial activity of some essential oils by the agar overlay technique. *Pharm Weekbl* 1986; 8 (Sci): 289 - 92
- Janssen AM, *Antimicrobial activities of essential oils*. Leiden: University of Leiden 1989: 91 - 108
- Jimenez J, Navarro MC, Montilla MP, Martin A, *Thymus zygis* oil: its effect on CCl₄-induced hepatotoxicity and free radical scavenger activity. *J Ess Oil Res* 1993; 5: 153 - 8
- Kaas PJ, Atemwegsinfekte im Kindesalter: Anwendungsbeobachtung bestätigt Effizienz einer Thymianzubereitung. *NaturaMed* 2003; 18(1): 2 - 4
- Kemmerich B, Eberhardt R, Stammer H, Efficacy and tolerability of a fluid extract combination of thyme herb and ivy leaves and matched placebo in adults suffering from acute bronchitis with productive cough. A prospective, double-blind, placebo-controlled clinical trial. *Arzneimittelforschung* 2006; 56(9): 652 - 60
- Kitajima J, Ishikawa T, Urabe A, Satoh M, Monoterpenoids and their glycosides from the leaf of thyme. *Phytochemistry* 2004; 65(24): 3279 - 87
- Knols G, Stal PC, van Ree JW, Produktieve hoest: tijm of broomhexine? Een dubbelblind gerandomiseerd onderzoek. *Huisarts en Wetenschap* 1994; 37: 392 – 4
- Koch U, Thymiankrautextrakt: Studie überprüft klinische Effizienz empfohlener Kinderdosierungen. *Natura Med* 2003, 18: 22-25
- Kohlert C, Schindler G, März RW, Abel G, Brinkhaus B, Derendorf H, Gräfe EU, Veit M, Systematic availability and pharmacokinetics of thymol in humans. *J Clin Pharmacol* 2002; 42: 731 – 7

- Lemiere, C, Cartier, A, Lehrer, SB, Malo, JL, Occupational asthma caused by aromatic herbs. *Allergy* 1996; 51: 647 - 9
- Lens-Lisbonne C, Cremieux A, Maillard C, Balansard G, Méthodes d' évaluation de l'activité antibactérienne des huiles essentielles: application aux essences de thym et de cannelle. *J Pharm Belg* 1987; 42: 297 - 302
- Madaus R., *Lehrbuch der biologischen Heilmittel*, Thieme, Leipzig, 1938
- Maruniak J, Clark WB, Walker CB, Magnusson I, Marks RG, Taylor M, Clouser B, The effect of 3 mouthrinses on plaque and gingivitis development. *J Clin Periodontol* 1992; 19: 19 - 23
- Meister A, Bernhardt G, Christoffel V, Buschauer A, Antispasmodic activity of *Thymus vulgaris* extract on the isolated guinea-pig trachea: discrimination between drug and ethanol effects. *Planta Med* 1999; 65(6): 512 - 6
- Menghini A, Savino A, Lollini MN, Caprio A, Activite antimicrobienne en contact direct et en micro-atmosphere de certaines huiles essentielles. *Plant Med Phytother* 1987; 21: 36 - 42
- Nauert C, Grünwald J, Graubaum HJ, Behandlung von 839 Kindern und Kleinkindern mit akuter Bronchitis: Therapieerfolge einer fixen Kombination aus Thymian und Primula. *Z Phytother* 2006; 27 Kongressband S13
- Park BS, Choi WS, Kim JH, Kim KH, Lee SE, Monoterpenes from thyme (*Thymus vulgaris*) as potential mosquito repellents. *J Am Mosq Control Assoc* 2005; 21(1): 80 - 3
- Patakova D, Chladek M, Über die antibakterielle Aktivität von Thymian- und Quendelölen. *Pharmazie* 1974; 29: 140 - 3
- Penalver P, Huerta B, Borge C, Astorga R, Romero R, Perea A, Antimicrobial activity of five essential oils against origin strains of the Enterobacteriaceae family. *APMIS* 2005; 113(1): 1 - 6
- Pereira P, Tysca D, Oliveira P, da Silva Brum LF, Picada JN, Ardenghi P, Neurobehavioral and genotoxic aspects of rosmarinic acid. *Pharmacol Res* 2005; 52(3): 199 - 203
- Qureshi S, Shah AH, Al-Yahya MA, Ageel AM, Toxicity of *Achillea fragrantissima* and *Thymus vulgaris* in mice. *Fitoterapia* 1991; 62: 319 - 23
- Sasaki K, Wada K, Tanaka Y, Yoshimura T, Matuoka K, Anno T, Thyme (*Thymus vulgaris* L.) leaves and its constituents increase the activities of xenobiotic-metabolizing enzymes in mouse liver. *J Med Food* 2005; 8(2): 184 - 9
- Shapiro S, Guggenheim B, The action of thymol on oral bacteria. *Oral Microbiol Immunol* 1995; 10(4): 241 - 6.
- Simeon de Bouchberg M, Allegrini J, Bessiere C, Attisso M, Passet J, Granger R, Propriétés microbiologiques des huiles essentielles de chimiotypes de *Thymus vulgaris* Linnaeus. *Riv Ital EPPOS* 1976; 58: 527 - 36
- Spiewak, R, Skorska, C, Dutkiewicz, J, Occupational airborne contact dermatitis caused by thyme dust. *Contact dermatitis* 2001; 44, 235 - 9
- Takeuchi H, Lu ZG, Fujita T, New monoterpene glucoside from the aerial parts of thyme (*Thymus vulgaris* L.). *Biosci Biotechnol Biochem* 2004; 68(5): 1131 - 4
- Twetman S, Petersson LG, Interdental caries incidence and progression in relation to mutans streptococci suppression after chlorhexidine-thymol varnish treatments in schoolchildren. *Acta Odontol Scand.* 1999; 57(3): 144 - 8
- Vampa G, Albasini A, Provvisionato A, Bianchi A, Melegari M, Etude chimique et microbiologique sur les huiles essentielles de *Thymus*. *Plant Med Phytother* 1988; 22: 195 - 202
- Van Den Broucke CO, Pharmacological and chemical investigations on *Thymi herba* and its liquid extracts. *Planta Med* 1980; 39: 253 - 4
- Van den Broucke CO, Lemli J, Pharmacological and chemical investigations on thyme liquid extracts. *Planta Med* 1981; 41: 129 - 35

Van den Broucke CO, Lemli J, Lamy J, Action spasmodique des flavones des différentes espèces de Thymus. *Plantes Med Phytother* 1983; 16: 310 - 7

Van den Broucke CO, Lemli J, Spasmolytic activity of the flavonoids from *Thymus vulgaris*. *Pharm Weekbl* 1983; 5(Sci): 9 - 14

Van Hellemont J., *Fytotherapeutisch compendium*. 2nd ed. Utrecht: Bohn, Scheltema Holkema, 1988: 599 - 605

Von Skramlik E, Über die Giftigkeit und Verträglichkeit von ätherischen Ölen. *Pharmazie* 1959; 14: 435 - 45

Wagner H, Wierer M, Bauer R, In vitro Hemmung der Prostaglandin-Biosynthese durch ätherische Öle und phenolische Verbindungen. *Planta Med* 1986: 184 - 7

Wienkötter N, Begrow F, Kinzinger U, Schierstedt D, Verspohl EJ, The effect of thyme extract on β_2 -receptors and mucociliary clearance. *Planta Med* 2007: 73: 629 - 35

Zani F, Massimo G, Benvenuti S, Bianchi A, Albasini A, Melegari M, Vampa G, Bellotti A, Mazza P, Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-Assay and *Salmonella* Microsome Reversion Assay. *Planta Med* 1991; 57: 237 - 41