



London, 5 June 2008
Doc. Ref: EMEA/HMPC/189625/2007

**This document was valid from 5 June 2008 until May 2020.
It is now superseded by a [new version](#) adopted by the HMPC on
6 May 2020 and published on the EMA website.**

LIST OF REFERENCES FOR ASSESSMENT OF:

Rhei radix
***Rheum palmatum* L.; *Rheum officinale* Baillon**
(rhubarb)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

1. European Pharmacopoeia 5th edition 2007, Rhubarb (Rhei radix)
2. German monograph of Rhei radix (Rhabarber), BanzNr. 133 1993
3. HagerROM 2004 - 2005, Springer Verlag, Heidelberg, Rhei radix (Rhabarberwurzel)
4. ESCOP monograph "Frangulae Cortex" (Frangula Bark), 2nd edition 2003, Thieme Verlag Stuttgart, New York
5. WHO monographs on selected medicinal plants. Rhizoma Rhei. WHO Geneva 1999
6. Zhang T-Y et al. Separation of hydroxyanthraquinone derivatives extracted from rheum with analytical high-speed counter-current chromatography. Journal of Chromatography 1988; 442: 455-8
7. Chirikdjian JJ et al. Über die laxative Wirkung eines neuen Anthrachinonglykosides aus Rhadix Rhei. The Laxative Action of a New Anthraquinone Glycosides from Rhubarb Roots. Planta med 1983; 48: 34-7
8. Harima S et al. Study of Various Rhubarbs Regarding the Cathartic Effect and Endotoxin-Induced Disseminated Intravascular Coagulation. Biol. Pharm. Bull 1994; 17 (11); 1522-5
9. Yagi T et al. The synergistic purgative action of aloe-emodin anthrone and rhein anthrone on mice: synergism in large intestinal propulsion and secretion. Journal of Pharmacy and Pharmacology 1997; 49 (1): 22-5
10. Yagi t et al. Synergistic effects of anthraquinones on the purgative activity of rhein anthrone in mice. J. Pharm. Pharmacol. 1999; 51 (1): 93-5
11. Bae EA et al. Anti-*Helicobacter pylori* activity of herbal medicines. Biol Pharm Bull 1998; 21: 990-2

12. Hsiang CY et al. Inhibitory effect of anti-pyretic and anti-inflammatory herbs on *Herpes simplex* virus replication. *Am J Chin Med* 2001; 29: 459-67
13. Blaszczyk T et al. Screening for antimycotic properties of 56 traditional Chinese drugs. *Phytother Res* 2000; 14: 210-2
14. Cyong JC et al. Anti-*Bacteroides fragilis* substance from rhubarb. *J Ethnopharmacol* 1987; 19: 279-83
15. Oshio H et al. Investigations of Rhubarbs. III. New Purgative Constituents, Sennosides E and F. *Chem. Pharm. Bull.* 1974; 22 (4): 823-31
16. Yokozawa T et al. Effect of Orally Administered Rhubarb Extract in Rats with Chronic Renal Failure. *Chem. Pharm. Bull.* 1984; 32 (11): 4506-13
17. Yokozawa T et al. Effect of Extracts Obtained from Rhubarb in Rats with Chronic Renal Failure. *Chem. Pharm. Bull.* 1986; 34 (11): 4718-23
18. Yokozawa T et al. Effects of Rhubarb Extract in Rats with diabetic Nephropathy. *Phytother Res* 1997; 11:73-5
19. Zhang G et al. The effect of rhubarb extract on experimental fibrosis. *Nephrol Dial Transplant* 1996; 11: 186-90
20. Kubo I et al. Efficient isolation of glycosidase inhibitory stilbene glycosides from *Rheum palmatum*. *J. Nat. Prod.* 1991; 54 (4): 1115-8
21. Yokozawa T et al. Changes in the Urinary Constituents in Rats with Chronic Renal Failure during Oral Administration of Rhubarb Extract. *Chem. Pharm. Bull.* 1985; 33 (10): 4508-14
22. Yokozawa T et al. Effect of Extract from Rhei Rhizoma on dietary Hyperazotemia in Rats. *Planta Medica* 1987: 124-7
23. Kosuge T et al. Studies on Active Substances in the Herbs Used for Oketsu ("Stagnant Blood") in Chinese Medicine. IV. On the Anticoagulative Principle in Rhei Rhizoma. *Chem. Pharm. Bull.* 1985; 33 (4): 1503-6
24. Yim H et al. Emodin, an Anthraquinone Derivative Isolated from the Rhizomes of *Rheum palmatum*, Selectively Inhibits the Activity of Casein Kinase II as a Competitive Inhibitor. *Planta medica* 1999; 65: 9-13
25. Su YT et al. Emodin induces apoptosis in human lung adenocarcinoma cells through a reactive oxygen species-dependent mitochondrial signalling pathway. *Biochemical Pharmacology* 2005; 70: 229-41
26. Huang Q et al. Emodin inhibits tumor cell migration through suppression of the phosphatidylinositol 3-kinase-Cdc45/Rac1 pathway. *CMLS, Cell. Mol. Life Sci.* 2005; 62: 1167-75
27. Kwak HJ et al. Emodin inhibits vascular endothelial growth factor-A-induced angiogenesis by blocking receptor-2 (KDR/Flk-1) phosphorylation. *Int. J. Cancer* 2006; 118: 2711-20
28. Fairbairn JW et al. The relative purgative activities of 1,8-dihydroxyanthracene derivatives. *J. Pharm. Pharmac.* 1970; 22: 584-93
29. Leng-Peschlow E. Dual effect of orally administered sennoside on large intestine transit and fluid absorption in the rat. *J. Pharm. Pharmacol* 1986; 38: 606-10

30. Leng-Peschlow E. effects of Sennosides A + B and Bisacodyl on Rat Large Int.. Pharm. 1989; 38: 310-8
31. De Witte P, Lemli L. The metabolism of anthranoid laxatives. Hepato-gastroenterology 1990; 37 (6): 601-5
32. De Witte P; Lemli J: Metabolism of ¹⁴C-rhein and ¹⁴C-rhein anthrone in rats. Pharmacology 1988; 36 (Suppl 1): 152-7
33. Lang W. Pharmacokinetic-metabolic studies with ¹⁴C-aloe emodin after oral administration to male and female rats. Pharmacology 1993; 47 (Suppl 1): 110-9
34. Liang JW et al. Emodin pharmacokinetics in rabbits. Planta medica 1995; Vol 61 (5): 406-8
35. Müller SO et al. Biotransformation of the anthraquinones emodin and chrysophanol by cytochrome P450 enzymes. Bioactivation to genotoxic metabolites. Drug metabolism and disposition: the biological fate of chemicals 1998; 26 (6): 540-6
36. Takara K et al. Effects of 19 Herbal Extracts on the Sensitivity to Paclitaxel or 5-Fluorouracil in HeLa Cells. Biol. Pharm. Bull. 2005; 28 (1): 138-42
37. Kazuhiro S et al. Phytoestrogen activity of emodin, an anthraquinone derivative isolated from rhizomes of *Rheum palmatum*. Res. Commun. Pharmacol. Toxicol. 2000; Vol. 5, Nos. 3&4: 179-89
38. Primschitz E. Screening of Chinese herbs for cholinesterase inhibition and antioxidant activity. Diplomarbeit, November 2005
39. Yan M et al. Nephrotoxicity study of total rhubarb anthraquinones on Sprague Dawley rats using DNA microarrays. J. Ethnopharmacol. 2006; 107: 308-11
40. Kubo I et al. Cytotoxic anthraquinones from *Rheum palmatum*. Phytochemistry 1992; 31 (3): 1063-5
41. Paneitz A et al. anthranoid contents of rhubarb (*Rheum undulatum* L.) and other *Rheum* species and their toxicological relevance. Eur Food Res Technol 1999; 210: 97-101
42. Mori H et al. Carcinogenicity of naturally occurring 1-hydroxyanthraquinone in rats: induction of large bowel, liver and stomach neoplasms. Carcinogenesis 1990; 11, 5: 799-802
43. Siegers C-P et al. Anthranoid laxatives and colorectal cancer. Trends Pharmacol. Sci. 1992; 13, 6: 229-31
44. Brusick D et al. Assessment of the Genotoxic Risk from Laxative Senna Products. Environ. Mol. Mutagen. 1997; 29: 1-9
45. Wölflle D et al. Hydroxyanthraquinones as tumor promoters: enhancement of malignant transformation of c3h mouse fibroblasts and growth stimulation of primary rat hepatocytes. Cancer Res 1990; 50: 6540-4
46. Westendorf J et al. Genotoxicity of naturally occurring hydroxyanthraquinones. Mutat Res 1990; 240: 1-12
47. Westendorf J. Pharmakologische und toxikologische Bewertung von Anthranoiden. Pharm Ztg. 1993; 138, 48: 3891-902
48. Sandnes D et al. Mutagenicity of Crude Senna and Senna Glycosides in *Salmonella typhimurium*. Pharmacol. Toxicol. 1992; 71: 165-72

49. Heidemann A et al. The Genotoxicity Status of Senna. *Pharmacology* 1993; 47, Suppl. 1: 178-86
50. NTP Technical Report on the Toxicology and Carcinogenesis Studies of Emodin in F344/N Rats and B6C3F₁ Mice. National Toxicology Programm, June 2001, NTP TR 493, NIH Publication No. 01-3952
51. Masuda T et al. 2-Hydroxyemodin, an active metabolite of emodin in the hepatic microsomes of rats. *Mutation Res.* 1985; 149: 327-32
52. Submission of a review of data from the national toxicology program and relevant to the status of cascara sagrada ingredients as over-the counter drug active ingredients by the American herbal products association, December 19, 2002, Docket No. 78N-036L
53. Committee for veterinary medicinal products; Rhei Radix – Summary Report; EMEA/MRL/648/99-Final, November 1999
54. Mengs U et al. Lack of emodin genotoxicity in the mouse micronucleus assay. *Mutation Res.* 1997; 393: 289-93
55. Jahnke GD et al. Developmental toxicity evaluation of emodin in rats in mice. *Birth Defects Research Part B – Developmental and Reproductive Toxicology* 2004; 71 (2): 89-101
56. Heidemann a et al. Genotoxicity of aloemodin in vitro and in vivo. *Mutation Res.* 1996; 367: 123-3
57. Schörkhuber M et al. Effect of anthraquinone-laxatives on the proliferation and urokinase secretion of normal, premalignant and malignant colonic epithelial cells. *Eur.J. Cancer*¹; 1998; 34 (7): 1091-8
58. Mueller SO et al. Occurrence of emodin, chrysophanol and physcion in vegetables, herbs and liquors. Genotoxicity and anti-genotoxicity of the anthraquinones and of the whole plants. *Food Chem. Toxicol.* 1999; 37: 481-91
59. Tarpila S et al. Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome. *Cur. Topics Nutr. Res.* 2004; 2: 119-25
60. Bundesinstitut für Arzneimittel und Medizinprodukte. Bekanntmachung über die Zulassung und Registrierung von Arzneimitteln – Abwehr von Arzneimittelrisiken, Stufe II – Humanarzneimitteln zur innerlichen Anwendung, ausgenommen nach HAB 1 hergestellte homöopathische Arzneimittel, welche Drogen, Drogenzubereitungen oder isolierte Inhaltsstoffe der Anthranoid- (Hydroxyanthracenderivat-)haltigen Pflanzengattungen Andira, Cassia, Rhamnus, Rheum oder Aloe enthalten (German pharmacovigilance actions for anthranoid-containing laxatives) vom 21. Juni 1996, Bundesanzeiger vom 05.07.1996 Nr. 123, Seite 7581
61. Vyth A and Kamp PE. Detection of anthraquinone laxatives in the urine. *Pharm Weekbl SCI ED* 1979; No.2: 456-9
62. Zhu W et al. Pharmacokinetic of rhein in healthy male volunteers following oral and retention enema administration of rhubarb extract: a single dose study. *Am. J. Chin. med.* 2005; 33 (6): 839-50
63. Mitsuma T et al. Differences in cathartic action among different types of the origin drug rhubarb. *J. Trad. Med.* 1998; 15 (1): 45-51

¹ Official journal for European Organisation for Research and Treatment of Cancer (EORTC) (and) European Association for Cancer Research (EACR)

64. Konsensuspapier Expertenforum: Obstipation und Laxanzien. Praxis 1999; 88: 1269-74
65. Hübner WD, Moser EH. Charcoal tablets in the treatment of patients with irritable bowel syndrome. Adv. Ther.2002; 19 (5): 245-52
66. Moser EH, Hübner WD. Behandlung von Patienten mit Reizdarmsyndrom mittels Eucarbon-Tabletten (Treatment of the irritable bowel syndrome with Eucarbon). Zeitschr.Phytother.2003; 24 (1): 15-21
67. Syndiskis RJ et al. Inactivation of enveloped viruses by anthraquinones extracted from plants. Antimicrob. agents chemother.1991; 35 (12): 2463-6
68. Fotiades P et al. Die Behandlung der chronischen Obstipation mit Laxariston Granulat bei Patienten des rheumatischen Formenkreises. Treatment of chronic constipation with Laxariston granules in patients with rheumatic diseases. Medizinische Welt 1976; 27 (30): 1441-5
69. Bauer H. Behandlung der Obstipation mit Laxariston in der gynäkologischen Praxis. Treatment of obstipation in gynecological practice with Laxariston. Therapie der Gegenwart 1977; 116 (12): 2305-12
70. Borgia M et al. A double-blind double-controlled multicenter study of the therapeutic efficacy of a well-known combination of medicinal herbs. Clin Ther 1985; 114 (5): 401-9
71. Willems M et al. Anthranoid self-medication causing rapid development of melanosis coli. The Netherl. J. Med. 2003; 61 (1): 22-4
72. Peng A et al. Herbal treatment for renal diseases. Ann Acad Med Singapore 2005; 34: 44-51
73. Li X, Wang H. Chinese herbal medicine in the treatment of chronic kidney disease. Adv. Chron.Kidney Dis. 2005; 12 (3): 276-81
74. Engelshowe R. Rhabarber eine alte Droge – noch immer aktuell. Pharmazie in unserer Zeit 1985; 14: 40 – 9
75. Zhou H; Jiao D. 312 cases of gastric and duodenal ulcer bleeding treated with 3 kinds of alcoholic extract rhubarb tablets. Chin. J. Modern Developm. Trad. Med. 1990; 10 (3): 150-1, 131-2
76. Saller R et al. Combined Herbal Preparation for Topical Treatment of Herpes labialis. Forsch Komplementärmed Klass Naturheilk 2001; 8: 373-82
77. Williams CL et al. A summary of conference recommendations on dietary fiber in childhood: Conference on Dietary Fiber in Childhood, New York (New York, USA), May 24, 1994. Pediatrics 1995; 96: 1023-8
78. Fok TF. Neonatal jaundice – traditional Chinese medicine approach. J. Perinatol.; 2001; 21 (1): S98-S100; discussion S104-7
79. Sitzmann FC et al. Lokale Nebenwirkungen an der Haut durch Anthraglykoside. Pädiatr Prax 1979; 21: 355-8
80. Li LF. A clinical and patch test study of contact dermatitis from traditional Chinese medicinal materials. Contact Dermatitis 1995; 33: 392-5
81. Yuen MF et al. Traditional Chinese medicine causing hepatotoxicity in patients with chronic hepatitis B infection: a 1-year prospective study. Aliment Pharmacol Ther 2006; 24: 1179-86

82. Müller-Lissner S. Myths and misconceptions about chronic constipation. *Am J Gastroenterol* 2005; 100: 232-242
83. Smith B. Effect of irritant purgatives on the myentric plexus in man and mouse. *Gut* 1968; 9: 139-45
84. Riemann JF et al. The fine structure of colonic submucosal nerves in patients with chronic laxative abuse. *Scand J Gastroenterol* 1980; 15: 761-8
85. Riemann JF et al. Ultrastructural changes in the gut autonomic nervous system following laxative abuse and in other conditions. *Scand J Gastroenterol* 1982; 71: 11-24
86. Berkelhammer C et al. Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate. *Gastrointest Endosc* 2002; 56: 89-94
87. Meisel JL et al. Human rectal mucosa: proctoscopic and morphological changes caused by laxatives. *Gastroenterology* 1977; 72: 1274-9
88. Pockros PJ et al. Golytely lavage versus a standard colonoscopy preparation. Effect on normal colonic mucosal histology. *Gastroenterology* 1985; 88: 545-8
89. Riecken EO et al. The effect of an anthraquinone laxative on colonic nerve tissue: A controlled trial in constipated women. *Z Gastroenterol* 1990; 28: 660-4
90. Siegers C-P et al. Anthranoid laxative abuse – A risk for colorectal cancer? *Gut* 1993; 34 (8): 1099-101
91. Kune GA et al. The role of chronic constipation, diarrhea, and laxative use in the etiology of large-bowel cancer. Data from the Melbourne Colorectal Cancer Study. *Diseases of the colon and rectum* 1988; 31 (7): 507 – 12
92. Kune GA. Laxative use not a risk for colorectal cancer: data from the Melbourne Colorectal Cancer Study. *Zeitschr. Gastroenterol.* 1993; 31 (2): 140-3
93. Nusko G et al. Retrospective study on laxative use and melanosis coli as risk factors for colorectal neoplasma. *Pharmacology* 1993; 47 Suppl 1: 234-41
94. Sonnenberg A, Muller AD. Constipation and cathartics as risk factors of colorectal cancer: A meta-analysis. *Pharmacology* 1993; 47 (Suppl.): 224-33
95. Loew D et al. Anthranoid laxatives: cause of colorectal cancer? *Deutsche Apotheker-Zeitung* 1994; 134 (Aug 25): 30, 32-3
96. Jacobs EJ et White E. Constipation, laxative use, and colon cancer among middle-aged adults. *Epidemiology* 1998; 9: 385-91
97. Nusko G et al. Anthranoide laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. *Gut* 2000; 46: 651-5
98. Roberts MC et al. Constipation, laxative use, and colon cancer in a North Carolina population. *Am J Gastroenterol* 2003; 98: 857-64
99. Nilsson SE et al. Laxative treatment elevates plasma homocysteine: A study on a population-based Swedish sample of old people. *Eur. J. Clin. Pharmacol.* 2004; 60 (1): 45-9
100. Jae Sik Joo et al. Alterations in colonic anatomy induced by chronic stimulant laxatives: The cathartic colon revisited. *J. Clin. Gastroenterol.* 1998; 26 (4): 283-6

101. Van Gorkom BA et al. Review article: anthranoid laxatives and their potential carcinogenic effects. *Alim. Pharm. & Therap.* 1999; 13 (4): 443-52
102. Goodman & Gilman's. *The Pharmacological Basis of Therapeutics*. Eleventh edition. Section VI / Drugs affecting gastrointestinal function. Stimulant (Irritant) Laxatives
103. Steinegger. *Pharmakognosie – Phytopharmazie*, Springer Verlag 7. Auflage
104. Faber P et al. Relevance of rhein excretion into breast milk. *Pharmacology* 1988; 36 (Suppl 1): 212-20
105. Bright E, Takyi BE. Excretion of drugs in human milk. *J. Hosp. Pharm.* 1970; 28 (Nov): 317-26
106. Gerhard Madaus. *Lehrbuch der biologischen Heilmittel Band I*, 1938; Rheum: p. 2300-6. Reprint Georg Olms Verlag Hildesheim New York 1976
107. Pedanios Dioskurides *Materia medica* book III, chapter 2. Rhapontik. 1st century BC. German translation Julius Berendes 1902
108. Martindale. *The Extra Pharmacopoeia*. 27th edition London: Pharmaceutical Press, 1977: 1341 -2
109. Weiss RF. *Lehrbuch der Phytotherapie*. 3rd edition Stuttgart: Hippokrates, 1974: 113-8
110. Martindale. *The Extra Pharmacopoeia*. 25th edition London: Pharmaceutical Press, 1967
111. Hagers *Handbuch der Pharmazeutischen Praxis*. Dr. G. Frerichs, G. Arends, Dr. H. Zörnig (Herausgeber), Verlag von Julius Springer, Berlin 1927
112. You-Ping Zhu. *Chinese Materia Medica*. CRC Press 1998
113. Li LS. Rhubarb in preventing progression of chronic renal disease. *Nephrology* 1996; 2 (1): S146-S150
114. Helmholtz H et al. Genotoxizität der Faulbaumrinde. Genotoxicity of buckthorn bark. *Pharm. Zeit.* 1993; 138 (Oct 28): 48-50
115. Michell JM, Mengs U et al. An oral carcinogenicity and toxicity study of senna (Tinnevelly senna fruits) in the rat. *Arch Toxicol* 2006; 80: 34-44