

London, 6 March 2008
Doc. Ref: EMEA/HMPC/261882/2007

COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

FINAL

LIST OF REFERENCES SUPPORTING THE ASSESSMENT REPORT ON:

**Calendulae flos
Calendula officinalis L.
(calendula flower)**

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Amirghofran Z, Azadbakht M, Karimi MH. Evaluation of the immunomodulatory effects of five herbal plants. *J Ethnopharmacol* 2000; 72: 167-172

Ansari MA, Jadon NS, Singh SP, Kumar A, Singh H. Effect of *Calendula officinalis* ointment, charmil and gelatin granules on wound healing in buffaloes – a histological study. *Indian Vet J* 1997; 74: 594-597 cited in ESCOP (2003)

Avramova S, Portarska F, Apostolova B, Petkova S, Konteva M, Tsekova M, Kapitanova T, Maneva K (1988) Marigold (*Calendula officinalis*): source of new products for the cosmetic industry. *MBI Med Biol Inf*, S. 28–33 cited in Hänsel R et al (1992)

Bakkali F, Averbeck S, Averbeck D, Zhiri A, Idaomar M. Cytotoxicity and gene induction by some essential oils in the yeast *Saccharomyces cerevisiae*. *Mutation Res.* 2005; 585: 1-13

Barajas-Farias LM, Perez-Carreón JI, Arce-Popoca E, Fattel-Fazenda S, Aleman-Lazarini L, Hernandez-García S, Salcido-Neyoy M, Cruz-Jimenez FG, Camacho J, Villa-Trevino S. A dual opposite effect of *Calendula officinalis* flower extract: chemoprotector and promotor in a rat hepatocarcinogenesis model. *Planta Med.* 2006; 72: 217-212

Baranov AP. *Calendula*: how is the efficacy in burns and scalds? *Deutsche Apoth Ztg* 1999; 139: 2135-2138

Bashir S, Janbaz KH, Jabeen Q, Gilani AH. Studies on the spasmogenic and spasmolytic activities of *Calendula officinalis* flowers. *Phytotherapy Res.* 2006; 20: 906-910

Bezakova L, Masterova I, Paulikova I, Psenak M. Inhibitory activity of isorhamnetin glycosides from *Calendula officinalis* on the activity of lipoxygenase. *Pharmazie* 1996; 51: 126-127

Bilia AR, Bergonzi MC, Gallori S, Mazzi G, Vincieri FF. Stability of the constituents of *Calendula*, milk-thistle and passionflower tinctures by LC-DAD and LC-MS. *J Pharm. Biomed. Anal* 2002; 30: 613-624

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V (2006) HagerROM 2006: Hagers Handbuch der Drogen und Arzneistoffe. Heidelberg. Springer-Verlag, 2006

Bogdanova NS, Nikolaeva IS, Scherbakova LI, Tolstova TI, Moskalenka Nyu, Pershin GN. A study into antiviral properties of *Calendula officinalis*. *Farmakol Toksikol* 1970; 33:349-5 cited in: Blaschek W (2006)

Bolderston A, Lloyd NS, Wong RK, Holden L, Robb-Blenderman L. The prevention and management of acute skin reactions to radiation therapy: a systematic review and practice guideline. *Support care cancer* 2006; 14: 802-817

Boyadzhiev TSV. Sedative and hypotensive effect of preparations from the plant *Calendula officinalis*. *Nauchni Tr Vissh Med Inst Sofia* 1964 43:15–20, CA (1965) 63:1114a cited in Hänsel R et al (1992)

Bradley P. *British Herbal Compendium*. British Herbal Medicine Assoc., Bournemouth (2006)

Chew BP, Wong MW, Wong TS. Effects of Lutein from Marigold extract on immunity and growth of mammary tumors in mice. *Anticancer Res* 1996; 16: 3689-3694

Commission E monographs. The complete German commission E monographs. Translation by Blumenthal M et al, American Botanical Council, Austin 1998

Cordova CA, Siqueira IR, Netto CA, Yunes RA, Volpato AM, Cechinel Filho V, Curi-Pedrosa R, Creszynski-Pasa TB. Protective properties of butanolic extract of the *Calendula officinalis* (marigold) against lipid peroxidation of rat liver microsomes and action as free radical scavenger. *Redox Rep*. 2002; 7: 95-102

Council of Europe: *Plant preparations used as ingredients of cosmetic products*. Strasbourg 1989

Della Loggia R, Tubaro S, Sosa S, Becker H, Saar St, Isaac O. The role of triterpenoids in the topical anti-inflammatory activity of *Calendula officinalis* flowers. *Planta Medica* 1994; 60: 516-520

Dumenil G, Chemli R, Balansard G, Guiraud H, Lallemand M. Evaluation of antibacterial properties of marigold flowers (*Calendula officinalis*) and mother homoeopathic tinctures of *C. officinalis* and *C. arvensis*. *Ann Pharm Fr* 1980; 38: 493–499

Duran V, Matic M, Jovanovc M, Mimica N, Gajinov Z, Poljacki M, Boza P. Results of the clinical examination of an ointment with marigold (*Calendula officinalis*) extract in the treatment of venous leg ulcers. *Int J Tissue React* 2005; 27: 101-106

Elias R, De Meo M, Vidal-Ollivier E, Laget M, Balansard G, Dumenil G. Antimutagenic activity of some saponins isolated from *Calendula officinalis*, *C. arvensis* and *Hedera helix*. *Mutagenesis* 1990; 5: 327-331

ESCOP Monograph. *Calendulae flos* (*Calendula* flower). ESCOP Monographs Second edition (ESCOP 2003)

Fintelmann V, Weiß RF. *Lehrbuch der Phytotherapie, Hippokrates*, Stuttgart, 2002

Fuchs SM, Schliemann-Willers S, Fischer TW, Elsner P. Protective effects of different marigold (*Calendula officinalis*) and rosemary cream preparations against sodium-lauryl-sulfate-induced irritant contact dermatitis. *Skin Pharmacol Physiol* 2005; 18: 195-200

Gasiorowska I, Jachimowicz M, Patalas B, Mlynarczyk A. *Czas Stomat* 1983; 36:307–311 cited in Hänsel R et al (1992)

Graf UA, Alonso Moraga A, Castro R, Diaz Carillo E. Food Chem Toxicol 1994; 32:423-430

Hänsel R, Keller K, Rimpler H, Schneider G, editors. Calendula. In: Hagers Handbuch der Pharmazeutischen Praxis, 5th ed. Band 6, Drogen P-Z. Berlin. Springer-Verlag, 1992

Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. Springer, Heidelberg, 2007

Herold A, Cremer L, Calugaru A, Tamas V, Ionescu F, Manea S, Szegli G. Antioxidant properties of some hydroalcoholic plant extracts with antiinflammatory activity. Roum Arch Microbiol Immunol 2003; 62: 217-227

Iauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medicinal plant extracts against periodontopathic bacteria. Phytotherapy Res. 2003; 17: 599-604

Janssen AM, Chin NL, Scheffer JJ, Baerheim-Svendsen A. Screening for antimicrobial activity of some essential oils by the agar overlay technique. Pharm. Weekblad 1986; 8: 289-292

Jimenez-Medina E, Garcia-Lora A, Paco L, Algarra I, Collado A, Garrido F. A new extract of the plant *Calendula officinalis* produces a dual in vitro effect: cytotoxic antitumor activity and lymphocyte activation. BMC Cancer 2006; 5: 119

Kalvatchev Z, Walzer R, Garzaro D. Anti-HIV activity of extracts from *Calendula officinalis* flowers. Biomed Pharmacother. 1997; 51: 176-180

Klouček-Popova E, Popov A, Pavlova N, Krusteva S. Influence of the physiological regeneration and epithelialization using fractions isolated from *Calendula officinalis*. Acta Physiol. Pharmacol. Bulg. 1982; 8: 63-67

Kubelka W, Saukel J. VOLKSMED database at the Dept. of Pharmacognosy, University of Vienna (2007).

Lievre M, Marichy J, Baux S, Foytier JL, Perrot J, Boissel JP. Controlled study of three ointments for the local management of 2nd and 3rd degree burns. Clinical Trials Meta Anal. 1992; 28: 9-12

Madaus R. Lehrbuch der biologischen Heilmittel, Thieme, Leipzig, 1938

Manolov P, Boyadzhiev TSV, Nikolov P. Antitumorigenic effect of preparations of *Calendula officinalis* on Crocker sarcoma 180. Eksperim Med Morfol 1964; 3:41-45, zit. nach: CA (1965) 62:9652d cited in Hänsel R et al (1992)

Marukami T, Kishi A, Yoshikawa M. Medicinal flowers.IV.Marigold (2): Structures of new ionone and sesquiterpene glycosides from Egyptian *Calendula officinalis*. Chem Pharm Bull (Tokio) 2001; 49: 974-978

May G, Willuhn G. Antiviral activity of aqueous extracts from medicinal plants in tissue cultures. Arzneimittelforschung, 1978; 28: 1-7

Mayer JG, Czygan F-C. Die Ringelblume – *Calendula officinalis* L. Z. Phytother. 2000; 21: 170-178

Modesto A, Lima KC, Uzeda M. Effects of three different infant dentrifices on biofilms and oral microorganisms. J Clin Pediatr Dent. 2000; 24: 237-243

Park JS, Chew BP, Wong TS. Dietary lutein from marigold extracts inhibits mammary tumour development in BALB/c mice. J Nutr. 1998; 128: 1650-1656

- Patrick KFM, Kumar S, Edwardson PAD, Hutchinson JJ. Induction of vascularisation by an aqueous extract of the flowers of *Calendula officinalis* the European marigold. *Phytomedicine* 1996; 3: 11-18
- Paulsen E, Andersen KE, Hausen BM. Compositae dermatitis in a Danish dermatology department in one year. *Contact Dermatitis* 1993; 29: 6-10
- Paulsen E. Contact sensitization from Compositae-containing herbal remedies and cosmetics. *Contact Dermatitis* 2002; 47: 189-198
- Pérez-Carreón JI, Cruz-Jimenez G, Licea-Vega JA, Arce Popoca E, Fattel Fazenda S, Villa-Trevino S. Genotoxic and anti-genotoxic properties of *Calendula officinalis* extracts in rat liver cell cultures treated with diethylnitrosamine. *Toxicol in vitro* 2002; 16: 253-258
- Perri de Carvalho PS, Tagliavini DG, Tagliavini RL (1991) *Rev Cienc Biomed* 12 :39-50 cited in Blaschek W et al (2006)
- Pommier P, Gomez F, Sunyach MP, D'Hombres A, Carrie C, Montbarbon X. Phase III randomized trial of *Calendula officinalis* compared with trolamine for the prevention of acute dermatitis during irradiation for breast cancer. *J Clin Oncology* 2004; 22: 1447-1453
- Quetin-Leclerque J, Elias R, Balansard G, Bassleer R, Angenot L. Cytotoxic activity of some triterpenoid saponins. *Planta Med* 1992; 58: 279-281
- Ramos A, Edreira A, Vizoso A, Betancourt J, Lopez M, Decalo M. Genotoxicity of an extract of *Calendula officinalis*. *J. Ethnopharmacol.* 1998; 61: 49-55
- Reider N, Komericki P, Hausen BM, Fritsch P, Aberer W. The seamy side of natural medicines: contact sensitization to arnica (*Arnica montana*) and marigold (*Calendula officinalis*). *Contact dermatitis* 2001; 45: 269-272
- Russo M. Impiego dellestrato di *Calendula* (*Calendula officinalis*) in cosmetologia. *Riv Ital EPPOS* 1972; 54:740-743 cited in Hänsel R et al (1992)
- Rusu MA, Tamas M, Puica C, Roman I, Sabadas M. The hepatoprotective action of ten herbal extracts in CCl₄ intoxicated liver. *Phytother Res* 2005; 19: 744-749
- Schilcher H, Kammerer S (2003) *Leitfaden Phytotherapie*. Urban & Fischer, München
- Silva EJ, Goncalves ES, Aguiar F, Evencio LB, Lyra MM, Coelho MC, Fraga MD, Wanderley AG. Toxicological studies on hydroalcohol extract of *Calendula officinalis*. *Phytother. Res.* 2007; 21: 332-336
- Tarle D, Dvorzak I. Antimicrobial substances in *Flos Calendulae*. *Farm Vestn (Ljubljana)* 1989; 40:117-120, zit. nach: *CA* (1990) 112:42317v cited in Blaschek W et al (2006)
- Ukiya M, Akihisa T, Yasukawa K, Tokuda H, Suzuki T, Kimura Y. Anti-inflammatory, anti-tumor-promoting, and cytotoxic activities of constituents of marigold (*Calendula officinalis*) flowers. *J Nat Prod.* 2006; 69: 1692-1696
- Varljen J, Lipták A, Wagner H. Structural analysis of a rhamnoarabinogalactan and arabinogalactans with immunostimulating activity from *Calendula officinalis*. *Phytochem.* 1989; 28: 2379-2383
- Wagner H, Proksch A, Riess-Maurer I, Vollmar A, Odenthal S, Stuppner H, Jurcic K, Le Turdu M, Fang JN. Immunostimulating action of polysaccharides (heteroglycans) from higher plants. *Arzneimittelforschung* 1985; 35: 1069-1075
- Willuhn G in Wichtl M. (ed.). *Calendulae flos*. In: Wichtl M, editor: *Herbal drugs and Phytopharmaceuticals*. Stuttgart: medpharm Scientific Publishers, 2004; 607-610

Wissinger-Gräfenhahn U. Medicinal aspects of extract from *Calendula* flowers for topical application. *Z. Phytother.* 2000; 21: 143-146

Yasukawa K, Akihisa T, Oinuma H, Kasahara Y, Kimura Y, Yamanouchi S, Kumaki K, Tamura T, Takido M. Inhibitory effect of di- and trihydroxy triterpenes from the flowers of *Compositae* on 12-O-tetradecanoylphorbol-13-acetate-induced inflammation in mice. *Biol Pharm Bull.* 1996; 19: 1329-1331

Yatsuno AI, Belova LF, Lipkina GS, Sokolov SYa, Trutneva EA. Pharmacology of Calendulose B – A new terpene glycoside obtained from the roots of *Calendula officinalis*. *Farmakol Toksikol* 1978; 41:556-560 cited in Hänsel R et al (1992)

Zitterl-Eglseer K, Sosa S, Jurenitsch J, Schubert-Zsilavecz M, Della Loggia R, Tubaro A, Bertoldi M, Franz C. Anti-oedematous activities of the main triterpene diol esters of marigold (*Calendula officinalis*). *J. Ethnopharmacol.* 1997; 57: 139-144