



This document was valid from 12 November 2009 until September 2018. It is now superseded by a new version adopted by the HMPC on 25 September 2018 and published on the EMA website.

Curcumaе longae rhizoma
Curcuma longa L., rhizoma
(turmeric root)

The EMEA acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

1. Botanical.com - A Modern Herbal - Turmeric. Turmeric. In: Botanical.com; 2007.
2. Kapoor LD. Handbook of Ayurvedic medicinal plants. Boca Raton, FL: CRC Press; 1990.
3. ASEAN. Standard of ASEAN herbal medicine. Jakarta: ASEAN Countries 1993.
4. Bisset NG. Max Wichtl's herbal drugs & phytochemicals. Boca Raton, FL: CRC Press 1994.
5. Bruneton J. Pharmacology, phytochemistry, medicinal plants. Paris: Lavoisier 1995.
6. Osawa T, Sugiyama Y, Inayoshi M, Kawakishi S. Antioxidative activity of tetrahydrocurcuminoids. *Biosci Biotechnol Biochem* 1995; 59(9): 1609-1612.
7. Sreejayan N, Rao MNA, Priyadarsini KI, Devasagayam TP. Inhibition of radiation induced lipid peroxidation by curcumin. *Int J Pharm* 1997; (151): 127-130.
8. Ruby J, Kuttan G, Babu KD, Rajashekharan KN, Kuttan R. Antitumor and oxidant activity of natural curcuminoids. *Cancer Lett* 1995; (94): 79-83.
9. Priyadarsini KI. Free radical reactions of curcumin in membrane models. *Free Radic Biol Med* 1997; 23(6): 838-843.
10. Reddy AC, Lokesh BR. Studies on the inhibitory effects of curcumin and eugenol on the formation of reactive oxygen species and the oxidation of ferrous iron. *Mol Cell Biochem* 1994; 137(1): 1-8.
11. Rao CV, Desai D, Rivenson A, Simi B, Amin S, Reddy BS. Chemoprevention of colon carcinogenesis by phenylethyl-3-methylcaffeate. *Cancer Res* 1995; 55(11): 2310-2315.
12. Sreejayan N, Rao MN. Free radical scavenging activity of curcuminoids. *Arzneimittelforschung* 1996; 46(2): 169-171.

13. Unnikrishnan MK, Rao MN. Curcumin inhibits nitrogen dioxide induced oxidation of hemoglobin. *Mol Cell Biochem* 1995; 146(1): 35-37.
14. Sreejayan, Rao MN. Nitric oxide scavenging by curcuminoids. *J Pharm Pharmacol* 1997; 49(1): 105-107.
15. Cronin JR. The Biochemistry of Alternative Medicine, Curcumin Old Spice Is a New Medicine. *Alternative & Complementary Therapies* 2003; 34-38.
16. Govindrajan VS. Turmeric - chemistry, technology and quality. *CRC Crit Rev Fd Sci Nutr* 1980; 12: 199.
17. Srimal RC. Turmeric: a brief review of medicinal properties. *Fitoterapia* 1997; 68(6): 483-493.
18. WHO. *Rhizoma Curcumae Longae*, WHO monographs on selected medicinal plants Vol 1: World Health Organisation 1999.
19. Rafatullah S, Tariq M, Al-Yahya MA, Mossa JS, Ageel AM. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *J Ethnopharmacol* 1990; 29(1): 25-34.
20. Xu Y, Ku B, Tie L, Yao H, Jiang W, Ma X et al. Curcumin reverses the effects of chronic stress on behavior, the HPA axis, BDNF expression and phosphorylation of CREB. *Brain Res* 2006; 1122(1): 56-64.
21. Xia X, Cheng G, Pan Y, Xia ZH, Kong LD. Behavioral, neurochemical and neuroendocrine effects of the ethanolic extract from *Curcuma longa* L. in the mouse forced swimming test. *J Ethnopharmacol* 2007; 110(2): 356-363.
22. Nishiyama T, Mae T, Kishida H, Tsukagawa M, Mimaki Y, Kuroda M et al. Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. *J Agric Food Chem* 2005; 53(4): 959-963.
23. Kuroda M, Mimaki Y, Nishiyama T, Mae T, Kishida H, Tsukagawa M et al. Hypoglycemic effects of turmeric (*Curcuma longa* L. rhizomes) on genetically diabetic KK-Ay mice. *Biol Pharm Bull* 2005; 28(5): 937-939.
24. Kim DC, Kim SH, Choi BH, Baek NI, Kim D, Kim MJ et al. Curcuma longa extract protects against gastric ulcers by blocking H2 histamine receptors. *Biol Pharm Bull* 2005; 28(12): 2220-2224.
25. Khattak S, Saeed ur R, Ullah Shah H, Ahmad W, Ahmad M. Biological effects of indigenous medicinal plants *Curcuma longa* and *Alpinia galanga*. *Fitoterapia* 2005; 76(2): 254-257.
26. Deshpande SS, Lalitha VS, Ingle AD, Raste AS, Gadre SG, Maru GB. Subchronic oral toxicity of turmeric and ethanolic turmeric extract in female mice and rats. *Toxicol Lett* 1998; 95(3): 183-193.
27. Lee HS. Antiplatelet property of *Curcuma longa* L. rhizome-derived ar-turmerone. *Bioresour Technol* 2006; 97(12): 1372-1376.
28. Commandeur JN, Vermeulen NP. Cytotoxicity and cytoprotective activities of natural compounds. The case of curcumin. *Xenobiotica* 1996; 26(7): 667-680.
29. Soni KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett* 1992; 66(2): 115-121.
30. Azuine MA, Kayal JJ, Bhide SV. Protective role of aqueous turmeric extract against mutagenicity of direct-acting carcinogens as well as benzo [alpha] pyrene-induced genotoxicity and carcinogenicity. *J Cancer Res Clin Oncol* 1992; 118(6): 447-452.
31. Kuttan R, Sudheeran PC, Josph CD. Turmeric and curcumin as topical agents in cancer therapy. *Tumori* 1987; 73(1): 29-31.

32. Kundu S, Biswas TK, Das P, Kumar S, De DK. Turmeric (*Curcuma longa*) rhizome paste and honey show similar wound healing potential: a preclinical study in rabbits. *Int J Low Extrem Wounds* 2005; 4(4): 205-213.
33. Charles V, Charles SX. The use and efficacy of *Azadirachta indica* ADR ('Neem') and *Curcuma longa* ('Turmeric') in scabies. A pilot study. *Trop Geogr Med* 1992; 44(1-2): 178-181.
34. Rimbach PE, Mannheim PE, Hartwig L, Bachem C, Hilgers W. *Pharmazeutischen Praxis - Fur apotheker, arzneimittelhersteller, drogisten, arzte und medizinbeamte*: Springer - Verlag 1949.
35. Honda S, Aoki F, Tanaka H, Kishida H, Nishiyama T, Okada S, Matsumoto I, Abe K, Mae T. Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. *J Agric Food Chem* 2006; (54): 9055-9062.
36. Lal B, Kapoor AK, Asthana OP, Agrawal PK, Prasad R, Kumar P et al. Efficacy of curcumin in the management of chronic anterior uveitis. *Phytother Res* 1999; 13(4): 318-322.
37. Eigner D, Scholz D. *Ferula asa-foetida* and *Curcuma longa* in traditional medical treatment and diet in Nepal. *J Ethnopharmacol* 1999; 67(1): 1-6.
38. Kulkarni RR, Patki PS, Jog VP, Gandage SG, Patwardhan B. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991; 33(1-2): 91-95.
39. Weiss RF. *Lehrbuch der Phytotherapie*. Stuttgart: Hippokrates Verlag 1974.
40. Hiller K, Melzig MF. *Lexikon der Arzneipflanzen und Drogen*. Berlin: Spektrum Akademischer Verlag Heidelberg.
41. Schneider W. *Lexikon zur Arzneimittelgeschichte - Pflanzliche Drogen*. Frankfurt a. M.: Govi-Verlag GmbH - Pharmazeutischer Verlag 1974.
42. Hoppe HA. *Drogenkunde*. Hamburg: De Gruyter & Co 1943.
43. Madaus G. *Lehrbuch der biologischen Heilmittel*. Hilderheim: Georg Olms Verlag 1979.
44. Reichert B, Frerichs G, Arends G, Zornig H. *Hagers Handbuch der Pharmazeutischen Praxis*. Berlin: Springer Verlag 1944.
45. Frerichs G, Arends G, Zornig H. *Hagers Handbuch der Pharmazeutischen Praxis*. Berlin: Springer Verlag 1949.
46. List PH, Horhammer L. *Hagers Handbuch der Pharmazeutischen Praxis*. Berlin: Springer Verlag 1979.
47. Pozharitskaya ON, Ivanova SA, Shikov AN, Makarov VG. Separation and free radical-scavenging activity of major curcuminoids of *Curcuma longa* using HPTCL-DPPH method. *Phytochemical Analysis* 2007; 19(3): 236-243.
48. Sacchetti G, Maietti S, Muzzoli M, Scaglianti M, Manfredini S, Radice M, Bruni R. Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in foods. *Food Chem* 2004; 91(4): 621-632.
49. Bundy R, Walker AF, Middleton RW, Booth J. Turmeric Extract May Improve Irritable Bowel Syndrome Symptomology in Otherwise Healthy Adults: A Pilot Study. *J Altern Complement Med* 2004; 10(6): 1015-1018.
50. Chainani-Wu N. Safety and anti-inflammatory activity of curcumin: a component of tumeric (*Curcuma longa*). *J Altern Complement Med* 2003; 9(1): 161-168.
51. Bisset NG. *Herbal drugs and phytopharmaceuticals: a handbook for practice on a scientific basis*. Boca Raton, FL 1994.

52. Ramirez-Tortosa MC, Mesa MD, Aquilera MC, Quiles JL et al. Oral administration of a turmeric extract inhibits LDL oxidation and has hypocholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 1999; 147(2): 371-378.
53. Shao ZM, Shen ZZ, Liu CH, Sartippour MR, Go VL, Heber D et al. Curcumin exerts multiple suppressive effects on human breast carcinoma cells. *Int J Cancer* 2002; 98(2): 234-240.
54. Jiang MC, Yang-Yen HF, Yen JJ, Lin JK. Curcumin induces apoptosis in immortalized NIH 3T3 and malignant cancer cell lines. *Nutr Cancer* 1996; 26(1): 111-120.
55. Thaloor D, Singh AK, Sidhu GS, Prasad PV, Kleinman HK, Maheshwari RK. Inhibition of angiogenic differentiation of human umbilical vein endothelial cells by curcumin. *Cell Growth Differ* 1998; 9(4): 305-312.
56. Ranjan D, Johnston TD, Wu G, Elliott L, Bondada S, Nagabhushan M. Curcumin blocks cyclosporine A-resistant CD28 costimulatory pathway of human T-cell proliferation. *J Surg Res* 1998; 77(2): 174-178.
57. Limtrakul P, Anuchapreeda S, Lipigorngoson S, Dunn FW. Inhibition of carcinogen induced c-Ha-ras and c-fos proto-oncogenes expression by dietary curcumin. *BMC Cancer* 2001; 1: 1.
58. Arbiser JL, Klauber N, Rohan R, van Leeuwen R, Huang MT, Fisher C et al. Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med* 1998; 4(6): 376-383.
59. Okamoto T, Yamagishi S, Inagaki Y, Amano S, Koga K, Abe R et al. Angiogenesis induced by advanced glycation end products and its prevention by cerivastatin. *Faseb J* 2002; 16(14): 1928-1930.
60. Song EK, Cho H, Kim JS, Kim NY, An NH, Kim JA et al. Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from *Curcuma longa*. *Planta Med* 2001; 67(9): 876-877.
61. Yu ZF, Kong LD, Chen Y. Antidepressant activity of aqueous extracts of *Curcuma longa* in mice. *J Ethnopharmacol* 2002; 83(1-2): 161-165.
62. Rajakrishnan V, Menon VP, Rajashekar KN. Protective role of curcumin in ethanol toxicity. *Phytotherapy research* 1998; 12: 55-56.
63. Mohanty I, Arya DS, Gupta SK. Effect of *Curcuma longa* and *Ocimum sanctum* on myocardial apoptosis in experimentally induced myocardial ischemic-reperfusion injury. *BMC Complement Altern Med* 2006; 6: 3.
64. Singh A, Singh SP, Bamezai R. Postnatal modulation of hepatic biotransformation system enzymes via translactational exposure of F1 mouse pups to turmeric and curcumin. *Cancer Lett* 1995; 96(1): 87-93.
65. Li N, Chen X, Liao J, Yang G, Wang S, Josephson Y et al. Inhibition of 7,12-dimethylbenz[a]anthracene (DMBA)-induced oral carcinogenesis in hamsters by tea and curcumin. *Carcinogenesis* 2002; 23(8): 1307-1313.
66. Farombi EO, Abarikwu SO, Adedara IA, Oyeyemi MO. Curcumin and kolaviron ameliorate di-n-butylphthalate-induced testicular damage in rats. *Basic Clin Pharmacol Toxicol* 2007; 100(1): 43-48.
67. Ishihara M, Itoh M, Miyamoto K, Suna S, Takeuchi Y, Takenaka I et al. Spermatogenic disturbance induced by di-(2-ethylhexyl) phthalate is significantly prevented by treatment with antioxidant vitamins in the rat. *Int J Androl* 2000; 23(2): 85-94.
68. Dorai T, Gehani N, Katz A. Therapeutic potential of curcumin in human prostate cancer-I. curcumin induces apoptosis in both androgen-dependent and androgen-independent prostate cancer cells. *Prostate Cancer Prostatic Dis* 2000; 3(2): 84-93.

69. Zhao ZS, O'Brien PJ. The prevention of CCl₄-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol* 1996; 140(2): 411-421.
70. Soudamini KK, Kuttan R. Inhibition of chemical carcinogenesis by curcumin. *J Ethnopharmacol* 1989; 27(1-2): 227-233.
71. Khar A, Ali AM, Pardhasaradhi BV, Varalakshmi CH, Anjum R, Kumari AL. Induction of stress response renders human tumor cell lines resistant to curcumin-mediated apoptosis: role of reactive oxygen intermediates. *Cell Stress Chaperones* 2001; 6(4): 368-376.
72. Nagabhushan M, Amonkar AJ, Bhide SV. In vitro antimutagenicity of curcumin against environmental mutagens. *Food Chem Toxicol* 1987; 25(7): 545-547.
73. Motterlini R, Foresti R, Bassi R, Green CJ. Curcumin, an antioxidant and anti-inflammatory agent, induces heme oxygenase-1 and protects endothelial cells against oxidative stress. *Free Radic Biol Med* 2000; 28(8): 1303-1312.
74. Donatus IA, Sardjoko, Vermeulen NP. Cytotoxic and cytoprotective activities of curcumin. Effects on paracetamol-induced cytotoxicity, lipid peroxidation and glutathione depletion in rat hepatocytes. *Biochem Pharmacol* 1990; 39(12): 1869-1875.
75. Majeed M, Badmaev V, Shivakumar U, Rajendran R. Curcuminoids. Piscataway, NJ: Nutriscience Publishers Inc. 1995.
76. Araujo CC, Leon LL. Biological activities of *Curcuma longa* L. *Mem Inst Oswaldo Cruz* 2001; 96(5): 723-728.
77. Wahlstrom B, Blennow G. A study on the fate of curcumin in the rat. *Acta Pharmacol Toxicol (Copenh)* 1978; 43(2): 86-92.
78. Ravindranath V, Chandrasekhara N. Absorption and tissue distribution of curcumin in rats. *Toxicology* 1980; 16(3): 259-265.
79. Nagabhushan M, Bhide SV. Nonmutagenicity of curcumin and its antimutagenic action versus chili and capsaicin. *Nutr Cancer* 1986; 8(3): 201-210.
80. Vijayalaxmi. Genetic effects of turmeric and curcumin in mice and rats. *Mutat Res* 1980; 79(2): 125-132.
81. Kandarkar SV, Sawant SS, Ingle AD, Deshpande SS, Maru GB. Subchronic oral hepatotoxicity of turmeric in mice-histopathological and ultrastructural studies. *Indian J Exp Biol* 1998; 36(7): 675-659.
82. Polasa K, Raghuram TC, Krishna TP, Krishnaswamy K. Effect of turmeric on urinary mutagens in smokers. *Mutagenesis* 1992; 7(2):107-109.
83. Prucksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of the long turmeric (*Curcuma longa* Linn) on healing of peptic ulcer. *Southeast Asian J Trop Med Public Health* 2001; 32(1): 208-215.
84. Chopra A, Lavin P, Patwardhan B, Chitre D. A 32-Week Randomized, Placebo-Controlled Clinical Evaluation of RA-11, an Ayurvedic Drug, on Osteoarthritis of the Knees. *J Clin Rheumatol* 2004; 10(5): 236-245.
85. Deodhar SD, Sethi R, Srimal RC. Preliminary study on antirheumatic activity of curcumin (diferuloyl methane). *Indian J Med Res* 1980; 71: 632-634.
86. Garcea G, Berry DP, Jones DJ, Singh R, Dennison AR, Farmer PB et al. Consumption of the putative chemopreventive agent curcumin by cancer patients: assessment of curcumin levels in the colorectum and their pharmacodynamic consequences. *Cancer Epidemiol Biomarkers Prev* 2005; 14(1): 120-125.

87. Satoskar RR, Shah SJ, Shenoy SG. Evaluation of anti-inflammatory property of curcumin (diferuloyl methane) in patients with postoperative inflammation. *Int J Clin Pharmacol Ther Toxicol* 1986; 24(12): 651-654.
88. Durgaprasad S, Pai CG, Vasanthkumar, Alvres JF, Namitha S. A pilot study of the antioxidant effect of curcumin in tropical pancreatitis. *Indian J Med Res* 2005; 122(4): 315-318.
89. Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS et al. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res* 2001; 21(4B): 2895-2900.
90. Joshi J, Ghaisas S, Vaidya A, Vaidya R, Kamat DV, Bhagwat AN et al. Early human safety study of turmeric oil (*Curcuma longa* oil) administered orally in healthy volunteers. *J Assoc Physicians India* 2003; 51: 1055-1060.
91. Rasyid A, Lelo A. The effect of curcumin and placebo on human gall-bladder function: an ultrasound study. *Aliment Pharmacol Ther* 1999; 13(2): 245-249.
92. Blumenthal M. The complete German Commission E monographs. American Botanical Council, Austin, TX 1998.
93. German Commission E Monograph. *Curcumae longae rhizoma*: Bundesanzeiger 1985.
94. Bowman J. OTC Arthritis Treatment: Where Do We Stand? *Pharmacy Times* 2005; 71(5): 22-24.
95. Yarnell E, Abascal, K. Herbs for Curbing Inflammation. *Alternative & Complementary Therapies* 2006; 12(1): 22-28.
96. Sharma RA, McLelland HR, Hill KA, Ireson CR, Euden SA, Manson MM et al. Pharmacodynamic and pharmacokinetic study of oral *Curcuma* extract in patients with colorectal cancer. *Clin Cancer Res* 2001; 7(7): 1894-1900.
97. Fetrow CW, Avila JR. Professional's handbook of complementary and alternative medicine. Springhouse, PA: Springhouse 1999.
98. Wren RC. Potter's new cyclopedia of botanical drugs and preparations 1988.
99. The Indian pharmaceutical codex, Vol. I. Indigenous drugs. New Delhi: Council of Scientific & Industrial Research 1953.
100. European pharmacopoeia. 6th ed. Strasbourg: Council of Europe 2009.
101. James JS. Curcumin trial results: Antiviral effect reported. *AIDS Treatment News* 198 1994 May 6, [cited; Available from: www.aidsin-fobbs.org/periodicals/atn/1994/198]
102. Hata M, Sasaki E, Ota M, Fujimoto K, Yajima J, Shichida T et al. Allergic contact dermatitis from curcumin (turmeric). *Contact Dermatitis* 1997; 36(2): 107-108.
103. Goh CL, Ng SK. Allergic contact dermatitis to *Curcuma longa* (turmeric). *Contact Dermatitis* 1987; 17(3): 186.
104. Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indian Journal of Dermatology, Venereology and Leprology* 1987; 53: 325-328.
105. Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000; 57(13): 1221-1227; quiz 1228-1230.
106. Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998; 64(4): 353-356.

107. Azuine MA, Bhide SV. Adjuvant chemoprevention of experimental cancer: catechin and dietary turmeric in forestomach and oral cancer models. *J Ethnopharmacol* 1994; 44(3): 211-217.
108. ESCOP Monographs, Second Edition, 2003.
109. Deters M, Siegers C, Muhl P, Hänsel W. Choloretic effects of curcuminoids on an acute cyclosporin-induced cholestasis in the rat. *Planta Med* 1999; 65: 610-613.
110. Siegers C-P, Deters M, Strubelt O, Hänsel W. Choloretic properties of different curcuminoids in the rat bile-fistula model. *Pharm Pharmacol Letters* 1997; 7: 87-89.
111. Deters M, Siegers C, Hänsel W, Schneider KP, Hennighausen G. Influence of curcumin on cyclosporin induced reduction of biliary bilirubin and cholesterol excretion and on biliary excretion of cyclosporin and its metabolites. *Planta Med* 2000; 66: 429-434.
112. Ramprasad C, Sirsi M. Curcuma longa and bile secretion - Quantitative changes in the bile constituents induced by sodium curcumin. *J Sci Industr Res* 1957; 16C: 108-110.
113. Häringer E, Wirkungen bei funktioneller Dyspepsie und Effekte auf Lipidwerte: Curcuma longa-Extrakt. *Naturheilpraxis Sonderdruck* 2004; 1: 106-111.
114. Kammerer E, Fintelmann V. Curcuma-Wurzelstock bei dyspeptischen Beschwerden- Ergebnisse einer Anwendungsbeobachtung an 440 Patienten. *Natura Med Sonderdruck* 16 (2001) nr.8. Kirchheim-Verlag Mainz.
115. Thamlikitkul V et al. Randomized double blind study of Curcuma domestica Val. for dyspepsia. *J Med Assoc Thai* 1989; 72(11): 613-620.
116. Soni KB, Kuttan R. Effect of oral curcumin administration on serum peroxides and cholesterol levels in human volunteers. *Indian J Physiol Pharmacol* 1992; 36(4): 273-275.
117. Herbal Medicine: Turmeric root. Available at: <http://content.herbalgram.org/eoproducts/HerbalMedicine>. Accessed 18/09/2008.