

22 November 2011
EMA/HMPC/430505/2009
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Olea europaea* L., folium

Final

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Agence du Médicament. Les Médicaments a base de plantes. Paris 1998, 51, 56, 58.

Al-Azzawie HF, Alhamdani MS. Hypoglycemic and antioxidant effect of oleuropein in alloxan-diabetic rabbits. *Life Sci* 2006. 78:1371-1377.

Al-Qarawi AA, Al-Damegh MA, El-Mougy SA. Effect of freeze dried extract of *Olea europaea* on the pituitary-thyroid axis in rats. *Phytotherapy Res* 2002. 16(3):286-287.

Amiot MJ, Fleuriet A, Macheix JJ. Accumulation of oleuropein derivatives during olive maturation. *Phytochemistry* 1989. 23:67-69.

Amro B, Aburjai T, Al-Khalil S. Antioxidative and radical scavenging effects of olive cake extract. *Fitoterapia* 2002. 73:456-461.

Andreadou I, Iliodromitis EK, Mikros E, Constantinou M, Agalias A, Magiatis P, Skaltsounis AL, Kamber E, Tsantili-Kakoulidou A, Kremastinos DT. The olive constituent oleuropein exhibits anti-ischemic, antioxidative and hypolipidemic effects in anesthetized rabbits. *J Nutr* 2006. 136:2213-2219.

Andrikopoulos NK, Kaliora AC, Assimopoulou AN, Papageorgiou VP. Inhibitory activity of minor polyphenolic and nonpolyphenolic constituents of olive oil against *in vitro* low-density lipoprotein oxidation. *J Med Food* 2002. 5:1-7.

Anesini C, Perez C. Screening of plants used in Argentinian folk medicine for antimicrobial activity. *J. Ethnopharmacol* 1993. 39(2):119-128.

Asaka Y, Kamikawa T, Kubota T, Sakamoto T. Structures of seco-iridoids glucosides from *Ligustrum abtusifolium*. *Steb Chem Letter* 1972. 141-144.



- Aziz NH, Farag SE, Mousa LA, Abo-Zaid MA. Comparative antibacterial and antifungal effects of some phenolic compounds. *Microbios* 1998. 93:43-54.
- Babich H, Visioli F. In vitro cytotoxicity to human cells in culture of some phenolics from olive oil. *II Farmaco* 2003. 58:403-407.
- Benavente-García O, Castillo J, Lorente J, Ortuño A, Del Rio JA. Antioxidant activity of phenolics extracted from *Olea europaea* L. leaves. *Food Chemistry* 2000. 68:457-462.
- Bennani-Kabchi N, Fdh II H, Cherrah Y. Effects of *Olea europaea* var *oleaster* leaves in hypocholesterolemic insulin resistant and rats. *Therapie* 1999. 54:717-723.
- Bezanguer-Beauquesne L, Pinkas M, Torck M, Trotin F. Plantes Médicinales des régions tempérées. 2^{ème} édition Ed. Maloine, Paris 1990, 233-234.
- Bianco A, Chiacchio M, Grassi G, Iannazzo D, Piperno A, Romeo R. Phenolic components of *Olea europea*: Isolation of new tyrosol and hydroxytyrosol derivatives. *Food Chemistry* 2006. 95:562-565.
- Bisignano G, Tomaino A, Lo Cascio R, Crisafi G, Uccella N, Saija A. On the in-vitro antimicrobial activity of oleuropein and hydroxytyrosol. *J Pharm Pharmacol* 1999. 51:971-974.
- Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V, editors. Hagers Handbuch der Drogen und Arzneistoffe. *Oleae folium* (Olivenblätter). 5th ed. Springer Medizin Verlag, Heidelberg 2006.
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, eds. The Complete German Commission E Monographs. Therapeutic Guide to Herbal Medicines. American Botanical Council, Austin Texas 1998.
- Boccio P, Di Deo A, De Curtis A, Celli N, Lacoviello L, Rotilio D. Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration. *J Chromatogr B* 2003. 785:47-56.
- Bouaziz M, Sayadi S. Isolation and evaluation of antioxidants from leaves of a Tunisian cultivar olive tree. *Eur J Lipid Sci Technol* 2005. 107:497-504.
- Briante R, La Cara F, Tonziello MP, Febbraio F, Nucci R. Antioxidant activity of the main bioactive derivatives from oleuropein hydrolysis by hyperthermophilic- glycosidase. *J Agric Food Chem* 2001. 49(7):3198-3203.
- Briante R, Patumi M, Terenziani S, Bismuto E, Febbraio F, Nucci R. *Olea europaea* L. leaf extract and derivatives: antioxidant properties. *J Agric Food Chem* 2002. 50:4934-4940.
- Bruneton J. Pharmacognosy, Phytochemistry, Medicinal Plants. 2nd ed. Lavoisier Publishing Inc, Paris 1999.
- Capretti G, Bonaconza E. Effects of infusions or decoctions of olive leaves (*Olea europaea*) on some physical constants of blood and components of metabolism. *Giorn Clin Med* 1949. 30:630-642.
- Caturla N, Perez-Fons L, Estepa A, Micol V. Differential effects of oleuropein, a biophenol from *Olea europaea*, on anionic and zwitterionic phospholipid model membranes. *Chem Phys Lipids* 2005. 137:2-17.
- Cherif S, Rahal N, Haquala MA. Clinical trial of a titrated *Olea* extract in the treatment of essential arterial hypertension. *J Pharm Belg* 1996. 51:69-71.
- Chimi H, Cillard J, Cillard P, Rahmani M. Peroxyl and hydroxyl radical scavenging activity of some natural phenolic antioxidants. *J Am Oil Chem Soc* 1991. 68:307-312.

Chimi H, Morel I, Lescoat G, Padeloup N, Cillard P, Cillard J. Inhibition of iron toxicity in rat hepatocyte culture by natural phenolic compounds. *Tox In vitro* 1995. 9:765-768.

Circosta C, Occhiuto F, Gregorio A, Toigo S, De Pasquale A. Activite cardiovasculaire de jeunes pousses et de feuilles de *Olea europaea* L. Et de l'oleuropeine. *Plantes Med Phytother* 1990. 24(4):264-277.

Cruess WV, Alsberg CL. The bitter glucoside of the olive. *J Amer Chem Soc* 1934. 56:2115-7.

De Pasquale R, Monforte MT, Trozzi A, Raccaia A, Tommasini S. Effects of leaves and shoots of *Olea europaea* and oleuropein on experimental hypercholesterolaemia in the rat. *Plant Med Phytother* 1991. 25(2/3):134-140.

Diaz AM, Abad MJ, Fernandez L, Recuero C, Villaescusa L, Silvan AM, Bermejo P. In vitro anti-inflammatory activity of iridoids and triterpenoid compounds isolated from *Phillyrea latifolia* L. *Biol & Pharm Bull* 2000. 23:1307-1313.

Duarte J, Perez O, Zarzuelo A, Jimenez J, Perez-Vizcaino F, Tamargo J. Effects of oleuropeoside in isolated guinea pig atria. *Planta Medica* 1993. 59(4):318.

Duke JA. Handbook of Medicinal Herbs. CRC Press, Boca Raton 2002, 535-536.

Edgecombe SC, Stretch GL, Hayball PJ. Oleuropein, an antioxidant polyphenol from olive oil, is poorly absorbed from isolated perfused rat intestine. *J Nutr* 2000. 130:2996-3002.

Elliott GA, Buthala DA, DeYoung EN. Preliminary safety studies with calcium elenolate, an antiviral agent. *Antimicrob Agents Chemother* 1969. 9:173-176.

Eskander EF, Jun HW. Hypoglycaemic and hyperinsulinaemic effects of some Egyptian herbs used for the treatment of Diabetes mellitus (Type II) in rats. *Egypt J Pharm Sci* 1995. 36(1-6):331-342.

European Pharmacopoeia 6th ed. Olive leaf. 1/2008: 1878.

European Pharmacopoeia 6th ed Oleae folii extractum siccum 04/2009:2313.

Fehri B, Mrad S, Alache JM, Lamaison JL. Effects of *Olea europaea* L. extract on the rats isolated ileum and trachea. *Phytotherapy Res* 1995. 9:435-439.

Fehri B, Alache JM, Mrad S, Korbi S, Lamaison JL. *Olea europaea* L.: stimulant, anti-ulcer and anti-inflammatory effects. *Boll Chim Pharm* 1996. 135(1):42-49.

Ferroni F, Maccaglia A, Pietraforte D, Turco L, Minetti M. Phenolic antioxidants and the protection of low density lipoprotein from peroxynitrite-mediated oxidations at physiologic CO₂. *J Agric Food Chem* 2004. 52:2866-2874.

Fleming HP, Walter WM, Etchells JL. Antimicrobial properties of oleuropein and products of its hydrolysis. *Appl Microbiol* 1973. 26(5):777-782.

Fleming J, Kuchta K, Arnhold J, Rauwald HW. *Olea europaea* leaf (Ph.Eur.) extract as well as several of its isolated phenolics inhibit the gout-related enzyme xanthine oxidase. *Phytomedicine* 2011. 18:561-566.

Fredrickson WR, Inventor; F & S Group, Inc., assignee. Method and composition for antiviral therapy with olive leaves. US patent 6 117 884. September 12, 2000.

Furneri PM, Marino A, Saija A, Uccella N, Bisignano G. In vitro antimycoplasmal activity of oleuropein. *Int J Antimicrob Agents* 2002. 20:293-296.

Gariboldi P, Jommi G, Verotta L. Secoiridoids from *Olea europaea*. *Phytochemistry* 1986. 25(4):865-869.

Gonzalez M, Zarzuelo A, Gamez MJ, Utrilla MP, Jimenez J, Osuna I. Hypoglycemic activity of olive leaf. *Planta Medica* 1992. 58:513-515.

Grange JM, Davey RW. Detection of antituberculous activity in plant extracts. *Journal of Applied Bacteriology* 1990. 68(6):587-591.

Guerin JC, Reveillere HP. A study of 40 plant extracts against 9 fungal species. *Annales Pharm Franç* 1985. 43(1):77-81.

Hamdi KH, Castellon R. Oleuropein, a non-toxic olive iridoid, is an anti-tumor agent and cytoskeleton disruptor. *Bioc Biophys Res Commun* 2005. 334:769-778.

Han Y, et al. Inductive Effects of Olive Leaf and Its Component Oleuropein on the Mouse Liver Glutathione S-Transferases. *Nat Med* 2001. 55(2):83-86.

Hansen K, Adersen A, Christensen SB, Jensen SR, Nyman U, Smitt UV. Isolation of an angiotensin converting enzyme (ACE) inhibitor from *Olea europaea* and *Olea lancea*. *Phytomedicine* 1996. 2:319-325.

Heinze JE, et al. Specificity of the antiviral activity of the antiviral agent calcium elanolate. *Antimicrobial Agents Chemother* 1975. 8(4):421-425.

Hirschman SZ. Inactivation of DNA polymerase of murine leukaemia viruses by calcium elanolate. *Nat New Biol* 1972. 238(87):277-279.

Holzhauser H, Knobloch H. Extractum foliae Olivae zur Ambulanten Hochdruckbehandlung in Kombination mit Rauwolfia und Veratrumalkaloiden. *Munch Med Wochenschr* 1950. 98(35):1142-1147.

Jemai H, Bouaziz M, Fki I, El Feki A, Sayadi S. Hypolipidemic and antioxidant activities of oleuropein and its hydrolysis derivative-rich extracts from Chemlali olive leaves. *Chemico-Biological Interactions* 2008. 176:88-98.

Juven B, Henys Y. Studies on the mechanism of the antimicrobial action of oleuropein. *J Appl Bacteriol* 1972. 35:559-567.

Katsiki M, Chondrogianni N, Chinou I, Rivett A J, Gonos ES. The olive constituent oleuropein exhibits proteasome stimulatory properties in vitro and confers life span extension of human embryonic fibroblasts. *Rejuvenation Res* 2007. 10:157-172.

Khan Y, Panchal S, Vyas N, Butani A, Kumar V. *Olea europaea*: A phyto-pharmacological Review. *Pharmacognosy Reviews* 2007. 1(1):114-118.

Khayyal MT, el-Ghazaly MA, Abdallah DM, Nassar NN, Okpanyi SN, Kreuter MH. Blood pressure lowering effect of an olive leaf extract (*Olea europaea*) in L-NAME induced hypertension in rats. *Arzneimittelforschung* 2002. 52:797-802.

Kim J, Kwon C, Son K. Inhibition of alpha-glucosidase and amylase by luteolin, a flavonoid. *Biosci Biotechnol Biochem* 2000. 61:347-350.

Komaki E, Yamaguchi S, Maru I, Kinoshita M, Kakehi K, Ohta Y, Tsukada Y. Identification of Anti- α amylase components from olive leaf extracts. *Food Sci Technol Res* 2003. 9(1):35-39.

Koutsoumanis K, Tassou CC, Taoukis PS, Nychas GJ. Modelling the effectiveness of a natural antimicrobial on *Salmonella enteritidis* as a function of concentration, temperature and pH, using conductance measurements. *J Appl Microbiol* 1998. 84:981-987.

Kubo I, Matsumoto A. Molluscicides from Olive *Olea europaea* and their efficient isolation by Countercurrent Chromatographies. *J Agric Food Chem* 1984. 32:687-688.

- Kuwajima H, Uemura T, Takaishi K, Inouet K, Inouye K. A secoiridoid glucoside from *Olea europaea*. *Phytochemistry* 1985. 27(6):1757-1759.
- Lasserre B, Kaiser R, Huu Chanh P. Effects on rats of aqueous extracts of plants used in folk medicine as antihypertensive agents. *Naturwissenschaften* 1983. 70:95-96.
- Lee-Huang S, Zhang L, Huang PL, Chang YT, Huang PL. Anti-HIV activity of olive leaf extract (OLE) and modulation of host cell gene expression by HIV-1 infection and OLE treatment. *Biochem Biophys Res Commun* 2003. 307:1029-1037.
- Le Tutour B, Guedon D. Antioxidative activities of *Olea europaea* leaves and related phenolic compounds. *Phytochem* 1992. 31(4):1173-1178.
- Manceau P, Netien G, Jardon P. Hypoglycaemic action of extracts of olive leaves. *Compt Rend Soc Biol* 1942. 136:810-811.
- Manna C, Migliardi V, Golino P, Scognamiglio A, Galletti P, Chiariello M, Zappia V. Oleuropein prevents oxidative myocardial injury induced by ischemia and reperfusion. *J Nutr Biochem* 2004. 15:461-466.
- Mainoli S. L'azione ipotensiva degli estratti di foglie di ulivo; primi risultati clinici. *Minerva Medica* 1951. 42(24):751-754.
- Markin D, Duek L, Berdicevsky I. In vitro antimicrobial activity of olive leaves. *Mycoses* 2003. 46:132-136.
- Martindale W. The Extra Pharmacopoeia. 31st ed. RPS, London 1996, 2172.
- Micol V, Caturla N, Perez-Fons L, Mas V, Perez L, Estepa A. The olive leaf extract exhibits antiviral activity against viral haemorrhagic septicaemia rhabdovirus (VHSV). *Antiviral Res* 2005. 66:129-136.
- Miles EA, Zoubouli P, Calder PC. Differential anti-inflammatory effects of phenolic compounds from extra virgin olive oil identified in human whole blood cultures. *Nutrition* 2005. 21:389-394.
- Motamedifar M, Nekooelan AA, Mostari A. The effect of Hydroalcoholic Extract of Olive leaves against Herpes Simplex Virus Type 1. *Iran J Med Sci* 2007. 32(4):222-226.
- Mussini P, Orsini F, Pelizzoni F. Triterpenes in leaves of *Olea europaea*. *Phytochemistry* 1975. 14:1135.
- Occhiuto F, Circosta C, Gregorio A, Busa G. *Olea europaea* L. and oleuropein: Effects on excitation and on monophasic action potential in anaesthetized dogs. *Phytotherapy Research* 1990. 4(4):140-143.
- Onderoglu S, Sozer S, Erbil KM. The evaluation of long term effects of cinnamon bark and olive leaf on toxicity induced by streptozotocin administration in rats. *J Pharm Pharmacol* 1999. 51(11):1305-1312.
- Owen RW, Giocosa A, Hull WE, Haubner R, Spiegelhalder B, Bartsch. The antioxidant/anticancer potential of phenolic compounds isolated from olive oil. *Eur J Cancer* 2000. 36:1235-1247.
- Panizzi L, Scarpati ML, Oriente G. The constitution of oleuropein, a bitter glucoside of the olive with hypotensive action. *Gazzetta Chimica Italiana* 1960. 90:1449-1485.
- PDR for Herbal Medicines, 4th ed. Ed Thomson PDR, 2007, 617-619.
- Perez C, Anesini C. In vitro antibacterial activity of Argentine folk medicinal plants against *Salmonella typhi*. *J Ethnopharmacol* 1994. 44(1):41-46.
- Perrinjaquet-Moccetti T, Busjahn A, Schmidlin C, Schmidt A, Bradl B, Aydogan C. Food supplementation with an olive (*Olea europaea* L.) leaf extract reduces blood pressure in borderline hypertensive monozygotic twins. *Phytother. Res.* 2008, 22:1239-1242.

- Petkov V, Manolov P. Pharmacological analysis of the iridoid oleuropein. *Arzneimittelforschg* 1972. 22:1476-1486.
- Petkov V, Manolov P. Pharmacological studies on substances of plant origin with coronary dilatating and antiarrhythmic action. *Comp Med East West* 1978. 6:123-130.
- Petkov V. Plants with hypotensive, antiatheromatous and coronarodilatating action. *Am J of Chin Med* 1979. 7(3):197-236.
- Petroni A, Blasevich M, Salami M, Papini N, Montedoro GF, Galli C. Inhibition of platelet aggregation and eicosanoid production by phenolic components of olive oil. *Thromb Res* 1995. 78:151-160.
- Pieroni A, Heimler D, Pieters L, van Poel B, Vlietinck AJ. In vitro anti-complementary activity of flavonoids from olive (*Olea europea*) leaves. *Pharmazie* 1996. 51(10):765-768.
- Polzonetti V, Egidi D, Vita A, Vincenzetti S, Natalini P. Involvement of oleuropein in (some) digestive metabolic pathways. *Food Chem* 2004. 88:11-15.
- Puel C, Quintin A, Agalias A, Mathey J, Obled C, Mazur A, Davicco MJ, Lebecque P, Skaltsounis AL, Coxam V. Olive oil and its main phenolic micronutrient (oleuropein) prevent inflammation-induced bone loss in the ovariectomised rat. *Br J Nutr* 2004. 92(1):119-127.
- Rauwald HW, Brehm O, Odenthal KP. Screening of 9 vasoactive medicinal plants for their possible calcium antagonistic activity. Strategy for the selection and isolation of the active principles of *Olea europaea* and *Peucedanum ostruthium*. *Phytotherapy Res* 1994. 8(3):135-140.
- Raynaud J. Prescription et conseil en phytothérapie. Ed. Lavoisier, Londres-Paris-New York 2005.
- Renis HE. In vitro antiviral activity of calcium elenolate. *Antimicrobial Agents Chemother* 1970. 167-172.
- Renis HE. In activation of myxoviruses by calcium elenolate. *Antimicrobial Agents Chemother* 1975. 8(2):194-199.
- Ribeiro RA, de Melo MM, Fiuza, De Barros F, Gomes C, Trolin G. Acute antihypertensive effect in conscious rats produced by some medicinal plants used in the state of Sao Paulo. *J Ethnopharmacol* 1986. 15:261-269.
- Rodriguez MM, Perez J, Ramos-Cormenzana A, Martinez J. *J Appl Bacteriol* 1988. 64:219-225.
- Ross IA. Medicinal plants of the world. Vol 3. Humana press, New Jersey 2005, 373-376.
- Ruiz-Gutierrez V, Juan ME, Cert A, Planas JM. Determination of hydroxytyrosol in plasma by HPLC. *Anal Chem* 2000. 72(18):4458-4461.
- Saenz MT, Garcia MD, Ahumada MC, Ruiz V. Cytostatic activity of some compounds from the unsaponifiable fraction obtained. *II Farmaco* 1998. 53:110-118.
- Saija A, Trombetta D, Tomaino A, Lo Cascio R, Princi P, Uccella N, Bonina F, Castelli F. 'In vitro' evaluation of the antioxidant activity and biomembrane interaction of the plant phenols oleuropein and hydroxytyrosol. *Int J Pharm* 1998. 166(2):18, 123-133.
- Samuelsson G. The blood pressure lowering factor in leaves of *Olea europaea*. *Farmaceutisk Revy* 1951. 15:229-239.
- Schefflera A, Rauwald HW, Kampab B, Mannb U, Mohra FW, Dheina S. *Olea europaea* leaf extract exerts L-type Ca²⁺ channel antagonistic effects. *J Ethnopharmacol* 2008. 120:233-240.

- Sheabar FZ, Neeman I. Separation and concentration of natural antioxidants from the rape of olives. *J Am Oil Chem Soc* 1988. 65:990-993.
- Singh I, Mok M, Christensen AM, Turner A, Hawley JA. The effects of polyphenols in olive leaves on platelet function. *Nutr Metabol Cardiovasc Dis* 2008. 18(2):127-132.
- Soler-Rivas C, Espín JC, Wichers HJ. Oleuropein and related compounds. *J Sci Food Agric* 2000. 80:1013-1023.
- Somova LI, Shode FO, Ramnanan P, Nadar A. Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europaea*, subsp. *africana*, leaves. *J Ethnopharmacol* 2002. 1-7.
- Somova LI, Shode FO, Ramnanan P, Nadar A. Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europaea*, subsp. *africana*, leaves. *J Ethnopharmacol* 2003. 84(2-3):299-305.
- Somova LI, Shode FO, Mipando M. Cardiotonic and antidysrhythmic effects of oleanolic and ursolic acids, methyl maslinate and uvaol. *Phytomedicine* 2004. 11:121-129.
- Soret MG. Antiviral activity of calcium elanolate on parainfluenza infection of hamsters. *Antimicrobial Agents Chemother* 1969. 9:160-166.
- Stupans I, Kirlich A, Tuck KL, Hayball PJ. Comparison of radical scavenging effect, inhibition of microsomal oxygen free radical generation, and serum lipoprotein oxidation of several natural antioxidants. *J Agric Food Chem* 2002. 50:2464-2469.
- Susalit E, Agusb N, Effendia I, Tjandrawinatac RR, Nofiarnyc D, Perrinjaquet-Moccettid T, Verbruggend M. Olive (*Olea europaea*) leaf extract effective in patients with stage-1 hypertension: Comparison with Captopril. *Phytomedicine* 2011. 18:251-258.
- Tan WK, Tuck KL, Stupans I, Hayball PJ. Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection. *J Chromatogr B* 2003. 785:187-191.
- Tassou CC, Nychas GJE, Board RG. Effect of phenolic compounds and oleuropein on the germination of *Bacillus cereus* T spores. *Biotech Appl Biochem* 1991. 13:231-237.
- Todd RG editor. Extra Pharmacopoeia Martindale Twenty-fifth edition. The Pharmaceutical Press London 1967.
- Trovato A, Forestieri AM, Iauk L, Barbera R, Monforte MT, Galati EM. Hypoglycaemic activity of different extracts of *Olea europaea* L. in the rat. *Plant Med Phytother* 1993. 26(4):300-308.
- Turner R, Etienne N, Alonso MG, de Pascual-Teresa S, Minihane AM, Weinberg PD & Rimbach G. Antioxidant and anti-atherogenic activities of olive oil phenolics. *Int J Vitam Nutr Res* 2005. 75(1):61-70.
- Van Hellemont J. Compendium de phytothérapie Ed. Association Pharmaceutique Belge, Bruxelles 1986, 268-270.
- Veer WLC, Gerris V, Ribbers JE, Oud PJ, van Ree PJ, Beyerman HC, Bontekoe JS. A compound isolated from *Olea europaea*. *Recueil* 1957. 76:839-40.
- Visioli F, Galli C. Oleuropein protects low density lipoprotein from oxidation. *Life Sciences* 1994. 55(24):1965-1971.

Visioli F, Bellomo G, Montedoro GF, Galli C. Low-density lipoprotein oxidation is inhibited in vitro by olive oil constituents. *Atherosclerosis* 1995. 117:25-32.

Visioli F, Bellasta S, Galli C. Oleuropein, the bitter principle of olives, enhances nitric oxide production by mouse macrophages. *Life Sciences* 1998i. 62:541-546.

Visioli F, Ballomo G, Galli C. Free radical-scavenging properties of olive oil polyphenols. *Biochem Biophys Res Commun* 1998ii. 247:60-64.

Visioli F, Galli C, Bornet F, Mattei A, Patelli R, Galli G, Caruso D. Olive oil phenolics are dose-dependently absorbed in humans. *FEBS Lett* 2000. 468(2-3):159-160.

Visioli F, Poli A, Galli C. Antioxidant and other biological activities of phenols from olives and olive oil. *Med Res Rev* 2002. 22:65-75.

Visser MN, Zock PL, Roodenburg AJC, Leenen R, Katan MB. Olive oil phenols are absorbed in humans. *J Nutr* 2002. 132:409-417.

Zarzuelo A, Duarte J, Jimenez J, Gonzalez M, Utrilla MP. Vasodilator effect of olive leaf. *Planta Med* 1991. 57:417-419.

Zaslaver M, Offer S, Kerem Z. Natural compounds derived from foods modulate nitric oxide production and oxidative status in epithelial lung cells. *J Agric Food Chem* 2005. 53:9934-9939.

Zhou SF, Xue CC, Yu XQ, Wang G. Metabolic activation of herbal and dietary constituents and its clinical and toxicological implications: An update. *Curr Drug Metab* 2007. 8(6):526-553.

Other consulted references not included in the AR

Briante R, La Cara F, Febbraio F, Barone R, Piccialli G, Carolla R, Mainolfi P, De Napoli L, Patumi M, Fontanazza G, Nucci R. Hydrolysis of oleuropein by recombinant β -glycosidase from hyperthermophilic archaeon *Sulfolobus solfataricus* immobilised on chitosan matrix. *J Biotechnol* 2000. 77:275-286.

Chevallier A. The Encyclopedia of Medicinal Plants. NY: DK Publishing, New York 1996, 239.

Davie SJ, Gould BJ, Yudkin JS. Effect of vitamin C on glycosylation of proteins. *Diabetes* 1992. 41:167-173.

D'Auria S, Pellino F, La Cara F, Barone R, Rossi M, Nucci R. Immobilization on chitosan of a thermophilic β -glycosidase expressed in *Saccharomyces cerevisiae*. *Appl Biochem Biotechnol* 1996. 61:157-166.

D'Auria S, Febbraio F, Vaccaro C, Rossi M, Bertoli E, Tanfani F, Nucci R. Influence of aliphatic alcohols on the structure and activity of *Sulfolobus solfataricus* - glycosidase. Società Italiana di Biochimica (SIB), No. 42 Congresso Nazionale 1997. 9:374.

De A Ribeiro R *et al.* Acute diuretic effects in conscious rats produced by some medicinal plants used in the state of Sao Paulo, Brazil. *J Ethnopharmacol* 1988. 24(1):19-29.

De la Puerta R, Ruiz Gutierrez V, Hoult JR. Inhibition of leukocyte 5- lipoxygenase by phenolics from virgin olive oil. *Biochem Pharmacol* 1999. 57:445-449.

Del Boccio P, Di Deo A, De Curtis A, Celli N, Iacoviello L, Rotilio D. Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration. *J Chromatogr B* 2003. 785:47-56.

DerMarderosian A, Beutler JA, eds. The Review of Natural Products: The Most Complete Source of Natural Product Information. 3rd ed. Facts and Comparisons, St. Louis, MO 2002.

Esti M, Cinquanta L, La Notte E. Phenolic compounds in different olive varieties. *J Agric Food Chem* 1998. 46:32-35.

Ferrara LA, Raimondi AS, d' Episcopo L, Guida L, Dello Russo A, Marotta T. Olive oil and reduced need for antihypertensive medication. *Arch Intern Med* 2000. 160(6):837-842.

Ferro-Luzzi A, Ghiselli A. Protective aspects of the Mediterranean diet. In: Zappia V, Salvatore M, Della Ragione F, eds. Advances in Nutrition and Cancer. Plenum Press, New York 1993, 137-144.

Fogliano V, Ritieni A, Monti SM, Gallo M, Della Medaglia D, Ambrosino ML, Sacchi R. Antioxidant activity of virgin olive oil phenolic compounds in a micellar system. *J Sci Food Agric* 1999. 79:1803-1808.

Freeman A, Dror Y. Immobilisation of 'disguised' yeast in chemically crosslinked chitosan beads. *Biotechnol Bioeng* 1994. 44:1083-1088.

Gordon MH, Paiva-Martins F, Almeida M. Antioxidant activity of hydroxytyrosol acetate compared with that of other olive oil polyphenols. *J Agric Food Chem* 2001. 49:2480-2485.

Inouye M, Mio T, Sumino K. Link between glycation and lipooxidation in red blood cells in diabetes. *Clinica Chimica Acta* 1999. 285:35-44.

Jänicke C, Grunwald J, Brendler T. Handbuch Phytotherapie. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2003, 391.

Jennings PE, McLaren M, Scot NA, Saniabadi AR, Belch JJF. The relationship of oxidative stress to thrombotic tendency in type I diabetic patients with retinopathy. *Diabetic Medicine* 1991. 8:860-865.

Jones AF, Jennings PE, Winkles J, Lunec J, Barnett AH. Impaired serum antioxidant activity in diabetic microangiopathy. *Diabetic Medicine* 1985. 2:502A.

Meirinhos J, Silva BM, Valentao P. Analysis and quantification of flavonoidic compounds from Portuguese olive (*Olea europaea* L.) leaf cultivars. *Nat Prod Res* 2005. 19:189-195.

Oberley LW. Free radicals and diabetes. *J Biological Chem* 1988. 5:113-124.

Savournin C, Baghdikian B, Elias R, Dargouth-Kesraoui F, Boukef K, Balansard G. Rapid high-performance liquid chromatography analysis for the quantitative determination of oleuropein in *Olea europea* leaves. *J Agric Food Chem* 2001. 49:618-621.

Sinclair AJ, Girling AJ, Gray L, Lunec J, Barnett AH. An investigation of the relationship between free radical activity and vitamin C metabolism in elderly diabetic subjects with retinopathy. *Gerontology* 1992. 38:268-274.

Visioli F, Vinceri FF, Galli C. Waste waters from olive oil are rich in natural antioxidants. *Experientia* 1995. 51:32-34.

Visioli F, Galli C, Bornet F, Mattei A, Patelli R, Galli G, Caruso D. Olive oil phenolics are dose-dependently absorbed in humans. *FEBS Lett* 2000. 468(2-3):159-160.

Visioli F, Galli C. Antiatherogenic components of olive oil. *Curr Atheroscler Rep* 2001. 3:64-67.

Wagner H, Wiesenauer M. Phytotherapie - Phytopharmaka und pflanzliche Homöopathika. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2003, 54-55.

Waterman E, Lockwood B. Active components and clinical applications of olive-oil Alternative medicine review. *J Clin Therap* 2007. 12(4):331-342.

Weiss RF. Herbal Medicine. Meass AR, trans. Beaconsfield Pub. Ltd., Beaconsfield 1988, 160-161.

Superseded