



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

12 January 2015  
EMA/COMP/652852/2014  
Committee for Orphan Medicinal Products

## Public summary of opinion on orphan designation

### Chloroquine for the treatment of glioma

On 19 November 2014, orphan designation (EU/3/14/1377) was granted by the European Commission to DualTpharma B.V., the Netherlands, for chloroquine for the treatment of glioma.

#### What is glioma?

Glioma is a type of brain tumour that affects the 'glial' cells (the cells that surround and support the nerve cells). Patients with glioma can have severe symptoms, but the types of symptoms experienced depend on where the tumour develops in the brain.

Symptoms can include headaches, nausea (feeling sick), loss of appetite, vomiting, and changes in personality, mood, mental capacity and concentration. About one fifth of patients with glioma have seizures (fits) for months or years before the disease is diagnosed.

Glioma is a long-term debilitating and life-threatening disease because of the severe damage to the brain, and is associated with poor long-term survival.

#### What is the estimated number of patients affected by the condition?

At the time of designation, glioma affected approximately 2 in 10,000 people in the European Union (EU). This was equivalent to a total of around 102,000 people<sup>\*</sup>, and is below the ceiling for orphan designation, which is 5 people in 10,000. This is based on the information provided by the sponsor and the knowledge of the Committee for Orphan Medicinal Products (COMP).

#### What treatments are available?

At the time of designation, several medicines were authorised for the treatment of glioma in the EU. Treatments included surgery, radiotherapy (treatment with radiation), and chemotherapy (medicines to treat cancer) to improve survival. Patients also received treatments for the symptoms of glioma, including corticosteroids to reduce pressure within the skull and medicines to prevent seizures.

---

<sup>\*</sup>Disclaimer: For the purpose of the designation, the number of patients affected by the condition is estimated and assessed on the basis of data from the European Union (EU 28), Norway, Iceland and Liechtenstein. This represents a population of 511,100,000 (Eurostat 2014).



The sponsor has provided sufficient information to show that the medicine might be of significant benefit for patients with glioma because early studies in experimental models showed that the medicine might improve the survival of patients with the condition who have previously received other treatments. This assumption will need to be confirmed at the time of marketing authorisation, in order to maintain the orphan status.

### **How is this medicine expected to work?**

Chloroquine has been used for more than 70 years for the treatment and prevention of malaria and is also used extensively in the treatment of rheumatoid arthritis (an immune system disease causing damage and inflammation in the joints).

In glioma, chloroquine is expected to work by blocking a process known as 'autophagy'. Autophagy occurs when cells outgrow their blood supply and need to break down some of their own internal structures in order to survive.

As glioma tumours, particularly the aggressive ones, are thought to rely on autophagy to survive, it is expected that, by blocking autophagy, chloroquine will be able to slow the growth of the glioma cells and make them more sensitive to radiotherapy.

### **What is the stage of development of this medicine?**

The effects of chloroquine have been evaluated in experimental models.

At the time of submission of the application for orphan designation, clinical trials with the medicine in patients with glioma were ongoing.

At the time of submission, chloroquine was authorised in several EU countries for the prevention and treatment of malaria as well as for the treatment of rheumatoid arthritis.

At the time of submission, chloroquine was not authorised anywhere in the EU for glioma or designated as an orphan medicinal product elsewhere for this condition.

In accordance with Regulation (EC) No 141/2000 of 16 December 1999, the COMP adopted a positive opinion on 9 October 2014 recommending the granting of this designation.

---

Opinions on orphan medicinal product designations are based on the following three criteria:

- the seriousness of the condition;
- the existence of alternative methods of diagnosis, prevention or treatment;
- either the rarity of the condition (affecting not more than 5 in 10,000 people in the EU) or insufficient returns on investment.

Designated orphan medicinal products are products that are still under investigation and are considered for orphan designation on the basis of potential activity. An orphan designation is not a marketing authorisation. As a consequence, demonstration of quality, safety and efficacy is necessary before a product can be granted a marketing authorisation.

## For more information

Sponsor's contact details:

DualTpharma B.V.  
Bosschstraat 111 D 01  
6211AW Maastricht  
The Netherlands  
Tel. +31 88 445 5666  
Fax +31 88 445 5776  
E-mail: [info@dualtpharma.com](mailto:info@dualtpharma.com)

For contact details of patients' organisations whose activities are targeted at rare diseases see:

- [Orphanet](#), a database containing information on rare diseases, which includes a directory of patients' organisations registered in Europe;
- [European Organisation for Rare Diseases \(EURORDIS\)](#), a non-governmental alliance of patient organisations and individuals active in the field of rare diseases.

## Translations of the active ingredient and indication in all official EU languages<sup>1</sup>, Norwegian and Icelandic

| Language   | Active ingredient | Indication              |
|------------|-------------------|-------------------------|
| English    | Chloroquine       | Treatment of glioma     |
| Bulgarian  | Хлороквин         | Лечение на глиома       |
| Croatian   | Klorokin          | Liječenje glioma        |
| Czech      | Chlorochin        | Léčba gliomů            |
| Danish     | Chloroquin        | Behandling af gliom     |
| Dutch      | Chloroquine       | Behandeling van glioma  |
| Estonian   | Klorokiin         | Glioomi ravi            |
| Finnish    | Klorokiini        | Gliooman hoito          |
| French     | Chloroquin        | Traitement des gliomes  |
| German     | Chloroquin        | Behandlung von Gliomen  |
| Greek      | Χλωροκίνη         | Θεραπεία του γλοιώματος |
| Hungarian  | Klorokin          | Glioma kezelése         |
| Italian    | Cloroquina        | Trattamento del glioma  |
| Latvian    | Hlorokvīns        | Gliomas ārstēšana       |
| Lithuanian | Chlorokvinas      | Gliomos gydymas         |
| Maltese    | Chloroquine       | Kura tal-glioma         |
| Polish     | Chlorochina       | Leczenie glejaka        |
| Portuguese | Cloroquina        | Tratamento do glioma    |
| Romanian   | Clorochină        | Tratamentul gliomului   |
| Slovak     | Chlorochín        | Liečba gliómu           |
| Slovenian  | Klorokvin         | Zdravljenje glioma      |
| Spanish    | Cloroquina        | Tratamiento del glioma  |
| Swedish    | Klorokin          | Behandling av gliom     |
| Norwegian  | Klorokin          | Behandling av gliom     |
| Icelandic  | Klórókín          | Meðferð á glíóma        |

<sup>1</sup> At the time of designation