

17 October 2014
EMA/511537/2014
Human Medicines Research and Development Support Division

Public summary of the evaluation of the proposed paediatric investigation plan

Tobramycin for treatment of *Pseudomonas aeruginosa* pulmonary infection/colonisation in patients with cystic fibrosis

On 20 June 2014, the Paediatric Committee of the European Medicines Agency agreed a Paediatric Investigation Plan* (PIP) for tobramycin for the treatment of *Pseudomonas aeruginosa* pulmonary infection/colonisation in patients with cystic fibrosis (EMEA-000184-PIP02-14).

What is Tobi (Tobramycin), and how is it expected to work?

Tobi (tobramycin) is a medicine currently authorised in adults and children for the long-term management of chronic pulmonary infection due to *P. aeruginosa* in cystic fibrosis (CF) patients aged 6 years and older.

This medicine is an aminoglycoside antibiotic used to treat certain bacterial infections such as *Pseudomonas aeruginosa* lung infections.

What was the proposal from the applicant?

For children, the applicant proposed:

To study the medicine in children with cystic fibrosis from 3 months to less than 7 years of age affected by *P. aeruginosa* infection, in a paediatric investigation plan*. The future indication proposed for children is treatment of *P. aeruginosa* pulmonary infection/colonisation in cystic fibrosis patients from 3 months to less than 7 years of age.

The plan includes a proposal to show efficacy and safety of the medicine in clinical studies.

Is there a need to treat children affected by *P. aeruginosa* pulmonary infection/colonisation in patients with cystic fibrosis?

Taking into account the proposed indication in adults and older children, and the characteristics of the medicine, the Paediatric Committee considered this medicine of potential use for the treatment of *P. aeruginosa* pulmonary infection/colonisation in cystic fibrosis patients from 3 months to less than 7 years of age.

What did the Paediatric Committee conclude on the potential use of this medicine in children?

At present, no treatment is authorised to treat early *P. aeruginosa* infection in children 6 years and younger in the European Union. Therefore, the Committee considered that new data are required to decide whether the use of this medicine will bring a benefit to children from 3 months to less than 7 years of age affected by the condition, and to understand any potential risks.

What is the content of the Plan after evaluation?

The Paediatric Committee considered that:

- Studies are not necessary in newborn and infants from birth to less than 3 months of age because the specific medicinal product does not represent a significant therapeutic benefit and because in children from 7 to less than 18 years there are no unaddressed medical needs.
- It is necessary to study if the medicine is efficacious to treat the disease in children 3 months to less than 7 years of age. This will be done in 1 study comparing the medicine to placebo*.

What happens next?

The applicant has now received the EMA Decision* on this medicine. The Decision itself is necessary for the applicant to request in the future a paediatric use marketing authorisation*.

The Decision* on the agreed Paediatric Investigation Plan means that the applicant is bound to perform the studies and trials with children in the next months or years. In case of difficulties, or a change in current knowledge or availability of new data, the applicant may request changes to the plan at a later stage. This can be done through a modification of the PIP.

The agreed completion of all the studies and trials included in the Paediatric Investigation Plan is September 2015.

Trials in the Paediatric Investigation Plan will be listed in the public EU Clinical Trials Register (<https://www.clinicaltrialsregister.eu/>) as soon as they have been authorised to be started, and their results will have to be listed in the register within 6 months after they have completed.

The results of the studies conducted in accordance with the agreed Paediatric Investigation Plan will be assessed, and any relevant information will be included in the Product Information (summary of product characteristics, package leaflet). If the medicine proves to be efficacious and safe to use in children, it can be authorised for paediatric use, with appropriate recommendations on the dose and on necessary precautions. The product information will also describe which adverse effects are expected with the medicine, and wherever possible, how to prevent or reduce these effects.

***Definitions:**

Applicant	The pharmaceutical company or person proposing the Paediatric Investigation Plan or requesting the Product-Specific Waiver
Children	All children, from birth to the day of the 18 th birthday.
Paediatric investigation plan (PIP)	Set of studies and measures, usually including clinical studies in children, to evaluate the benefits and the risks of the use of a medicine in children, for a given disease or condition. A PIP may include “partial” waivers (for example, for younger children) and/or a deferral (see below).
Waiver	An exemption from conducting studies in children, for a given disease or condition. This can be granted for all children (product-specific waiver), or in specific subsets (partial waiver): for example, in boys or in children below a given age.
Deferral	The possibility to request marketing authorisation for the use of the medicine in adults, before completing one or more of the studies /measures included in a PIP. The Paediatric Committee may grant a deferral to avoid a delay in the availability of the medicine for adults.
Opinion	The result of the evaluation by the Paediatric Committee of the European Medicines Agency. The opinion may grant a product-specific waiver, or agree a PIP.
Decision	The legal act issued by the European Medicines Agency, which puts into effect the Opinion of the Paediatric Committee.
Pharmaceutical form	The physical aspect of the medicine (the form in which it is presented), for example: a tablet, capsule, powder, solution for injection, etc. A medicine can have more than one pharmaceutical form.
Placebo	A substance that has no therapeutic effect, used as a control in testing new drugs.
Active control	A medicine with therapeutic effect, used as a control in testing new drugs.
Historical control	A group of patients with the same disease, treated in the past and used in a comparison with the patients treated with the new drug.
Route of administration	How a medicine is given to the patient. For example: for oral use, for intramuscular use, for intravenous use, etc. The same medicine, or the same pharmaceutical form, may be given through more than one route of administration.
Patent	A form of protection of intellectual property rights. If a medicinal product is protected by a patent, the patent holder has the sole right to make, use, and sell the product, for a limited period. In certain circumstances, a patent for a medicinal product may be extended for a variable period by a Supplementary Protection Certificate.
Marketing Authorisation	When a Marketing Authorisation is granted, the pharmaceutical company may start selling the medicine in the relevant country (in the whole European Union, if the procedure was a centralised one).