

ID	Substance Group	Substances
1	VALERIANA	ACIDUM PHOSPHORICUM D10, ACIDUM PHOSPHORICUM D30, ARGENTUM NITRICUM D10, AVENA SATIVA D10, AVENA SATIVA D30, ARGENTUM NITRICUM D30, PLATINUM METALLICUM D10, PLATINUM METALLICUM D30, SEPIA OFFICINALIS D10, SEPIA OFFICINALIS D30, STRYCHNOS IGNATII D10, STRYCHNOS IGNATII D30, VALERIANA OFFICINALIS D10, VALERIANA OFFICINALIS D30
1	VALERIANA	ACIDUM PHOSPHORICUM DIL. D 4, AMBRA GRISEA DIL. D 3, AURUM METALLICUM DIL. D 8, AVENA SATIVA DIL. D 3, HUMULUS LUPULUS URT., PASSIFLORA INCARNATA DIL. D 3, SELENIUM DIL. D 8, VALERIANA OFFICINALIS URT.
1	VALERIANA	AGARICUS DIL. D 6, ASA FOETIDA DIL. D 5, STRYCHNOS IGNATII DIL. D 6, VALERIANA OFFICINALIS DIL. D 3, ZINCUM ISOVALERIANICUM DIL. D 8
1	VALERIANA	ANAMIRTA COCCULUS DIL D 15, AVENA SATIVA DIL. D 1, KALIUM PHOSPHORICUM DIL. D 6, PASSIFLORA INCARNATA DIL. D 2, RAUWOLFIA SERPENTINA_D4, SEMECARPUS ANACARDIUM DIL. D 4, VALERIANA OFFICINALIS DIL. D 3
1	VALERIANA	ANGELICA ROOT, LAVANDULAE FLOS, VALERIANAE RADIX, MELISSAE HERBA, LUPULI STROBILUS
1	VALERIANA	ARNICA MONTANA D3, CRATAEGUS D1, VALERIANA OFFICINALIS D2, CONVALLARIA MAJALIS D2, CYTISUS SCOPARIUS D1, NATRIUM TETRACHLOROAUURATUM D6
1	VALERIANA	ASA FOETIDA D4, VALERIANA OFFICINALIS D4, CONVALLARIA MAJALIS D6, LYCOPUS VIRGINICUS D4
1	VALERIANA	AURUM METALLICUM DIL. D5, CAMPHORA DIL. D3 AQUOS. (HAB, SV 5B), SELENICEREUS GRANDIFLORUS EX HERBA FERM 33D DIL. D2 (HAB, VS. 33D), STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D3 (HAB, VS. 35B), VALERIANA OFFICINALIS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
1	VALERIANA	AURUM METALLICUM DIL. D9, CAMPHORA DIL. D3 AQUOS. (HAB, SV 5B), SELENICEREUS GRANDIFLORUS EX HERBA FERM 33D DIL. D3 (HAB, VS. 33D), STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D5 (HAB, VS. 35B), VALERIANA OFFICINALIS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
1	VALERIANA	AVENA SATIVA 2B Ø, COFFEA TOSTA, ETHANOL. DECOCTUM DIL. D60, PASSIFLORA INCARNATA Ø, VALERIANA, ETHANOL. DECOCTUM Ø, HUMULUS LUPULUS Ø
1	VALERIANA	AVENA SATIVA FERM 33C DIL. D2, CONCHAE DIL. D6, SULFUR DIL. D24 AQUOS., VALERIANA OFFICINALIS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), PHOSPHORUS DIL. D24
1	VALERIANA	AVENA SATIVA FERM 33C Ø, HUMULUS LUPULUS EX HERBA ET FRUCTIBUS FERM 34D Ø (HAB, VS. 34D), VALERIANA OFFICINALIS E RADICE FERM 33C Ø (HAB, VS. 33C), PASSIFLORA CAERULEA EX HERBA FERM 33C Ø (HAB, VS. 33C)
1	VALERIANA	AVENA SATIVA MOTHER TINCTURE, IGNATIA DIL. D4, VALERIANA DIL. D4, TARANTULA DIL. D4, VERATRUM DIL. D4
1	VALERIANA	AVENA SATIVA MOTHER TINCTURE, PASSIFLORA INCARNATA MOTHER TINCTURE, VALERIANA OFFICINALIS MOTHER TINCTURE
1	VALERIANA	BALDRIANÖL
1	VALERIANA	BALDRIANWURZEL-PULVER
1	VALERIANA	BALDRIANWURZEL-TROCKENEXTRAKT
1	VALERIANA	BLACK HOREHOUND, HAWTHORN BERRIES, VALERIANA OFFICINALIS EXTRACT, PASSION FLOWER EXTRACT
1	VALERIANA	CACTUS D2, CAMPHORA D2, CRATAEGUS D2, VALERIANA OFFICINALIS URTINKTUR=D1, AETHER SULFURICUS D1
1	VALERIANA	CACTUS DIL. D1, LEONURUS CARDIACA MOTHER TINCTURE, NERIUM OLEANDER D4, VALERIANA OFFICINALIS MOTHER TINCTURE, CRATAEGUS MOTHER TINCTURE
1	VALERIANA	CAFFEINE, COLA EXTRACT, CRATAEGI CUM VALERIANAE TINCTURA, CONVALLARIAE TINCTURA TITRATA
1	VALERIANA	CALCIUM GLYCEROPHOSPHATE, CRATAEGUS EXTRACT, VALERIANA OFFICINALIS EXTRACT, PASSION FLOWER EXTRACT
1	VALERIANA	CALENDULAE FLOS, CALCIUM SULFATE, CETRARIA ISLANDICA, PLANTAGO LANCEOLATA L., VALERIANA OFFICINALIS L. RADIX, POLYGONUM AVICULARE L. HERBA, GLYCYRRHIZA GLABRA ROOT, SAUSSUREA COSTUS ROOT, TERMINALIA CHEBULA FRUIT, AEGLE MARMELOS FRUIT, AQUILEGIA VULGARIS, PTEROCARPUS SANTALINUS WOOD, ELETTERIA CARDAMOMUM, ANTELAE AZADIRACHTA FRUCTUS, PIMENTA DIOICA FRUCTUS, POTENTILLA AUREA, HERBA, SYZYGIUM AROMATICUM, FLOS, KAEMPFERIA GALANGA, RHIZOMA, SIDA CORDIFOLIA, HERBA, LACTUCA SATIVA VAR. CAPITATA, FOLIUM, CINNAMOMUM CAMPHORA, AETHEROLEI FRACTIO SOLIDA
1	VALERIANA	CALENDULAE FLOS, CETRARIA ISLANDICA, PLANTAGO LANCEOLATA L., VALERIANA OFFICINALIS L. RADIX, POLYGONUM AVICULARE L. HERBA, GLYCYRRHIZA GLABRA ROOT, SAUSSUREA COSTUS ROOT, TERMINALIA CHEBULA FRUIT, AEGLE MARMELOS FRUIT, AQUILEGIA VULGARIS, PTEROCARPUS SANTALINUS WOOD, ELETTERIA CARDAMOMUM, ANTELAE AZADIRACHTA FRUCTUS, PIMENTA DIOICA FRUCTUS, POTENTILLA AUREA, HERBA, SYZYGIUM AROMATICUM, FLOS, KAEMPFERIA GALANGA, RHIZOMA, SIDA CORDIFOLIA, HERBA, LACTUCA SATIVA VAR. CAPITATA, FOLIUM
1	VALERIANA	CHAMOMILLA DIL. D12, KALIUM PHOSPHORICUM DIL. D6, STAPHISAGRIA DIL. D12, VALERIANA DIL. D6
1	VALERIANA	CITRONELLA OIL, BALDRIANÖL
1	VALERIANA	COFFEA ARABICA D4, AVENA SATIVA D1, PASSIFLORA INCARNATA D2, HUMULUS LUPULUS D2, ESCHSCHOLZIA CALIFORNICA D2, VALERIANA OFFICINALIS TM=D1, ZINCUM ISOVALERIANICUM D6
1	VALERIANA	CONCHAE DIL. D6, SULFUR DIL. D24 AQUOS., VALERIANA OFFICINALIS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), PHOSPHORUS DIL. D24
1	VALERIANA	CONVALLARIA TINCTURE, VALERIANAE TINCTURA (1:5), CRATAEGI FOLII CUM FLORE TINCTURA
1	VALERIANA	CRATAEGI FOLIUM CUM FLORE, LUPULI FLOS, MATRICARIAE FLOS, MELISSA LEAF, MENTHAE PIPERITAE FOLIUM, VALERIANAE RADIX
1	VALERIANA	CRATAEGI FOLIUM CUM FLORE, MELISSA LEAF, VALERIANAE RADIX, HIPPOCASTANI FLOS
1	VALERIANA	CRATAEGUS EXTRACT, PASSIFLORA EXTRACT, VALERIANAE DRY EXTRACT HYDROALCOHOLIC
1	VALERIANA	CRATAEGUS EXTRACT, VALERIANA OFFICINALIS DRY EXTRACT
1	VALERIANA	CRATAEGUS URTINKTUR, CONVALLARIA MAJALIS D2, CYTISUS SCOPARIUS D1, ARNICA MONTANA D1, NATRIUM TETRACHLOROAUURATUM D6, VALERIANA OFFICINALIS D1
1	VALERIANA	CUPRUM SULFURICUM DIL. D4, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, DRYOPTERIS FILIX-MAS EX HERBA REC. GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, ZINCUM METALLICUM DIL. D8, CHELIDONIUM MAJUS EX HERBA REC. SPAG. GLÜCKSELIG DIL. D7, VALERIANA OFFICINALIS GLÜCKSELIG Ø, FERRUM CHLORATUM SOLUTUM DIL. D3, ROSMARINUS OFFICINALIS GLÜCKSELIG Ø
1	VALERIANA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, KALIUM NITRICUM DIL. D3, STIBIUM SULFURATUM NIGRUM DIL. D8, ZINCUM METALLICUM DIL. D8, CHELIDONIUM MAJUS EX HERBA REC. SPAG. GLÜCKSELIG DIL. D7, PLUMBUM ACETICUM SPAG. GLÜCKSELIG DIL. D4, VALERIANA OFFICINALIS GLÜCKSELIG Ø
1	VALERIANA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, STIBIUM SULFURATUM NIGRUM DIL. D8, ZINCUM METALLICUM DIL. D8, PLUMBUM ACETICUM SPAG. GLÜCKSELIG DIL. D4, VALERIANA OFFICINALIS GLÜCKSELIG Ø, HELLEBORUS VIRIDIS EX HERBIS D3, CAMPHORA 11,9 MG

ID	Substance Group	Substances
1	VALERIANA	D-CAMPOR, ACONITUM NAPELLUS, CALCIUM SULFATE, CETRARIA ISLANDICA, PLANTAGO LANCEOLATA L., VALERIANA OFFICINALIS L. RADIX, POLYGONUM AVICULARE L. HERBA, GLYCYRRHIZA GLABRA ROOT, AZADIRACHTA INDICA, SAUSSUREA COSTUS ROOT, TERMINALIA CHEBULA FRUIT, AEGLE MARMELOS FRUIT, AQUILEGIA VULGARIS, PTEROCARPUS SANTALINUS WOOD, ELETTERIA CARDAMOMUM, PIMENTA DIOICA FRUCTUS, POTENTILLA AUREA, HERBA, SYZYGIUM AROMATICUM, FLOS, KAEMPFERIA GALANGA, RHIZOMA, SIDA CORDIFOLIA, HERBA, LACTUCA SATIVA VAR. CAPITATA, FOLIUM, CALENDULA OFFICINALIS, FLOS CUM CALYCE
1	VALERIANA	DRY HYDROALCOHOLIC EXTRACT (36.3 % V/V) OF VALERIAN (VALERIANA OFFICINALIS L. RADIX) (2.25 – 3.6 : 1)
1	VALERIANA	ETHANOL, AVENA SATIVA URTINKTUR, STRYCHNOS IGNATII DIL. D4, VALERIANA OFFICINALIS DIL. D3, SELENIUM D8 DIL., GELSEMIUM DIL D4
1	VALERIANA	ETHANOL, CRATAEGUS URTINKTUR, VALERIANA OFFICINALIS Ø, LOBELIA INFLATA DIL. D4, CACTUS DIL. D4, CAMPHORA DIL. D2, IGNATIA DIL. D4
1	VALERIANA	EXTR. FL. (1:1) EX: CRATAEGI FR. (36 PARTS), VALERIANAE RAD.(36 PARTS), LUPULI STROB. (18 PARTS), PASSIFLORAE HERBA (10 PARTS)
1	VALERIANA	EXTRACTUM COMPOSITUM (1:2) EX: VALERIANAE RADICE, ANGELICAE RADICE, MELISSAE HERBA, LUPULI FLORE, LAVANDULAE FLORE
1	VALERIANA	EXTRACTUM COMPOSITUM EX: VALERIANA OFFICINALIS L., RADIX - 5 P.; MELISSA OFFICINALIS L., HERBA - 5 P.; ARCHANGELICA OFFICINALIS HOFFM., RADIX – 4 P.; HUMULUS LUPULUS L., STROBILUS – 3 P.; LAVANDULA OFFICINALIS CHAIX EX VILLARS, FLOS -3 P.;
1	VALERIANA	EXTRACTUM FLUIDUM EX: CRATAEGI FRUCTU ET VALERIANAE RADICE (1:1)
1	VALERIANA	GELSEMIUM SEMPERVIRENS, IGNATIA AMARA, PASSIFLORA INCARNATA, VALERIANA OFFICINALIS, HYOSCYAMUS NIGER, KALIUM PHOSPHORICUM, SUMBUL
1	VALERIANA	GUAIFENESIN, HYPERICI HERBA-LUPULOS-CRATAEGI FOLIUM CUM FLORE-VALERIANAE RADIX-SAMBUCUS FLOWERS-MELISSA-PASSION FLOWER
1	VALERIANA	HAWTHORN BERRIES, PASSIFLORA EXTRACT, GAMMA-AMINO-BETA-HYDROXYBUTYRIC ACID, CHAMOMILLAE EXTRACTUM, VALERIANA OFFICINALIS LIQUID EXTRACT
1	VALERIANA	HOP CONES DRY EXTRACT, VALERIANA ROOT DRY EXTRACT
1	VALERIANA	HOP EXTRACT, DRY EXTRACT OF PASSION FLOWER (5-7:1), VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V)
1	VALERIANA	HOPS TE WITH METHANOL/METHANOL-WATER, BALDRIANWURZEL-TROCKENEXTRAKT
1	VALERIANA	HOPS, SCULLCAP, VERVAIN DRY EXTRACT, VALERIAN DRY EXTRACT
1	VALERIANA	HOPS, VALERIANA ROOT DRY EXTRACT
1	VALERIANA	HUMULI LUPULI EXTRACTUM FLUIDUM (1:1), AVENAE HERBAE RECENTIS INTRACTUM (1:1), ROSAE FRUCTUS TINCTURA (1:5), CRATAEGI INFLORESCENTIA TINCTURA (1:3,25-3,75), HYPERICI HERBAE TINCTURA (1:5), VALERIANAE RADICIS TINCTURA (1:4,0-4,5), MELLISAE HERBAE RECENTIS INTRACTUM (1:1)
1	VALERIANA	HUMULUS LUPULUS EXTRACT, VALERIANA OFFICINALIS
1	VALERIANA	HUMULUS LUPULUS EXTRACT, VALERIANA OFFICINALIS DRY EXTRACT
1	VALERIANA	HYOSCYAMUS DIL. D1, VALERIANA, ETHANOL. DECOCTUM DIL. D3
1	VALERIANA	HYOSCYAMUS RH DIL. D1, VALERIANA OFFICINALIS, RADIX RH DIL. D3
1	VALERIANA	HYPERICI INTRACTUM (1:1), AMARA TINCTURA, VALERIANAE RADICIS TINCTURA (1:4,0-4,5), MENTHAE PIPERITAE TINCTURA
1	VALERIANA	HYPERICUM EXTRACT, MELISSA EXTRACT, VALERIANA OFFICINALIS EXTRACT
1	VALERIANA	HYPERICUM EXTRACT, VALERIANA OFFICINALIS DRY EXTRACT
1	VALERIANA	INFUSION VALERIAN CONC. BPC 1963, SCULLCAP TINCTURE, BARBERRY BARK LIQUID EXTRACT
1	VALERIANA	LUPULI FLOS, MELISSA LEAF, VALERIANAE RADIX, LEONURUS CARDIACA L. HERBA
1	VALERIANA	LUPULUS, AVENA SATIVA, HYOSCYAMUS, MATRICARIA RECUTITA, PASSIFLORA, COCCULUS, VALERIANA OFFICINALIS D2
1	VALERIANA	MAGNESIUM OXIDE, PYRIDOXINE HYDROCHLORIDE, VALERIANAE RADICIS EXTRACTUM SICCUM (DER 3-6:1), MELISSAE HERBAE EXTRACTUM SICCUM (DER 6-8:1)
1	VALERIANA	MALTODEXTRIN, VALERIANA OFFICINALIS DRY EXTRACT, SILICIUM DIOXIDE
1	VALERIANA	MATRICARIA RECUTITA D6, GELSEMIUM SEMPERVIRENS D6, VALERIANA OFFICINALIS D4, PASSIFLORA INCARNATA D4, COFFEA D6, RESERPINUM D8
1	VALERIANA	MATRICARIA RECUTITA, VALERIAN, SCULLCAP
1	VALERIANA	MELISSA EXTRACT, VALERIANA OFFICINALIS DRY EXTRACT
1	VALERIANA	MELISSA LEAF DRY EXTRACT, VALERIANA ROOT DRY EXTRACT
1	VALERIANA	MELISSA LEAF, CRATAEGUS, LEONURUS CARDIACA EXTRACT, VALERIANA OFFICINALIS
1	VALERIANA	MELISSA LEAF, HUMULUS LUPULUS, VALERIANAE RADIX
1	VALERIANA	MELISSA LEAF, MENTHAE PIPERITAE FOLIUM, ACHILLEA MILLEFOLIUM L. HERBA, VALERIANAE RADIX, CHAMOMILLAE ANTHODIUM
1	VALERIANA	MELISSA LEAF, MENTHAE PIPERITAE FOLIUM, VALERIANAE RADIX, CRATAEGI INFLORESCENTIA, CHAMOMILLAE ANTHODIUM, LUPULI STROBILUS
1	VALERIANA	MELISSA LEAF, VALERIANAE RADIX
1	VALERIANA	MELISSAE FOLII EXTRACTUM SICCUM (DER 4-6:1), PASSIFLORAE HERBAE EXTRACTUM SICCUM, VALERIANAE EXTRACTUM SICCUM (3 - 6 : 1), ETHANOL 70%
1	VALERIANA	MELISSAE FOLII EXTRACTUM SICCUM (DER 4-6:1), PASSIFLORAE HERBAE EXTRACTUM SICCUM, VALERIANAE EXTRACTUM SICCUM (5.0 - 6.0 : 1), ETHANOL 70% (V/V)
1	VALERIANA	MENTHA PIPERITA TINCTURE, VALERIAN TINCTURE, HYPERICI TINCTURA, AMARA TINCTURA
1	VALERIANA	MENTHA PIPERITA, VALERIANA OFFICINALIS, MELISSA OFFICINALIS
1	VALERIANA	MENTHAE PIPERITAE TINCTURA, VALERIANAE TINCTURA (1:5), LIQUID EXTRACT FROM HAWTHORN BERRIES 1:1
1	VALERIANA	MENTHOL, RACEMIC, BELLADONNA TINCTURE, CONVALLARIA TINCTURE, VALERIANAE TINCTURA (1:5)
1	VALERIANA	PASSIFLORA INCARNATA LIQUID EXTRACT, PISCIDIA ERYTHRINA LIQUID EXTRACT, HUMULUS LUPULUS LIQUID EXTRACT, VALERIANA OFFICINALIS LIQUID EXTRACT, SCUTELLARIA LATERIFLORA LIQUID EXTRACT
1	VALERIANA	PASSIFLORA INCARNATA, VALERIANA OFFICINALIS
1	VALERIANA	PASSIFLORAE HERBAE EXTRACTUM SICCUM, VALERIANAE EXTRACTUM SICCUM (3 - 6 : 1), ETHANOL 70%
1	VALERIANA	PASSIFLORAE HERBAE TINCTURE, HOP STROBILES TINCTURE, VALERIAN RADIX INTRACT

ID	Substance Group	Substances
1	VALERIANA	PLATINUM METALLICUM TRIT. D 8, CIMICIFUGA TRIT. D3, COCCULUS TRIT. D4, CYPRIPEDIUM PUBESCENS TRIT. D4, IGNATIA TRIT. D6, LILIUM TIGRINUM TRIT. D6, PASSIFLORA INCARNATA TRIT. D3, VALERIANA TRIT. D2, ZINCUM VALERIANICUM TRIT. D3
1	VALERIANA	PLATINUM METALLICUM, CYPRIPEDIUM PUBESCENS D3, CIMICIFUGA, IGNATIA, PASSIFLORA INCARNATA, VALERIANA OFFICINALIS, COCCULUS, ZINC VALERATE DIHYDRATE
1	VALERIANA	RHUBARB, GINGER, HYDRASTIS CANADENSIS, VALERIAN, COMMIPHORA MYRRHA
1	VALERIANA	SACAROSA, MELISSA LEAF DRY EXTRACT, VALERIANA ROOT DRY EXTRACT
1	VALERIANA	SENNA LEAF POWDER, ALOES POWDERED, CASCARA POWDER, VALERIAN ROOT POWDERED, DANDELION ROOT POWDERED
1	VALERIANA	SKULLCAP, VERVAIN DRY EXTRACT, VALERIANA ROOT DRY EXTRACT, GENTIAN ROOT DRY EXTRACT
1	VALERIANA	SODIUM GLYCEROPHOSPHATE, VALERIAN EXTRACT
1	VALERIANA	SODIUM GLYCEROPHOSPHATE, VALERIANA, EXTRACT
1	VALERIANA	TINCTURE FROM VALERIAN ROOT/MOTHERWORT HERB/HOP STROBILE/PEPPERMINT LEAF (3/3/2/2) 1:5
1	VALERIANA	TROCKENEXTRAKT AUS BALDRIANWURZEL (3-6:1)
1	VALERIANA	TROCKENEXTRAKT AUS BALDRIANWURZEL IN EINEM VERHÄLTNIS VON DROGE ZU EXTRAKT WIE 5,5-7,4:1 AUSZUGSMITTEL ETHANOL 85% (V/V), TROCKENEXTRAKT AUS HOPFENZAPFEN IN EINEM VERHÄLTNIS VON DROGE ZU EXTRAKT WIE 9-11:1 AUSZUGSMITTEL ETHANOL 90% (V/V)
1	VALERIANA	TROCKENEXTRAKT AUS BALDRIANWURZELN (5,3 – 6,6:1), AUSZUGSMITTEL: METHANOL, TROCKENEXTRAKT AUS HOPFENZAPFEN (5,5 – 6,5:1), AUSZUGSMITTEL: WASSER
1	VALERIANA	TROCKENEXTRAKT AUS HOPFENZAPFEN (4-8:1), AUSZUGSMITTEL: ETHANOL 40 % (V/V), TROCKENEXTRAKT AUS BALDRIANWURZEL (3-6:1), AUSZUGSMITTEL: ETHANOL 70% (V/V)
1	VALERIANA	TROCKENEXTRAKT AUS MELISSENBLÄTTERN (4-6 :1), AUSZUGSMITTEL METHANOL 30% (V/V), VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V)
1	VALERIANA	TROCKENEXTRAKT AUS MELISSENBLÄTTERN (4-6 :1), AUSZUGSMITTEL METHANOL 30% (V/V), VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V), TROCKENEXTRAKT AUS PASSIONSBLUMENKRAUT (5-7 :1), AUSZUGSMITTEL ETHANOL 50% (V/V)
1	VALERIANA	TROCKENEXTRAKT AUS PASSIONSBLUMENKRAUT (5-7 :1), AUSZUGSMITTEL ETHANOL 50% (V/V), TROCKENEXTRAKT AUS BALDRIANWURZELN (4-7:1), AUSZUGSMITTEL: ETHANOL 40 % (V/V);, TROCKENEXTRAKT AUS HOPFENZAPFEN (4-8:1), AUSZUGSMITTEL: ETHANOL 40 % (V/V)
1	VALERIANA	VALERIAN
1	VALERIANA	VALERIAN DRY EXTRACT, WILD LETTUCE DRY EXTRACT, PASSIFLORA DRY EXTRACT
1	VALERIANA	VALERIAN DRY ROOT EXTRACT - VALERIANAE RADIX (3-4:1) (EXTRACTION SOLVENT: ETHANOL 60%, V/V)
1	VALERIANA	VALERIAN EXTRACT, HOP EXTRACT
1	VALERIANA	VALERIAN EXTRACT, HOPS, PASSION FLOWER EXTRACT
1	VALERIANA	VALERIAN EXTRACT, PASSION FLOWER EXTRACT
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V), TROCKENEXTRAKT AUS HOPFENZAPFEN (4-8:1), AUSZUGSMITTEL: ETHANOL 40 % (V/V)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (4-5:1), METHANOL 50 % (V/V), HOP CONE DRY EXTRACT (3,4-4,2:1), METHANOL 50 % (V/V)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (4-5:1), METHANOL 51,25%, HOP CONE DRY EXTRACT (3,4-4,2:1), METHANOL 51,25 % (V/V)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (4-7:1), HOP STROBILE DRY EXTRACT (4-8:1)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT (DER: 3 - 6 : 1)
1	VALERIANA	VALERIAN ROOT DRY EXTRACT PREPARATION, HOP CONE DRY EXTRACT PREPARATION
1	VALERIANA	VALERIAN ROOT DRY HYDROALCOHOLIC EXTRACT (3-6:1; EXTRACTION SOLVENT: ETHANOL 70% V/V)
1	VALERIANA	VALERIAN ROOT DRY HYDROALCOHOLIC EXTRACT, HAWTHORN (FLOWERING TOP POWDER)
1	VALERIANA	VALERIAN ROOT EXTRACT
1	VALERIANA	VALERIAN TINCTURE
1	VALERIANA	VALERIAN TINCTURE, HYPERICI HERBA EXTRACTUM, MENTHAE PIPERITAE TINCTURA, TINCTURA AMARA
1	VALERIANA	VALERIAN TINCTURE, TINCTURE FROM MOTHERWORT HERB 1:5, LIQUID EXTRACT FROM HAWTHORN BERRIES 1:1
1	VALERIANA	VALERIAN TINCTURE, TINCTURE FROM MOTHERWORT HERB 1:5, TINCTURE FROM HAWTHORN BERRIES 1:10
1	VALERIANA	VALERIANA OFFICINALIS
1	VALERIANA	VALERIANA OFFICINALIS DIL. D3, PASSIFLORA INCARNATA DIL. D2, ANAMIRTA COCCULUS DIL. D4, AVENA SATIVA DIL. D2, HUMULUS LUPULUS DIL. D3
1	VALERIANA	VALERIANA OFFICINALIS DRY EXTRACT
1	VALERIANA	VALERIANA OFFICINALIS DRY EXTRACT, HUMULUS LUPULUS DRY EXTRACT, MELISSA OFFICINALIS DRY EXTRACT
1	VALERIANA	VALERIANA OFFICINALIS DRY EXTRACT, MELISSA OFFICINALIS L.
1	VALERIANA	VALERIANA OFFICINALIS DRY EXTRACT, PASSIFLORA INCARNATA DRY EXTRACT
1	VALERIANA	VALERIANA OFFICINALIS DRY EXTRACT, PASSIFLORA INCARNATA DRY EXTRACT, MELISSA OFFICINALIS DRY EXTRACT
1	VALERIANA	VALERIANA OFFICINALIS L.
1	VALERIANA	VALERIANA OFFICINALIS L. RADIX
1	VALERIANA	VALERIANA OFFICINALIS L. RADIX, FOENICULUM VULGARE MILLER SP. VULGARE VAR. DULCE (MILLER) THELLUNG, MENTHA × PIPERITA L. FOLIUM
1	VALERIANA	VALERIANA OFFICINALIS L. RADIX, MELISSA OFFICINALIS L. FOLIUM
1	VALERIANA	VALERIANA OFFICINALIS L. RADIX, MENTHA × PIPERITA L. FOLIUM, MENYANTHES TRIFOLIATA L. FOLIUM, HUMULUS LUPULUS L. FLOS
1	VALERIANA	VALERIANA OFFICINALIS L. RADIX, PASSIFLORA INCARNATA DRY EXTRACT

ID	Substance Group	Substances
1	VALERIANA	VALERIANA OFFICINALIS L. ROOT (5:1) QUANTIFIED DRY WATERY-ALCOHOLIC EXTRACT, CRATAEGUS OXYACANTHA L. AND/OR CRATAEGUS MONOGYNA JACQ. BLOOMING TOPS (5,5:1) QUANTIFIED DRY WATERY-ALCOHOLIC EXTRACT, PASSIFLORA INCARNATA L. HERB (5,9:1) QUANTIFIED DRY WATERY-ALCOHOLIC EXTRACT
1	VALERIANA	VALERIANA OFFICINALIS Ø, AVENA SATIVA DIL. D1, COFFEA DIL. D4, ESCHSCHOLZIA CALIFORNICA DIL. D2, HUMULUS LUPULUS DIL. D2, PASSIFLORA INCARNATA DIL. D2, ZINCUM VALERIANICUM DIL. D6
1	VALERIANA	VALERIANA OFFICINALIS Ø, AVENA SATIVA MOTHER TINCTURE, IGNATIA DIL. D4, TARANTULA DIL. D5
1	VALERIANA	VALERIANA OFFICINALIS Ø, SPIGELIA DIL. D4, CRATAEGUS MOTHER TINCTURE, CACTUS DIL. D2
1	VALERIANA	VALERIANA ROOT DRY EXTRACT
1	VALERIANA	VALERIANA ROOT DRY EXTRACT, HUMULUS LUPULUS DRY EXTRACT
1	VALERIANA	VALERIANA ROOT DRY EXTRACT, HYPERICI HERBAE EXTRACTUM SICCCUM, PASSIFLORAE HERBAE EXTRACTUM SICCCUM
1	VALERIANA	VALERIANAE DRY EXTRACT HYDROALCOHOLIC
1	VALERIANA	VALERIANAE EXTRACTUM SICCCUM, HUMULUS LUPULUS EXTRACTUM SICCCUM, MELISSAE EXTRACTUM SICCCUM
1	VALERIANA	VALERIANAE RADICIS EXTRACTUM SICCCUM (DER 3-6:1)
1	VALERIANA	VALERIANAE RADICIS EXTRACTUM SICCCUM (DER 3-6:1), MELISSAE FOLII EXTRACTUM SICCCUM (DER 4-6:1)
1	VALERIANA	VALERIANAE RADIX
1	VALERIANA	VALERIANAE RADIX DRY EXTRACT
1	VALERIANA	VALERIANAE RADIX DRY EXTRACT, HOP EXTRACT
1	VALERIANA	VALERIANAE RADIX DRY EXTRACT, LUPULI STROBULI EXTRACTUM SICCCUM, MELISSAE FOLII DRY AQUEOUS EXTRACT
1	VALERIANA	VALERIANAE RADIX DRY EXTRACT, PASSION FLOWER EXTRACT, HOP CONES DRY EXTRACT
1	VALERIANA	VALERIANAE RADIX DRY EXTRACT, SUCHY WYCIĄG Z SZYSZEK CHMIELU, SUCHY WYCIĄG Z ZIELA MĘCZENNICY
1	VALERIANA	VALERIANAE RADIX PULVERATA
1	VALERIANA	VALERIANAE RADIX, EXTRACTUM METHANOLICUM SICCCUM, MELISSAE FOLII DRY AQUEOUS EXTRACT, PASSIFLORAE HERBAE EXTRACTUM SICCCUM
1	VALERIANA	VALERIANAE TINCTURA (1:5)
2	EUCALYPTUS	ACIDUM SILICICUM TRIT. D 4, AMMONIUM BROMATUM TRIT. D 3, AMMONIUM JODATUM TRIT D 4, BRYONIA TRIT. D 3, DROSER A TRIT. D 3, EUCALYPTUS GLOBULUS TRIT. D 3, EUSPONGIA OFFICINALIS TRIT. D 4, PHYTOLACCA AMERICANA TRIT D 3, RUMEX CRISPUS TRIT. D 3, STIBIUM SULFURATUM AURANTIACUM TRIT. D 3
2	EUCALYPTUS	ACONITUM NAPELLUS DIL. D 4, EUPATORIUM PERFOLIATUM DIL. D 2, AMMONIUM CARBONICUM DIL. D 3, BRYONIA DIL. D 4, CAUSTICUM HAHNEMANNI DIL. D 15, DACTYLOPIUS COCCUS URT., EUCALYPTUS GLOBULUS DIL. D 2, KALIUM STIBYL TARTARICUM DIL D 12
2	EUCALYPTUS	ACONITUM NAPELLUS DIL. D1, EUCALYPTUS Ø, FERRUM PHOSPHORICUM DIL. D6, SABADILLA Ø, EUPATORIUM PERFOLIATUM DIL. D1, BRYONIA DIL. D1
2	EUCALYPTUS	ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D2 (HAB, VS. 33C), BRYONIA CRETICA FERM 33B DIL. D2, CINCHONA SUCCIRUBRA E CORTICE FERM 35B DIL. D1 (HAB, VS. 35B), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D DIL. D1 (HAB, VS. 33D), EUPATORIUM CANNABINUM EX HERBA FERM 33C DIL. D1 (HAB, VS. 33C)
2	EUCALYPTUS	ACONITUM NAPELLUS TRIT. D 4, CEPHAELIS IPECACUANHA TRIT. D 4, EUCALYPTUS GLOBULUS TRIT. D 2, EUPATORIUM PERFOLIATUM TRIT. D 2, GELSEMIUM SEMPERVIRENS TRIT. D 4, MERCURIUS SOLUBILIS HAHNEMANNI TRIT. D 8, NATRIUM SULFURICUM TRIT. D 3, SOLANUM LYCOPERSICUM (HAB 34) TRIT. D 3, BAPTISIA (HAB 34) D3
2	EUCALYPTUS	AMMONIA SOLUTION, EUCALYPTUS OIL BP
2	EUCALYPTUS	ANISE OIL, CAMPHOR, EUCALYPTUS OIL, THYME OIL, THYMOL, CONIFERS OIL
2	EUCALYPTUS	APIS MELLIFICA D4, ARNICA MONTANA D3, ACIDUM BENZOICUM E RESINA D3, BAPTISIA TINCTORIA D4, BRYONIA D4, COLCHICUM AUTUMNALE D4, EUCALYPTUS GLOBULUS D4, EUPATORIUM CANNABINUM D4, SOLANUM DULCAMARA D4, SOLANUM NIGRUM D4, LYCOPERSICON LYCOPERSICUM D3, MERCURIALIS PERENNIS D3, RHUS TOXICODENDRON D6, ECHINACEA D3
2	EUCALYPTUS	ARGENTUM NITRICUM DIL. D13 AQUOS. (HAB, VS. 5B), GINGIVA BOVIS GL DIL. D4 (HAB, VS. 41B), GINGIVA BOVIS GL DIL. D8 (HAB, VS. 41B), SALVIA OFFICINALIS E FOLIIS LA 20% (HAB, VS. 12C), TONSILLAE PALATINAE BOVIS GL DIL. D4 (HAB, VS. 41A), TONSILLAE PALATINAE BOVIS GL DIL. D8 (HAB, VS. 41A), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D DIL. D1 (HAB, VS. 33D), CALENDULA OFFICINALIS E FLORIBUS LA 20% (HAB, VS. 12C), ECHINACEA PALLIDA EX HERBA LA 20% (HAB, VS. 12C)
2	EUCALYPTUS	ARGENTUM NITRICUM DIL. D19 AQUOS. (HAB, VS. 5B), CHLOROPHYCEAE FERM 33E DIL. D2 (HAB, VS. 33E), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D Ø (HAB, VS. 33D), THUJA OCCIDENTALIS E SUMMITATIBUS FERM 33E DIL. D2 (HAB, VS. 33E)
2	EUCALYPTUS	ARGENTUM NITRICUM DIL. D19 AQUOS. (HAB, VS. 5B), CHLOROPHYCEAE FERM 33E DIL. D2 (HAB, VS. 33E), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D Ø (HAB, VS. 33D), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), THUJA OCCIDENTALIS E SUMMITATIBUS FERM 33E DIL. D2 (HAB, VS. 33E)
2	EUCALYPTUS	BAPTISIA (HAB) DIL. D 3, ACONITUM NAPELLUS TRIT. D 4, CEPHAELIS IPECACUANHA TRIT. D 4, EUCALYPTUS GLOBULUS TRIT. D 2, EUPATORIUM PERFOLIATUM TRIT. D 2, GELSEMIUM SEMPERVIRENS TRIT. D 4, MERCURIUS SOLUBILIS HAHNEMANNI TRIT. D 8, NATRIUM SULFURICUM TRIT. D 3, SOLANUM LYCOPERSICUM (HAB 34) TRIT. D 3
2	EUCALYPTUS	BELLADONNA Ø, EUCALYPTUS Ø, APIS MELLIFICA Ø, WHITE CLAY
2	EUCALYPTUS	BENZOIN TINCTURE, EUCALYPTUS TINCTURE, THYME OIL
2	EUCALYPTUS	BENZYL ALCOHOL, EUCALYPTUS OIL
2	EUCALYPTUS	BENZYL ALCOHOL, LEVOMENTHOL, CAMPHOR, RACEMIC, THYMOL, TOLU BALSAM, EUCALYPTUS ESSENTIAL OIL
2	EUCALYPTUS	BERBERIS VULGARIS E FRUCTIBUS FERM 33C Ø (HAB, VS. 33C), BALSAMUM PERUVIANUM, CAJPUTI AETHEROLEUM, WÄSSRIGE KOLLOIDE SILICIUMDIOXIDLÖSUNG (ENTSPRECHEND SILICEA COLLOIDALIS 0,05 G) HERGESTELLT MIT CITRONENSÄURE-MONOHYDRAT, EUCALYPTUS OIL, PRUNUS SPINOSA E FRUCTIBUS LA 25% (HAB, VS. 120)
2	EUCALYPTUS	CAJUPUT OIL, EUCALYPTUS OIL, MENTHOL BP, METHYL SALICYLATE BP, SWEET BIRCH OIL
2	EUCALYPTUS	CAMPHOR, CAPSICUM OLEORESIN, EUCALYPTUS OIL, TURPENTINE OIL
2	EUCALYPTUS	CAMPHOR, EUCALYPTUS OIL, EUCALYPTUS FLAVOUR
2	EUCALYPTUS	CAMPHOR, EUCALYPTUS OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
2	EUCALYPTUS	CAMPHOR, EUCALYPTUS OIL, TURPENTINE OIL, MAJORANAE OLEUM

ID	Substance Group	Substances
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, PINE OIL
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, THYME OIL
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, THYME OIL, TURPENTINE OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, TURPENTINE OIL
2	EUCALYPTUS	CAMPBOR, RACEMIC, EUCALYPTUS OIL, TURPENTINE OIL, MARJORAM OIL
2	EUCALYPTUS	CAMPBOR, RACEMIC, PERU BALSAM, EUCALYPTUS OIL, ROSEMARY OIL
2	EUCALYPTUS	CEPHAELIS IPECACUANHA D4, CETRARIA ISLANDICA D3, EUCALYPTUS GLOBULUS D2
2	EUCALYPTUS	CEPHAELIS IPECACUANHA D4, EUCALYPTUS GLOBULUS D6, STIBIUM SULFURATUM AURANTIACUM D8
2	EUCALYPTUS	CERA FLAVA, DROSERA E PLANTA TOTA FERM 33C DIL. D3 (HAB, VS. 33C), TEREBINTHINA LARICINA, THYMI AETHEROLEUM, PETASITES HYBRIDUS E RADICE FERM 33C DIL. D1 (HAB, VS. 33C), PLANTAGO LANCEOLATA E FOLIIS FERM 34C DIL. D1 (HAB, VS. 34C), D-CAMPBOR, EUCALYPTUS OIL
2	EUCALYPTUS	CETYLPYRIDINIUM CHLORIDE, MENTHOL, EUCALYPTUS OIL
2	EUCALYPTUS	CUPRUM SULFURICUM DIL. D4 AQUOS. (HAB, VS. 5B), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D Ø (HAB, VS. 33D)
2	EUCALYPTUS	D-CAMPBOR, EUCALYPTUSÖL
2	EUCALYPTUS	D-CAMPBOR, PINE NEEDLE OIL (PINUS SYLVESTRIS), EUCALYPTUSÖL
2	EUCALYPTUS	D-CAMPBOR, TURPENTINE PURIFIED, EUCALYPTUSÖL
2	EUCALYPTUS	DESTILLAT AUS EINER MISCHUNG VON REKTIFIZIERTEM EUCALYPTUSÖL UND REKTIFIZIERTEM SÜßORANGENÖL (2:1)
2	EUCALYPTUS	DISTILLATE FROM 0,600 G THYME, 0,131 G LIME BLOSSOM, 0,116 G PRIMROSE FLOWER, 0,095 G ANISEED, 0,095 G BITTER FENNEL, 0,085 G SUNDEW HERB, 0,042 G KNOTGRASS, AQUEOUS EXTRACT FROM 0,600 G THYME, 0,131 G LIME BLOSSOM, 0,116 G PRIMROSE FLOWER, 0,095 G ANISEED, 0,095 G BITTER FENNEL, 0,085 G SUNDEW HERB, 0,042 G KNOTGRASS, EUCALYPTUS OIL, STAR ANISE OIL, MOUNTAIN PINE OIL, BITTER FENNEL OIL
2	EUCALYPTUS	DISTILLATE OF A MIXTURE OF RECTIFIED EUCALYPTUS OIL, RECTIFIED SWEET ORANGE OIL, RECTIFIED MYRTLE OIL AND RECTIFIED LEMON OIL IN A RATIO OF 66:32:1:1
2	EUCALYPTUS	ECHINACEA DIL. D2, EUCALYPTUS GLOBULUS DIL. D6, FORMICA RUFA DIL. D8, LACHESIS MUTUS DIL. D8, MERCURIUS SOLUBILIS HAHNEMANNI DIL. D12, ACONITUM NAPELLUS DIL. D4, FERRUM PHOSPHORICUM DIL. D8, EUPATORIUM PERFOLIATUM DIL. D4
2	EUCALYPTUS	EUCALYPTUS DIL. D2, SABADILLA DIL. D3, PHOSPHORUS DIL. D4, ACONITUM NAPELLUS DIL. D3, EUPATORIUM PERFOLIATUM DIL. D2, BRYONIA DIL. D2
2	EUCALYPTUS	EUCALYPTUS ESSENTIAL OIL
2	EUCALYPTUS	EUCALYPTUS GLOBULUS
2	EUCALYPTUS	EUCALYPTUS GLOBULUS D2, ACONITUM NAPELLUS D10, ACONITUM NAPELLUS D2, ACONITUM NAPELLUS D200, ACONITUM NAPELLUS D30, EUCALYPTUS GLOBULUS D10, EUCALYPTUS GLOBULUS D30, PSYCHOTRIA IPECACUANHA D10, PSYCHOTRIA IPECACUANHA D2, PSYCHOTRIA IPECACUANHA D200, PSYCHOTRIA IPECACUANHA D30
2	EUCALYPTUS	EUCALYPTUS GLOBULUS D2, JUNIPERUS COMMUNIS D2, SABAL SERRULATUM D4, THUJA D2
2	EUCALYPTUS	EUCALYPTUS OIL
2	EUCALYPTUS	EUCALYPTUS OIL, CAJEPUT OIL
2	EUCALYPTUS	EUCALYPTUS OIL, FICHTENNADELÖL, THYMIANÖL
2	EUCALYPTUS	EUCALYPTUS OIL, MINT ESSENTIAL OIL, ROSMARINÖL
2	EUCALYPTUS	EUCALYPTUS OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
2	EUCALYPTUS	EUCALYPTUS OIL, PINE OIL
2	EUCALYPTUS	EUCALYPTUS OIL, PIPPERMINT OIL, SIBIRIAN FIR OIL, SEA BUCKTHORN OIL, CALENDULA TINCTURE
2	EUCALYPTUS	EUCALYPTUS OIL, SYLVESTRIS PINE OIL
2	EUCALYPTUS	EUCALYPTUS OIL, THENOATE SODIUM
2	EUCALYPTUS	EUCALYPTUS OIL, TURPENTINE OIL, TERPENTINÖL VOM STRANDKIEFERTYP
2	EUCALYPTUS	EUCALYPTUS TINCTURE
2	EUCALYPTUS	EUCALYPTUSÖL
2	EUCALYPTUS	EUPATORIUM PERFOLIATUM MOTHER TINCTURE, GELSEMIUM TRIT. D4, KALIUM BICHROMICUM TRIT. D4, EUCALYPTUS MOTHER TINCTURE, ARSENICUM ALBUM TRIT. D6, NUX VOMICA TRIT. D3, PHOSPHORUS TRIT. D6, SABADILLA TRIT. D3, BRYONIA TRIT. D2, ACONITUM TRIT. D4, SANGUINARIA TRIT. D7
2	EUCALYPTUS	GUAIFENESIN, LEVOMENTHOL, ANISE OIL, EUCALYPTUS OIL, THYME OIL, CAMPBOR RACEMIC, BITTER FENNEL FRUIT OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, EUCALYPTUS OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, EUCALYPTUS OIL, THYMOL, TURPENTINE OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, EUCALYPTUS OIL, THYMOL, TURPENTINE OIL, PINUS PUMILIO OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, EUCALYPTUS OIL, TURPENTINE OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, RACEMIC, EUCALYPTUS OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, RACEMIC, EUCALYPTUS OIL, THYMOL, TURPENTINE OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, RACEMIC, EUCALYPTUS OIL, TURPENTINE OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, RACEMIC, EUCALYPTUS OIL, TURPENTINE OIL, SYLVESTRIS PINE OIL, DWARF PINE OIL
2	EUCALYPTUS	LEVOMENTHOL, CAMPBOR, RACEMIC, THYMOL, EUCALYPTUS ESSENTIAL OIL, TEREBENTIN ESSENTIAL OIL, THUYA ESSENTIAL OIL, MYRISTICA FRAGRANS ESSENTIAL OIL
2	EUCALYPTUS	LEVOMENTHOL, CINNAMON TINCTURE, CLOVE, CAMPBOR, EUCALYPTUS EXTRACT, FENNEL EXTRACT, TINCTURA CARVI, BAY LEAF, ANISE EXTRACT

ID	Substance Group	Substances
2	EUCALYPTUS	LEVOMENTHOL, D-CAMPHOR, EUCALYPTUS OIL
2	EUCALYPTUS	LEVOMENTHOL, D-CAMPHOR, MOUNTAIN PINE OIL, EUCALYPTUSÖL
2	EUCALYPTUS	LEVOMENTHOL, EUCALYPTUS OIL
2	EUCALYPTUS	LEVOMENTHOL, EUCALYPTUS OIL, PINE OIL
2	EUCALYPTUS	LEVOMENTHOL, EUCALYPTUS OIL, PUMILIO PINE OIL
2	EUCALYPTUS	LEVOMENTHOL, EUCALYPTUS OIL, THYMOL, TURPENTINE OIL, CAMPHOR RACEMIC, CEDAR OIL
2	EUCALYPTUS	LEVOMENTHOL, NIAOULI ESSENTIAL OIL, EUCALYPTUS ESSENTIAL OIL, BENZOIN SIAM
2	EUCALYPTUS	LEVOMENTHOL, PERU BALSAM, BENZOIN TINCTURE, EUCALYPTUS TINCTURE, LAVENDER OIL, THYME OIL
2	EUCALYPTUS	LEVOMENTHOL, PINE NEEDLE OIL (PINUS SYLVESTRIS), EUCALYPTUSÖL
2	EUCALYPTUS	LEVOMENTHOL, PINE OIL, EUCALYPTUSÖL
2	EUCALYPTUS	MATRICARIA LIQUID EXTRACT, SAGE TINCTURE, EUCALYPTUS TINCTURE, MYRRH TINCTURE
2	EUCALYPTUS	MENTHOL BP, EUCALYPTUS OIL BP
2	EUCALYPTUS	MENTHOL BP, EUCALYPTUS OIL BP, PUMILIO PINE OIL BP 1980
2	EUCALYPTUS	MENTHOL, CAMPHOR, ETHANOL, EUCALYPTUS OIL, METHYL NICOTINATE, TURPENTINE OIL
2	EUCALYPTUS	MENTHOL, CAMPHOR, EUCALYPTUS OIL, METHYL SALICYLATE, TERPINEOL
2	EUCALYPTUS	MENTHOL, CAMPHOR, EUCALYPTUS OIL, THYMOL, TURPENTINE OIL
2	EUCALYPTUS	MENTHOL, CAMPHOR, EUCALYPTUS OIL, TURPENTINE OIL
2	EUCALYPTUS	MENTHOL, CAMPHOR, JUNIPER OIL, PINE OIL, THYMOL, EUCALYPTUS ESSENTIAL OIL, TEREBINTH OIL
2	EUCALYPTUS	MENTHOL, CAMPHOR, THYMOL, TURPENTINE OIL, EUCALYPTUS ESSENTIAL OIL, CEDAR OIL
2	EUCALYPTUS	MENTHOL, EUCALYPTUS OIL
2	EUCALYPTUS	MENTHOL, EUCALYPTUS OIL, THYME OIL
2	EUCALYPTUS	MERCURIUS SOLUBILIS HAHNEMANNI D12, BRYONIA CRETICA D6, PHOSPHORUS D12, EUCALYPTUS GLOBULUS D1
2	EUCALYPTUS	NEOMYCIN, CAMPHOR, RACEMIC, CHLOROBUTANOL HEMIHYDRATE, EUCALYPTUS OIL, PINUS SYLVESTRIS OIL, MENTHOL, LEAVO
2	EUCALYPTUS	NIAOULI OIL, SIBERIAN FIR OIL, TERPINEOL, EUCALYPTUS ESSENTIAL OIL
2	EUCALYPTUS	NUX VOMICA MOTHER TINCTURE, EUPATORIUM PERFOLIATUM MOTHER TINCTURE, EUCALYPTUS MOTHER TINCTURE, KALIUM BICHROMICUM DIL. D2, GELSEMIUM DIL. D1, ARSENICUM ALBUM DIL. D3, PHOSPHORUS DIL. D3, SABADILLA MOTHER TINCTURE, BRYONIA DIL. D1, ACONITUM DIL. D1, SANGUINARIA DIL. D6
2	EUCALYPTUS	PERU BALSAM, BENZOIN TINCTURE, EUCALYPTUS TINCTURE, LAVENDER OIL, THYME OIL
2	EUCALYPTUS	PERU BALSAM, EUCALYPTUS OIL, ROSEMARY OIL
2	EUCALYPTUS	PERU BALSAM, EUCALYPTUS OIL, ROSEMARY OIL, CAMPHOR RACEMIC
2	EUCALYPTUS	PERU BALSAM, MENTHOL, BENZOIN, EUCALYPTUS ESSENTIAL OIL, THYMUS ESSENTIAL OIL
2	EUCALYPTUS	PHOSPHORUS D5, BAPTISIA TINCTORIA D3, BRYONIA D2, ACONITUM NAPELLUS D2, EUCALYPTUS GLOBULUS D3, HYDRARGYRUM BICHLORATUM D4, LACHESIS D10, PSYCHOTRIA IPECACUANHA D4, SANGUINARIA CANADENSIS D6, PULSATILLA PRATENSIS D3, SULFUR D8, VINCETOXICUM HIRUNDINARIA D6
2	EUCALYPTUS	PINE OIL, NIAOULI ESSENTIAL OIL, TERPIN, EUCALYPTUS ESSENTIAL OIL
2	EUCALYPTUS	PNEUMOCOCCAL POLYSACCHARIDE SEROTYPE 6B CONJ. TO PROTEIN D (NON-TYPEABLE H. INFLUENZAE DERIVED), BRYONIA CRETICA FERM 33B DIL. D3, CINCHONA SUCCIRUBRA E CORTICE FERM 35B DIL. D2 (HAB, VS. 35B), EUCALYPTUS GLOBULUS E FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), EUPATORIUM CANNABINUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
2	EUCALYPTUS	PROCAINE HYDROCHLORIDE, BENZETHONIUM CHLORIDE, EUCALYPTUS LEAF, MENTHOL, RACEMIC, CHERRY-LAUREL WATER, TERPINEOL
3	SENNA	ALOES DRY EXTRACT, STANDARDISED, SENNA LEAF DRY EXTRACT
3	SENNA	ANGELICA ROOT, GENTIAN ROOT, ANISE OIL, CAMPHOR, MYRRH, SAFFRON, VALERIANA OFFICINALIS L. RADIX, BLACK COHOSH, NUTMEG, ALOE, BITTER ORANGE OIL, RHUBARB ROOT, ZITWER ROOT STOCK, WHITE DICTAM, BOAR ROOT, TORMENTILL ROOT STOCK, CASTOREUM, LARICIS FUNGUS, MACE, SENNA LEAVES, FLAG ROOT, CINNAMON BARK, CARDAMOM FRUIT
3	SENNA	CALCIUM PANTOTHENATE, SENNA ALCOHOLIC DRY EXTRACT
3	SENNA	CARAWAY FRUIT, RHAMNUS FRANGULA L. CORTEX, MENTHAE PIPERITAE FOLIUM, SENNAE FOLIUM, SAMBUCI FRUCTUS
3	SENNA	DEXPANTHENOL, SENNA FRUIT
3	SENNA	DEXPANTHENOL, SENNA PODS, ALEXANDRIAN
3	SENNA	FIG, SENNA FRUIT EXTRACT
3	SENNA	INDISCHE FLOHSAMEN, INDISCHE FLOHSAMENSCHALEN, TINNEVELLY SENNESFRÜCHTE (2.28% TO 3.0% HYDROXYANTHRACENE GLYCOSIDES, EXPRESSED AS SENNOSIDE B)
3	SENNA	INDISCHE FLOHSAMEN, INDISCHE FLOHSAMENSCHALEN, TINNEVELLY SENNESFRÜCHTE (2.28% TO 4.45% HYDROXYANTHRACENE GLYCOSIDES, EXPRESSED AS SENNOSIDE B)
3	SENNA	INDISCHE FLOHSAMEN, TINNEVELLY SENNESFRÜCHTE (2.28% TO 4.45% HYDROXYANTHRACENE GLYCOSIDES, EXPRESSED AS SENNOSIDE B)
3	SENNA	KAOLIN, HEAVY, RHUBARB DRY EXTRACT, PRECIPITATED SULPHUR BP, SENNA LEAF POWDER
3	SENNA	LINSEED, SENNA ALEXANDRINA LEAF
3	SENNA	PHENOLPHTHALEIN, FENNEL OIL, SENNAE FOLIUM, SULFUR, GLYCYRRHIZA
3	SENNA	PLANTAGO SEED, SENNA FRUIT
3	SENNA	RHAMNUS FRANGULA L. CORTEX, GLYCYRRHIZA GLABRA L. RADIX, ACHILLEA MILLEFOLIUM L. HERBA, SENNAE FOLIUM, CORIANDRUM SATIVUM L. FRUCTUS
3	SENNA	RHAMNUS FRANGULA L. CORTEX, LINSEED, SENNAE FOLIUM
3	SENNA	RHAMNUS FRANGULA L. CORTEX, TINEVELLY SENNA LEAVES, PSYLLIUM SEEDS LIGHT

ID	Substance Group	Substances
3	SENNA	RHUBARB DRY EXTRACT, SENNAE FOLIUM, VEGETAL COAL, PURIFIED SULFUR
3	SENNA	RHUBARB, CARBON, SENNAE FOLIUM
3	SENNA	RHUBARB, CARBON, SENNAE FOLIUM, SULFUR
3	SENNA	SENNA
3	SENNA	SENNA ALEXANDRINA FRUIT
3	SENNA	SENNA DRY EXTRACT
3	SENNA	SENNA DRY EXTRACT, AQUEOUS DRY BOLDO EXTRACT, CASCARA ESTRATTO SECCO ACQUOSO
3	SENNA	SENNA DRY EXTRACT, CASCARA EXTRACT, AQUEOUS DRY BOLDO EXTRACT
3	SENNA	SENNA FOLIAE
3	SENNA	SENNA FRUIT EXTRACT
3	SENNA	SENNA FRUIT, SENNAE FOLIUM
3	SENNA	SENNA GLYCOSIDES STANDARDIZED 60%
3	SENNA	SENNA LEAF DRY EXTRACT, CASCARA BARK DRY EXTRACT, BOLDO LEAF POWDER, GREEN ANISE FRUIT POWDER
3	SENNA	SENNA LEAF POWDER
3	SENNA	SENNA LEAVES
3	SENNA	SENNA PODS
3	SENNA	SENNA PODS ALEXANDRIAN BP
3	SENNA	SENNA PODS PULVERIZED, SENNOSIDES CALCIUM SALTS
3	SENNA	SENNA PODS PULVERIZED, SENNOSIDES CALCIUM SALTS 20%
3	SENNA	SENNA PODS, ALEXANDRIAN
3	SENNA	SENNA PODS, ALEXANDRIAN, SENNA PODS, TINNEVELLY, SENNAE FOLIUM
3	SENNA	SENNA PODS, TINNEVELLY
3	SENNA	SENNA PODS, TINNEVELLY, SENNAE FOLIUM
3	SENNA	SENNAE FOLII EXTRACTUM SICCUM NORMATUM
3	SENNA	SENNAE FOLII EXTRACTUM SICCUM NORMATUM (7-10:1), STANDARDISED ON 14 MG HYDROXYANTHRACENE GLYCOSIDE (CALC. AS SENNOSIDE B), EXTRACT SOLVENT METHANOL 60%(V/V)
3	SENNA	SENNAE FOLIUM
3	SENNA	SENNAE FOLIUM CUM FRUCTUS
3	SENNA	SENNAE FOLIUM, SENNA PODS
3	SENNA	SENNOSIDES CALCIUM SALTS
3	SENNA	TAMARIND EXTRACT, SENNA LEAF POWDER, CASSIA PULP EXTRACT, CORIANDER FRUIT POWDER
3	SENNA	TINNEVELLY SENNESFRÜCHTE, SENNESBLÄTTER
4	HYPERICUM	ACHILLEA MILLEFOLIUM D4, CALENDULA OFFICINALIS D4, ARNICA MONTANA D4, BELLIS PERENNIS D4, MATRICARIA RECUTITA D4, SYMPHYTUM OFFICINALE D8, HYPERICUM PERFORATUM D4, MERCURIUS SOLUBILIS HAHNEMANNI D12
4	HYPERICUM	ACHILLEA MILLEFOLIUM D4, CALENDULA OFFICINALIS D4, ARNICA MONTANA D4, BELLIS PERENNIS D4, MATRICARIA RECUTITA D4, SYMPHYTUM OFFICINALE D8, HYPERICUM PERFORATUM D6, MERCURIUS SOLUBILIS HAHNEMANNI D12
4	HYPERICUM	ACIDUM PHOSPHORICUM DIL. D 1, ANAMIRTA COCCULUS TRIT. D 3, AVENA SATIVA URT., HYPERICUM PERFORATUM TRIT. D 1, PASSIFLORA INCARNATA URT.
4	HYPERICUM	ACIDUM PICRINICUM D 6, HYPERICUM PERFORATUM D 5, KALIUM PHOSPHORICUM D 6, STRYCHNOS IGNATII D 4, ZINCUM ISOVALERIANICUM D 8
4	HYPERICUM	ANGELICA ROOT, WORMWOOD, CNICUS BENEDICTUS, HYPERICUM PERFORATUM, POTENTILLA ANSERINA, LIQUORICE ROOT, MATRICARIA CHAMOMILLA
4	HYPERICUM	APIS REGINA TOTA GL DIL. D5 (HAB, VS. 41C), AURUM CHLORATUM DIL. D6 AQUOS. (HAB, VS. 5B), AVENA SATIVA FERM 33C DIL. D2, HYPERICUM PERFORATUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), STRYCHNOS IGNATII E SEMINE FERM 35B DIL. D4 (HAB, VS. 35B), ACIDUM PHOSPHORICUM DIL. D4
4	HYPERICUM	ARNICA MONTANA D3, ACHILLEA MILLEFOLIUM D3, ATROPA BELLA-DONNA D3, CALENDULA OFFICINALIS D3, CAMPHORA D3, HAMAMELIS VIRGINIANA D3, SOLANUM DULCAMARA D3, STRYCHNOS NUX-VOMICA D3, HYPERICUM PERFORATUM D3, ECHINACEA D3, OLEUM PINI SILVESTRIS D1, OLEUM ROSMARINI D1, TOXICODENDRON QUERCIFOLIUM D3
4	HYPERICUM	ARNICA MONTANA D6, SYMPHYTUM OFFICINALE D6, HYPERICUM PERFORATUM D6, CALENDULA OFFICINALIS D1, RUTA GRAVEOLENS D6
4	HYPERICUM	AURUM METALLICUM D10, AURUM METALLICUM D200, AURUM METALLICUM D30, CHAMAELIRIUM LUTEUM D10, CHAMAELIRIUM LUTEUM D30, CHININUM ARSENICOSUM D10, CHININUM ARSENICOSUM D30, KALIUM PHOSPHORICUM D30, SELENIUM D10, SELENIUM D30, STRYCHNOS NUX-VOMICA D10, STRYCHNOS NUX-VOMICA D30, KALIUM PHOSPHORICUM D10, HYPERICUM PERFORATUM D10, HYPERICUM PERFORATUM D30
4	HYPERICUM	AVENA SATIVA URTINKTUR, HYPERICUM PERFORATUM D2, LUPULINUM D2, VALERIANA OFFICINALIS D2
4	HYPERICUM	BELLIS PERENNIS D2, ECHINACEA D2, HYPERICUM PERFORATUM D2, MERCURIUS SOLUBILIS HAHNEMANNI D6, ACHILLEA MILLEFOLIUM D3, ATROPA BELLA-DONNA D2, CALENDULA OFFICINALIS D2, ACONITUM NAPELLUS D2, ARNICA MONTANA D2, HEPAR SULFURIS D6, MATRICARIA RECUTITA D3, SYMPHYTUM OFFICINALE D6, HAMAMELIS VIRGINIANA D1, ECHINACEA PURPUREA D2
4	HYPERICUM	BELLIS PERENNIS D2, ECHINACEA D2, HYPERICUM PERFORATUM D2, MERCURIUS SOLUBILIS HAHNEMANNI D8, ACHILLEA MILLEFOLIUM D3, ATROPA BELLA-DONNA D4, CALENDULA OFFICINALIS D2, ACONITUM NAPELLUS D3, ARNICA MONTANA D2, HAMAMELIS VIRGINIANA D2, HEPAR SULFURIS D8, HEPAR SULFURIS D2, MATRICARIA RECUTITA D3, SYMPHYTUM OFFICINALE D8, ECHINACEA PURPUREA D2
4	HYPERICUM	BERBERIS VULGARIS E RADICE FERM 33D DIL. D2 (HAB, VS. 33D), HYPERICUM PERFORATUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), KALIUM PHOSPHORICUM DIL. D4 AQUOS. (HAB, VS. 5B)
4	HYPERICUM	CALENDULA OFFICINALIS FRESH PLANT, HYPERICUM PERFORATUM FRESH PLANT, ACHILLEA MILLEFOLIUM FRESH PLANT, LEDUM PALUSTRE MOTHER TINCTURE
4	HYPERICUM	CALENDULA OFFICINALIS FRESH PLANT, HYPERICUM PERFORATUM FRESH PLANT, ACHILLEA MILLEFOLIUM FRESH PLANT, PULSATILLA MOTHER TINCTURE, LEDUM PALUSTRE MOTHER TINCTURE

ID	Substance Group	Substances
4	HYPERICUM	CALENDULA OFFICINALIS MOTHER TINCTURE, ARNICA MONTANA D3, ECHINACEA PURPUREA URTINKTUR, MERCURIUS SOLUBILIS HAHNEMANNI D6, ACHILLEA MILLEFOLIUM Ø, ATROPA BELLA-DONNA D1, ACONITUM NAPELLUS D1, HEPAR SULFURIS D6, SYMPHYTUM OFFICINALE D4, HYPERICUM PERFORATUM D6, ECHINACEA Ø, CHAMOMILLA RECUTITA URT., HAMAMELIS VIRGINIANA Ø, BELLIS PERENNIS Ø
4	HYPERICUM	CHININUM ARSENICOSUM DIL. D 8, HYPERICUM PERFORATUM DIL. D 4 VINOS, PHOSPHORUS DIL. D 8 VINOS, PULSATILLA PRATENSIS DIL. D 6 VINOS
4	HYPERICUM	CUPRUM SULFURICUM DIL. D4, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, DRYOPTERIS FILIX-MAS EX HERBA REC. GLÜCKSELIG DIL. D4, EUSPONGIA OFFICINALIS GLÜCKSELIG Ø, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, HYPERICUM PERFORATUM EX HERBA GLÜCKSELIG Ø, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, ORTHOSIPHON STAMINEUS E FOLIIS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, URTICA URENS EX HERBA REC. GLÜCKSELIG DIL. D2, ZINCUM METALLICUM DIL. D8
4	HYPERICUM	CUPRUM SULFURICUM DIL. D4, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, DRYOPTERIS FILIX-MAS EX HERBA REC. GLÜCKSELIG DIL. D4, EUSPONGIA OFFICINALIS GLÜCKSELIG Ø, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, HYPERICUM PERFORATUM EX HERBA GLÜCKSELIG Ø, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, ORTHOSIPHON STAMINEUS E FOLIIS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, URTICA URENS EX HERBA REC. GLÜCKSELIG DIL. D2, ZINCUM METALLICUM DIL. D8, CAMPHORA 10,2 MG, HELLEBORUS VIRIDIS EX HERBIS D4, 50 MG CORALLIUM RUBRUM ET 25 MG KALIUM NITRICUM DEST. CUM ETHANOL
4	HYPERICUM	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, HYPERICUM PERFORATUM EX HERBA GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, ZINCUM METALLICUM DIL. D8, CHELIDONIUM MAJUS EX HERBA REC. SPAG. GLÜCKSELIG DIL. D7, ARGENTUM NITRICUM DIL. D5, CALCIUM PHOSPHORICUM DIL. D8, CINCHONA PUBESCENS E CORTICE SICC. Ø, CYCLAMEN PURPURASCENS DIL. D4, PLUMBUM ACETICUM SPAG. GLÜCKSELIG DIL. D4, SULFUR DIL. D7, VALERIANA OFFICINALIS GLÜCKSELIG Ø
4	HYPERICUM	DRY EXTRACT OF HYPERICUM PERFORATUM (3.5-6.0:1)
4	HYPERICUM	FERRUM PHOSPHORICUM D3, HYPERICUM PERFORATUM D1, KALIUM PHOSPHORICUM D3, AGARICUS MUSCARIUS D3
4	HYPERICUM	GELSEMIUM SEMPERVIRENS D4, CALCIUM CARBONICUM HAHNEMANNI D8, CIMICIFUGA RACEMOSA D4, AMBRA GRISEA D4, KALIUM CARBONICUM D4, SEPIA OFFICINALIS D8, VITEX AGNUS CASTUS D3, HYPERICUM PERFORATUM D3
4	HYPERICUM	GELSEMIUM SEMPERVIRENS D4, CIMICIFUGA RACEMOSA D4, SEPIA OFFICINALIS D8, VITEX AGNUS-CASTUS D4, HYPERICUM PERFORATUM D4
4	HYPERICUM	GERANII AETHEROLEUM, MALVA ARBOREA E FLORIBUS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), SAMBUCUS NIGRA EX UMBELLA W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), TILIA PLATYPHYLLOS/CORDATA E FLORIBUS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), ÖLAUSZUG AUS HYPERICUM PERFORATUM, HERBA REC. (4:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, PRUNUS SPINOSA E FLORIBUS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL)
4	HYPERICUM	HUMULUS LUPULUS URT., HYPERICUM PERFORATUM DIL. D1, ACIDUM PICRINICUM DIL. D5, KALIUM BROMATUM DIL. D2, AVENA SATIVA URTINKTUR, CHAMOMILLA RECUTITA URT., VALERIANA OFFICINALIS MOTHER TINCTURE
4	HYPERICUM	HUMULUS LUPULUS URT., HYPERICUM PERFORATUM DIL. D1, KALIUM BROMATUM DIL. D2, AVENA SATIVA MOTHER TINCTURE, CHAMOMILLA RECUTITA URT., VALERIANA OFFICINALIS MOTHER TINCTURE
4	HYPERICUM	HYOSCYAMUS NIGER EX HERBA FERM 33D Ø (HAB, VS. 33D), MYOCARDIUM BOVIS GL DIL. D7 (HAB, VS. 41C), QUARZ, ROSMARINI AETHEROLEUM, ÖLAUSZUG AUS HYPERICUM PERFORATUM, HERBA REC. (4:1), AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, PRIMULA VERIS E FLORIBUS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL)
4	HYPERICUM	HYPERICI EXTRACTUM SICCCUM
4	HYPERICUM	HYPERICI HERBA
4	HYPERICUM	HYPERICI HERBAE EXTRACTUM SICCCUM
4	HYPERICUM	HYPERICI HERBAE TINCTURA (1:5)
4	HYPERICUM	HYPERICUM AURO CULTUM RH DIL. D2
4	HYPERICUM	HYPERICUM AURO CULTUM RH DIL. D3
4	HYPERICUM	HYPERICUM AURO CULTUM, HERBA DIL. D2
4	HYPERICUM	HYPERICUM EXTRACT
4	HYPERICUM	HYPERICUM HERB DRY EXTRACT, QUANTIFIED
4	HYPERICUM	HYPERICUM PERFORATUM
4	HYPERICUM	HYPERICUM PERFORATUM (DRY EXTRACT OF FLOWER HEAD)
4	HYPERICUM	HYPERICUM PERFORATUM (DRY HYDROALCOHOLIC EXTRACT)
4	HYPERICUM	HYPERICUM PERFORATUM D 5, ATROPINUM SULFURICUM D5
4	HYPERICUM	HYPERICUM PERFORATUM D2, AVENA SATIVA D1, PASSIFLORA INCARNATA D2, VALERIANA OFFICINALIS D4
4	HYPERICUM	HYPERICUM PERFORATUM D4, HYPERICUM PERFORATUM D6, FAGOPYRUM ESCULENTUM D6, HYPERICUM PERFORATUM D12
4	HYPERICUM	HYPERICUM PERFORATUM DRY EXTRACT (3,5 - 6,0:1), EXTRACT ETHANOL 60% (M/M)
4	HYPERICUM	HYPERICUM PERFORATUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), LEVICO "STARK"-WASSER DIL. D2 AQUOS. (HAB, VS. 5B), PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM CUM FERRO DIL. D2 (HAB, VS. 37A)
4	HYPERICUM	HYPERICUM PERFORATUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), LEVICO "STARK"-WASSER DIL. D2 AQUOS. (HAB, VS. 5B), PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM CUM FERRO DIL. D3 (HAB, VS. 37A)

ID	Substance Group	Substances
4	HYPERICUM	HYPERICUM PERFORATUM EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), SALIX ALBA SSP. VITELLINA E CORTICE ET FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), SALIX PURPUREA E CORTICE ET FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), SALIX VIMINALIS E CORTICE ET FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), WÄSSRIGER AUSZUG MIT ZUCKER AUS AVENA SATIVA, HERBA REC. (PFLANZE : WASSER : ZUCKER = 2 : 4 : 4), WÄSSRIGER AUSZUG MIT ZUCKER UND CITRONENSÄURE AUS CRATAEGUS LAEVIGATA/MONOGYNA, FRUCTUS REC. (PFLANZE : WASSER : ZUCKER : CITRONENSÄURE = 3 : 4,95 : 2 : 0,05), WÄSSRIGER AUSZUG MIT ZUCKER AUS HUMULUS LUPULUS, HERBA ET FRUCTUS REC. (PFLANZE : WASSER : ZUCKER = 2 : 4 : 4), WÄSSRIGER AUSZUG MIT ZUCKER AUS PASSIFLORA CAERULEA, HERBA REC. (PFLANZE : WASSER : ZUCKER = 2 : 4 : 4), WÄSSRIGER AUSZUG MIT ZUCKER AUS VALERIANA OFFICINALIS, RADIX REC. (PFLANZE : WASSER : ZUCKER = 2 : 4 : 4)
4	HYPERICUM	HYPERICUM PERFORATUM L.
4	HYPERICUM	HYPERICUM PERFORATUM L. HERBA
4	HYPERICUM	HYPERICUM PERFORATUM L., HERBA (DRY EXTRACT)
4	HYPERICUM	HYPERICUM PERFORATUM MOTHER TINCTURE
4	HYPERICUM	HYPERICUM PERFORATUM MOTHER TINCTURE, STRYCHNOS IGNATII DIL. D4, VALERIANA OFFICINALIS DIL. D3
4	HYPERICUM	HYPERICUM PERFORATUM, DRY EXTRACT
4	HYPERICUM	HYPERICUM PERFORATUM, EXTRACT
4	HYPERICUM	HYPERICUM PERFORATUM, HERBA Ø
4	HYPERICUM	HYPERICUM PERFORATUM, POWDER, HYPERICUM PERFORATUM, DRY EXTRACT
4	HYPERICUM	HYPERICUM, FLOS, OL. SESAMI EXTR. 1:2
4	HYPERICUM	JOHANNISKRAUT
4	HYPERICUM	LACHESIS MUTUS DIL. D8, CIMICIFUGA, SANGUINARIA CANADENSIS D3, HYPERICUM PERFORATUM MOTHER TINCTURE
4	HYPERICUM	ÖLAUSZUG AUS HYPERICUM PERFORATUM, HERBA REC. (4:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL
4	HYPERICUM	ÖLAUSZUG AUS HYPERICUM PERFORATUM, HERBA REC. (4:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, D-CAMPHOR
4	HYPERICUM	ST. JOHN'S WORT DRY EXTRACT (3.5-6.0:1)), SOLVENT: ETHANOL 60 PER CENT (M/M)
4	HYPERICUM	ST. JOHN'S WORT DRY EXTRACT, QUANTIFIED
5	ECHINACEA	ACIDUM ASCORBICUM D6, ACIDUM L(+)-LACTICUM D6, AESCULUS HIPPOCASTANUM D6, BARIUM CARBONICUM D28, CALCIUM PHOSPHORICUM D10, CONIUM MACULATUM D4, DACTYLOPIUS COCCUS D6, EMBRYO TOTALIS SUIS D13, FERRUM PHOSPHORICUM D10, CORTEX GLANDULAE SUPRARENALIS SUIS D13, CORTISONUM ACETICUM D13, FUNICULUS UMBILICALIS SUIS D10, GALIUM APARINE D6, GENTIANA LUTEA D6, GERANIUM ROBERTIANUM D6, HEPAR SUIS D10, HYPOTHALAMUS SUIS D10, KALIUM STIBYLTARTARICUM D6, LEVOTHYROXINUM D13, MEDULLA OSSIS SUIS D10, NODUS LYMPHATICUS SUIS D8, PSORINUM NOSODE D28, SOLANUM DULCAMARA D4, SPLEN SUIS D10, PULSATILLA PRATENSIS D6, PYROGENIUM NOSODE D198, MERCURIUS SOLUBILIS HAHNEMANNI D13, SULFUR D8, TONSILLA SUIS D28, ECHINACEA D4
5	ECHINACEA	ACONITUM NAPELLUS D 4, APIS MELLIFICA D 3, ECHINACEA PALLIDA E PLANTA TOTA REC FLOR URT, LACHESIS MUTUS D 6
5	ECHINACEA	ACONITUM NAPELLUS DIL. D 4, DACTYLOPIUS COCCUS DIL. D 3, ECHINACEA DIL. D 2, EUPATORIUM PERFOLIATUM DIL. D 2, GELSEMIUM SEMPERVIRENS DIL. D 6, PHOSPHORUS DIL. D 10, BAPTISIA (HAB) DIL. D 3, LACHESIS D10 DIL.
5	ECHINACEA	ACONITUM NAPELLUS DIL. D5, ECHINACEA DIL. D5, EUPATORIUM PERFOLIATUM DIL. D1, FERRUM PHOSPHORICUM DIL. D8
5	ECHINACEA	ACONITUM NAPELLUS DIL. D5, EUPATORIUM PERFOLIATUM DIL. D1, FERRUM PHOSPHORICUM DIL. D8, ECHINACEA ANGUSTIFOLIA DIL. D5
5	ECHINACEA	ACONITUM NAPELLUS, AMMONIUM BROMIDE, ECHINACEA, RHUS TOXICODENDRON, BELLADONNA, CINCHONA PUBESCENS, BRYONIA CRETICA, MERCURIUS CYANATUS DIL. D8
5	ECHINACEA	AILANTHUS ALTISSIMA D3, ATROPA BELLA-DONNA D4, HEPAR SULFURIS D8, LACHESIS D 12, MERCURIUS SOLUBILIS HAHNEMANNI D10, PHYTOLACCA AMERICANA D4, ECHINACEA D3
5	ECHINACEA	AILANTHUS GLANDULOSA D3, AMMONIUM BROMATUM D3, BAPTISIA D3, ECHINACEA D1, MERCURIUS CYANATUS D6
5	ECHINACEA	ANTIMONIT DIL. D7, ARGENTUM NITRICUM DIL. D19 AQUOS. (HAB, VS. 5B), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D13 (HAB, VS. 33A), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), QUARZ DIL. D20 AQUOS., ROSAE AETHEROLEUM
5	ECHINACEA	ANTIMONIT DIL. D7, ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), TUBA UTERINA BOVIS GL DIL. D5 (HAB, VS. 41B), TUBA UTERINA BOVIS GL DIL. D11 (HAB, VS. 41B), OVARIA BOVIS GL DIL. D5 (HAB, VS. 41A), OVARIA BOVIS GL DIL. D11 (HAB, VS. 41A), PARAMETRIUM BOVIS GL DIL. D11 (HAB, VS. 41B), PARAMETRIUM BOVIS GL DIL. D5 (HAB, VS. 41B)
5	ECHINACEA	ANTIMONIT TRIT. D4, ARGENTUM NITRICUM DIL. D19 AQUOS. (HAB, VS. 5B), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D13 (HAB, VS. 33A), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D3 (HAB, VS. 33C), QUARZ DIL. D20 AQUOS., ROSAE AETHEROLEUM
5	ECHINACEA	APIS MELLIFICA D12, BAPTISIA TINCTORIA D4, FERRUM PHOSPHORICUM D10, HEPAR SULFURIS D10, LACHESIS D10, ECHINACEA D4
5	ECHINACEA	APIS MELLIFICA D3, ECHINACEA Ø, CHAMOMILLA RECUTITA Ø
5	ECHINACEA	APIS MELLIFICA D4, ECHINACEA URTINKTUR, GELSEMIUM SEMPERVIRENS D4, ACONITUM NAPELLUS D4, ATROPA BELLA-DONNA D4, KALIUM IODATUM TRIT. D4, GUAJACUM D4
5	ECHINACEA	APIS MELLIFICA DIL. D4, ECHINACEA MOTHER TINCTURE, BAPTISIA (HAB34) MOTHER TINCTURE, THUJA OCCIDENTALIS MOTHER TINCTURE
5	ECHINACEA	ARGENTUM METALLICUM DIL. D18 AQUOS., ATROPA BELLADONNA E FRUCTIBUS FERM 33A DIL. D2 (HAB, VS. 33A), ECHINACEA PALLIDA E RADICE FERM 33D Ø (HAB, VS. 33D), MERCURIUS SOLUBILIS HAHNEMANNI DIL. D13 AQUOS., APIS MELLIFICA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C)
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ATROPA BELLADONNA EX HERBA FERM 33A DIL. D14 (HAB, VS. 33A), CONJUNCTIVA BOVIS GL DIL. D16 (HAB, VS. 41B), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), QUARZ DIL. D19 AQUOS.
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ATROPA BELLADONNA EX HERBA FERM 33A DIL. D14 (HAB, VS. 33A), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M)), QUARZ DIL. D19 AQUOS.
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), ENDOMETRIUM BOVIS GL DIL. D16 (HAB, VS. 41C), QUARZ DIL. D29 AQUOS.
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), ENDOMETRIUM BOVIS GL DIL. D16 (HAB, VS. 41C), QUARZ DIL. D29 AQUOS.
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ECHINACEA PALLIDA E RADICE FERM 33D DIL. D1 (HAB, VS. 33D)
5	ECHINACEA	ARGENTUM METALLICUM DIL. D29 AQUOS., ECHINACEA PALLIDA E RADICE FERM 33D DIL. D2 (HAB, VS. 33D)

ID	Substance Group	Substances
5	ECHINACEA	ARGENTUM METALLICUM PRAEPARATUM DIL. D30, ECHINACEA ANGUSTIFOLIA, PLANTA TOTA RH DIL. D6
5	ECHINACEA	ARGENTUM METALLICUM PRAEPARATUM TRIT. D19, ECHINACEA PURPUREA, PLANTA TOTA Ø, CHAMOMILLA RECUTITA, RADIX, ETHANOL. DECOCTUM DIL. D2, PAPAVER SOMNIFERUM, FRUCTUS IMMAT. DIL. D3, ECHINACEA Ø, BELLADONNA DIL. D3
5	ECHINACEA	ARTICULATIO INTERPHALANGEA BOVIS GL DIL. D16 (HAB, VS. 41B), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), QUARZ DIL. D29 AQUOS.
5	ECHINACEA	ARTICULATIO INTERPHALANGEA BOVIS GL DIL. D16 (HAB, VS. 41B), ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), QUARZ DIL. D29 AQUOS.
5	ECHINACEA	ARUM MACULATUM DIL. D2, ECHINACEA Ø, ACONITUM NAPELLUS DIL. D4, DROSERA DIL. D3
5	ECHINACEA	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D2, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D30, ECHINACEA D10, ECHINACEA D200, ECHINACEA D30
5	ECHINACEA	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D30, ATROPA BELLA-DONNA D4, ECHINACEA D10, ECHINACEA D200, ECHINACEA D30
5	ECHINACEA	ATROPA BELLA-DONNA D4, BAPTISIA TINCTORIA D4, BRYONIA D4, ECHINACEA ANGUSTIFOLIA MOTHER TINCTURE
5	ECHINACEA	ATROPA BELLADONNA DIL. D3, BRYONIA DIL. D3, EUPATORIUM PERFOLIATUM DIL. D3, ECHINACEA PURPUREA DIL D3
5	ECHINACEA	ATROPA BELLADONNA MOTHER TINCTURE, ECHINACEA ANGUSTIFOLIA MOTHER TINCTURE, EUPATORIUM PERFOLIATUM MOTHER TINCTURE, ACONITUM NAPELLUS MOTHER TINCTURE
5	ECHINACEA	BAPTISIA TINCTORIA, ECHINACEA PURPUREA, THUJA OCCIDENTALIS
5	ECHINACEA	BARIIUM JODATUM DIL. D4, BERBERIS, FRUCTUS DIL. D2, HYDRASTIS CANADENSIS, ETHANOL. DECOCTUM DIL. D4, PULSATILLA VULGARIS DIL. D4, AMMONIUM CARBONICUM DIL. D4, ECHINACEA Ø
5	ECHINACEA	BELLADONNA D4, BRYONIA CRETICA DIOICA D2, ECHINACEA URTINKTUR, MYRISTICA SEBIFERA D3, ACONITUM NAPELLUS D4, BAPTISIA D2
5	ECHINACEA	BRYONIA CRETICA DIOICA D3, ECHINACEA D2, EUPATORIUM PERFOLIATUM D3, TARTARUS STIBIATUS D4, VERATRUM ALBUM D4, ACONITUM NAPELLUS D4
5	ECHINACEA	BRYONIA D6, PULSATILLA PRATENSIS D6, PHYTOLACCA AMERICANA D6, SULFUR D12, ECHINACEA D6, EUPATORIUM PERFOLIATUM D6
5	ECHINACEA	CALCIUM SULFURICUM TRIT. D8, ECHINACEA D1, ACIDUM SILICICUM D6, CALCIUM IODATUM TRIT. D4, KALIUM IODATUM TRIT. D4, THUJA OCCIDENTALIS D8
5	ECHINACEA	CINCHONA SUCCIRUBRA DIL. D2, ECHINACEA URTINKTUR
5	ECHINACEA	COCHLEARIA OFFICINALIS D5, EUPHRASIA D5, PILOCARPUS D5, ECHINACEA D5
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA D 3, EUPATORIUM PERFOLIATUM D 3, LACHESIS MUTUS D 10, VERATRUM (HAB 34) D 3, PHOSPHORUS D10
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA LIQUID EXTRACT, BAPTISA TINCTORIA LIQUID EXTRACT, FUMARIA OFFICINALIS LIQUID EXTRACT
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA MOTHER TINCTURE, ATROPA BELLADONNA DIL. D4, ACONITUM NAPELLUS DIL. D4, EUPATORIUM PERFOLIATUM MOTHER TINCTURE
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA RH DIL. D3
5	ECHINACEA	ECHINACEA ANGUSTIFOLIA, PYGEUM AFRICANUM, SABAL SERULATA EXTRACT
5	ECHINACEA	ECHINACEA D1
5	ECHINACEA	ECHINACEA D1, PROPOLIS D6, MAGNESIUM FLUORATUM D12, SULFUR JODATUM D12
5	ECHINACEA	ECHINACEA D2
5	ECHINACEA	ECHINACEA D2, GELSEMIUM SEMPERVIRENS D3, LACHESIS D8 DIL., ACONITUM DIL. D4
5	ECHINACEA	ECHINACEA D2, KALIUM CARBONICUM D5, PETROLEUM RECTIFICATUM D6
5	ECHINACEA	ECHINACEA DIL. D 1, FERRUM PHOSPHORICUM DIL. D 6 AQUOS
5	ECHINACEA	ECHINACEA DRY EXTRACT
5	ECHINACEA	ECHINACEA DRY EXTRACT, ECHINACEA ROOT
5	ECHINACEA	ECHINACEA EXTRACT
5	ECHINACEA	ECHINACEA MOTHER TINCTURE
5	ECHINACEA	ECHINACEA MOTHER TINCTURE, BAPTISIA, BRYONIA, LACHESIS, THUJA OCCIDENTALIS, SILICEA, KALIUM CHLORATUM D4
5	ECHINACEA	ECHINACEA MOTHER TINCTURE, HYDRARGYRUM BICYANATUM D8, KALIUM PHOSPHORICUM D4, LACHESIS MUTUS DIL D6
5	ECHINACEA	ECHINACEA MOTHER TINCTURE, KALIUM PHOSPHORICUM D4, LACHESIS MUTUS DIL D6
5	ECHINACEA	ECHINACEA MOTHER TINCTURE, KALIUM PHOSPHORICUM TRIT. D 4, HYDRARGYRUM BICYANATUM D8, LACHESIS D6
5	ECHINACEA	ECHINACEA Ø
5	ECHINACEA	ECHINACEA Ø, BRYONIA DIL. D2, AURUM METALLICUM DIL. D6, ACONITUM DIL. D2, LACHESIS DIL. D6
5	ECHINACEA	ECHINACEA Ø, BRYONIA DIL. D4, ACONITUM DIL. D4, LACHESIS DIL. D13, SULFUR JODATUM DIL. D4
5	ECHINACEA	ECHINACEA Ø, EUPATORIUM PERFOLIATUM MOTHER TINCTURE, THUJA DIL D1, BAPTISIA MOTHER TINCTURE, LACHESIS DIL. D8
5	ECHINACEA	ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D1 (HAB, VS. 34I)
5	ECHINACEA	ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
5	ECHINACEA	ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M))
5	ECHINACEA	ECHINACEA PALLIDA E PLANTA TOTA FERM 33C DIL. D3 (HAB, VS. 33C)
5	ECHINACEA	ECHINACEA PALLIDA E PLANTA TOTA FERM 33C Ø (HAB, VS. 33C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D1 (HAB, VS. 34I)
5	ECHINACEA	ECHINACEA PALLIDA EX HERBA LA 20% (HAB, VS. 12C)
5	ECHINACEA	ECHINACEA PURPUREA
5	ECHINACEA	ECHINACEA PURPUREA D6
5	ECHINACEA	ECHINACEA PURPUREA HERBA, EXTRACT, ECHINACEA PURPUREA RADIX, EXTRACT
5	ECHINACEA	ECHINACEA PURPUREA L. MOENCH DRY EXTRACT
5	ECHINACEA	ECHINACEA PURPUREA URTINKTUR

ID	Substance Group	Substances
5	ECHINACEA	ECHINACEA PURPUREA, LACHESIS MUTUS, PHYTOLACCA AMERICANA
5	ECHINACEA	ECHINACEA PURPUREAE HERBAE SUCCUS
5	ECHINACEA	ECHINACEA URTINKTUR, HEPAR SULFURIS D8, CHAMOMILLA RECUTITA URT., LACHESIS DIL. D8
5	ECHINACEA	ECHINACEAE ANGUSTIFOLIAE TINCTURA
5	ECHINACEA	ECHINACEAE PURPUREAE HERBAE EXTRACTUM SICCUM
5	ECHINACEA	ECHINACEAE PURPUREAE HERBA SUCCUS EXPRESSUS (1.5 - 2.5 : 1)
5	ECHINACEA	ECHINACEAE PURPUREAE HERBA SUCCUS EXPRESSUS SICCUM (22 - 65 : 1)
5	ECHINACEA	ECHINACEAE PURPUREAE HERBAE
5	ECHINACEA	ECHINACEAE PURPUREAE HERBAE RECENTIS SUCCUS (1:1)
5	ECHINACEA	ECHINACEAE TINCTURA
5	ECHINACEA	ETHANOL, ECHINACEA PURPUREA URTINKTUR, APIS D3 DIL., BRYONIA D4 DIL., SULFUR D10 DIL., LACHESIS D8 DIL.
5	ECHINACEA	EUPATORIUM PERFOLIATUM D 3, LACHESIS MUTUS D 10, ECHINACEA PALLIDA D 3, GELSEMIUM SEMPERVIRENS D 3
5	ECHINACEA	EXTR. ECHINACEA PALL. E RAD. SICC.
5	ECHINACEA	EXTRACTUM SPISSUM COMPOSITUM EX: HARPAGOPHYTI RADICE (4 PARTS), ECHINACEAE PURPUREAE HERBA (3 PARTS), ULMARIAE FLORE (3 PARTS) DER 2-4:1, EXTRACTING AGENT: ETHANOL, WATER
5	ECHINACEA	GETROCKNETER PRESSSAFT AUS FRISCHEM BLÜHENDEM PURPURSONNENHUTKRAUT (22-65:1)
5	ECHINACEA	HEDERA HELIX DIL. D6, CLEMATIS RECTA DIL. D6, ECHINACEA DIL. D6
5	ECHINACEA	HEPAR SULFURIS TRIT. D 6, CINNABARIS TRIT. D6, SPONGIA OFFICINALIS, APIS MELLIFICA D4, ATROPINUM SULFURICUM D4, ECHINACEA D2, KALIUM CHLORATUM D4, SILICEA D3, LACHESIS D10, KALIUM BICHROMICUM D6
5	ECHINACEA	HYDRARGYRUM BICYANATUM DIL. D6, CAPSICUM ANNUUM DIL. D4, ACONITUM NAPELLUS DIL. D6, CHAMOMILLA RECUTITA Ø, ECHINACEA PURPUREA Ø, HYDRASTIS CANADENSIS DIL. D4, IODUM DIL. D4, NATRIUM TETRABORACICUM DIL. D4, SAMBUCUS NIGRA Ø, SANGUINARIA CANADENSIS Ø
5	ECHINACEA	KALIUM CARBONICUM D 6, ARGENTUM COLLOIDALE D 12, CHAMAEIRIUM LUTEUM D 4, ECHINACEA PALLIDA E PLANTA TOTA REC FLOR D 3, HYDRASTIS CANADENSIS D 4, SECALE CORNUTUM D 6
5	ECHINACEA	LACHESIS MUTUS D 10, ACONITUM NAPELLUS D 4, COLOCYNTHIS D 4, ECHINACEA PALLIDA E PLANTA TOTA REC FLOR D 4
5	ECHINACEA	MANGANUM ACETICUM D6, SULFUR JODATUM D6, LUFFA OPERCULATA D6, ECHINACEA D3, KALIUM BICHROMICUM D6, HYDRARGYRUM SULFURATUM RUBRUM D10
5	ECHINACEA	NATIVE DRY EXTRACT FROM RADIX BAPTISIAE TINCTORIAE, RADIX ECHINACEAE PALLIDAE, RADIX ECHINACEAE PURPUREAE, HERBA THUJAE OCCIDENTALIS
5	ECHINACEA	PHOSPHORUS D6, ACONITUM NAPELLUS D3, ATROPA BELLA-DONNA D6, ECHINACEA ANGUSTIFOLIA MOTHER TINCTURE, DROSERA D3, CINCHONA PUBESCENS URTINKTUR
5	ECHINACEA	PHOSPHORUS D6, BRYONIA D4, GELSEMIUM SEMPERVIRENS D6, ECHINACEA D3, EUPATORIUM PERFOLIATUM D8
5	ECHINACEA	PRESS JUICE OF FRESH AND FLOWERING ECHINACEA PURPUREA (1.5 - 2.5:1)
5	ECHINACEA	PRESSED JUICE FROM FRESH ECHINACEA PURPUREA HERB (1 : 0.65 – 0.85)
5	ECHINACEA	RIBWORT PLANTAIN LIQUID EXTRACT, ECHINACEA THICK EXTRACT
5	ECHINACEA	RUMEX CRISPUS D4, DROSERA D4, ECHINACEA ANGUSTIFOLIA MOTHER TINCTURE, CEPHALIS IPECACUANHA DIL. D6, ERIODICTYON CALIFORNICUM DIL. D 4
5	ECHINACEA	SCROPHULARIA NODOSA MT, ECHINACEA TRIT. D3, MERCURIUS BIJODATUS TRIT. D12
5	ECHINACEA	SILICEA D2, HYDRARGYRUM SULFURATUM RUBRUM TRIT. D3, BAPTISIA TINCTORIA, LACHESIS, LUFFA OPERCULATA, SPONGIA, APIS MELLIFICA D4, ECHINACEA D2, KALIUM BICHROMICUM D8, HEPAR SULFURIS TRIT. D3, MERCURIUS BIJODATUS TRIT. D5
5	ECHINACEA	TARAXACUM MOTHER TINCTURE, CALENDULA MOTHER TINCTURE, CHELIDONIUM DIL. D8, PHYTOLACCA DIL. D2, HYDRASTIS MOTHER TINCTURE, SANGUINARIA DIL. D8, ARSENICUM ALBUM DIL. D8, ECHINACEA DIL. D3, LYCOPODIUM DIL. D2
5	ECHINACEA	TARAXACUM MOTHER TINCTURE, CALENDULA MOTHER TINCTURE, CHELIDONIUM DIL. D8, PHYTOLACCA DIL. D2, HYDRASTIS MOTHER TINCTURE, SANGUINARIA DIL. D8, ARSENICUM ALBUM DIL. D8, ECHINACEA DIL. D3, LYCOPODIUM DIL. D2, LEPTANDRA MOTHER TINCTURE, CARDUUS MARIANUS DIL. D1, CONDURANGO DIL. D2
5	ECHINACEA	THUJA OCCIDENTALIS D3, URTICA URENS D3, ACIDUM NITRICUM D6, APIS MELLIFICA D12, ARGENTUM METALLICUM D8, AURUM METALLICUM D10, CALCIUM FLUORATUM D8, CALTHA PALUSTRIS D3, CLEMATIS RECTA D4, BETULA PENDULA D2, GALIUM APARINE D3, GALIUM MOLLUGO D3, HEDERA HELIX D4, ONONIS SPINOSA D4, PYROGENIUM NOSODE D6, SAPONARIA OFFICINALIS D4, SEMPERVIVUM TECTORUM SSP. TECTORUM D4, JUNIPERUS COMMUNIS D4, PHOSPHORUS D8, SEDUM ACRE D3, ECHINACEA D5
5	ECHINACEA	THUJA OCCIDENTALIS D3, URTICA URENS D3, ACIDUM NITRICUM D6, APIS MELLIFICA D12, ARGENTUM METALLICUM D8, AURUM METALLICUM D10, CALCIUM FLUORATUM D8, CALTHA PALUSTRIS D3, CLEMATIS RECTA D4, BETULA PENDULA D2, GALIUM APARINE D3, GALIUM MOLLUGO D3, HEDERA HELIX D4, ONONIS SPINOSA D4, SEMPERVIVUM TECTORUM SSP. TECTORUM D4, JUNIPERUS COMMUNIS D4, PHOSPHORUS D8, SEDUM ACRE D3, ECHINACEA D5
5	ECHINACEA	THYMI AETHEROLEUM, BERBERIS, FRUCTUS Ø, ECHINACEA PURPUREA, PLANTA TOTA Ø, D-CAMPHORA, HYDRARGYRUM SULFURATUM RUBRUM TRIT. D4, PRUNUS SPINOSA, FRUCTUS Ø, MENTHAE PIPERITAE AETHEROLEUM, ESCULIN, EUCALYPTI AETHEROLEUM, BRYONIA DIL. D3
5	ECHINACEA	TROSPHIUM CHLORIDE, EXTRACTUM SABALAE SERRULATAE SICCUM (4.4-5.2 :1), EXTRACTUM ECHINACEAE SICCUM (4.8-5.8 : 1)
6	ARNICA	ACHILLEA MILLEFOLIUM DIL D 2, ARNICA MONTANA DIL. D 2
6	ARNICA	ACHILLEA MILLEFOLIUM DIL D 2, ARNICA MONTANA DIL. D 3, CAPSELLA BURSA-PASTORIS DIL. D 2, ERECHTHITES HIERACIFOLIA (HAB 34) DIL. D 6, HAMAMELIS VIRGINIANA DIL. D 2, KRAMERIA TRIANDRA DIL. D 4, KREOSOTUM DIL. D 8, SECALE CORNUTUM DIL. D 4
6	ARNICA	AESCULUS HIPPOCASTANUM DIL. D3, ARNICA MONTANA DIL. D3, ASA FOETIDA DIL. D6, PULSATILLA PRATENSIS DIL. D3, HAMAMELIS VIRGINIANA DIL. D3, CARBO VEGETABILIS DIL. D8
6	ARNICA	AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D49 (HAB, VS. 34C), ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D19 (HAB, VS. 33C), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), PHYLLSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
6	ARNICA	AESCULUS SEED DRY EXTRACT, THICK EXTRACT OF ARNICA FLOWERS AND POT MARIGOLD FLOWERS

ID	Substance Group	Substances
6	ARNICA	ALLIUM CEPA FERM 34A DIL. D2, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D4 (HAB, VS. 33C), ARTICULATIO SUBTALARIS BOVIS GL DIL. D8 (HAB, VS. 41B), ARTICULATIO SUBTALARIS BOVIS GL DIL. D4 (HAB, VS. 41B), ARTICULATIO TALOCRURALIS BOVIS GL DIL. D8 (HAB, VS. 41B), ARTICULATIO TALOCRURALIS BOVIS GL DIL. D4 (HAB, VS. 41B), NERVUS ISCHIADICUS BOVIS GL DIL. D4 (HAB, VS. 41A), STANNUM METALLICUM DIL. D13 AQUOS., SYMPHYTUM OFFICINALE E RADICE FERM 34C DIL. D1 (HAB, VS. 34C), TENDO BOVIS GL DIL. D4 (HAB, VS. 41B), PERIOSTEUM BOVIS GL DIL. D15 (HAB, VS. 41B)
6	ARNICA	ALLIUM CEPA FERM 34A DIL. D3, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D3 (HAB, VS. 33C), STANNUM METALLICUM DIL. D9, SYMPHYTUM OFFICINALE E RADICE FERM 34C DIL. D2 (HAB, VS. 34C)
6	ARNICA	ALLIUM CEPA FERM 34A DIL. D3, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), STANNUM METALLICUM DIL. D14 AQUOS., SYMPHYTUM OFFICINALE E RADICE FERM 34C DIL. D2 (HAB, VS. 34C)
6	ARNICA	ALLIUM CEPA FERM 34A DIL. D7, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), STANNUM METALLICUM DIL. D14 AQUOS., SYMPHYTUM OFFICINALE E RADICE FERM 34C DIL. D5 (HAB, VS. 34C), TENDO BOVIS GL DIL. D16 (HAB, VS. 41B), VAGINAE SYNOVIALES TENDINUM BOVIS GL DIL. D16 (HAB, VS. 41C), PERIOSTEUM BOVIS GL DIL. D16 (HAB, VS. 41B)
6	ARNICA	ANTIMONIUM CRUDUM D4, ARNICA MONTANA D3, CALCIUM FLUORATUM D4, SILICEA D3, THUJA OCCIDENTALIS D3
6	ARNICA	APIS MELLIFICA D4, ARNICA MONTANA D3, ECHINACEA D2, RHUS TOXICODENDRON D4, RUTA GRAVEOLENS D4, AESCULUS HIPPOCASTANUM D1, ACIDUM BENZOICUM E RESINA D4, BAPTISIA TINCTORIA D4, CUPRUM METALLICUM D13, ARTERIA SUIS D10, BARIUM IODATUM D6, COLCHICUM AUTUMNALE D4, EUPATORIUM CANNABINUM D4, HAMAMELIS VIRGINIANA D4, NATRIUM PYRUVICUM D8, SOLANUM DULCAMARA D4, SOLANUM NIGRUM D6, VISCUM ALBUM D2, NICOTIANA TABACUM D10, SECALE CORNUTUM D3
6	ARNICA	APIS MELLIFICA D4, ARNICA MONTANA Ø, SILYBUM MARIANUM MOTHER TINCTURE, LACHESIS DIL. D8
6	ARNICA	APIS MELLIFICA D4, ATROPA BELLA-DONNA D4, ARNICA MONTANA D4, HEPAR SULFURIS D6, HYDRARGYRUM BICYANATUM D8, PHYTOLACCA AMERICANA D4
6	ARNICA	APIS MELLIFICA D4, ATROPA BELLA-DONNA D4, ARNICA MONTANA D4, HEPAR SULFURIS D6, HYDRARGYRUM BICYANATUM D8, SOLANUM DULCAMARA D4, PHYTOLACCA AMERICANA D4
6	ARNICA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D4 (HAB, VS. 41C), ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
6	ARNICA	AQUEUS DRUG EXTRACT WITH ALUMINIUMTRIFORMIATE (ARNICA BLOOMS, CHAMOMILE BLOOMS, SAGE LEAVES)
6	ARNICA	ARGENTUM METALLICUM DIL. D18 AQUOS., ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D18 (HAB, VS. 33C), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D6 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D5 (HAB, VS. 41C), GELSEMIUM SEMPERVIRENS E RHIZOMA FERM 35B DIL. D2 (HAB, VS. 35B), GRANIT DIL. D8 (HAB, VS. 6), LEONTOPODIUM ALPINUM E PLANTA TOTA FERM 36 DIL. D2 (HAB, VS. 36), MANDRAGORA OFFICINARUM E RADICE FERM 34D DIL. D4 (HAB, VS. 34D), TOXICODENDRON QUERCIFOLIUM E FOLIIS FERM 33D DIL. D4 (HAB, VS. 33D), PHYLLOSTACHYS E NODO FERM 35C DIL. D4 (HAB, VS. 35C), ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D4 (HAB, VS. 33C)
6	ARNICA	ARGENTUM METALLICUM DIL. D19 AQUOS., ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D19 (HAB, VS. 33C), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
6	ARNICA	ARGENTUM METALLICUM DIL. D7, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D14 (HAB, VS. 33C), BETULA PENDULA E CORTICE, DECOCTUM Ø (HAB, VS. 23A), BETULA PENDULA FERM 34E DIL. D1, FORMICA RUFA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), SULFUR DIL. D5
6	ARNICA	ARGENTUM METALLICUM DIL. D7, ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D14 (HAB, VS. 33C), BETULA PENDULA FERM 34E DIL. D3, BETULA PENDULA E CORTICE, DECOCTUM DIL. D4 (HAB, VS. 23A), FORMICA RUFA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), SULFUR DIL. D5
6	ARNICA	ARNICA DIL. D10, BERBERIS, ETHANOL. DECOCTUM DIL. D3, COLCHICUM, TUBER, ETHANOL. DIGESTIO DIL. D4, GELSEMIUM, ETHANOL. DECOCTUM DIL. D3, FORMICA DIL. D4, LEONTOPODIUM ALPINUM, PLANTA TOTA REC. DIL. D3, APIS MELLIFICA DIL. D3
6	ARNICA	ARNICA DIL. D4
6	ARNICA	ARNICA DIL. D4, HARPAGOPHYTUM DIL. D3, BRYONIA DIL. D2, CALCIUM PHOSPHORICUM DIL. D6, SILICEA DIL. D6
6	ARNICA	ARNICA EXTRACT
6	ARNICA	ARNICA FLOWER TINCTURE (1:10) EXTRACTING SOLVENT: ETHANOL 70 % (V/V)
6	ARNICA	ARNICA FLOWER, ACHILLEA MILLEFOLIUM L. HERBA, HYPERICI HERBA, MELILOT, QUERCUS CORTEX
6	ARNICA	ARNICA MONTANA
6	ARNICA	ARNICA MONTANA D3, ACIDUM SILICICUM D8, AESCULUS HIPPOCASTANUM D6, CALCIUM FLUORATUM D10, RHUS TOXICODENDRON D6, CALCIUM PHOSPHORICUM DIL. D8
6	ARNICA	ARNICA MONTANA D3, BRYONIA CRETICA DIOICA D3, CHENOPODIUM ANTHELMINTICUM D3, CHINA D2, PETROLEUM RECTIFICATUM D5
6	ARNICA	ARNICA MONTANA D3, CAMPHORA D4, MOSCHUS D5, VERATRUM ALBUM D4
6	ARNICA	ARNICA MONTANA D3, LACHESIS D10, MELILOTUS OFFICINALIS D6, AESCULUS HIPPOCASTANUM D2, CARDUUS MARIANUS D6
6	ARNICA	ARNICA MONTANA D3, PULSATILLA PRATENSIS D4, AESCULUS HIPPOCASTANUM D1, HAMAMELIS VIRGINIANA D1, CALCIUM FLUORATUM D9
6	ARNICA	ARNICA MONTANA D3, RHUS TOXICODENDRON D4, BRYONIA D3
6	ARNICA	ARNICA MONTANA D6, ACIDUM ARSENICOSUM D10, ARGENTUM NITRICUM D10, BAPTISIA TINCTORIA D6, BRYONIA D8, EUPHORBIIUM D8, ACONITUM NAPELLUS D5, CORTISONUM ACETICUM D15, HEPAR SULFURIS D12, HYDRARGYRUM BICHLORATUM D8, LACHESIS D 12, PHOSPHORUS D10, PULSATILLA PRATENSIS D10, SANGUINARIA CANADENSIS D6, STAPHYLOCOCCUS NOSODE D20, STREPTOCOCCUS HAEMOLYTICUS NOSODE D20, SULFUR D10, THUJA OCCIDENTALIS D10, GELSEMIUM SEMPERVIRENS D8, GRIPPEIMPSTOFF NOSODE D15, PYROGENIUM NOSODE D200, PHYTOLACCA AMERICANA D8, RHUS TOXICODENDRON D6, ZINCUM METALLICUM D12, ECHINACEA D3, EUPATORIUM PERFOLIATUM D8
6	ARNICA	ARNICA MONTANA D6, RHUS TOXICODENDRON DIL. D6, RUTA DIL. D6
6	ARNICA	ARNICA MONTANA D6, VISCUM ALBUM D6, NAJA NAJA D10, CAMPHORA D10
6	ARNICA	ARNICA MONTANA DIL. D3, BARIUM IODATUM DIL. D4, SECALE CORNUTUM DIL. D3, CONIUM DIL. D4
6	ARNICA	ARNICA MONTANA E FLORIBUS LA 20% (HAB, VS. 12C)
6	ARNICA	ARNICA MONTANA E FLORIBUS W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), ARGENTUM METALLICUM DIL. D18 AQUOS., DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D3 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D1 (HAB, VS. 35C), PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D2 (HAB, VS. 33C)

ID	Substance Group	Substances
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D3 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), PHYLOSTACHYS E NODO FERM 35C DIL. D1 (HAB, VS. 35C), AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D1 (HAB, VS. 34C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D1 (HAB, VS. 33C), FUNICULUS UMBILICALIS BOVIS GL DIL. D4 (HAB, VS. 41B), HYPOPHYSIS BOVIS GL DIL. D4 (HAB, VS. 41A), MAGNESIUM SULFURICUM DIL. D4 AQUOS. (HAB, VS. 5B), STANNUM METALLICUM DIL. D8, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I), VESPA CRABRO EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), OVARIA BOVIS GL DIL. D4 (HAB, VS. 41A), BRYONIA CRETICA FERM 33B DIL. D2, APIS MELLIFICA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D19 (HAB, VS. 33C), AURUM METALLICUM DIL. D14 AQUOS., DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), PHYLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D19 (HAB, VS. 33C), AURUM METALLICUM DIL. D29 AQUOS.
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D19 (HAB, VS. 33C), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), STIBIUM METALLICUM DIL. D7, PHYLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D28 (HAB, VS. 33C), BETULA PENDULA E CORTICE, DECOCTUM DIL. D3 (HAB, VS. 23A), CEREBELLUM BOVIS GL DIL. D15 (HAB, VS. 41A), CORPORA QUADRIGEMINA BOVIS GL DIL. D15 (HAB, VS. 41A), EPIPHYSIS BOVIS GL DIL. D15 (HAB, VS. 41A), LABYRINTHUS BOVIS GL DIL. D15 (HAB, VS. 41A), MEDULLA OBLONGATA BOVIS GL DIL. D15 (HAB, VS. 41A), NERVUS STATOACUSTICUS BOVIS GL DIL. D15 (HAB, VS. 41A), PLUMBUM MELLITUM DIL. D28 AQUOS. (HAB, VS. 8B)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D28 (HAB, VS. 33C), BETULA PENDULA E CORTICE, DECOCTUM DIL. D3 (HAB, VS. 23A), CEREBELLUM BOVIS GL DIL. D15 (HAB, VS. 41A), CORPORA QUADRIGEMINA BOVIS GL DIL. D15 (HAB, VS. 41A), HYPOPHYSIS BOVIS GL DIL. D15 (HAB, VS. 41A), IRIS BOVIS GL DIL. D15 (HAB, VS. 41B), MEDULLA OBLONGATA BOVIS GL DIL. D15 (HAB, VS. 41A), NERVUS OPTICUS BOVIS GL DIL. D15 (HAB, VS. 41A), RETINA ET CHORIOIDEA BOVIS GL DIL. D15 (HAB, VS. 41C), THALAMUS BOVIS GL DIL. D15 (HAB, VS. 41A), PLUMBUM MELLITUM DIL. D28 AQUOS. (HAB, VS. 8B)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D28 (HAB, VS. 33C), BETULA PENDULA E CORTICE, DECOCTUM Ø (HAB, VS. 23A), CEREBELLUM BOVIS GL DIL. D15 (HAB, VS. 41A), CORPORA QUADRIGEMINA BOVIS GL DIL. D15 (HAB, VS. 41A), EPIPHYSIS BOVIS GL DIL. D15 (HAB, VS. 41A), LABYRINTHUS BOVIS GL DIL. D15 (HAB, VS. 41A), MEDULLA OBLONGATA BOVIS GL DIL. D15 (HAB, VS. 41A), NERVUS STATOACUSTICUS BOVIS GL DIL. D15 (HAB, VS. 41A), PLUMBUM MELLITUM DIL. D28 AQUOS. (HAB, VS. 8B)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D28 (HAB, VS. 33C), BETULA PENDULA E CORTICE, DECOCTUM Ø (HAB, VS. 23A), CEREBELLUM BOVIS GL DIL. D15 (HAB, VS. 41A), CORPORA QUADRIGEMINA BOVIS GL DIL. D15 (HAB, VS. 41A), HYPOPHYSIS BOVIS GL DIL. D15 (HAB, VS. 41A), IRIS BOVIS GL DIL. D15 (HAB, VS. 41B), MEDULLA OBLONGATA BOVIS GL DIL. D15 (HAB, VS. 41A), NERVUS OPTICUS BOVIS GL DIL. D15 (HAB, VS. 41A), RETINA ET CHORIOIDEA BOVIS GL DIL. D15 (HAB, VS. 41C), THALAMUS BOVIS GL DIL. D15 (HAB, VS. 41A), PLUMBUM MELLITUM DIL. D28 AQUOS. (HAB, VS. 8B)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D29 (HAB, VS. 33C), PLUMBUM MELLITUM DIL. D29 AQUOS. (HAB, VS. 8B)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), APATIT DIL. D6, CEREBELLUM BOVIS GL DIL. D5 (HAB, VS. 41A), CONCHAE TRIT. D3, NATRIUM CARBONICUM DIL. D4 AQUOS. (HAB, VS. 5B), SKORODIT DIL. D6, ORCHIS E TUBERE, DECOCTUM DIL. D7 (HAB, VS. 23A), LEVISTICUM OFFICINALE E RADICE FERM 33C DIL. D2 (HAB, VS. 33C)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), APATIT DIL. D6, CEREBELLUM BOVIS GL DIL. D7 (HAB, VS. 41A), CONCHAE DIL. D5, LEVISTICUM OFFICINALE E RADICE FERM 33C DIL. D5 (HAB, VS. 33C), NATRIUM CARBONICUM DIL. D5 AQUOS. (HAB, VS. 5B), SKORODIT DIL. D6, ORCHIS E TUBERE, DECOCTUM DIL. D7 (HAB, VS. 23A)
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), AURUM METALLICUM DIL. D9
6	ARNICA	ARNICA MONTANA E PLANTA TOTA FERM 33C Ø (HAB, VS. 33C), FORMICA RUFA EX ANIMALE TOTO GL Ø (HAB, VS. 41C), SYMPHYTUM OFFICINALE E RADICE FERM 34C Ø (HAB, VS. 34C)
6	ARNICA	ARNICA MONTANA MOTHER TINCTURE
6	ARNICA	ARNICA MONTANA Ø
6	ARNICA	ARNICA MONTANA TRIT. D 4, HAMAMELIS VIRGINIANA TRIT. D 3, SEPIA OFFICINALIS TRIT.. D 4, VIPERA BERUS D10
6	ARNICA	ARNICA MONTANA TRIT. D 4, RHUS TOXICODENDRON TRIT. D4
6	ARNICA	ARNICA MONTANA, ATROPA BELLADONNA, BRYONIA, PULSATILLA, MERCURIUS SOLUBILIS, BROMUM, PHYTO-LACCA DECANDRA, ARUM TRIPHYLLUM, SPONGIA TOSTA
6	ARNICA	ARNICA MONTANA, BRYONIA, PULSATILLA, BELLADONNA, MERCURIUS SOLUBILIS, BROMUM, PHYTO-LACCA DECANDRA, ARUM TRIPHYLLUM, SPONGIA TOSTA
6	ARNICA	ARNICA MONTANA, EUPATORIUM PERFOLIATUM, GELSEMIUM SEMPERVIRENS, SULFUR, BELLADONNA
6	ARNICA	ARNICA MONTANA, EUPATORIUM PERFOLIATUM, GELSEMIUM, SULFUR, BELLADONNA
6	ARNICA	ARNICA MONTANA, PLANTA TOTA REC., ETHANOL. EXTR. 1:1,1
6	ARNICA	ARNICA MONTANA, PLANTA TOTA REC., ETHANOL. EXTR. 1:2,1, CITRUS LIMON, SUCCUS, NATRIUMSILIKATLÖSUNG, IRIS, RHIZOMA, ETHANOL. DECOCTUM 20 %, LAPPA MAJOR, RADIX, ETHANOL. DECOCTUM 20 %, PRUNUS SPINOSA, SUMMIT. REC., ETHANOL. EXTR. 1:2,3, PRUNUS SPINOSA, PRESSSAFT, HAMAMELIS, CORTEX ET FOLIUM, ETHANOL. DESTILLAT 1:15
6	ARNICA	ARNICA MONTANA, PULSATILLA, BELLADONNA, MERCURIUS SOLUBILIS, BROMUM, PHYTO-LACCA DECANDRA, ARUM TRIPHYLLUM, SPONGIA TOSTA, BRYONIA ALBA
6	ARNICA	ARNICA MONTANA, RADIX RH DIL. D10, BERBERIS, CORTEX, DECOCTUM DIL. D3, COLCHICUM, TUBER RH DIL. D4, FORMICA 42A DIL. D4, GELSEMIUM, ETHANOL. DECOCTUM DIL. D3, LEONTOPODIUM ALPINUM, PLANTA TOTA REC. DIL. D3, APIS MELLIFICA 42A DIL. D3
6	ARNICA	ARNICA MONTANA, SANGUINARIA, LACHESIS MUTUS, ACTAEA RACEMOSA, GLONINUM
6	ARNICA	ARNICA MONTANA, SARCOLACTICUM ACIDUM, ZINCUM OXYDATUM
6	ARNICA	ARNICA MONTANA, TEINTURE MÈRE
6	ARNICA	ARNICA TINCTURE
6	ARNICA	ARNICA TINCTURE DEV (1:10); EXTRACTION MEDIUM ETHANOL 70% (V/V)
6	ARNICA	ARNICA, FLOS H 10 %
6	ARNICA	ARNICA, PLANTA TOTA 2B Ø
6	ARNICA	ARNICA, PLANTA TOTA DIL. D1, ACONITUM NAPELLUS DIL. D3, BRYONIA DIL. D2
6	ARNICA	ARNICA, PLANTA TOTA DIL. D15, BETULAE FOLIUM, ETHANOL. DECOCTUM DIL. D3, EUISETUM ARVENSE, ETHANOL. DECOCTUM DIL. D15, FORMICA DIL. D10, MANDRAGORA, ETHANOL. DECOCTUM DIL. D3, MENISCUS GENUS BOVIS DIL. D6

ID	Substance Group	Substances
6	ARNICA	ARNICA, PLANTA TOTA DIL. D20, BETULA, CORTEX, ETHANOL. DECOCTUM DIL. D2, PLUMBUM MELLITUM DIL. D20
6	ARNICA	ARNICA, PLANTA TOTA DIL. D3
6	ARNICA	ARNICA, PLANTA TOTA Ø
6	ARNICA	ARNICA, PLANTA TOTA Ø, BETULA, FOLIUM, ETHANOL. DECOCTUM Ø, MANDRAGORA, ETHANOL. DECOCTUM Ø, ACONITUM NAPELLUS DIL. D3
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D10, COR BOVIS DIL. D10
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D15, BETULA, FOLIUM RH DIL. D3, EQUISETUM ARVENSE RH DIL. D15, MANDRAGORA, ETHANOL. DECOCTUM DIL. D3, MENISCUS GENUS BOVIS DIL. D6, FORMICA 42A DIL. D10
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D20, BETULA, CORTEX, DECOCTUM DIL. D2, FORMICA 42A DIL. D6
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D20, BETULA, CORTEX, DECOCTUM DIL. D2, PLUMBUM MELLITUM DIL. D20
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D20, VESPA CRABRO EX ANIM. TOT. DIL. D6
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D3
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D3, LEVISTICUM OFFICINALE RH DIL. D3, APIS MELLIFICA 42B DIL. D2 AQUOS.
6	ARNICA	ARNICA, PLANTA TOTA RH DIL. D6, LEVISTICUM OFFICINALE RH DIL. D6, APIS MELLIFICA DIL. D6
6	ARNICA	ARNICAE TINCTURA
6	ARNICA	AURUM METALLICUM PRAEPARATUM DIL. D10 AQUOS., ARNICA, PLANTA TOTA RH DIL. D15
6	ARNICA	AURUM METALLICUM PRAEPARATUM DIL. D10, ARNICA, PLANTA TOTA DIL. D10, FORMICA DIL. D10, ONOPORDUM ACANTHIUM, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 0,1 % HYOSCYAMUS Ø, PRIMULA VERIS, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 0,1 % HYOSCYAMUS Ø
6	ARNICA	BARIIUM CARBONICUM D12, CALCIUM IODATUM TRIT. D4, CAUSTICUM HAHNEMANNI D6, DATURA STRAMONIUM D4, ACONITUM NAPELLUS D12, ARNICA MONTANA D4, KALIUM PHOSPHORICUM D6, SEMECARPUS ANACARDIUM D6, STRYCHNOS IGNATII D6
6	ARNICA	BENZOIC ACID, ARNICA MONTANA, BRYONIA, DULCAMARA, MATRICARIA RECUTITA, PULSATILLA, RHUS TOXICODENDRON, KALIUM IODATUM D6, RHODODENDRON FERRUGINEUM
6	ARNICA	BRYONIA D4, ARNICA MONTANA D4, LEDUM PALUSTRE D3, ACIDUM SULFURICUM D6, ARGENTUM METALLICUM D12, CAUSTICUM HAHNEMANNI D12
6	ARNICA	BRYONIA D4, CAUSTICUM HAHNEMANNI D4, FERRUM PHOSPHORICUM D6, ARNICA MONTANA D4, RHUS TOXICODENDRON D6
6	ARNICA	CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), FORMICA RUFA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
6	ARNICA	CUPRUM SULFURICUM D6, ARNICA MONTANA D2, SANGUINARIA CANADENSIS D4, SOLANUM DULCAMARA D2, RHUS TOXICODENDRON D2
6	ARNICA	CUPRUM SULFURICUM DIL. D4, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, PLUMBUM ACETICUM SPAG. GLÜCKSELIG DIL. D4, CITRULLUS COLOCYNTHIS E FRUCTIBUS SICC. GLÜCKSELIG DIL. D4, RAPHANUS SATIVUS VAR. NIGER GLÜCKSELIG Ø, STELLARIA MEDIA EX HERBA REC. GLÜCKSELIG Ø, URGINEA MARITIMA VAR. ALBA E BULBO SICC. SPAG. GLÜCKSELIG DIL. D4
6	ARNICA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DRYOPTERIS FILIX-MAS EX HERBA REC. GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8, ZINCUM METALLICUM DIL. D8, ECHINACEA ANGUSTIFOLIA E PLANTA TOTA REC. SPAG. GLÜCKSELIG DIL. D2, JODUM DIL. D4, LACHESIS MUTUS DIL. D7, THUJA OCCIDENTALIS DIL. D2, VERBENA OFFICINALIS EX HERBA SICC. GLÜCKSELIG Ø
6	ARNICA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DRYOPTERIS FILIX-MAS EX HERBA REC. GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8, ZINCUM METALLICUM DIL. D8, ECHINACEA ANGUSTIFOLIA E PLANTA TOTA REC. SPAG. GLÜCKSELIG DIL. D2, JODUM DIL. D4, LACHESIS MUTUS DIL. D7, THUJA OCCIDENTALIS DIL. D2, VERBENA OFFICINALIS EX HERBA SICC. GLÜCKSELIG Ø, HELLEBORUS VIRIDIS EX HERBIS D4
6	ARNICA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, BOLUS ALBA SPAG. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8
6	ARNICA	GELSEMIUM SEMPERVIRENS D4, RUTA GRAVEOLENS D4, ACIDUM PHOSPHORICUM D10, ANAMIRTA COCCULUS D4, BOTHROPS LANCEOLATUS D10, CEREBRUM SUIS D8, CINCHONA PUBESCENS D4, CONIUM MACULATUM D4, EMBRYO TOTALIS SUIS D10, ARNICA MONTANA D28, AMBRA GRISEA D10, HEPAR SUIS D10, KALIUM PHOSPHORICUM D6, MEDORRHINUM NOSODE D13, MAGNESIUM PHOSPHORICUM D10, MANGANUM PHOSPHORICUM D8, PLACENTA TOTALIS SUIS D10, SEMECARPUS ANACARDIUM D6, SELENIUM D10, STRYCHNOS IGNATII D8, SULFUR D10, KALIUM BICHROMICUM D8, HYOSCYAMUS NIGER D6, THUJA OCCIDENTALIS D6, ACONITUM NAPELLUS D6, AESCULUS HIPPOCASTANUM D4
6	ARNICA	GELSEMIUM SEMPERVIRENS D4, RUTA GRAVEOLENS D4, ACIDUM PHOSPHORICUM D10, ANAMIRTA COCCULUS D4, CEREBRUM SUIS D8, CINCHONA PUBESCENS D4, CONIUM MACULATUM D4, EMBRYO TOTALIS SUIS D10, ARNICA MONTANA D28, AMBRA GRISEA D10, HEPAR SUIS D10, KALIUM PHOSPHORICUM D6, MAGNESIUM PHOSPHORICUM D10, MANGANUM PHOSPHORICUM D8, PLACENTA TOTALIS SUIS D10, SEMECARPUS ANACARDIUM D6, SELENIUM D10, STRYCHNOS IGNATII D8, SULFUR D10, KALIUM BICHROMICUM D8, HYOSCYAMUS NIGER D6, THUJA OCCIDENTALIS D6, ACONITUM NAPELLUS D6, AESCULUS HIPPOCASTANUM D4
6	ARNICA	HYDROXYETHYL SALICYLATE, ARNICA TINCTURE
6	ARNICA	LACHESIS MUTUS DIL. D8, SILYBUM MARIANUM DIL. D 3, AESCULUS HIPPOCASTANUM DIL. D 1, ARNICA MONTANA URT., HAMAMELIS VIRGINIANA URT.
6	ARNICA	MELILOTUS OFFICINALIS D3, ARNICA MONTANA Ø, SILYBUM MARIANUM D1, HAMAMELIS VIRGINIANA D1, AESCULUS HIPPOCASTANUM DIL. D1, LACHESIS MUTUS DIL D6, LYCOPODIUM CLAVATUM DIL. D4
6	ARNICA	NALEWKA Z DĘBIANEK, ARNICAE TINCTURA, AESCULUS SEED EXTRACT
6	ARNICA	NALEWKA Z DĘBIANEK, TORMENTIL TINCTURE, ARNICA TINCTURE
6	ARNICA	PULSATILLA PRATENSIS D8, RHUS TOXICODENDRON D6, ARNICA MONTANA D8, LEDUM PALUSTRE D6, FILIPENDULA ULMARIA D6
6	ARNICA	RHUS TOXICODENDRON D4, ACIDUM ARSENICOSUM D8, BAPTISIA TINCTORIA D4, BRYONIA D6, EUPHORBIIUM D6, ACONITUM NAPELLUS D3, ARGENTUM NITRICUM D8, ARNICA MONTANA D4, CORTISONUM ACETICUM D13, HEPAR SULFURIS D10, HYDRARGYRUM BICHLORATUM D8, LACHESIS D10, SANGUINARIA CANADENSIS D4, STAPHYLOCOCCUS NOSODE D18, STREPTOCOCCUS HAEMOLYTICUS NOSODE D18, GELSEMIUM SEMPERVIRENS D6, GRIPPEIMPSTOFF NOSODE D13, PULSATILLA PRATENSIS D8, PYROGENIUM NOSODE D198, PHOSPHORUS D8, PHYTOLACCA AMERICANA D6, SULFUR D8, THUJA OCCIDENTALIS D8, ZINCUM METALLICUM D10, ECHINACEA D3, EUPATORIUM PERFORIATUM D6

ID	Substance Group	Substances
6	ARNICA	RHUS TOXICODENDRON D4, ARNICA MONTANA D4, SANGUINARIA CANADENSIS D4, SOLANUM DULCAMARA D4, SULFUR D10
6	ARNICA	VISCUM ALBUM D1, CARBO VEGETABILIS D10, ARNICA MONTANA D2, SELENICEREUS GRANDIFLORUS D1
7	MENTHA	ABSINTHIUM TINCTURE, BELLADONNA TINCTURE, MENTHAE PIPERITAE TINCTURA
7	MENTHA	ACEITE ESENCIAL DE MENTHAE PIPERITAE (MENTA)
7	MENTHA	ANISE OIL, FENNEL OIL, FRUCTUS CARVI, PEPPERMINT LEAVES
7	MENTHA	BELLADONNA TINCTURE, VALERIAN TINCTURE, TINCTURE FROM WORMWOOD HERB 1:5, TINCTURE FROM PEPPERMINT LEAF 1:20
7	MENTHA	BORIC ACID, PEPPERMINT OIL, EUCALYPTUS OIL
7	MENTHA	CAMPHOR, RACEMIC, PEPPERMINT OIL, EUCALYPTUS OIL, PINE OIL, FICHTENNADELÖL, TURPENTINE PURIFIED
7	MENTHA	CARAWAY DRY EXTRACT, FENNEL DRY EXTRACT (4,5-6,5:1), 1ST EXTRACTION LIQUID: ETHANOL 70 % V/V, 2ND EXTRACTION LIQUID: ETHANOL 20 % V/V, ANISEED DRY EXTRACT (4,5-6,0:1), 1ST EXTRACTION LIQUID: ETHANOL 70 % V/V, 2ND EXTRACTION LIQUID: ETHANOL 20 % V/V, CORIANDER DRY EXTRACT (8-12:1), 1ST EXTRACTION LIQUID: ETHANOL 70 % V/V, 2ND EXTRACTION LIQUID: ETHANOL 20 % V/V, WORMWOOD DRY EXTRACT (5-7:1), PEPPERMINT LEAF DRY EXTRACT (3,5-5,0:1), YARROW HERB DRY EXTRACT (4-6:1), 1ST EXTRACTION LIQUID: ETHANOL 70 % V/V, 2ND EXTRACTION FLUID: ETHANOL 20 % V/V, PEPPERMINT OIL, CARAWAY OIL, STAR ANISE OIL, CORIANDER OIL, BITTER FENNEL OIL
7	MENTHA	CARAWAY FRUIT, FENNEL, MATRICARIA RECUTITA, PEPPERMINT
7	MENTHA	CARAWAY FRUIT, TARAXICI HERBA CUM RADICE, TURMERIC, JAVANESE, MILK THISTLE, PEPPERMINT LEAVES
7	MENTHA	CHAMOMILE, MELISSA OFFICINALIS L., SILYBI MARIANI EXTRACTUM SICCUM RAFFINATUM ET NORMATUM (24-27:1), CUMIN, PEPPERMINT LEAVES, LIQUORICE ROOT, IBERIS AMARA WHOLE, ANGELICA DAHURICA ROOT, CHELIDONIUM MAJUS L. HERBA
7	MENTHA	CNICUS BENEDICTUS, PEPPERMINT, ANGELICA ARCHANGELICA EXTRACT
7	MENTHA	DEHYDROCHOLIC ACID, MINT ESSENTIAL OIL, WYCIĄG SUCHY Z KORZENIA RZODKWI CZARNEJ Z WĘGLEM AKTYWNYM (1:1), WYCIĄG GĘSTY Z ZIELA KARCZOCHA
7	MENTHA	ETHANOL, ANHYDROUS, PEPPERMINT OIL, EUCALYPTUS OIL, FRANGULA, MAGNESIUM SALICYLATE, CURCUMAE RADICIS PIGMENTA
7	MENTHA	LEVOMENTHOL, CAMPHOR, RACEMIC, PEPPERMINT OIL, CAJEPUT OIL
7	MENTHA	LEVOMENTHOL, CAMPHOR, RACEMIC, PEPPERMINT OIL, CLOVE OIL, CAJEPUT OIL
7	MENTHA	LEVOMENTHOL, CAMPHOR, RACEMIC, PEPPERMINT OIL, EUCALYPTUS OIL
7	MENTHA	LEVOMENTHOL, CINNAMON BARK OIL, CEYLON, MINT OIL, PARTLY DEMENTHOLISED, CITRONELLA OIL, CLOVE OIL, LAVENDER OIL, LEMON OIL
7	MENTHA	LEVOMENTHOL, CINNAMON BARK OIL, CEYLON, PEPPERMINT OIL, CITRONELLA OIL, CLOVE OIL, LAVENDER OIL, LEMON OIL
7	MENTHA	LEVOMENTHOL, PEPPERMINT OIL
7	MENTHA	LEVOMENTHOL, PEPPERMINT OIL, CINNAMON OIL, CLOVE OIL, EUCALYPTUS OIL, THYMOL, STAR ANISE OIL, SALBEIÖL, BITTER FENNEL FRUIT OIL
7	MENTHA	LEVOMENTHOL, PEPPERMINT OIL, EUCALYPTUS ESSENTIAL OIL
7	MENTHA	LEVOMENTHOL, PEPPERMINT OIL, MYRRH TINCTURE
7	MENTHA	MELISSA LEAF, PASSIFLORA, VALERIAN, PEPPERMINT LEAVES
7	MENTHA	MENTHAE PIPERITAE AETHEROLEUM 100%
7	MENTHA	MENTHAE PIPERITAE AETHEROLEUM PH. EUR.
7	MENTHA	MENTHAE PIPERITAE EXTRACTUM FLUIDUM, MATRICARIAE EXTRACTUM FLUIDUM, CARVI EXTRACTUM FLUIDUM
7	MENTHA	MENTHAE PIPERITAE FOLIUM
7	MENTHA	MENTHAE PIPERITAE FOLIUM, MENTHAE PIPERITAE AETHEROLEUM PH. EUR.
7	MENTHA	MENTHAE PIPERITAE FOLIUM, RHUBARB, ACHILLEA MILLEFOLIUM L. HERBA, CORIANDRUM SATIVUM L. FRUCTUS, MENYANTHES TRIFOLIATA L. FOLIUM
7	MENTHA	MENTHAE PIPERITAE TINCTURA
7	MENTHA	MENTHOL, CAJUPUT OIL, CAMPHOR, CLOVE OIL, MINT OIL, DEMENTHOLISED
7	MENTHA	MENTHOL, PEPPERMINT OIL, BENZOIN TINCTURE, ANISEED OIL
7	MENTHA	MENTHOL, PEPPERMINT OIL, BENZOIN TINCTURE, LIQUORICE EXTRACT, ANISEED OIL
7	MENTHA	MENTHOL, PEPPERMINT OIL, CAMPHOR, EUCALYPTUS OIL, SYLVESTRIS PINE OIL
7	MENTHA	METHENAMINE, SODIUM SALICYLATE, PEPPERMINT OIL, OX BILE EXTRACT
7	MENTHA	MINT ESSENTIAL OIL
7	MENTHA	MINT OIL
7	MENTHA	MINT OIL, PARTLY DEMENTHOLISED
7	MENTHA	PEPPERMINT OIL
7	MENTHA	PEPPERMINT OIL, ANISE OIL, EUCALYPTUS OIL
7	MENTHA	PEPPERMINT OIL, CARAWAY OIL
7	MENTHA	PEPPERMINT OIL, CINNAMON OIL, CLOVE OIL, SLIPPERY ELM BARK
7	MENTHA	PEPPERMINT OIL, EUCALYPTUS OIL, FRANGULA, MAGNESIUM SALICYLATE, CURCUMAE RADICIS PIGMENTA
7	MENTHA	PEPPERMINT OIL, EUCALYPTUS OIL, PINE NEEDLE OIL (PINUS SYLVESTRIS)
7	MENTHA	PEPPERMINT OIL, EUCALYPTUS OIL, ROSEMARY OIL
7	MENTHA	PEPPERMINT OIL, EUCALYPTUS OIL, ROSMARINÖL
7	MENTHA	PEPPERMINT OIL, GELATIN PH EUR
7	MENTHA	PEPPERMINT OIL, LIQUORICE EXTRACT, PEPPERMINT LEAVES

ID	Substance Group	Substances
7	MENTHA	PEPPERMINT OIL, MENTHA PIPERITA TINCTURE
7	MENTHA	PEPPERMINT OIL, MENTHAE PIPERITAE TINCTURA
7	MENTHA	RHAMNUS FRANGULA L. CORTEX, MENTHAE PIPERITAE FOLIUM, ACHILLEA MILLEFOLIUM L. HERBA, HELICHRYSUM ARENARIUM L. MOENCH FLOS, TARAXACUM OFFICINALE ROOT
7	MENTHA	RHAMNUS FRANGULA L. CORTEX, MENTHAE PIPERITAE FOLIUM, TARAXACI RADIX, HELICHRYSUM ARENARIUM L. MOENCH FLOS, MILLEFOLII HERBA
7	MENTHA	THYME OIL, TURPENTINE OIL, MINT OIL, PINI SILVESTRIS AETHEROLEUM
7	MENTHA	THYMI AETHEROLEUM, D-CAMPHORA, CALENDULA OFFICINALIS, FLOS H 10 %, HYDRARGYRUM SULFURATUM RUBRUM DIL. D5, OL. SESAMI, MATRICARIAE FLOS H 10 %, MENTHAE PIPERITAE AETHEROLEUM, EUCALYPTI AETHEROLEUM
8	SERENOA REPENS	APIS MELLIFICA DIL. D12, CLEMATIS RECTA DIL. D2, FABIANA IMBRICATA DIL. D6, JUNIPERUS COMMUNIS DIL. D6, SERENOA REPENS DIL. D4, SOLIDAGO VIRGAUREA DIL. D2, LYTTA VESICATORIA (CANTHARIS) DIL. D4, BERBERIS VULGARIS DIL D3, CHIMAPHILA UMBELLATA DIL. D3
8	SERENOA REPENS	ATROP BELLA-DONNA DIL. D 4, ECHINACEA DIL. D 1, EQUISETUM ARVENSE (HAB 34) URT., LYTTA VESICATORIA DIL. D 4, SERENOA REPENS URT., THUJA OCCIDENTALE DIL. D 2
8	SERENOA REPENS	BERBERIS VULGARIS D2, ACIDUM NITRICUM D4, ALUMINIUM OXYDATUM D12, CAUSTICUM HAHNEMANNI D4, CHONDRODENDRON D3, LYTTA VESICATORIA D5, SERENOA REPENS D2, PLUMBUM ACETICUM D6
8	SERENOA REPENS	BERBERIS VULGARIS D2, ALUMINIUM OXYDATUM D12, CAUSTICUM HAHNEMANNI D4, LYTTA VESICATORIA D5, SERENOA REPENS D2, PLUMBUM ACETICUM D6
8	SERENOA REPENS	BERBERIS VULGARIS D6, EQUISETUM HIEMALE D4, LYTTA VESICATORIA D6, POPULUS TREMULOIDES D4, SERENOA REPENS D4, SOLIDAGO VIRGAUREA D4
8	SERENOA REPENS	CHIMAPHILA UMBELLATA D3, SERENOA REPENS D2, PULSATILLA PRATENSIS D3, CONIUM MACULATUM D5, FERRUM PICRINICUM D4, PAREIRA BRAVA D2, POPULUS TREMULOIDES D3
8	SERENOA REPENS	CHONDRODENDRON DIL. D3, CONIUM MACULATUM DIL. D 4, DELPHINIUM STAPHISAGRIA DIL. D 3, LYTTA VESICATORIA DIL. D 4, PIPER CUBEBA E FRUCT. IMMAT. REC. DIL. D 3, SERENOA REPENS DIL. D 1
8	SERENOA REPENS	DELPHINIUM STAPHISAGRIA D4, CHIMAPHILA UMBELLATA D2, MAGNESIUM CARBONICUM D10, SERENOA REPENS D1, FERRUM PICRINICUM D6
8	SERENOA REPENS	EXTRACT OF SERENOA REPENS FRUCTUS 8-13:1 EXTRACTING AGENT: ETHANOL 90% (V/V)
8	SERENOA REPENS	HEPAR SULFURIS D10, HEPAR SULFURIS D15, HEPAR SULFURIS D200, HEPAR SULFURIS D30, SERENOA REPENS D10, SERENOA REPENS D30, SERENOA REPENS Ø
8	SERENOA REPENS	HEPAR SULFURIS D12, HEPAR SULFURIS D15, HEPAR SULFURIS D200, HEPAR SULFURIS D30, SERENOA REPENS D10, SERENOA REPENS D2, SERENOA REPENS D30
8	SERENOA REPENS	KOLA NUT, DAMIANA DRY EXTRACT, SAW PALMETTO SOFT EXTRACT
8	SERENOA REPENS	LIPIDOSTEROLIC EXTRACT OF SERENOA REPENS
8	SERENOA REPENS	LYTTA VESICATORIA DIL. D 4, SERENOA REPENS URT., POPULUS TREMULOIDES Ø, PULSATILLA PRATENSIS DIL. D4
8	SERENOA REPENS	POPULUS TREMULOIDES D1, SERENOA REPENS D6, CONIUM MACULATUM D6, KALIUM JODATUM D12, FERRUM PICRINICUM D12
8	SERENOA REPENS	POPULUS TREMULOIDES D2, SERENOA REPENS D2, CHIMAPHILA UMBELLATA D2
8	SERENOA REPENS	POPULUS TREMULOIDES Ø, SERENOA REPENS Ø
8	SERENOA REPENS	PUMPKIN SEED, POWDERED, SAW PALMETTO FRUIT DRY EXTRACT (8,5-10,5:1), EXTRACTION LIQUID: ETHANOL 60 % V/V, PUMPKIN SEED OIL
8	SERENOA REPENS	PUMPKIN SEED, PUMPKIN SEED OIL, SAW PALMETTO FRUIT EXTRACT
8	SERENOA REPENS	SAW PALMETTO
8	SERENOA REPENS	SAW PALMETTO EXTRACT (9-11:1) , 90% (V/V) ETHANOL
8	SERENOA REPENS	SAW PALMETTO FRUIT EXTRACT
8	SERENOA REPENS	SAW PALMETTO LIQUID EXTRACT (ETHANOL 96% V/V), DER NATIVE 9-11:1
8	SERENOA REPENS	SAW PALMETTO SOFT EXTRACT (7.5-12.5:1)
8	SERENOA REPENS	SERENOA REPENS
8	SERENOA REPENS	SERENOA REPENS (BARTRAM) SMALL.
8	SERENOA REPENS	SERENOA REPENS FRUCTUS, EXTRACTUM SPISSUM
8	SERENOA REPENS	SERENOA REPENS TRIT. D 2, PAREIRA BRAVA TRIT. D3
8	SERENOA REPENS	SERENOA REPENS URT., PAREIRA BRAVA (HAB 34) Ø, POPULUS TREMULOIDES (HAB 34) DIL. D2
8	SERENOA REPENS	SERENOA SERRULATA FRUIT EXTRACT
8	SERENOA REPENS	SERENOA SERRULATA FRUIT EXTRACT, MUIRA PUAMA WOOD DRY EXTRACT, SCHISANDRA CHINENSIS FRUIT DRY EXTRACT, GUARANA SEED DRY EXTRACT, ZINC MONOMETHIONINE
8	SERENOA REPENS	SMILAX Ø, POPULUS TREMULOIDES DIL. D1, SERENOA REPENS D1, PULSATILLA PRATENSIS DIL. D4, DELPHINIUM STAPHISAGRIA DIL. D3
9	IPECACUANHA	ABSINTHIUM, ETHANOL. INFUSUM Ø, COCCULUS DIL. D3, IPECACUANHA, ETHANOL. DECOCTUM DIL. D3, NUX VOMICA DIL. D9, PETROLEUM RECTIFICATUM DIL. D7
9	IPECACUANHA	ACIDUM ARSENICOSUM D6, HYDRARGYRUM BICHLORATUM D6, PODOPHYLLUM PELTATUM D6, PSYCHOTRIA IPECACUANHA (CEPHAELIS IPECACUANHA) D6
9	IPECACUANHA	ACIDUM CIS-ACONITICUM D10, CALVATIA GIGANTEA D6, CYPRIPEDIUM PARVIFLORUM VAR. PUBESCENS D6, APISINUM D8, AQUILEGIA VULGARIS D4, HYDRASTIS CANADENSIS D4, HYPOPHYSIS SUI D13, KREOSOTUM D8, LACHESIS D10, LILIUM LANCIFOLIUM D4, MAGNESIUM PHOSPHORICUM D10, PLACENTA TOTALIS SUI D10, PSYCHOTRIA IPECACUANHA D6, PULSATILLA PRATENSIS D18, SEPIA OFFICINALIS D10, TUBA UTERINA SUI D10, MERCURIUS SOLUBILIS HAHNEMANNI D10, OVARIUM SUI D8, UTERUS SUI D10
9	IPECACUANHA	ACONITUM NAPELLUS DIL. D 4, GRINDELIA ROBUSTA DIL. D 3, ADHATODA VASICA DIL. D 3, ARALIA RACEMOSA DIL. D 3, BLATTA ORIENTALIS DIL. D3, CEPHAELIS IPECACUANHA DIL. D 4, SAMBUCUS NIGRA DIL. D 2, POPULUS CANDICANS (HAB 34) DIL. D 3
9	IPECACUANHA	ACONITUM NAPELLUS, ATROPA BELLADONNA, BRYONIA, IPECACUANHA, COCCUS CACTI, DROSEIRA ROTUNDIFOLIA FLOWERING TOP
9	IPECACUANHA	AETHUSA CYNAPIUM D4, COLCHICUM AUTUMNALE D4, APOMORPHINUM HYDROCHLORICUM D4, PSYCHOTRIA IPECACUANHA D4, STRYCHNOS NUX-VOMICA D5
9	IPECACUANHA	AMMONIUM HYDROGEN CARBONATE, IPECACUANHA TINCTURE
9	IPECACUANHA	AMMONIUM IODATUM DIL. D4, GRINDELIA ROBUSTA DIL. D3, HYOSCYAMUS NIGER DIL. D6, KALIUM STIBYL TARTARICUM DIL. D6, STIBIUM SULFURATUM AURANTIACUM DIL. D8, ATROPA BELLADONNA DIL. D4, CEPHAELIS IPECACUANHA DIL. D4, LOBELIA INFLATA DIL. D4, BRYONIA DIL. D4, DROSEIRA DIL. D2
9	IPECACUANHA	ANAMIRTA COCCULUS TRIT. D4, CEPHAELIS IPECACUANHA TRIT. D4, NICOTIANA TABACUM TRIT. D10, OKOUBAKA AUBREVILLEI TRIT. D4, PETROLEUM RECTIFICATUM TRIT. D10
9	IPECACUANHA	APOMORPHINUM HYDROCHLORICUM D6, AETHUSA CYNAPIUM D4, COLCHICUM AUTUMNALE D6, PSYCHOTRIA IPECACUANHA D4, STRYCHNOS IGNATII D6, STRYCHNOS NUX-VOMICA D4

ID	Substance Group	Substances
9	IPECACUANHA	APOMORPHINUM HYDROCHLORICUM D6, CEPHAELIS IPECACUANHA D4, COCCULUS D4, LOBELIA INFLATA D4
9	IPECACUANHA	ARALIA RACEMOSA D3, KALIUM JODATUM D3, LOBELIA INFLATA D4, BRYONIA D3, DROSERA D3, AMMI VISNAGA D3, GRINDELIA ROBUSTA D4, CEPHAELIS IPECACUANHA D5, PRUNUS LAUROCERASUS D3, POLYGALA SENEGA D3
9	IPECACUANHA	ARALIA RACEMOSA D3, LOBELIA INFLATA D4, CUPRUM ACETICUM D6, FORMICA RUFA D6, PSYCHOTRIA IPECACUANHA D4
9	IPECACUANHA	ARGENTUM NITRICUM D6, IODUM D6, LACHESES D 12, PETROLEUM RECTIFICATUM D6, PSYCHOTRIA IPECACUANHA D4, SEMECARPUS ANACARDIUM D4, ROBINIA PSEUDOACACIA D4
9	IPECACUANHA	ARNICA MONTANA, ATROPA BELLADONNA, IPECACUANHA, SOLIDAGO VIRGAUREA, DROSERA ROTUNDIFOLIA, FERRUM PHOSPHORICUM, COCCUS CACTI, ARTEMISIA CINA, CORALLIUM RUBRUM, CUPRUM GLUCONICUM
9	IPECACUANHA	ARNICA MONTANA, IPECACUANHA, SOLIDAGO VIRGAUREA, BELLADONNA, DROSERA ROTUNDIFOLIA, FERRUM PHOSPHORICUM, COCCUS CACTI, ARTEMISIA CINA, CORALLIUM RUBRUM, CUPRUM METALLICUM
9	IPECACUANHA	ARNICA MONTANA, IPECACUANHA, SOLIDAGO VIRGAUREA, BELLADONNA, FERRUM PHOSPHORICUM, COCCUS CACTI, DROSERA ROTUNDIFOLIA FLOWERING TOP, ARTEMISIA CINA, CORALLIUM RUBRUM, CUPRUM
9	IPECACUANHA	ARNICA MONTANA, IPECACUANHA, SOLIDAGO VIRGAUREA, BELLADONNA, FERRUM PHOSPHORICUM, COCCUS CACTI, DROSERA ROTUNDIFOLIA FLOWERING TOP, ARTEMISIA CINA, CORALLIUM RUBRUM, CUPRUM GLUCONICUM
9	IPECACUANHA	ARTEMISIA ABSINTHIUM Ø, CEPHAELIS IPECACUANHA DIL. D2, COCHLEARIA OFFICINALIS Ø, JUNIPERUS COMMUNIS Ø, COLOCYNTHIS (HAB 34) DIL. D3 [HAB, VORSCHRIFT 4 A, Ø MIT ETHANOL 86 % (M/M)]
9	IPECACUANHA	ATROPA BELLA-DONNA DIL. D4, CEPHAELIS IPECACUANHA DIL. D3, ERIODICTYON CALIFORNICUM DIL. D3, POLYGALA SENEGA DIL. D3
9	IPECACUANHA	ATROPA BELLADONNA TRIT. D1, CEPHAELIS IPECACUANHA TRIT. D2, DROSERA TRIT. D1, EUSPONGIA OFFICINALIS (SPONGIA) TRIT. D2
9	IPECACUANHA	BAPTISIA TINCTORIA D6, HYDRASTIS CANADENSIS D6, PSYCHOTRIA IPECACUANHA D4, SAMBUCUS NIGRA D4, RUMEX CRISPUS D4, DROSERA D4
9	IPECACUANHA	BAPTISIA TINCTORIA, ACONITUM NAPELLUS D4, PSYCHOTRIA IPECACUANHA DIL. D4, EUPATORIUM PERFOLIATUM MOTHER TINCTURE
9	IPECACUANHA	BAPTISIA TINCTORIA, ECHINACEA URTINKTUR, ACONITUM NAPELLUS D4, BRYONIA D4, CINCHONA PUBESCENS MOTHER TINCTURE, PSYCHOTRIA IPECACUANHA DIL. D4, EUPATORIUM PERFOLIATUM MOTHER TINCTURE
9	IPECACUANHA	BAPTISIA TINCTORIA, ECHINACEA URTINKTUR, CINCHONA PUBESCENS MOTHER TINCTURE, EUPATORIUM PERFOLIATUM MOTHER TINCTURE, BRYONIA CRETICA D4 VINOS., ACONITUM NAPELLUS D4 VINOS., CEPHAELIS IPECACUANHA D4 VINOS.
9	IPECACUANHA	BLATTA ORIENTALIS DIL. D 5, DROSERA DIL. D 4, EUSPONGIA OFFICINALIS DIL. D 5, GRINDELIA ROBUSTA DIL. D 3, AMMI VISNAGA DIL. D 7, CEPHAELIS IPECACUANHA DIL. D 6, CETRARIA ISLANDICA DIL. D 5, CHAMOMILLA RECUTITA DIL. D 5, NATRIUM SULFURICUM DIL. D 6, ERIODICTYON CALIFORNICUM DIL. D 4
9	IPECACUANHA	BRYONIA, IPECACUANHA, PULSATILLA, DROSERA ROTUNDIFOLIA, SPONGIA TOSTA, RUMEX CRISPUS, STICTA PULMONARIA, ANTIMONIUM TARTARICUM, COCCUS CACTI
9	IPECACUANHA	BRYONIA, IPECACUANHA, PULSATILLA, SPONGIA TOSTA, RUMEX CRISPUS, STICTA PULMONARIA, ANTIMONIUM TARTARICUM, COCCUS CACTI, DROSERA ROTUNDIFOLIA MOTHER TINCTURE, MYOCARDE
9	IPECACUANHA	BRYONIA, IPECACUANHA, PULSATILLA, SPONGIA TOSTA, RUMEX CRISPUS, STICTA PULMONARIA, ANTIMONIUM TARTARICUM, COCCUS CACTI, MYOCARDE
9	IPECACUANHA	BRYONIA, IPECACUANHA, PULSATILLA, TOLU SYRUP, SPONGIA TOSTA, RUMEX CRISPUS, STICTA PULMONARIA, ANTIMONIUM TARTARICUM, COCCUS CACTI, DROSERA ROTUNDIFOLIA MOTHER TINCTURE, MYOCARDE, POLYGALA SYRUP
9	IPECACUANHA	CARBO VEGETABILIS TRIT. D 3, BISMUTUM SUBNITRICUM, IPECACUANHA, MAGNESIUM PHOSPHORICUM D3, NUX VOMICA D4
9	IPECACUANHA	CARBO VEGETABILIS TRIT. D 4, CEPHAELIS IPECACUANHA TRIT. D 4, CUPRUM METALLICUM TRIT. D 4, DACTYLOPIUS COCCUS TRIT. D 1, DROSERA TRIT. D 3, HYOSCYAMUS NIGER TRIT. D 4, SPONGILLA LACUSTRIS TRIT. D 3, NARCISSUS PSEUDONARCISSUS (HAB 34) TRIT. D 3
9	IPECACUANHA	CARBO VEGETABILIS TRIT. D 4, CEPHAELIS IPECACUANHA TRIT. D 4, KALIUM SULFURICUM TRIT. D 3, QUEBRACHO (HAB 34) TRIT. D 3, ZINGIBER OFFICINALIS TRIT. D 3, ANISUM STELLATUM (HAB 34) TRIT. D 2
9	IPECACUANHA	CEPHAELIS IPECACUANHA D4, CHAMOMILLA D2, CHINA D3
9	IPECACUANHA	CEPHAELIS IPECACUANHA D4, HYOSCYAMUS D4, LACTUCA VIROSA D4, SENEGA D4
9	IPECACUANHA	CEPHAELIS IPECACUANHA DIL. D2, COLOCYNTHIS (HAB 34) DIL. D3 [HAB, VORSCHRIFT 4 A, Ø MIT ETHANOL 86 % (M/M)], CINCHONA PUBESCENS Ø
9	IPECACUANHA	CEPHAELIS IPECACUANHA DIL. D4, GRINDELIA ROBUSTA MOTHER TINCTURE, KALIUM IODATUM DIL. D4
9	IPECACUANHA	CEPHAELIS IPECACUANHA TRIT. D 4, GRINDELIA ROBUSTA TRIT. D 4, HYOSCYAMUS NIGER TRIT. D 4, LOBELIA INFLATA TRIT. D4
9	IPECACUANHA	CETRARIA ISLANDICA D3, BRYONIA D3, ATROPA BELLA-DONNA D5, DROSERA D3, PSYCHOTRIA IPECACUANHA D3
9	IPECACUANHA	CHINA, ETHANOL. DECOCTUM DIL. D3, COCCUS CACTI DIL. D3, IPECACUANHA, ETHANOL. DECOCTUM DIL. D3, MEPHITIS PUTORIUS DIL. D5, VERATRUM ALBUM, ETHANOL. DECOCTUM DIL. D3, DROSERA DIL. D1, BELLADONNA DIL. D3
9	IPECACUANHA	CORALLIUM RUBRUM DIL. D12, DACTYLOPIUS COCCUS DIL.D2, ATROPA BELLA-DONNA D6, CEPHAELIS IPECACUANHA DIL. D4, BRYONIA DIL. D4, KALIUM BICHROMICUM DIL. D4, DROSERA DIL. D2
9	IPECACUANHA	DROSERA DIL. D1, ERIODICTYON CALIFORNICUM DIL. D2, ANTIMONIUM ARSENICOSUM DIL. D8, ANTIMONIUM SULFURATUM AURANTIACUM DIL. D10, CUPRUM DIL. D10, EUPATORIUM PERFOLIATUM DIL. D2, IPECACUANHA DIL. D2, LOBELIA INFLATA DIL. D2, SILICEA DIL. D10
9	IPECACUANHA	DROSERA MOTHER TINCTURE, DACTYLOPIUS COCCUS MOTHER TINCTURE, PSYCHOTRIA IPECACUANHA DIL. D4, CUPRUM SULFURICUM DIL. D4
9	IPECACUANHA	ECHINACEA DIL. D 2, GELSEMIUM SEMPERVIRENS DIL. D 4, AMMI VISNAGA DIL. D 2, BLATTA ORIENTALIS URT., CEPHAELIS IPECACUANHA DIL. D 4, CETRARIA ISLANDICA DIL. D 3, CHAMOMILLA RECUTITA DIL. D 3, DATURA STRAMONIUM DIL. D 4, DROSERA DIL. D 2, ERIODICTYON CALIFORNICUM DIL. D 2, EUSPONGIA OFFICINALIS DIL. D 3, GRINDELIA ROBUSTA URT., NATRIUM SULFURICUM DIL. D 4, SELENICEREUS GRANDIFLORUS DIL. D 1
9	IPECACUANHA	ECHINACEA Ø, ATROPA BELLADONNA DIL. D4, ACONITUM NAPELLUS DIL. D4, CEPHAELIS IPECACUANHA D5, BRYONIA DIL. D2
9	IPECACUANHA	ERIODICTYON CALIFORNICUM DIL. D2, ANTIMONIUM ARSENICOSUM DIL. D8, IPECACUANHA DIL. D4, LOBELIA INFLATA DIL. D4, GRINDELIA ROBUSTA DIL. D2
9	IPECACUANHA	ETHANOL, IPECACUANHA DIL. D4, BRYONIA DIL. D4, DROSERA DIL. D3, SPONGIA DIL. D6, TARTARUS STIBIATUS DIL D4
9	IPECACUANHA	ETHANOL, TARTARUS STIBIATUS D4, IPECACUANHA DIL. D4, BRYONIA DIL. D4, DROSERA DIL. D3, SPONGIA DIL. D6
9	IPECACUANHA	GELSEMIUM SEMPERVIRENS DIL. D4, ACONITUM NAPELLUS DIL. D4, CEPHAELIS IPECACUANHA DIL. D4, EUPATORIUM PERFOLIATUM DIL. D4, BRYONIA DIL. D2, DROSERA DIL. D2, RHUS TOXICODENDRON DIL. D3

ID	Substance Group	Substances
9	IPECACUANHA	HUSTENELIXIER-DROGENAUSZUG, AQU. DECOCTUM, EXTRACTUM MALTI, IPECACUANHA, ETHANOL. DECOCTUM Ø (= D1), PULSATILLA VULGARIS DIL. D3, ALTHAEAE RADIX, AQU. EXTR., DROSERAE DIL. D2
9	IPECACUANHA	HYDRASTIS CANADENSIS D6, KREOSOTUM D10, PSYCHOTRIA IPECACUANHA D6, SEMECARPUS ANACARDIUM D6, STRYCHNOS NUX-VOMICA D12, KALIUM BICHROMICUM D12, PULSATILLA PRATENSIS D6, PHOSPHORUS D8
9	IPECACUANHA	HYOSCYAMUS NIGER DIL. D4, DROSERAE MOTHER TINCTURE, CINCHONA PUBESCENS MOTHER TINCTURE, DACTYLOPIUS COCCUS MOTHER TINCTURE, PSYCHOTRIA IPECACUANHA DIL. D4, HEDERA HELIX MOTHER TINCTURE, CUPRUM SULFURICUM DIL. D4
9	IPECACUANHA	HYOSCYAMUS NIGER DIL. D4, IPECACUANHA DIL. D4, DROSERAE DIL. D2
9	IPECACUANHA	IPECACUANHA FLUID EXTRACT
9	IPECACUANHA	IPECACUANHA LIQUID EXTRACT, STANDARDISED, GLYCERIN
9	IPECACUANHA	IPECACUANHA LIQUID EXTRACT, STANDARDISED, LIQUORICE LIQUID EXTRACT
9	IPECACUANHA	IPECACUANHA, BLACK COHOSH, HOREHOUND LIQUID EXTRACT, SCULLCAP, LOBELIA, PLEURISY ROOT, ELECAMpane LIQUID EXTRACT, HYSSOP LIQUID EXTRACT
9	IPECACUANHA	IPECACUANHA, PULSATILLA, SPONGIA TOSTA, BRYONIA ALBA, RUMEX CRISPUS, STICTA PULMONARIA, ANTIMONIUM TARTARICUM, COCCUS CACTI, DROSERAE ROTUNDIFOLIA MOTHER TINCTURE
9	IPECACUANHA	KALIUM CHLORATUM D4, KREOSOTUM D4, PSYCHOTRIA IPECACUANHA D4, KALIUM IODATUM TRIT. D4, DROSERAE D4
9	IPECACUANHA	LOBELIA INFLATA D4, ATROPA BELLA-DONNA D4, BRYONIA D4, KALIUM STIBYL TARTARICUM D4, KREOSOTUM D5, PSYCHOTRIA IPECACUANHA D4, LOBARIA PULMONARIA D4, HYOSCYAMUS NIGER D4
9	IPECACUANHA	LOBELIA INFLATA D4, NATRIUM SULFURICUM D4, ASPIDOSPERMA QUEBRACHO-BLANCO D5, ATROPA BELLA-DONNA D4, EPHEDRA DISTACHYA D3, ARSENUM IODATUM D6, BLATTA ORIENTALIS D6, HEPATICA NOBILIS D3, ILICIIUM VERUM D3, KALIUM STIBYL TARTARICUM D4, MEDORRHINUM NOSODE D8, NAPHTHALINUM D6, PSYCHOTRIA IPECACUANHA D4, STACHYS OFFICINALIS D2
9	IPECACUANHA	LOBELIA INFLATA D4, NATRIUM SULFURICUM D4, ATROPA BELLA-DONNA D4, ARSENUM IODATUM D6, BLATTA ORIENTALIS D6, ILICIIUM VERUM D3, KALIUM STIBYL TARTARICUM D4, NAPHTHALINUM D6, PSYCHOTRIA IPECACUANHA D4
9	IPECACUANHA	MANGANUM ACETICUM D6, CEPHAELIS IPECACUANHA D4, BRYONIA D6, HYOSCYAMUS NIGER D4, STICTA D2
9	IPECACUANHA	VERATRUM ALBUM D4, ATROPA BELLA-DONNA D10, CEANOTHUS AMERICANUS D4, ARGENTUM NITRICUM D6, COLIBACILLINUM NOSODE D28, HYDRASTIS CANADENSIS D4, KREOSOTUM D10, LACHESIS D10, MANDRAGORA E RADICE SICCATA D10, MARS DENIA CUNDURANGO D6, MUCOSA COLI SUI D8, MUCOSA DUCTUS CHOLEDOCHI SUI D8, MUCOSA DUODENI SUI D8, MUCOSA ILEI SUI D8, MUCOSA JEJUNI SUI D8, MUCOSA NASALIS SUI D8, MUCOSA OCULI SUI D8, MUCOSA OESOPHAGI SUI D8, MUCOSA ORIS SUI D8, MUCOSA PULMONIS SUI D8, MUCOSA PYLORI SUI D8, MUCOSA RECTI SUI D8, MUCOSA VESICAE FELLEAE SUI D8, MUCOSA VESICAE URINARIAE SUI D8, NATRIUM DIETHYLOXALACETICUM D8, PSYCHOTRIA IPECACUANHA D8, SEMECARPUS ANACARDIUM D6, STRYCHNOS NUX-VOMICA D13, KALIUM BICHROMICUM D8, OXALIS ACETOSELLA D6, PANKREAS SUI D10, PULSATILLA PRATENSIS D6, MOMORDICA BALSAMINA D6, PHOSPHORUS D8, SULFUR D8, VENTRICULUS SUI D8
10	THYMUS	ACIDUM ALPHA-KETOGLUTARICUM D8, ACIDUM FUMARICUM D8, ACIDUM L(+)-LACTICUM D3, ACIDUM MALICUM D8, CALCIUM FLUORATUM D10, CONIUM MACULATUM D4, CORPUS PINEALE SUI D8, EUSPONGIA OFFICINALIS D8, COLCHICUM AUTUMNALE D4, CORTISONUM ACETICUM D28, FUCUS VESICULOSUS D6, FUNICULUS UMBILICALIS SUI D10, GALIUM APARINE D4, GLANDULA THYREOIDEAE SUI D8, HEPAR SUI D10, MEDULLA OSSIS SUI D10, NATRIUM DIETHYLOXALACETICUM D8, SEMPERVIVUM TECTORUM SSP. TECTORUM D6, SEDUM ACRE D6, SPLEN SUI D10, SULFUR D10, VISCUM ALBUM D3, PULSATILLA PRATENSIS D8, THYMUS SUI D10, ADENOSINUM TRIPHOSPHORICUM D8
10	THYMUS	ALFA-TERPINEOL, THYME ESSENTIAL OIL, EUCALYPTOL, ESSENTIAL OIL - ROSMARINUS OFFICINALIS, SYLVESTRIS PINE ESSENTIAL OIL
10	THYMUS	ALTHAEA EXTRACT, THYMI EXTRACTUM FLUIDUM, LIQUIRITIAE EXTRACTUM FLUIDUM
10	THYMUS	ALTHAEA OFFICINALIS ROOT, FOENICULI FRUCTUS, PLANTAGINIS LANCEOLATAE L. FOLIUM, THYMI HERBA, MALVAE FOLIUM
10	THYMUS	ALUMINIUM ACETATE, CAMPHOR, METHYL SALICYLATE, THYME OIL
10	THYMUS	AMMONIUM CHLORIDE, SAPONARIA, THYMI HERBA, PAPAVER SOMNIFERUM, TUSSILAGO FARFARA LEAF
10	THYMUS	ANISE OIL, THYMUS HERB LIQUID EXTRACT
10	THYMUS	ANISI FRUCTUS, GLYCYRRHIZA GLABRA L. RADIX, MARSHMALLOW LEAF, MENTHAE PIPERITAE FOLIUM, THYMI HERBA
10	THYMUS	BRYONIA D6, CUPRUM ACETICUM D10, ATROPA BELLA-DONNA D6, PSYCHOTRIA IPECACUANHA D6, CHAMOMILLA RECUTITA D2, DROSERAE D6, AMMONIUM CAUSTICUM D6, CORALLIUM RUBRUM D10, DACTYLOPIUS COCCUS D5, THYMUS VULGARIS D2
10	THYMUS	CITRAL, GUAIACOL, PINUS SYLVESTRIS, TERPINEOL, THYME OIL
10	THYMUS	CITRAL, GUAIACOL, PINUS SYLVESTRIS, TERPINEOL, WILD THYME OIL
10	THYMUS	CLOVE OIL, EUGENOL, PHENYL SALICYLATE, THYMOL, MINT OIL, SAGE OIL
10	THYMUS	EPHEDRINE HYDROCHLORIDE, IPECACUANHA TINCTURE, THYME TINCTURE
10	THYMUS	EPHEDRINE HYDROCHLORIDE, SAPONIN, THYMI EXTRACTUM FLUIDUM
10	THYMUS	EXTRACTUM LIQUIDUM (1:3) EX: THYMI HERBA, LICHENE ISLANDICO, HYSSOPI HERBA, SAPONARIAE RADICE, (18P.+7P.+3P.+2P.)
10	THYMUS	EXTRACTUM SPISSUM: MATRICARIAE ANTHODIO, CALENDULAE ANTHODIO, FARFARAE FOLIO, QUERCUS CORTICE, SALVIAE FOLIO, THYMI HERBA, MATRICARIAE AETHEROLEUM, ALLANTOIN, MENTHAE PIPERITAE AETHEROLEUM PH. EUR.
10	THYMUS	KALIUM STIBYL TARTARICUM D6, PSYCHOTRIA IPECACUANHA D6, THYMUS VULGARIS D1, BALSAMUM PERUVIANUM D6, AMMONIUM CARBONICUM D6
10	THYMUS	LAVENDER OIL, ROSEMARY OIL, THYMOL, THYME ESSENTIAL OIL
10	THYMUS	LEVOMENTHOL, CHLOROBUTANOL HEMIHYDRATE, PUMILIO PINE OIL, TERPINEOL, THYMOL, SYLVESTRIS PINE OIL
10	THYMUS	LEVOMENTHOL, GUAIACOL, TERPINEOL, THYMOL, EUCALYPTOL
10	THYMUS	MATRICARIAE FLOS, ACHILLEA MILLEFOLIUM L. HERBA, QUERCUS CORTEX, THYMI HERBA, SALVIA OFFICINALIS L. FOLIUM
10	THYMUS	MENTHOL, GUAIACOL, TERPINEOL, THYMOL, EUCALYPTOL
10	THYMUS	ORANGE TINCTURE, THYME TINCTURE, NATRIUM BROMATUM D1
10	THYMUS	PINE OIL, ROSEMARY OIL, TERPINEOL, THYME OIL, EUCALYPTOL
10	THYMUS	PRIMULA FLUID EXTRACT, THYME LIQUID EXTRACT
10	THYMUS	PRIMULA ROOT EXTRACT (1:0.9-1.1), ANISE OIL, THYME HERB FLUID EXTRACT (1:2-2,5), EXTRACTING AGENT: AMMONIA 10 % : GYCEROL 85 % : ETHANOL 90 % (V/V) : WATER (1 : 20 : 70 : 109)

ID	Substance Group	Substances
10	THYMUS	PRIMULAE RADIX EXTRACTUM FLUIDUM, THYME HERB FLUID EXTRACT (1:2-2,5), EXTRACTING AGENT: AMMONIA 10 % : GYCEROL 85 % : ETHANOL 90 % (V/V) : WATER (1 : 20 : 70 : 109)
10	THYMUS	PRIMULAE RADIX, ANISE OIL, THYME EXTRACT
10	THYMUS	PRIMULAE RADIX, EXTRACTUM SPISSUM, THYMI EXTRACTUM FLUIDUM
10	THYMUS	THYME OIL
10	THYMUS	THYMI EXTRACTUM FLUIDUM
10	THYMUS	THYMIANÖL
10	THYMUS	THYMOL, THYMI EXTRACTUM FLUIDUM
10	THYMUS	TROCKENEXTRAKT AUS SÜßHOLZWURZEL (LIQUIRTIAE RADIX, DEV 3-4:1, AUSZUGSMITTEL WASSER), TROCKENEXTRAKT AUS EIBISCHWURZEL (ALTHAEAE RADIX, DEV 7-9:1, AUSZUGSMITTEL WASSER), TROCKENEXTRAKT AUS PRIMELWURZEL (PRIMULAE RADIX, DEV 5-7:1, AUSZUGSMITTEL: ETHANOL 60% M/M), ÄTHERISCHES THYMIANÖL (AETHEROLEUM THYMI)
10	THYMUS	TROCKENEXTRAKT AUS THYMIANKRAUT 6-10:1, AUSZUGSMITTEL ETHANOL 70 % (V/V), TROCKENEXTRAKT AUS EFEUBLÄTTERN 4-7,5:1, AUSZUGSMITTEL ETHANOL 30 % (V/V), TROCKENEXTRAKT AUS SÜSSHOLZWURZEL 3-4:1, AUSZUGSMITTEL WASSER
11	CRATAEGUS	ACONITUM DIL. D6, CACTUS DIL. D4, ARNICA DIL. D3, AURUM CHLORATUM DIL. D6, CRATAEGUS Ø
11	CRATAEGUS	ADONIS VERNALIS DIL. D 3, CONVALLARIA MAJALIS DIL D 3, CRATAEGUS DIL. D 3, SELENICEREUS GRANDIFLORUS DIL. D 4
11	CRATAEGUS	ADONIS VERNALIS FERM 33D DIL. D2, CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	AMBRA GRISEA DIL. D 4, BARIUM CHLORATUM DIL. D 10, BARIUM IODATUM DIL. D 10, CRATAEGUS DIL. D 2, KALIUM IODATUM DIL. D 3, PHOSPHORUS DIL. D 12, RAUWOLFIA SERPENTINA_D4, SELENICEREUS GRANDIFLORUS DIL. D 3, VISCUM ALBUM DIL. D 2
11	CRATAEGUS	APISINUM TRIT. D 10, APOCYNUM CANNABINUM TRIT D 2, CRATAEGUS TRIT. D 2, LIATRIS SPICATA (HAB 34) TRIT. D 2, PRUNUS SPINOSA TRIT. D 2, STROPHANTUS GRATUS TRIT. D 4
11	CRATAEGUS	APOCYNUM CANNABINUM MOTHER TINCTURE, CRATAEGUS MOTHER TINCTURE, SPARTIUM SCOPARIUM MOTHER TINCTURE, LILIUM TIGRINUM MOTHER TINCTURE, VERATRUM VIRIDE DIL. D2, GELSEMIUM DIL. D2, GLONINUM DIL. D3, CHEIRANTHUS CHEIRI MOTHER TINCTURE
11	CRATAEGUS	ARNICA MONTANA D3, CRATAEGUS D1, VISCUM ALBUM URTINKTUR
11	CRATAEGUS	ARNICA MONTANA D3, SELENICEREUS GRANDIFLORUS D4, ACONITUM NAPELLUS D6, AURUM CHLORATUM D6, CRATAEGUS TM
11	CRATAEGUS	ARNICA MONTANA D6, CALCIUM FLUORATUM D6, CRATAEGUS D1, KALIUM IODATUM D4
11	CRATAEGUS	ARNICA MONTANA D6, CRATAEGUS D1, DIGITALIS PURPUREA D12, KALIUM CARBONICUM D6, CONVALLARIA MAJALIS D12
11	CRATAEGUS	ARNICA MONTANA D6, CRATAEGUS D1, KALIUM CARBONICUM D6, CONVALLARIA MAJALIS D12
11	CRATAEGUS	ARNICA MONTANA D6, CRATAEGUS URTINKTUR, CAMPHORA D3
11	CRATAEGUS	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D14 (HAB, VS. 33C), CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), SELENICEREUS GRANDIFLORUS EX HERBA FERM 33D DIL. D3 (HAB, VS. 33D), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	ARNICA MONTANA E PLANTA TOTA FERM 33C DIL. D14 (HAB, VS. 33C), CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) TRIT. D2 (HAB, VS. 6), SELENICEREUS GRANDIFLORUS EX HERBA FERM 33D DIL. D2 (HAB, VS. 33D), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	ARNICA MONTANA Ø, CRATAEGUS MOTHER TINCTURE, CACTUS MOTHER TINCTURE, CAMPHORA DIL. D1, SCILLA DIL. D3, STROPHANTHUS DIL. D6, VERATRUM DIL. D6
11	CRATAEGUS	ARNICA, PLANTA TOTA URTINKTUR, CAMPHORA D2, CRATAEGUS URTINKTUR, GRINDELIA ROBUSTA URTINKTUR, YERBA SANTA MOTHER TINCTURE
11	CRATAEGUS	ASPERULA ODORATA DRY EXTRACT, CRATAEGUS OXYACANTHA DRY EXTRACT, TILIA SYLVATICA DRY EXTRACT
11	CRATAEGUS	AURUM CHLORATUM D4, CALCIUM ARSENICOSUM D8, ARNICA MONTANA D2, KALIUM CARBONICUM D4, KALMIA LATIFOLIA D4, SELENICEREUS GRANDIFLORUS D2, SPIGELIA ANTHELMIA D4, CRATAEGUS MOTHER TINCTURE, STROPHANTHUS DIL. D3, IBERIS AMARA DIL. D3
11	CRATAEGUS	AURUM METALLICUM PRAEPARATUM DIL. D15, CACTUS GRANDIFLORUS, ETHANOL. DIGESTIO DIL. D4, COR BOVIS DIL. D6, CRATAEGUS, ETHANOL. DIGESTIO DIL. D3, ONOPORDUM ACANTHIUM, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 0,1 % HYOSCYAMUS Ø, PRIMULA VERIS, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 0,1 % HYOSCYAMUS Ø
11	CRATAEGUS	CACTUS D3, CRATAEGUS URTINKTUR, GLONINUM D5, ACONITUM NAPELLUS D4
11	CRATAEGUS	CACTUS DIL. D1, STROPHANTUS GRATUS DIL. D4, CRATAEGUS MOTHER TINCTURE
11	CRATAEGUS	CAMPHORA D2, CRATAEGUS URTINKTUR
11	CRATAEGUS	CARBO BETULAE DIL. D8 AQUOS., CRATAEGUS, ETHANOL. DIGESTIO DIL. D2
11	CRATAEGUS	CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), CERIT DIL. D5 (HAB, VS. 6), COR BOVIS GL DIL. D7 (HAB, VS. 41C), NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D9 (HAB, VS. 33B), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), COR BOVIS GL DIL. D4 (HAB, VS. 41C), CERIT DIL. D5 (HAB, VS. 6), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D Ø (HAB, VS. 33D), NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D9 (HAB, VS. 33B)
11	CRATAEGUS	COLA, CRATAEGUS URTINKTUR, CAMPHORA DIL. D3, KALIUM CARBONICUM DIL. D3
11	CRATAEGUS	CONVALLARIA MAJALIS D2, ADONIS VERNALIS D2, CRATAEGUS MOTHER TINCTURE
11	CRATAEGUS	CONVALLARIA MAJALIS DIL. D4, URGINEA MARITIMA DIL. D4, CRATAEGUS DIL. D4
11	CRATAEGUS	CONVALLARIA MAJALIS E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C), URGINEA MARITIMA VAR. RUBRA E BULBO FERM 33B DIL. D1 (HAB, VS. 33B), ADONIS VERNALIS FERM 33D DIL. D2, CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	CONVALLARIA MAJALIS E PLANTA TOTA FERM 33C DIL. D3 (HAB, VS. 33C), URGINEA MARITIMA VAR. RUBRA E BULBO FERM 33B DIL. D3 (HAB, VS. 33B), ADONIS VERNALIS FERM 33D DIL. D2, CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	CONVALLARIA MAJALIS URTINKTUR, CRATAEGUS URTINKTUR, GLONINUM DIL. D3
11	CRATAEGUS	CONVALLARIA TINCTURE, CRATAEGUS TINCTURE, VALERIAN TINCTURE
11	CRATAEGUS	CONVALLARIA TINCTURE, CRATAEGUS TINCTURE, VALERIAN TINCTURE, COLA EXTRACT

ID	Substance Group	Substances
11	CRATAEGUS	CRATAEGI FOLIUM CUM FLORE
11	CRATAEGUS	CRATAEGI FOLIUM CUM FLORE DRY EXTRACT
11	CRATAEGUS	CRATAEGI FOLIUM CUM FLORE, ESCHSCHOLTZIA EXTRACT, MAGNESIUM
11	CRATAEGUS	CRATAEGI FOLIUM CUM FLORE, PASSIFLORAE HERBA
11	CRATAEGUS	CRATAEGI INFLORESCENTIA
11	CRATAEGUS	CRATAEGI INFLORESCENTIAE EXTRACTUM SPISSUM
11	CRATAEGUS	CRATAEGUS
11	CRATAEGUS	CRATAEGUS D1, CONVALLARIA MAJALIS D2, SCILLA MARITIMA D1, ADONIS VERNALIS D1
11	CRATAEGUS	CRATAEGUS D1, KALIUM CARBONICUM D3, SPIGELIA ANTHELMIA D2
11	CRATAEGUS	CRATAEGUS D1, PRUNUS LAUROCERASUS D3, NERIUM OLEANDER D3, CYTISUS SCOPARIUS D2
11	CRATAEGUS	CRATAEGUS D2, ADONIS VERNALIS D4, KALIUM CARBONICUM D3, SELENICEREUS GRANDIFLORUS D4, NERIUM OLEANDER D4, KALMIA LATIFOLIA D2
11	CRATAEGUS	CRATAEGUS D2, CYTISUS SCOPARIUS D3, SELENICEREUS GRANDIFLORUS D2, SPIGELIA ANTHELMIA D5, STROPHANTHUS GRATUS D4, URGINEA MARITIMA D4
11	CRATAEGUS	CRATAEGUS D2, KALIUM CARBONICUM D2, SPIGELIA ANTHELMIA D1
11	CRATAEGUS	CRATAEGUS D2, SPIGELIA ANTHELMIA D4, NERIUM OLEANDER D4, COFFEA D6, ADONIS VERNALIS D2, KALMIA LATIFOLIA D2
11	CRATAEGUS	CRATAEGUS D4, CYTISUS SCOPARIUS D4, KALIUM CARBONICUM D4, SELENICEREUS GRANDIFLORUS D4, SPIGELIA ANTHELMIA D6
11	CRATAEGUS	CRATAEGUS D4, LACHESIS D10, CONVALLARIA MAJALIS D4, SCILLA D4
11	CRATAEGUS	CRATAEGUS D4, PASSIFLORA INCARNATA D4, LYCOPUS VIRGINICUS D3, ASA FOETIDA D6
11	CRATAEGUS	CRATAEGUS DIL. D4
11	CRATAEGUS	CRATAEGUS EXTRACT
11	CRATAEGUS	CRATAEGUS EXTRACT FROM BLOSSOMS, LEAVES AND FRUITS (3 MG/G OLIGOMERIC PROANTHOCYANIDINS)
11	CRATAEGUS	CRATAEGUS EXTRACT FROM BLOSSOMS, LEAVES AND FRUITS (6 MG/G OLIGOMERIC PROANTHOCYANIDINS)
11	CRATAEGUS	CRATAEGUS EXTRACT, PASSION FLOWER DRY EXTRACT
11	CRATAEGUS	CRATAEGUS LEAF AND FLOWER DRY EXTRACT
11	CRATAEGUS	CRATAEGUS MOTHER TINCTURE
11	CRATAEGUS	CRATAEGUS MOTHER TINCTURE, VISCUM ALBUM DIL. D1, GLONOINUM DIL. D4, BARIUM CARBONICUM DIL. D8
11	CRATAEGUS	CRATAEGUS TINCTURE, PASSION FLOWER LIQUID EXTRACT
11	CRATAEGUS	CRATAEGUS TRIT. D3, CACTUS TRIT. D7, SPIGELIA TRIT. D5, GLONOINUM TRIT. D5, MAGNESIUM PHOSPHORICUM TRIT. D7
11	CRATAEGUS	CRATAEGUS URT., LOBELIA INFLATA DIL. D 4
11	CRATAEGUS	CRATAEGUS URTINKTUR
11	CRATAEGUS	CRATAEGUS URTINKTUR, ADONIS VERNALIS D4, CONVALLARIA MAJALIS DIL. D4, SPIGELIA ANTHELMIA DIL. D4
11	CRATAEGUS	CRATAEGUS URTINKTUR, ARNICA MONTANA Ø, VISCUM ALBUM DIL. D1
11	CRATAEGUS	CRATAEGUS URTINKTUR, CAMPHORA DIL. D1
11	CRATAEGUS	CRATAEGUS URTINKTUR, CRATAEGUS D30, CRATAEGUS D10, CRATAEGUS D200, MELILOTUS OFFICINALIS D1, MELILOTUS OFFICINALIS D10, MELILOTUS OFFICINALIS D200, MELILOTUS OFFICINALIS D30, MELILOTUS OFFICINALIS D4
11	CRATAEGUS	CRATAEGUS URTINKTUR, KALIUM CARBONICUM D3, SPIGELIA ANTHELMIA D2
11	CRATAEGUS	CRATAEGUS, CONVALLARIA MAJALIS D2
11	CRATAEGUS	CRATAEGUS, ETHANOL
11	CRATAEGUS	CRATAEGUS, FRUCTUS REC., ETHANOL. DIGESTIO Ø, CRATAEGUS, FOLIUM, ETHANOL. EXTR. 1:1,5-2,5
11	CRATAEGUS	CRATAEGUS, PASSIFLORA INCARNATA
11	CRATAEGUS	CUPRUM DIL. D6, SPIGELIA DIL. D4, CRATAEGUS DIL. D2, CACTUS DIL. D6
11	CRATAEGUS	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8, CRATAEGUS E FOLIIS CUM FLORES REC. GLÜCKSELIG Ø
11	CRATAEGUS	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, STIBIUM SULFURATUM NIGRUM DIL. D8, CRATAEGUS E FOLIIS CUM FLORES REC. GLÜCKSELIG Ø, HELLEBORUS VIRIDIS EX HERBIS D4, 200 MG CORALLIUM RUBRUM ET 100 MG KALIUM NITRICUM DEST. CUM ETHANOL
11	CRATAEGUS	CUPRUM SULFURICUM DIL. D4, SILYBUM MARIANUM DIL. D2, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, ORTHOSIPHON STAMINEUS E FOLIIS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, ZINCUM METALLICUM DIL. D8, AESCULUS HIPPOCASTANUM E SEMINE SICC. GLÜCKSELIG Ø, ATROPA BELLA-DONNA E FOLIIS REC. GLÜCKSELIG DIL. D4, CHELIDONIUM MAJUS EX HERBA REC. SPAG. GLÜCKSELIG DIL. D7, CRATAEGUS E FOLIIS CUM FLORES REC. GLÜCKSELIG Ø, PAEONIA OFFICINALIS E FLORIBUS SICC. GLÜCKSELIG Ø

ID	Substance Group	Substances
11	CRATAEGUS	CUPRUM SULFURICUM DIL. D4, SILYBUM MARIANUM DIL. D2, ACIDUM ARSENICOSUM SPAG. GLÜCKSELIG DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, KALIUM NITRICUM DIL. D3, ORTHOSIPHON STAMINEUS E FOLIIS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, TARTARUS DEPURATUS SPAG. GLÜCKSELIG Ø, ZINCUM METALLICUM DIL. D8, AESCULUS HIPPOCASTANUM E SEMINE SICC. GLÜCKSELIG Ø, ATROPA BELLA-DONNA E FOLIIS REC. GLÜCKSELIG DIL. D4, CRATAEGUS E FOLIIS CUM FLORES REC. GLÜCKSELIG Ø, PAEONIA OFFICINALIS E FLORIBUS SICC. GLÜCKSELIG Ø, HELLEBORUS VIRIDIS EX HERBIS D4, CAMPHORA 6,8 MG, CHELIDONIUM MAJUS EX HERBIS D3, 100 MG CORALLIUM RUBRUM ET 50 MG KALIUM NITRICUM DEST. CUM ETHANOL
11	CRATAEGUS	D-CAMPHOR, CRATAEGUS EXTRACT
11	CRATAEGUS	D-CAMPHOR, HAWTHORN BERRIES LIQUID EXTRACT (ETHANOL 93% V/V), DER NATIVE 1:1,3 - 1,5
11	CRATAEGUS	DOXYLAMINE SUCCINATE, CRATAEGUS SPECIES (DRY EXTRACT), PASSIFLORA INCARNATA DRY EXTRACT
11	CRATAEGUS	ETHANOL, CRATAEGUS URTINKTUR, ARNICA DIL. D4, CACTUS DIL. D3, SPIGELIA DIL. D4
11	CRATAEGUS	EXTRACTUM COMPOSITUM (1 : 1-1,2) EX: HIPPOCASTANI SEMINE – 27 P., BETAE ESCULENTA RADICE – 19 P., TILIAE FLORE – 15 P., FAGOPYRI HERBA – 12 P., CRATAEGI FOLIO CUM FLORE – 11 P., SOLIDAGINIS HERBA – 4 P.; EKSTRAHENT – ETANOL 60% (V/V)
11	CRATAEGUS	EXTRACTUM FLUIDUM COMPOSITUM EX : MELISSAE FOLIO, CRATAEGI INFLORESCENTIA, ARCHANGELICAE RADICE
11	CRATAEGUS	FERRUM SIDEREUM DIL. D19 AQUOS., CRATAEGUS, ETHANOL. DIGESTIO DIL. D2, SACCHARUM TOSTUM DIL. D2 AQUOS.
11	CRATAEGUS	HAWTHORN BERRIES DRY EXTRACT (4-7:1), MAGNESIUM OROTATE-DIHYDRATE, DL-ALPHA TOCOFERIL ACETATE, HAWTHORN LEAF AND FLOWER DRY EXTRACT, DER NATIV 4-7:1
11	CRATAEGUS	HAWTHORN BERRIES, CRATAEGI FOLIUM CUM FLORE, MELILOT, LEONURUS CARDIACA L. HERBA
11	CRATAEGUS	LATRODECTUS MACTANS D4, STROPHANTHUS GRATUS D4, CONVALLARIA MAJALIS D4, KALMIA LATIFOLIA D2, CRATAEGUS MOTHER TINCTURE
11	CRATAEGUS	LAUROCERASUS DIL. D3, CRATAEGUS DIL. D1, OLEANDER DIL. D3, SPARTIUM SCOPARIUM DIL. D2
11	CRATAEGUS	LIQUID EXTRACT FROM HAWTHORN BERRIES 1:1
11	CRATAEGUS	LIQUID EXTRACT FROM HAWTHORN BERRIES 1:1, PASSION FLOWER LIQUID EXTRACT
11	CRATAEGUS	MELISSA LEAF, CRATAEGUS, LEONURUS CARDIACA EXTRACT, VALERIAN ROOT TE WITH ETHANOL/ETHANOL WATER
11	CRATAEGUS	ORIGANUM MAJORANA, PASSIFLORA INCARNATA, CRATAEGUS OXYACANTHA
11	CRATAEGUS	RAUWOLFIA SERPENTINA D3, VISCUM ALBUM URTINKTUR, SELENICEREUS GRANDIFLORUS D1, CRATAEGUS MOTHER TINCTURE
11	CRATAEGUS	RESERPINUM D3, ALSEROXYLON, CRATAEGUS D2, VISCUM ALBUM D2
11	CRATAEGUS	TINCTURE FROM HAWTHORN BERRIES 1:10
11	CRATAEGUS	VALERIAN TINCTURE, CONVALLARIAE TINCTURA TITRATA, CRATAEGI FOLII CUM FLORE TINCTURA
11	CRATAEGUS	VISCUM ALBUM (TILIAE) E PLANTA TOTA FERM 33F DIL. D3 (HAB, VS. 33F), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	VISCUM ALBUM (TILIAE) E PLANTA TOTA FERM 33F DIL. D5 (HAB, VS. 33F), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
11	CRATAEGUS	VISCUM ALBUM D4, CRATAEGUS MOTHER TINCTURE
12	URTICA	: EXTRACTUM LIQUIDUM (1:3,5) EX PASTINACEAE FRUCTU, URTICAE RADICE, BARDANAE RADICE (12:8:5)
12	URTICA	ACHILLEA MILLEFOLIUM, FLOS SICC., ETHANOL. INFUSUM 1:5, CAPSELLA BURSA-PASTORIS, HERBA SICC., ETHANOL. INFUSUM 1:5, MAJORANA, FRUCTUS SICC., ETHANOL. DECOCTUM 1:3, QUERCUS, CORTEX SICC., ETHANOL. DECOCTUM 1:3, MAJORANA, HERBA SICC., ETHANOL. INFUSUM 1:5, URTICA DIOICA, FLOS SICC., ETHANOL. INFUSUM 1:6
12	URTICA	ACIDUM ALPHA-KETOGLUTARICUM D10, ACIDUM FORMICICUM D198, ACIDUM FUMARICUM D10, ACIDUM PHOSPHORICUM D6, AESCULUS HIPPOCASTANUM D6, ARCTIUM D6, CALCIUM FLUORATUM D13, CUTIS SUIS D8, AMMONIUM BITUMINOSULFONICUM D28, CORTISONUM ACETICUM D28, FUNICULUS UMBILICALIS SUIS D10, GALIUM APARINE D6, GLANDULA SUPRARENALIS SUIS D10, HEPAR SUIS D10, LEDUM PALUSTRE D4, NATRIUM DIETHYLOXALACETICUM D10, PLACENTA TOTALIS SUIS D10, SANGUINARINUM NITRICUM CRUDUM D6, SELENIUM D10, SPLEN SUIS D10, STRYCHNOS IGNATII D6, SULFUR D10, THALLIUM SULFURICUM D13, PYROGENIUM NOSODE D198, MERCURIUS SOLUBILIS HAHNEMANNI D13, THUJA OCCIDENTALIS D8, URTICA URENS D4
12	URTICA	ACIDUM ALPHA-KETOGLUTARICUM D10, ACIDUM FORMICICUM D198, ACIDUM FUMARICUM D10, ACIDUM PHOSPHORICUM D6, AESCULUS HIPPOCASTANUM D6, ARCTIUM D6, CALCIUM FLUORATUM D13, CUTIS SUIS D8, AMMONIUM BITUMINOSULFONICUM D28, CORTISONUM ACETICUM D28, FUNICULUS UMBILICALIS SUIS D10, GALIUM APARINE D6, GLANDULA SUPRARENALIS SUIS D10, HEPAR SUIS D10, LEDUM PALUSTRE D4, NATRIUM DIETHYLOXALACETICUM D10, PLACENTA TOTALIS SUIS D10, SELENIUM D10, SPLEN SUIS D10, STRYCHNOS IGNATII D6, SULFUR D10, THALLIUM SULFURICUM D13, MERCURIUS SOLUBILIS HAHNEMANNI D13, THUJA OCCIDENTALIS D8, URTICA URENS D4
12	URTICA	ALCHEMILLAE ALPINAE HERBA, AVENA SATIVA L., URTICAE HERBA
12	URTICA	ALFALFA D6, LAC CANINUM D10, URTICA URENS D6
12	URTICA	ANISI FRUCTUS, FERRUM USTUM TRIT. D3, NONTRONIT TRIT. D3, URTICA DIOICA, HERBA TRIT. D4
12	URTICA	ANUS BOVIS GL DIL. D8 (HAB, VS. 41C), ANUS BOVIS GL DIL. D4 (HAB, VS. 41C), CONCHAE DIL. D8, CUTIS FETI FEMININI BOVIS GL DIL. D8 (HAB, VS. 41B), CUTIS FETI FEMININI BOVIS GL DIL. D4 (HAB, VS. 41B), FUNICULUS UMBILICALIS BOVIS GL DIL. D4 (HAB, VS. 41B), ROSMARINI AETHEROLEUM, STANNUM METALLICUM DIL. D8, SALVIAE OFFICINALIS AETHEROLEUM, URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), PARS FETALIS, PLACENTA BOVIS GL DIL. D4 (HAB, VS. 41B), PUDENDUM FEMININUM BOVIS GL DIL. D4 (HAB, VS. 41B), PUDENDUM FEMININUM BOVIS GL DIL. D8 (HAB, VS. 41B), LAVANDULAE AETHEROLEUM, PRUNUS SPINOSA E FRUCTIBUS LA 25% (HAB, VS. 120)
12	URTICA	ARCTIUM LAPPA E RADICE W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), ARNICA MONTANA E FLORIBUS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), BETULA PENDULA/PUBESCENS E FOLIIS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), URTICA DIOICA EX HERBA W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), ÖLAUSZUG AUS FORMICA RUFA REC. (10:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, STAR ANISE OIL
12	URTICA	ARCTIUM LAPPA E RADICE W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), BETULA PENDULA/PUBESCENS E FOLIIS W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), URTICA DIOICA EX HERBA W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), ÖLAUSZUG AUS FORMICA RUFA REC. (10:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, STAR ANISE OIL
12	URTICA	ARNICA MONTANA E FLORIBUS LA 20% (HAB, VS. 12C), ARGENTUM COLLOIDALE DIL. D5, CANTHARIS EX ANIMALE TOTO GL DIL. D5 (HAB, VS. 41C), SYMPHYTUM OFFICINALE EX HERBA LA 20% (HAB, VS. 12C), THUJA OCCIDENTALIS E SUMMITATIBUS LA 20% (HAB, VS. 12C), URTICA URENS EX HERBA LA 20% (HAB, VS. 12C), CALEDULA OFFICINALIS E FLORIBUS LA 20% (HAB, VS. 12C)

ID	Substance Group	Substances
12	URTICA	ARNICA MONTANA E FLORIBUS LA 20% (HAB, VS. 12C), CANTHARIS EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), SYMPHYTUM OFFICINALE EX HERBA LA 20% (HAB, VS. 12C), THUJA OCCIDENTALIS E SUMMITATIBUS LA 20% (HAB, VS. 12C), URTICA URENS EX HERBA LA 20% (HAB, VS. 12C), CALENDULA OFFICINALIS E FLORIBUS LA 20% (HAB, VS. 12C)
12	URTICA	ARNICA MONTANA E FLORIBUS W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL), ARCTIUM LAPPÄ E RADICE W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), BETULA PENDULA/PUBESCENS E FOLIS W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL), URTICA DIOICA EX HERBA W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL), ÖLAUSZUG AUS FORMICA RUFA REC. (10:1) AUSZUGSMITTEL: RAFFINIERTES ERDNUSSÖL, STAR ANISE OIL
12	URTICA	ARNICA MONTANA, PLANTA TOTA REC., ETHANOL. EXTR. 1:1,1, URTICA URENS, HERBA REC. Ø
12	URTICA	ARNICA, PLANTA TOTA 2B Ø, URTICA URENS, HERBA REC. Ø
12	URTICA	AURUM METALLICUM DIL. D9, BERBERIS VULGARIS E RADICE FERM 33D Ø (HAB, VS. 33D), SEPIA OFFICINALIS E VOLUMINE BURSÆ REC. GL DIL. D6 (HAB, VS. 41C), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), PLACENTA BOVIS GL DIL. D7 (HAB, VS. 41B)
12	URTICA	BERBERIS VULGARIS E FRUCTIBUS FERM 33C DIL. D1 (HAB, VS. 33C), URTICA DIOICA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	BERBERIS VULGARIS E FRUCTIBUS FERM 33C Ø (HAB, VS. 33C), URTICA DIOICA E PLANTA TOTA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D DIL. D1 (HAB, VS. 33D), BERBERIS VULGARIS EX HERBA FERM 33C DIL. D1 (HAB, VS. 33C), GRANIT DIL. D9 (HAB, VS. 6), MAGNESIUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), UTERUS BOVIS GL DIL. D5 (HAB, VS. 41C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D3 (HAB, VS. 34I), OXALIS ACETOSELLA E PLANTA TOTA FERM 34B DIL. D2 (HAB, VS. 34B), OVARIA BOVIS GL DIL. D5 (HAB, VS. 41A)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D DIL. D1 (HAB, VS. 33D), BERBERIS VULGARIS EX HERBA FERM 33C DIL. D1 (HAB, VS. 33C), GRANIT DIL. D9 (HAB, VS. 6), MAGNESIUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), VISCUM ALBUM (ABIETIS) E PLANTA TOTA FERM 34G DIL. D3 (HAB, VS. 34G), OXALIS ACETOSELLA E PLANTA TOTA FERM 34B DIL. D2 (HAB, VS. 34B), PROSTATA BOVIS GL DIL. D5 (HAB, VS. 41A)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D DIL. D1 (HAB, VS. 33D), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D Ø (HAB, VS. 33D), BERBERIS VULGARIS EX HERBA FERM 33C Ø (HAB, VS. 33C), GRANIT DIL. D9 (HAB, VS. 6), MAGNESIUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), UTERUS BOVIS GL DIL. D5 (HAB, VS. 41C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D3 (HAB, VS. 34I), OXALIS ACETOSELLA E PLANTA TOTA FERM 34B DIL. D2 (HAB, VS. 34B), OVARIA BOVIS GL DIL. D5 (HAB, VS. 41A)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D Ø (HAB, VS. 33D), BERBERIS VULGARIS EX HERBA FERM 33C Ø (HAB, VS. 33C), GRANIT DIL. D9 (HAB, VS. 6), MAGNESIUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), VISCUM ALBUM (ABIETIS) E PLANTA TOTA FERM 34G DIL. D3 (HAB, VS. 34G), OXALIS ACETOSELLA E PLANTA TOTA FERM 34B DIL. D2 (HAB, VS. 34B), PROSTATA BOVIS GL DIL. D5 (HAB, VS. 41A)
12	URTICA	BERBERIS VULGARIS E RADICE FERM 33D Ø (HAB, VS. 33D), URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	BERBERIS VULGARIS, PLANTA TOTA RH DIL. D1, URTICA URENS, PLANTA TOTA RH DIL. D2
12	URTICA	BETULAE FOLIUM, EQUISETUM STEM, WILLOW BARK, URTICAE FOLIUM, TARAXACUM OFFICINALE ROOT, TARAXACUM OFFICINALE WEBER EX WIGG. HERBA, POPULI FOLIUM
12	URTICA	BRYONIA CRETICA DIOICA D3, GUAIACUM OFFICINALE D2, PHYTOLACCA DECANDRA D1, RUTA GRAVEOLENS D3, SPIRAEA ULMARIA D3, URTICA URENS D3
12	URTICA	CALENDULA OFFICINALIS D4, LYTTA VESICATORIA D6, URTICA URENS D4, ECHINACEA ANGUSTIFOLIA D4
12	URTICA	CALENDULAE FLOS, SAGE LEAF (SALVIA OFFICINALIS), QUERCUS CORTEX, CHAMOMILLAE ANTHODIUM, URTICAE FOLIUM, POLYGONI AVICULARIS HERBA
12	URTICA	CARBO VEGETABILIS, CARVI AETHEROLEUM, AMETHYST, BETULA PENDULA FERM 34E Ø, COCHLEARIA OFFICINALIS EX HERBA FERM 33B Ø (HAB, VS. 33B), FOENICULI AMARI FRUCTUS AETHEROLEUM, FUCUS VESICULOSUS E PLANTA TOTA FERM 51 Ø (HAB, VS. 51), FUMARIA OFFICINALIS EX HERBA FERM 33C Ø (HAB, VS. 33C), GRAPHITES DIL. D11 AQUOS., JUNIPERUS COMMUNIS E FRUCTIBUS FERM 35A Ø (HAB, VS. 35A), OXALIS ACETOSELLA E PLANTA TOTA FERM 34B Ø (HAB, VS. 34B), RHAMNUS FRANGULA E CORTICE FERM 33E Ø (HAB, VS. 33E), ROSA E FLORIBUS FERM CUM FERRO Ø (HAB, VS. 37A), TROPAEOLUM MAJUS EX HERBA FERM 33B Ø (HAB, VS. 33B), URTICA DIOICA E PLANTA TOTA FERM 33C Ø (HAB, VS. 33C), VIOLA TRICOLOR EX HERBA FERM 33E Ø (HAB, VS. 33E)
12	URTICA	CARDUUS MARIANUS, ETHANOL. DECOCTUM DIL. D1, CHELIDONIUM Ø, DRYOPTERIS FILIX-MAS, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, POLYPODIUM VULGARE, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, SALIX ALBA / PURPUREA / VIMINALIS, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, PHYLLITIS SCLOPENDRIUM, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, TARAXACUM Ø, URTICA DIOICA Ø, ONOPORDUM ACANTHIUM, FOLIUM REC. Ø
12	URTICA	CAUSTICUM HAHNEMANNI D6, RHUS TOXICODENDRON D12, SULFUR D12, URTICA DIOICA D1, DOLICHOS PRURIENS D8
12	URTICA	CONCHAE DIL. D6, STANNUM METALLICUM DIL. D9, URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	CONCHAE TRIT. D2, STANNUM METALLICUM DIL. D9, URTICA URENS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
12	URTICA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, CAMPHORA DIL. D3, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, URTICA URENS EX HERBA REC. GLÜCKSELIG DIL. D2
12	URTICA	CUPRUM SULFURICUM DIL. D4, ARNICA MONTANA E FLORIBUS SICC. GLÜCKSELIG DIL. D2, AURUM CHLORATUM DIL. D5, BOLUS ALBA SPAG. GLÜCKSELIG Ø, DIGITALIS PURPUREA GLÜCKSELIG DIL. D4, FILIPENDULA ULMARIA EX HERBA REC. GLÜCKSELIG Ø, HYDRARGYRUM BICHLORATUM SPAG. GLÜCKSELIG DIL. D6, JUNIPERUS COMMUNIS E FRUCTIBUS SICC. GLÜCKSELIG Ø, SOLIDAGO VIRGAUREA EX HERBA REC. GLÜCKSELIG Ø, STIBIUM SULFURATUM NIGRUM DIL. D8, URTICA URENS EX HERBA REC. GLÜCKSELIG DIL. D2, HELLEBORUS VIRIDIS EX HERBIS D4, CAMPHORA 13,6 MG
12	URTICA	DRY EXTRACT OF SOLIDAGO VIRGAUREAE, EXTRACT FROM SABALIS SERRULATAE FRUCTUS, URTICAE RADIX DRY EXTRACT
12	URTICA	ECHINACEAE PURPUREAE HERBAE RECENTIS SUCCUS (1:1), ARONIAE FRUCTUS SUCCUS (1:1), BARDANAE RADICIS RECENTIS SUCCUS (1:1), CHAMOMILLAE EXTRACTUM FLUIDUM (0,5:1), URTICAE HERBAE RECENTIS SUCCUS (1:1)
12	URTICA	ETHANOL, URTICA DIOICA
12	URTICA	FERRUM OXYDULATUM NIGRUM DIL. D6 (HAB, VS. 6), NONTRONIT DIL. D6, URTICA DIOICA E PLANTA TOTA FERM 33C DIL. D7 (HAB, VS. 33C), PIMPINELLA ANISUM E FRUCTIBUS, INFUSUM DIL. D4 (HAB, VS. 24A)
12	URTICA	FERRUM OXYDULATUM NIGRUM TRIT. D4 (HAB, VS. 6), NONTRONIT TRIT. D4, URTICA DIOICA E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), PIMPINELLA ANISUM E FRUCTIBUS, INFUSUM Ø (HAB, VS. 24A)
12	URTICA	FRAGARIA VESCA, FRUCTUARIUM REC., ETHANOL./SACCH. EXTR. 1:0,9, URTICA DIOICA, PLANTA TOTA REC., ETHANOL./SACCH. EXTR. 1:0,9, HONEY

ID	Substance Group	Substances
12	URTICA	FRAGARIA VESCA, FRUCTUARIUM RH DIL. D2, URTICA DIOICA, PLANTA TOTA RH DIL. D2
12	URTICA	LITHIUM CARBONICUM DIL. D3, BERBERIS VULGARIS, BELLADONNA, URTICA URENS
12	URTICA	PETROSELINUM MOTHER TINCTURE, SABAL SERRULATUM Ø, BUCCO MOTHER TINCTURE, EQUISETUM ARVENSE, URTICA URENS, POPULUS TREMULOIDES Ø, SOLIDAGO VIRGAUREA URTINKTUR
12	URTICA	PYGEUM AFRICANUM HOOK. EXTRACT (PY 102), URTICA DIOICA/URENS L. EXTRACT (UR 102)
12	URTICA	RHUBARB, WILD PANSY (FLOWERING AERIAL PARTS), URTICAE FOLIUM, PHASEOLI PERICARPIUM, AGROPYRI RHIZOMA, CHICORY ROOT
12	URTICA	URTICA DIOICA
12	URTICA	URTICA DIOICA (356)
12	URTICA	URTICA DIOICA (NETTLE) EXTRACT
12	URTICA	URTICA DIOICA FERRO CULTA, HERBA DIL. D2
12	URTICA	URTICA DIOICA FERRO CULTA, HERBA RH DIL. D2
12	URTICA	URTICA DIOICA FERRO CULTA, HERBA RH DIL. D3
12	URTICA	URTICA DIOICA L.
12	URTICA	URTICA EXTRACT
12	URTICA	URTICA ROOT DRY EXTRACT, SABAL FRUIT SOFT EXTRACT
12	URTICA	URTICA URENS
12	URTICA	URTICAE FOLIUM
12	URTICA	URTICAE FOLIUM, ALLIUM SATIVUM
12	URTICA	URTICAE FOLIUM, PHASEOLI PERICARPIUM, RHEI RADIX PULVERATUM, GRAMINIS RHIZOMA, VIOLAE TRICOLORIS HERBA, CICHORII RADIX
12	URTICA	URTICAE RADICIS EXTRACTUM FLUIDUM (1:1; ETANOL 70%)
12	URTICA	URTICAE RADIX
12	URTICA	URTICAE RADIX DRY EXTRACT
13	CALENDULA	ACONITUM NAPELLUS, ATROPA BELLADONNA, BRYONIA, CALENDULA OFFICINALIS, MERCURIUS SOLUBILIS, ARUM TRIPHYLLUM, SPONGIA TOSTA, KALIUM BICHROMICUM, FERRUM PHOSPHORICUM, HEPAR SULFUR, POPULUS CANDICANS
13	CALENDULA	ACONITUM NAPELLUS, ATROPA BELLADONNA, CALENDULA OFFICINALIS, CHELIDONIUM MAJUS, VIBURNUM OPULUS, ABRUS PRECATORIUS
13	CALENDULA	ACONITUM NAPELLUS, BRYONIA, CALENDULA OFFICINALIS, BELLADONNA, MERCURIUS SOLUBILIS, ARUM TRIPHYLLUM, SPONGIA TOSTA, KALIUM BICHROMICUM, FERRUM PHOSPHORICUM, HEPAR SULFUR, POPULUS CANDICANS
13	CALENDULA	ACONITUM NAPELLUS, CALENDULA OFFICINALIS, BELLADONNA, MERCURIUS SOLUBILIS, ARUM TRIPHYLLUM, SPONGIA TOSTA, BRYONIA ALBA, KALIUM BICHROMICUM, FERRUM PHOSPHORICUM, HEPAR SULFUR, POPULUS CANDICANS
13	CALENDULA	ACONITUM NAPELLUS, CALENDULA OFFICINALIS, CHELIDONIUM MAJUS, VIBURNUM OPULUS, BELLADONNA, ABRUS PRECATORIUS
13	CALENDULA	ALLIUM CEPA FERM 34A Ø, CALENDULA OFFICINALIS EX HERBA FERM 33C Ø (HAB, VS. 33C), MERCURIALIS PERENNIS FERM 34C Ø
13	CALENDULA	ALLIUM CEPA FERM 34A Ø, CALENDULA OFFICINALIS EX HERBA FERM 33C Ø (HAB, VS. 33C), MERCURIALIS PERENNIS FERM 34C Ø, STIBIUM METALLICUM TRIT. D3
13	CALENDULA	ARGENTUM METALLICUM DIL. D10, CUPRUM ACETICUM DIL. D6 AQUOS. (HAB, VS. 5B), CUTIS FETI BOVIS GL DIL. D4 (HAB, VS. 41B), FUNICULUS UMBILICALIS BOVIS GL DIL. D4 (HAB, VS. 41B), ROSMARINI AETHEROLEUM, TEREBINTHINA LARICINA, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D2 (HAB, VS. 34I), PLACENTA BOVIS GL DIL. D4 (HAB, VS. 41B), CALENDULA OFFICINALIS E FLORIBUS LA 20% (HAB, VS. 12C), ECHINACEA PALLIDA EX HERBA LA 20% (HAB, VS. 12C)
13	CALENDULA	ARNICA DIL. D3, CALENDULA DIL. D3, HAMAMELIS DIL. D4, RHUS TOXICODENDRON DIL. D6, RUTA DIL. D6, SYMPHYTUM DIL. D6
13	CALENDULA	ARNICA MONTANA D3, CALENDULA OFFICINALIS D3, HAMAMELIS VIRGINIANA D4, SYMPHYTUM OFFICINALE D6, RUTA GRAVEOLENS D6, TOXICODENDRON QUERCIFOLIUM D6
13	CALENDULA	ARNICA MONTANA D3, THUJA OCCIDENTALIS D3, CALENDULA OFFICINALIS D3, HYDRARGYRUM BICHLORATUM D6, GUAJACUM D3
13	CALENDULA	BALSAMUM PERUVIANUM, CALENDULA OFFICINALIS 2A Ø, RESINA LARICIS, MERCURIALIS PERENNIS 2B Ø, STIBIUM METALLICUM PRAEPARATUM
13	CALENDULA	BENZOCAINE, MENTHOL, EXTRACTUM AQUOSUM (1:2) EX: CHAMOMILLAE ANTHODIO, CALENDULAE ANTHODIO, QUERCUS CORTICE, MILLEFOLII FLORE, SALVIAE FOLIO, EQUISETI HERBA
13	CALENDULA	BORIC ACID, CALENDULA OFFICINALIS MOTHER TINCTURE, PHYTOLACCA DECANDRA MOTHER TINCTURE, BRYONIA DIOICA MOTHER TINCTURE, BENZOE MOTHER TINCTURE
13	CALENDULA	CALENDULA MOTHER TINCTURE, CONIUM DIL. D2, MERCURIUS BIJODATUS TRIT. D5, STIBIUM SULFURATUM NIGRUM TRIT. D2
13	CALENDULA	CALENDULA OFFICINALIS 2A Ø
13	CALENDULA	CALENDULA OFFICINALIS E FLORIBUS LA 20% (HAB, VS. 12C)
13	CALENDULA	CALENDULA OFFICINALIS E FLORIBUS W 10% (HAB, VS. 12F MIT NATIVEM OLIVENÖL)
13	CALENDULA	CALENDULA OFFICINALIS FLOR. C. CAL. PARAFFINUM LIQUIDUM, ECHINACEA RH Ø, EUPHRASIA RH Ø
13	CALENDULA	CALENDULA OFFICINALIS MOTHER TINCTURE
13	CALENDULA	CALENDULA OFFICINALIS, EUPHRASIA OFFICINALIS, MAGNESIA CARBONICA
13	CALENDULA	CALENDULA OFFICINALIS, EUPHRASIA OFFICINALIS, MAGNESIA CARBONICA, CALCAREA FLUORICA, CINERARIA MARITIMA, KALIUM MURIATICUM, SILICEA
13	CALENDULA	CALENDULA OFFICINALIS, FLOS H 10 %
13	CALENDULA	CALENDULA OFFICINALIS, TEINTURE MÈRE
13	CALENDULA	CALENDULA TINCTURE
13	CALENDULA	CALENDULAE ANTHODIUM EXTRACTUM (0,09 : 1)
13	CALENDULA	CALENDULAE FLOS

ID	Substance Group	Substances
13	CALENDULA	EXTRACTUM SPISSUM COMPOSITUM EX: ARNICAE ET CALENDULAE ANTHODIS; DER: 3-7:1; EKSTRAHENT: METANOL 90 %), HIPPOCASTANI CORTICIS EXTRACTUM SICCUUM; DER: 40-90:1; EKSTRAHENT: METANOL 90 %
13	CALENDULA	HELIANTHUS ANNUUS, AETHUSA CYNAPIUM D4, CALENDULA OFFICINALIS D2
13	CALENDULA	HYDRASTIS CANADENSIS, CALENDULA OFFICINALIS MOTHER TINCTURE, HELONIAS DIOICA
13	CALENDULA	LACHESIS MUTUS DIL. D8, ACIDUM SILICICUM DIL. D 8, CALENDULA OFFICINALIS URT., FERRUM PHOSPHORICUM DIL. D 10
13	CALENDULA	MATRICARIAE FLORIS EXTRACTUM FLUIDUM (1:1), CALENDULAE FLORIS EXTRACTUM FLUIDUM (1:1)
13	CALENDULA	MISCHUNG AUS CALENDULA EX HERBA FLOR. PRESSSAFT UND ETHANOL 96% (1:0,33), ECHINACEA Ø
13	CALENDULA	QUARZ, ARNICA MONTANA, PLANTA TOTA REC., ETHANOL. EXTR. 1:1,1, CALENDULA OFFICINALIS 2A Ø, ECHINACEA PURPUREA, PLANTA TOTA Ø, STIBIUM METALLICUM PRAEPARATUM, ECHINACEA Ø
13	CALENDULA	QUARZ, ARNICA, PLANTA TOTA Ø, CALENDULA OFFICINALIS 2A Ø, ECHINACEA PURPUREA, PLANTA TOTA Ø, STIBIUM METALLICUM PRAEPARATUM
14	CIMICIFUGA RACEMOSA	ACIDUM ASCORBICUM D6, ACIDUM PICRINICUM D6, ACIDUM SILICICUM D6, AESCULUS HIPPOCASTANUM D6, AMMONIUM CHLORATUM D8, ARGENTUM METALLICUM D10, CALCIUM PHOSPHORICUM D10, CARTILAGO SUIS D8, CIMICIFUGA RACEMOSA D4, CINCHONA PUBESCENS D4, CITRULLUS COLOCYNTHIS D4, COENZYM A D10, CUPRUM ACETICUM D6, EMBRYO TOTALIS SUIS D10, ACIDUM THIOCTICUM D8, BERBERIS VULGARIS D4, FUNICULUS UMBILICALIS SUIS D10, GLANDULA SUPRARENALIS SUIS D10, HYDRARGYRUM OXYDATUM RUBRUM D10, KALIUM CARBONICUM D6, LEDUM PALUSTRE D4, MEDORRHINUM NOSODE D18, MEDULLA OSSIS SUIS D10, NADIDUM D6, NATRIUM DIETHYLOXALACETICUM D6, NATRIUM RIBOFLAVINUM PHOSPHORICUM D6, NICOTINAMIDUM D6, PSEUDOGNAPHALIMUM OBTUSIFOLIUM D3, RANUNCULUS BULBOSUS D4, SEPIA OFFICINALIS D10, THIAMINUM HYDROCHLORICUM D6, PULSATILLA PRATENSIS D6, PYRIDOXINUM HYDROCHLORICUM D6, SECALE CORNUTUM D6, SULFUR D28, ZINCUM METALLICUM D10, DISCUS INTERVERTEBRALIS SUIS D8
14	CIMICIFUGA RACEMOSA	AGARICUS D4, CIMICIFUGA RACEMOSA D2, HYOSCYAMUS D4, ZIZIA AUREA D3
14	CIMICIFUGA RACEMOSA	ALETRIS FARINOSA DIL. D 1, CAULOPHYLLUM THALICTROIDES DIL. D 2, CIMICIFUGA RACEMOSA DIL. D 3, FRAXINUS AMERICANA (HAB 34) DIL. 2, LILIUM LANCIFOLIUM DIL. D 4 VINOS, SEPIA OFFICINALIS DIL. D 6, STRYCHNOS IGNATI DIL. D 4 VINOS, TUNERA DIFFUSA URT., VALERIANA OFFICINALIS URT.
14	CIMICIFUGA RACEMOSA	ANAMIRTA COCCULUS DIL. D 4, CAULOPHYLLUM THALICTROIDES DIL. D 2, CIMICIFUGA RACEMOSA DIL. D 2, POTENTILLA ANSERINA DIL. D 1
14	CIMICIFUGA RACEMOSA	APIS MELLIFICA D10, CIMICIFUGA RACEMOSA D30, APIS MELLIFICA D200, APIS MELLIFICA D30, CIMICIFUGA RACEMOSA D10, CIMICIFUGA RACEMOSA D200, HYDRARGYRUM BICHLORATUM D10, HYDRARGYRUM BICHLORATUM D200, HYDRARGYRUM BICHLORATUM D30, LACHESIS D10, LACHESIS D1000, LACHESIS D200, LACHESIS D30, LILIUM LANCIFOLIUM D10, LILIUM LANCIFOLIUM D200, LILIUM LANCIFOLIUM D30, LYCOPODIUM CLAVATUM D10, LYCOPODIUM CLAVATUM D1000, LYCOPODIUM CLAVATUM D200, LYCOPODIUM CLAVATUM D30, PULSATILLA PRATENSIS D10, PULSATILLA PRATENSIS D1000, VESPA CRABRO D10, VESPA CRABRO D200, VESPA CRABRO D30, PULSATILLA PRATENSIS D200, PULSATILLA PRATENSIS D30
14	CIMICIFUGA RACEMOSA	BRYONIA DIL. D 4, CIMICIFUGA RACEMOSA DIL. D 3, CITRULLUS COLOCYNTHIS DIL. D 4, TOXICODENDRON QUERCIFOLIUM DIL. D 6
14	CIMICIFUGA RACEMOSA	BRYOPHYLLUM DIL. D1, CIMICIFUGA RACEMOSA, ETHANOL. DECOCTUM DIL. D5, LEONURUS CARDIACA 3B DIL. D2, ONOPORDUM ACANTHIUM, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 1 % HYOSCYAMUS Ø, PRIMULA VERIS, FLOS REC., ETHANOL. DIGESTIO 1:3,1 CUM 1 % HYOSCYAMUS Ø
14	CIMICIFUGA RACEMOSA	CIMICIFUGA DIL D1
14	CIMICIFUGA RACEMOSA	CIMICIFUGA DIL. D3, MAGNESIUM PHOSPHORICUM DIL. D6, CAULOPHYLLUM DIL. D2, VIBURNUM OPULUS DIL. D2
14	CIMICIFUGA RACEMOSA	CIMICIFUGA DIL. D4, GELSEMIUM DIL. D3, IRIS VERSICOLOR DIL. D2, SANGUINARIA DIL. D12, SPIGELIA ANTHELMIA DIL. D4
14	CIMICIFUGA RACEMOSA	CIMICIFUGA DIL. D4, LACHESIS DIL. D12, SANGUINARIA DIL. D4
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D2, CIMICIFUGA RACEMOSA D30, CIMICIFUGA RACEMOSA D10, CIMICIFUGA RACEMOSA D200, GELSEMIUM SEMPERVIRENS D10, GELSEMIUM SEMPERVIRENS D2, GELSEMIUM SEMPERVIRENS D200, GELSEMIUM SEMPERVIRENS D30, RHUS TOXICODENDRON D10, RHUS TOXICODENDRON D200, RHUS TOXICODENDRON D3, RHUS TOXICODENDRON D30
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D2, CIMICIFUGA RACEMOSA D30, CIMICIFUGA RACEMOSA D10, CIMICIFUGA RACEMOSA D200, STRONTIUM CARBONICUM D200, STRONTIUM CARBONICUM D30, STRONTIUM CARBONICUM D8
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D2, GELSEMIUM SEMPERVIRENS D2, SPIGELIA ANTHELMIA D2, IRIS VERSICOLOR D2, CYCLAMEN PURPURASCENS D3
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D3, CROCUS SATIVUS D4
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D3, VALERIANA OFFICINALIS D2, SEPIA OFFICINALIS D8, SANGUINARIA CANADENSIS D7
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA D30, CIMICIFUGA RACEMOSA D4, CIMICIFUGA RACEMOSA D10, CIMICIFUGA RACEMOSA D200, STRONTIUM CARBONICUM D200, STRONTIUM CARBONICUM D30, STRONTIUM CARBONICUM D8
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA DIL. D5, CYCLAMEN EUROPAEUM DIL. D3, IRIS VERSICOLOR DIL D3, MELILOTUS OFFICINALIS DIL. D3
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA EXTRACT
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA EXTRACT, HYPERICI HERBA EXTRACTUM
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA Ø, LILIUM LANCIFOLIUM Ø, VALERIANA OFFICINALIS Ø
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA ROOT
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA ROOT DRY EXTRACT
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA, IGNATIA AMARA, SANGUINARIA, SEPIA
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RACEMOSA, PHOSPHORUS, PULSATILLA PRATENSIS, VITEX AGNUS CASTUS, CALCIUM CARBONICUM
14	CIMICIFUGA RACEMOSA	CIMICIFUGA RHIZOME DRY EXTRACT
14	CIMICIFUGA RACEMOSA	COCCULUS DIL.D4, AMBRA DIL. D6, IGNATIA DIL. D4, CIMICIFUGA DIL. D4, PASSIFLORA INCARNATA DIL. D2
14	CIMICIFUGA RACEMOSA	CROCUS SATIVUS TRIT. D 3, SEPIA OFFICINALIS D3, CIMICIFUGA RACEMOSA D3, SANGUINARIA CANADENSIS D4, JUNIPERUS SABINA D3, SECALE CORNUTUM D3
14	CIMICIFUGA RACEMOSA	DRY EXTRACT FROM CIMICIFUGAE RACEMOSAE RHIZOMA
14	CIMICIFUGA RACEMOSA	DRY EXTRACT OF CIMICIFUGA RHIZOME (DER 4.5-8.5:1)
14	CIMICIFUGA RACEMOSA	DRY EXTRACT OF CIMICIFUGA ROOT

ID	Substance Group	Substances
14	CIMICIFUGA RACEMOSA	GELSEMIUM SEMPERVIRENS D4, CIMICIFUGA RACEMOSA D30, CIMICIFUGA RACEMOSA D4, CIMICIFUGA RACEMOSA D10, CIMICIFUGA RACEMOSA D200, GELSEMIUM SEMPERVIRENS D10, GELSEMIUM SEMPERVIRENS D200, GELSEMIUM SEMPERVIRENS D30, RHUS TOXICODENDRON D10, RHUS TOXICODENDRON D200, RHUS TOXICODENDRON D30, RHUS TOXICODENDRON D5
14	CIMICIFUGA RACEMOSA	IBERIS AMARA DIL. D 3, CIMICIFUGA RACEMOSA DIL. D 6, CONVALLARIA MAJALIS DIL D 3, CYTISUS SCOPARIUS DIL. D 2
14	CIMICIFUGA RACEMOSA	PLATINUM METALLICUM, CIMICIFUGA RACEMOSA, VITEX AGNUS CASTUS, LILIUM TIGRINUM
14	CIMICIFUGA RACEMOSA	PLATINUM METALLICUM, CIMICIFUGA, IGNATIA, HYOSCYAMUS, PHOSPHORUS, ZINCUM METALLICUM D12
14	CIMICIFUGA RACEMOSA	PLATINUM METALLICUM, CYPRIPEDIUM PUBESCENS D3, IGNATIA AMARA, PASSIFLORA INCARNATA, VALERIANA OFFICINALIS, LILIUM TIGRINUM, ZINC VALERATE DIHYDRATE, CIMICIFUGA RACEMOSA D2, ANAMIRTA COCCULUS D4
14	CIMICIFUGA RACEMOSA	PLATINUM METALLICUM, CYPRIPEDIUM PUBESCENS D4, IGNATIA AMARA, PASSIFLORA INCARNATA, LILIUM TIGRINUM, ZINC VALERATE DIHYDRATE, CIMICIFUGA RACEMOSA D3, VALERIANA OFFICINALIS D2, ANAMIRTA COCCULUS D4
14	CIMICIFUGA RACEMOSA	VITEX AGNUS CASTUS, ZINC VALERATE DIHYDRATE, CIMICIFUGA RACEMOSA D2, PULSATILLA PRATENSIS DIL. D4
15	SILYBUM MARIANUM	AESCULUS HIPPOCASTANUM D1, SILYBUM MARIANUM D6, LACHESIS MUTUS D12, PULSATILLA PRATENSIS D12, HAMAMELIS VIRGINIANA D6
15	SILYBUM MARIANUM	AESCULUS HIPPOCASTANUM DIL. D1, HAMAMELIS VIRGINIANA DIL. D3, SILYBUM MARIANUM DIL. D2
15	SILYBUM MARIANUM	ANACARDIUM D4, ANTIMONIUM CRUDUM D4, ASA FOETIDA D4, BISMUTUM SUBNITRICUM D3, CARBO VEGETABILIS D2
15	SILYBUM MARIANUM	ANAGALLIS ARVENSIS E PLANTA TOTA FERM 33B DIL. D2 (HAB, VS. 33B), CICHORIUM INTYBUS E PLANTA TOTA FERM 33C DIL. D5 (HAB, VS. 33C), KALIUM CARBONICUM E CINERE FAGI SILVATICAE DIL. D5 AQUOS. (HAB, VS. 5B), SILYBUM MARIANUM E FRUCTIBUS FERM 36 DIL. D2 (HAB, VS. 36), TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D2 (HAB, VS. 34C)
15	SILYBUM MARIANUM	APOCYNUM CANNABINUM D2, FUCUS VESICULOSUS D6, SILYBUM MARIANUM D1, THUJA OCCIDENTALIS D12, GRAPHITES D10, ZINCUM METALLICUM D12
15	SILYBUM MARIANUM	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D30, CALCIUM CARBONICUM HAHNEMANNI D10, CALCIUM CARBONICUM HAHNEMANNI D200, CALCIUM CARBONICUM HAHNEMANNI D30, CHELIDONIUM MAJUS D10, CHELIDONIUM MAJUS D200, CHELIDONIUM MAJUS D30, CINCHONA PUBESCENS D10, CINCHONA PUBESCENS D200, CINCHONA PUBESCENS D30, LYCOPODIUM CLAVATUM D10, LYCOPODIUM CLAVATUM D1000, LYCOPODIUM CLAVATUM D200, LYCOPODIUM CLAVATUM D30, SILYBUM MARIANUM D10, SILYBUM MARIANUM D200, SILYBUM MARIANUM D30, TARAXACUM OFFICINALE D10, TARAXACUM OFFICINALE D200, TARAXACUM OFFICINALE D30, VERATRUM ALBUM D10, VERATRUM ALBUM D200, VERATRUM ALBUM D30
15	SILYBUM MARIANUM	ATROPA BELLA-DONNA D4, CITRULLUS COLOCYNTHIS D4, BERBERIS VULGARIS D3, SILYBUM MARIANUM URT., MAGNESIUM PHOSPHORICUM DIL. D8
15	SILYBUM MARIANUM	BELLADONNA D4, BERBERIS VULGARIS D2, CARDUUS MARIANUS D2, DIOSCOREA VILLOSA D2, LEPTANDRA VIRGINICA D4
15	SILYBUM MARIANUM	BERBERIS VULGARIS D2, CHOLESTERINUM D4, BRYONIA D3, CHELIDONIUM MAJUS D4, CITRULLUS COLOCYNTHIS D4, LYCOPODIUM CLAVATUM D6, SILYBUM MARIANUM D1, TARAXACUM OFFICINALE D2, VERONICA VIRGINICA D2, QUASSIA AMARA D4
15	SILYBUM MARIANUM	BERBERIS VULGARIS DIL. D 4, CHELIDONIUM MAJUS DIL. D 6, CINCHONA PUBESCENS DIL. D 4, SILYBUM MARIANUM DIL. D 3, VERONICA VIRGINICA DIL. D 3
15	SILYBUM MARIANUM	BERBERIS VULGARIS DIL. D 4, CHELIDONIUM MAJUS DIL. D 6, SILYBUM MARIANUM DIL. D 3, VERONICA VIRGINICA DIL. D 3, CINCHONA PUBESCENS DIL. D 6
15	SILYBUM MARIANUM	BERBERIS VULGARIS E RADICE FERM 33D DIL. D2 (HAB, VS. 33D), LYCOPODIUM CLAVATUM E PLANTA TOTA FERM 33E DIL. D2 (HAB, VS. 33E), MERCURIUS DULCIS TRIT. D4, NATRIUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), SILYBUM MARIANUM E FRUCTIBUS FERM 36 Ø (HAB, VS. 36)
15	SILYBUM MARIANUM	BERBERIS VULGARIS E RADICE FERM 33D DIL. D2 (HAB, VS. 33D), LYCOPODIUM CLAVATUM E PLANTA TOTA FERM 33E DIL. D4 (HAB, VS. 33E), MERCURIUS DULCIS DIL. D9, NATRIUM SULFURICUM DIL. D9 AQUOS. (HAB, VS. 5B), SILYBUM MARIANUM E FRUCTIBUS FERM 36 DIL. D3 (HAB, VS. 36)
15	SILYBUM MARIANUM	BERBERIS VULGARIS E RADICE W 10% (HAB, VS. 12F), CHELIDONIUM MAJUS EX HERBA FERM 34B Ø (HAB, VS. 34B), CHELIDONIUM MAJUS E RADICE FERM 34B Ø (HAB, VS. 34B), CITRULLUS COLOCYNTHIS E FRUCTIBUS FERM 33A Ø (HAB, VS. 33A), IECORIS ASELLI OLEUM A, LINI OLEUM VIRGINALE, RICINI OLEUM VIRGINALE, TRITICI AESTIVI OLEUM RAFFINATUM, MINT ESSENTIAL OIL, STAR ANISE OIL, CARVI AETHEROLEUM, CICHORIUM INTYBUS E PLANTA TOTA FERM 33C Ø (HAB, VS. 33C)
15	SILYBUM MARIANUM	BERBERIS VULGARIS E RADICE W 10% (HAB, VS. 12F), IECORIS ASELLI OLEUM A, LINI OLEUM VIRGINALE, JUNIPERI AETHEROLEUM, RICINI OLEUM VIRGINALE, SOLIDAGO VIRGAUREA EX HERBA FERM 33C DIL. D3 (HAB, VS. 33C), TRITICI AESTIVI OLEUM RAFFINATUM, TEREBINTHINA LARICINA, TEREBINTHINAE AETHEROLEUM RECTIFICATUM, PINI PUMILIONIS AETHEROLEUM, D-CAMPHOR, EUCALYPTUS OIL, STAR ANISE OIL, FOENICULI AMARI FRUCTUS AETHEROLEUM, ACORUS CALAMUS E RHIZOMA FERM 33D Ø (HAB, VS. 33D)
15	SILYBUM MARIANUM	BERBERIS VULGARIS, CHELIDONIUM MAJUS, HYDRASTIS CANADENSIS, CARDUUS MARIANUS, JUGLANS REGIA, MERCURIUS SOLUBILIS, LEPTANDRA VIRGINICA, RANA BUFO
15	SILYBUM MARIANUM	BERBERIS VULGARIS, CHELIDONIUM MAJUS, HYDRASTIS CANADENSIS, SILYBUM MARIANUM, JUGLANS REGIA, MERCURIUS SOLUBILIS, LEPTANDRA VIRGINICA, RANA BUFO
15	SILYBUM MARIANUM	BORAGO OFFICINALIS E FOLIIS FERM 34B Ø (HAB, VS. 34B), HAMAMELIS VIRGINIANA E FOLIIS FERM 33D Ø (HAB, VS. 33D), QUERCUS ROBUR/PETRAEA E CORTICE, DECOCTUM Ø (HAB, VS. 23A) (EINGEENGT AUF 20 MG), SILYBUM MARIANUM E FRUCTIBUS FERM 36 Ø (HAB, VS. 36), AESCULUS HIPPOCASTANUM E SEMINE FERM 34C Ø (HAB, VS. 34C)
15	SILYBUM MARIANUM	BRYONIA TRIT. D 3, LYCOPODIUM CLAVATUM TRIT. D 3, PTELEA TRIFOLIATA TRIT. D 3, SILYBUM MARIANUM TRIT. D 3, SULFUR TRIT. D 4, VERONICA VIRGINICA TRIT. D 3, YUCCA FILAMENTOSA TRIT. D 3
15	SILYBUM MARIANUM	CALCIUM PANTOTHENATE, RIBOFLAVIN, SILYBI MARIANI FRUCTUS EXTRACTUM, DER 20 - 34 : 1, TIAMINE HCL, PIRIDOXINA, CLORIDRATO, VITAMIN PP
15	SILYBUM MARIANUM	CARAWAY FRUIT, RHAMNUS FRANGULA L. CORTEX, MENTHAE PIPERITAE FOLIUM, TARAXACUM OFFICINALE ROOT, MILK THISTLE DRY EXTRACT, REFINED AND STANDARDISED
15	SILYBUM MARIANUM	CARDUI MARIAE FRUCTUS EXTRACTUM SICCCUM (36 - 44 : 1), ETHYLACETAT - ETHANOL 96%(V/V) - HEXANE
15	SILYBUM MARIANUM	CARDUI MARIANI EXTRACTUM SICCCUM
15	SILYBUM MARIANUM	CARDUUS FRUIT DRY EXTRACT, REFINED AND STANDARDISED
15	SILYBUM MARIANUM	CARDUUS MARIANUS D2, CHOLESTERINUM D4, CITRULLUS COLOCYNTHIS D4, BERBERIS VULGARIS D3, TARAXACUM OFFICINALE D2
15	SILYBUM MARIANUM	CARDUUS MARIANUS, FRUCTUS, EXTR. SICCC. 36-44:1
15	SILYBUM MARIANUM	CHELIDONIUM MAJUS D2, LYCOPODIUM CLAVATUM D3, SILYBUM MARIANUM D3, NATRIUM SULFURICUM DIL D5
15	SILYBUM MARIANUM	CHELIDONIUM MAJUS D4, LYCOPODIUM CLAVATUM D4, SILYBUM MARIANUM D4
15	SILYBUM MARIANUM	CHELIDONIUM MAJUS D6, ATROPA BELLA-DONNA D6, SYLIBUM MARIANUM (CARDUUS MARIANUS) D6
15	SILYBUM MARIANUM	CHELIDONIUM MAJUS D6, SILYBUM MARIANUM D1, SILYBUM MARIANUM D10, TARAXACUM OFFICINALE D6, NATRIUM SULFURICUM D12, PHOSPHORUS D12
15	SILYBUM MARIANUM	CHELIDONIUM MAJUS D6, SILYBUM MARIANUM D10, TARAXACUM OFFICINALE D6
15	SILYBUM MARIANUM	CYNARA SCOLYMUS D4, LYCOPODIUM CLAVATUM D6, SILYBUM MARIANUM D4, STRYCHNOS NUX-VOMICA D12, TARAXACUM OFFICINALE D4

ID	Substance Group	Substances
15	SILYBUM MARIANUM	DRY EXTRACT OF MILK THISTLE FRUIT, NATIVE (21-45:1)
15	SILYBUM MARIANUM	DRY EXTRACT OF MILK THISTLE FRUITS 36-44:1; EQUIVALENT TO 75.0-80.9% SILYMARIN (DNPH), EQUIVALENT TO 58.0-62.5% (HPLC) SILYMARIN CALCULATED AS SILIBININ, EXTRACTIVE: ETHYL ACETATE
15	SILYBUM MARIANUM	FUMARIA EXTRACT, CARDUI MARIAE FRUCTUS EXTRACTUM SICCUM (36 - 44 : 1), ETHYLACETAT - ETHANOL 96%(V/V) - HEXANE
15	SILYBUM MARIANUM	GNAPHALIUM POLYCEPHALUM (HAB 34) URT., GUAJACUM DIL D 3, LEDUM PALUSTRE DIL. D 2, SMILAX URT., THUJA OCCIDENTALE DIL. D 2, SILYBUM MARIANUM URT.
15	SILYBUM MARIANUM	HAMAMELIS VIRGINIANA D2, HAMAMELIS VIRGINIANA D200, HAMAMELIS VIRGINIANA D30, SILYBUM MARIANUM D200, SILYBUM MARIANUM D30, SILYBUM MARIANUM D6
15	SILYBUM MARIANUM	HEPAR BOVIS GL DIL. D4 (HAB, VS. 41A)
15	SILYBUM MARIANUM	HEPAR BOVIS GL DIL. D5 (HAB, VS. 41A), STANNUM METALLICUM DIL. D9
15	SILYBUM MARIANUM	HEPAR BOVIS GL DIL. D7 (HAB, VS. 41A), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I), SILYBUM MARIANUM E FRUCTIBUS FERM 36 DIL. D2 (HAB, VS. 36)
15	SILYBUM MARIANUM	MILK THISTLE
15	SILYBUM MARIANUM	MILK THISTLE DRY EXTRACT (25-40:1)
15	SILYBUM MARIANUM	MILK THISTLE DRY EXTRACT, REFINED AND STANDARDISED
15	SILYBUM MARIANUM	MILK THISTLE DRY EXTRACT, REFINED AND STANDARDISED 177,4 - 240,4 MG CORRESPONDING TO 108,2 MG OF SILYMARIN, CALCULATED AS SILIBININ
15	SILYBUM MARIANUM	MILK THISTLE FRUIT EXTRACT
15	SILYBUM MARIANUM	OXALIS ACETOSELLA E PLANTA TOTA FERM 34B DIL. D2 (HAB, VS. 34B), SILYBUM MARIANUM E FRUCTIBUS FERM 36 DIL. D2 (HAB, VS. 36)
15	SILYBUM MARIANUM	PHOSPHORUS D5, CHELIDONIUM MAJUS D3, CINCHONA PUBESCENS D2, CITRULLUS COLOCYNTHIS D5, LYCOPODIUM CLAVATUM D2, MYRISTICA FRAGRANS D3, SILYBUM MARIANUM D1, VERATRUM ALBUM D5
15	SILYBUM MARIANUM	PHOSPHORUS D5, CHELIDONIUM MAJUS D6, CINCHONA PUBESCENS D2, CITRULLUS COLOCYNTHIS D5, LYCOPODIUM CLAVATUM D2, MYRISTICA FRAGRANS D3, SILYBUM MARIANUM D1, VERATRUM ALBUM D5
15	SILYBUM MARIANUM	PHOSPHORUS D6, CHELIDONIUM MAJUS D4, CINCHONA PUBESCENS D3, CITRULLUS COLOCYNTHIS D6, LYCOPODIUM CLAVATUM D3, MYRISTICA FRAGRANS D4, SILYBUM MARIANUM D2, VERATRUM ALBUM D6
15	SILYBUM MARIANUM	PHOSPHORUS D6, CHELIDONIUM MAJUS D6, CINCHONA PUBESCENS D3, CITRULLUS COLOCYNTHIS D6, LYCOPODIUM CLAVATUM D3, MYRISTICA FRAGRANS D4, SILYBUM MARIANUM D2, VERATRUM ALBUM D6
15	SILYBUM MARIANUM	SILYBI MARIANI EXTRACTUM SICCUM RAFFINATUM ET NORMATUM (24-27:1)
15	SILYBUM MARIANUM	SILYBI MARIANI FRUCTUS EXTRACTUM, DER 20 - 34 : 1
15	SILYBUM MARIANUM	SILYBI MARIANI FRUCTUS EXTRACTUM, DER 20 - 34 : 1, CYNARAE HERBAE EXTRACTUM, DER 3 - 7 : 1
15	SILYBUM MARIANUM	SILYBUM MARIANUM
15	SILYBUM MARIANUM	SILYBUM MARIANUM EXTRACT
15	SILYBUM MARIANUM	SILYBUM MARIANUM MOTHER TINCTURE
15	SILYBUM MARIANUM	STANNUM METALLICUM D8, VERONICA VIRGINICA D4, CHELIDONIUM MAJUS D4, BERBERIS VULGARIS D6, SILYBUM MARIANUM D2
15	SILYBUM MARIANUM	TARAXACUM OFFICINALE D1, QUASSIA AMARA DIL. D2, CARDUUS MARIANUS DIL. D1, NUX VOMICA DIL. D4, LYCOPODIUM DIL. D3
15	SILYBUM MARIANUM	TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D2 (HAB, VS. 34C), CHELIDONIUM MAJUS E FLORIBUS FERM 34B DIL. D2 (HAB, VS. 34B), DRYOPTERIS FILIX-MAS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), PHYLLITIS SCOLOPENDRIUM E FOLIIS FERM 34H DIL. D2 (HAB, VS. 34H), PTERIDIUM AQUILINUM E FOLIIS FERM 34C DIL. D2 (HAB, VS. 34C), SOLIDAGO VIRGAUREA EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C)
15	SILYBUM MARIANUM	TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D4 (HAB, VS. 34C), ANAGALLIS ARVENSIS E PLANTA TOTA FERM 33B DIL. D4 (HAB, VS. 33B), CICHORIUM INTYBUS E PLANTA TOTA FERM 33C DIL. D6 (HAB, VS. 33C), KALIUM CARBONICUM E CINERE FAGI SILVATICAE DIL. D6 AQUOS. (HAB, VS. 5B), SILYBUM MARIANUM E FRUCTIBUS FERM 36 DIL. D4 (HAB, VS. 36)
15	SILYBUM MARIANUM	VERONICA VIRGINICA DIL. D 3, BERBERIS VULGARIS DIL. D 3, LYCOPODIUM CLAVATUM DIL D 3, SILYBUM MARIANUM DIL. D 2, SOLIDAGO VIRGAUREA URT., STRYCHNOS NUX-VOMICA DIL. D 4, TARAXACUM OFFICINALE URT., YUCCA FILAMENTOSA DIL. D 3
16	MATRICARIA	ACIDUM PHOSPHORICUM D3, CITRULLUS COLOCYNTHIS D6, VERATRUM ALBUM D6, HYDRARGYRUM BICHLORATUM D12, CHAMOMILLA RECUTITA D4
16	MATRICARIA	ACONITUM NAPELLUS TRIT. D 4, BRYONIA TRIT. D 5, CHAMOMILLA RECUTITA TRIT. D 3, EUPHRASIA TRIT. D 3, FERRUM PHOSPHORICUM TRIT. D 4, HYDRAGYRUM BICHLORATUM TRIT. D 8, LYTTA VESICATORIA TRIT. D 4, PHYTOLACCA AMERICANA TRIT D 4, ATROPA BELLA-DONNA D4
16	MATRICARIA	AMMI VISNAGA E FRUCTIBUS FERM 35B Ø (HAB, VS. 35B), ATROPA BELLADONNA EX HERBA FERM 33A Ø (HAB, VS. 33A), CHAMOMILLA RECUTITA E RADICE FERM 33C Ø (HAB, VS. 33C), NICOTIANA TABACUM E FOLIIS FERM 33B Ø (HAB, VS. 33B)
16	MATRICARIA	AMMI VISNAGA, MATRICARIA RECUTITA D1, PODOPHYLLUM PELTATUM D4
16	MATRICARIA	APIS MELIFICA D4, CHAMOMILLA D3, CUPRUM D10, GELSEMIUM SEMPERVIRENS D4, MERCURIUS SOLUBILIS HAHNEMANNI D8
16	MATRICARIA	ARSENICUM ALBUM DIL. D4 AQUOS. (HAB, VS. 5B), ARTEMISIA ABROTANUM EX HERBA FERM 33C Ø (HAB, VS. 33C), CARBO VEGETABILIS TRIT. D1, CHAMOMILLA RECUTITA E PLANTA TOTA FERM 33C Ø (HAB, VS. 33C), GENTIANA LUTEA E RADICE FERM 33C Ø (HAB, VS. 33C), GEUM URBANUM E RADICE FERM 33C Ø (HAB, VS. 33C), KAOLINUM PONDEROSUM, STAR ANISE OIL, CARVI AETHEROLEUM, ACORUS CALAMUS E RHIZOMA FERM 33D Ø (HAB, VS. 33D)
16	MATRICARIA	ARTEMISIA ABSINTHIUM D3, GENTIANA LUTEA D3, JUNIPERUS COMMUNIS D3, CHAMOMILLA RECUTITA D2
16	MATRICARIA	ATROPA BELLA-DONNA D4, CARBO VEGETABILIS D8, LYCOPODIUM CLAVATUM D5, SEMECARPUS ANACARDIUM D6, CHAMOMILLA RECUTITA D2
16	MATRICARIA	ATROPA BELLADONNA E RADICE FERM 33B DIL. D5 (HAB, VS. 33B), CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C)
16	MATRICARIA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D2 (HAB, VS. 33A), CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), CUPRUM SULFURICUM DIL. D3 AQUOS. (HAB, VS. 5B), STIBIUM METALLICUM DIL. D5, VERATRUM ALBUM E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
16	MATRICARIA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D2 (HAB, VS. 33A), CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CINIS E FRUCTIBUS AVENAE SATIVAE CUM MAGNESIO PHOSPHORICO (1:1) DIL. D5 (HAB, VS. 6), CUPRUM SULFURICUM DIL. D5 AQUOS. (HAB, VS. 5B), STIBIUM METALLICUM DIL. D5, VERATRUM ALBUM E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
16	MATRICARIA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D2 (HAB, VS. 33A), EINGEENGTER WÄSSRIGER AUSZUG AUS CARVI FRUCTUS SICC. (5:1) AUSZUGSMITTEL: GEREINIGTES WASSER, DROGE-AUSZUG-VERHÄLTNIS: 1,8:1, NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D4 (HAB, VS. 33B), CHAMOMILLA RECUTITA E RADICE FERM 33C Ø (HAB, VS. 33C)
16	MATRICARIA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D2 (HAB, VS. 33A), NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D4 (HAB, VS. 33B), CHAMOMILLA RECUTITA E RADICE FERM 33C Ø (HAB, VS. 33C)
16	MATRICARIA	AVENA SATIVA D1, CHAMOMILLA RECUTITA D12, PHOSPHORUS D12, COFFEA ARABICA D12, ZINCUM VALERIANICUM D12

ID	Substance Group	Substances
16	MATRICARIA	AVENA SATIVA URTINKTUR, CRATAEGUS URTINKTUR, HYPERICUM PERFORATUM D1, ACIDUM PICRINICUM D5, AMMONIUM BROMATUM D1, NATRIUM BROMATUM D1, KALIUM BROMATUM D1, MELISSA OFFICINALIS Ø, VALERIANA OFFICINALIS Ø, CHAMOMILLA RECUTITA URT., HUMULUS LUPULUS Ø
16	MATRICARIA	BELLADONNA DIL. D4, ANACARDIUM DIL. D6, CARBO VEGETABILIS DIL. D8, CHAMOMILLA DIL. D2, LYCOPODIUM DIL. D5
16	MATRICARIA	BELLADONNA RH DIL. D3, CHAMOMILLA RECUTITA, RADIX, DECOCTUM DIL. D3, GELSEMIUM, ETHANOL. DECOCTUM DIL. D3, OXALIS, FOLIUM RH DIL. D3, SANGUINARIA, ETHANOL. DECOCTUM DIL. D3
16	MATRICARIA	BELLADONNA TRIT. D3, BISMUTUM SUBNITRICUM TRIT. D5, CHAMOMILLA TRIT. D3, ANTIMONIT TRIT. D3
16	MATRICARIA	CALCIUM CARBONICUM HAHNEMANNI D8, CARBO VEGETABILIS D12, MATRICARIA RECUTITA D4, SOLANUM DULCAMARA D6
16	MATRICARIA	CALCIUM FLUORATUM D12, CALCIUM PHOSPHORICUM D12, FERRUM PHOSPHORICUM D12, PODOPHYLLUM PELTATUM D12, CALCIUM CARBONICUM HAHNEMANNI D12, CHAMOMILLA RECUTITA D8
16	MATRICARIA	CALCIUM PHOSPHORICUM D12, CHAMOMILLA RECUTITA D6, MAGNESIUM PHOSPHORICUM C6, CALCIUM CARBONICUM C8, FERRUM PHOSPHORICUM C8
16	MATRICARIA	CAPSICUM ANNUUM DIL. D4, CHAMOMILLA RECUTITA DIL. D4, PULSATILLA PRATENSIS DIL. D4, ACIDUM SILICICUM DIL. D12, ACIDUM BORICUM DIL. D2
16	MATRICARIA	CAPSICUM ANNUUM DIL. D4, CHAMOMILLA RECUTITA DIL. D4, PULSATILLA PRATENSIS DIL. D4, ACIDUM SILICICUM DIL. D12, ACIDUM BORICUM DIL. D4
16	MATRICARIA	CARBO BETULAE, CHAMOMILLA RECUTITA, RADIX, ETHANOL. DECOCTUM Ø, ANTIMONIT TRIT. D2
16	MATRICARIA	CHAMOMILLA D2, ARTEMISIA ABSINTHIUM D3, GENTIANA LUTEA D3, JUNIPERUS COMMUNIS D3
16	MATRICARIA	CHAMOMILLA D2, JODUM D4, JUSTICIA ADHATODA D2, KALIUM BICHROMICUM D5, PULSATILLA PRATENSIS D4
16	MATRICARIA	CHAMOMILLA D2, KALMIA LATIFOLIA D3, ACONITUM NAPELLUS D6
16	MATRICARIA	CHAMOMILLA D2, LYCOPODIUM CLAVATUM D6, PLATINUM METALLICUM D10, STRYCHNOS IGNATII D4, STANNUM METALLICUM D10, AMANITA MUSCARIA DILUTION D6
16	MATRICARIA	CHAMOMILLA D3, IGNATIA D4, NUX MOSCHATA D2, SUMBULUS MOSCHATUS D2, ASA FOETIDA D3
16	MATRICARIA	CHAMOMILLA DIL. D2, CUPRUM ARSENICOSUM DIL. D8, MAGNESIUM PHOSPHORICUM DIL. D10
16	MATRICARIA	CHAMOMILLA RECUTITA CUPRO CULTA, RADIX RH DIL. D2
16	MATRICARIA	CHAMOMILLA RECUTITA CUPRO CULTA, RADIX RH DIL. D3
16	MATRICARIA	CHAMOMILLA RECUTITA CUPRO CULTA, RADIX, ETHANOL. DECOCTUM DIL. D2
16	MATRICARIA	CHAMOMILLA RECUTITA D12, COLCHICUM AUTUMNALE D8, ACIDUM ARSENICOSUM D12, PODOPHYLLUM PELTATUM D12
16	MATRICARIA	CHAMOMILLA RECUTITA D6
16	MATRICARIA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CARBO VEGETABILIS DIL. D19 AQUOS., NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D9 (HAB, VS. 33B)
16	MATRICARIA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), CARBO VEGETABILIS DIL. D19 AQUOS., NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D9 (HAB, VS. 33B), RENES BOVIS GL DIL. D6 (HAB, VS. 41A), STRYCHNOS NUX-VOMICA E SEMINE FERM 35B DIL. D7 (HAB, VS. 35B)
16	MATRICARIA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B)
16	MATRICARIA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
16	MATRICARIA	CHAMOMILLA RECUTITA MOTHER TINCTURE
16	MATRICARIA	CHAMOMILLA RECUTITA MOTHER TINCTURE, MAGNESIUM PHOSPHORICUM DIL. D8
16	MATRICARIA	CHAMOMILLA RECUTITA URT., CHELIDONIUM MAJUS URT., SILYBUM MARIANUM URT.
16	MATRICARIA	CHAMOMILLA RECUTITA, RADIX, DECOCTUM DIL. D3, KALIUM ACETICUM COMP. DIL. D6 AQUOS., MALACHIT DIL. D6 AQUOS., TABACUM DIL. D10
16	MATRICARIA	CHAMOMILLA RECUTITA, RADIX, ETHANOL. DECOCTUM DIL. D3, GELSEMIUM, ETHANOL. DECOCTUM DIL. D3, SANGUINARIA, ETHANOL. DECOCTUM DIL. D3, OXALIS, FOLIUM DIL. D3, BELLADONNA DIL. D3
16	MATRICARIA	CHAMOMILLA RECUTITA, RADIX, ETHANOL. DECOCTUM DIL. D3, KALIUM ACETICUM COMP. DIL. D6, MALACHIT DIL. D6, TABACUM DIL. D10
16	MATRICARIA	CHAMOMILLA RECUTITA, RADIX, ETHANOL. DECOCTUM Ø
16	MATRICARIA	CHAMOMILLAE ANTHODIUM
16	MATRICARIA	CHAMOMILLAE EXTRACTUM
16	MATRICARIA	CHAMOMILLAE EXTRACTUM FLUIDUM (0,5:1)
16	MATRICARIA	CHELIDONIUM MAJUS TRIT. D 6, CITRULLUS COLOCYNTHIS TRIT. D 4, VERONICA VIRGINICA TRIT. D 3, CHAMOMILLA RECUTITA URT., SILYBUM MARIANUM URT.
16	MATRICARIA	CITRULLUS COLOCYNTHIS D4, CUPRUM SULFURICUM D6, MATRICARIA RECUTITA D4, MAGNESIUM PHOSPHORICUM D6, GELSEMIUM SEMPERVIRENS D6
16	MATRICARIA	COFFEA ARABICA DIL. D3, ATROPA BELLADONNA DIL. D3, CALCIUM CARBONICUM HAHNEMANNI DIL. D12, CHAMOMILLA RECUTITA DIL. D2
16	MATRICARIA	CUPRUM METALLICUM (95%), QUARZ, ROSMARINI AETHEROLEUM
16	MATRICARIA	ETHANOL, CHELIDONIUM DIL. D8, TARAXACUM DIL. D2, CARDUUS MARIANUS DIL. D1, NATRIUM SULFURICUM DIL. D4, LYCOPODIUM DIL. D3, CHAMOMILLA DIL D1
16	MATRICARIA	EXTRACTUM LIQUIDUM (1:3) EX: CHAMOMILLAE ANTHODIO, HYPERICI HERBA, GLYCYRRHIZAE RADICE, SALVIAE FOLIO, MENTHAE PIPERITAE FOLIO (2,5 P; 2,5 P.; 2,0 P.; 2,0 P.; 1,0 P.)
16	MATRICARIA	FEL TAURI (HAB 34) DIL. D1, CHELIDONIUM MAJUS D4, CHAMOMILLA RECUTITA URT., SILYBUM MARIANUM URT.
16	MATRICARIA	GUAIAZULENE, MATRICARIA OIL
16	MATRICARIA	MATRICARIA LIQUID EXTRACT
16	MATRICARIA	MATRICARIA LIQUID EXTRACT, ALUMINIUM ACETOTARTRATE
16	MATRICARIA	MATRICARIA LIQUID EXTRACT, CHAMOMILE OIL
16	MATRICARIA	MATRICARIA LIQUID EXTRACT, GUAIAZULENE
16	MATRICARIA	MATRICARIA LIQUID EXTRACT, PECTIN
16	MATRICARIA	MATRICARIA LIQUID EXTRACT, YARROW LIQUID EXTRACT
16	MATRICARIA	MATRICARIA RECUTITA
16	MATRICARIA	MATRICARIA RECUTITA D2, SEPIA OFFICINALIS D8, SANGUINARIA CANADENSIS D7, PILOCARPUS D4
16	MATRICARIA	MATRICARIA RECUTITA L. FLOS, MENTHA × PIPERITA L. FOLIUM, CARVI EXTRACTUM FLUIDUM

ID	Substance Group	Substances
16	MATRICARIA	MATRICARIA RECUTITA, PHYTOLACCA DECANDRA, RHEUM OFFICINALE
16	MATRICARIA	MATRICARIAE EXTRACTUM FLUIDUM
16	MATRICARIA	MATRICARIAE FLORIS EXTRACTUM FLUIDUM (1:1)
16	MATRICARIA	MATRICARIAE FLOS
16	MATRICARIA	MERCURIUS SUBLIMATUS CORROSIVUS DIL. D5, ACIDUM PHOSPHORICUM DIL. D3, CHAMOMILLA DIL. D4, COLOCYNTHIS DIL. D6, VERATRUM ALBUM DIL. D6
16	MATRICARIA	RHEUM, MATRICARIA RECUTITA, PHYTOLACCA DECANDRA
16	MATRICARIA	TINCTURE OF MATRICARIA
17	ATROPA BELLADONNA	ACIDUM NITRICUM D4, ATROPA BELLA-DONNA D4, HYDRASTIS CANADENSIS D4, KREOSOTUM D6, THUJA OCCIDENTALIS D6, CARBO ANIMALIS D8
17	ATROPA BELLADONNA	ACIDUM NITRICUM D6, ATROPA BELLA-DONNA D4, THUJA OCCIDENTALIS D6, MAGNESIUM PHOSPHORICUM DIL. D8, CARBO ANIMALIS D9, POTENTILLA ANSERINA D5
17	ATROPA BELLADONNA	ACIDUM SILICICUM DIL. D 10, ACIDUM NITRICUM DIL. D 10, ALUMINIUM OXYDATUM DIL. D 10, DELPHINUM STAPHISAGRIA DIL. D 6, ATROPA BELLA-DONNA D12
17	ATROPA BELLADONNA	ACONITUM NAPELLUS D 4, PHOSPHORUS DIL. D 6, ARSENICUM ALBUM DIL. D6, BELLADONNA D4, EUPATORIUM PERFORIATUM D4, TARTARUS STIBIATUS D4
17	ATROPA BELLADONNA	ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D29 (HAB, VS. 33C), ATROPA BELLADONNA E RADICE FERM 33B DIL. D29 (HAB, VS. 33B), TOXICODENDRON QUERCIFOLIUM E FOLIIS FERM 33D DIL. D29 (HAB, VS. 33D)
17	ATROPA BELLADONNA	AMMI VISNAGA, BELLADONNA, STICTA PULMONARIA, CORALLIUM RUBRUM, CUPRUM METALLICUM, GRINDELIA ROBUSTA, LOBELIA INFLATA
17	ATROPA BELLADONNA	APIS MELLIFICA D 3, JUNIPERUS COMMUNIS, BELLADONNA D4, ACIDUM NITRICUM D4, CANTHARIS DIL. D4, SOLIDAGO VIRGAUREA URTINKTUR
17	ATROPA BELLADONNA	APIS MELLIFICA D10, HYDRARGYRUM BIODATUM D12, LACHESIS D 12, KALIUM BICHROMICUM D12, ATROPA BELLA-DONNA D8
17	ATROPA BELLADONNA	APIS MELLIFICA D4, ATROPA BELLA-DONNA D4, PHYTOLACCA AMERICANA D4, KALIUM BICHROMICUM D4, CALCIUM IODATUM D4, TEUCRIUM MARUM D6, HYDRARGYRUM BICHLORATUM D12
17	ATROPA BELLADONNA	APIS MELLIFICA D4, GELSEMIUM SEMPERVIRENS D4, KALIUM JODATUM D3, ACONITUM NAPELLUS D4, ATROPA BELLA-DONNA D4, CINCHONA PUBESCENS D3, PHYTOLACCA AMERICANA D3
17	ATROPA BELLADONNA	APIS MELLIFICA DIL. D2, BELLADONNA DIL. D2
17	ATROPA BELLADONNA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D4 (HAB, VS. 41C), ATROPA BELLADONNA E FRUCTIBUS FERM 33A DIL. D3 (HAB, VS. 33A)
17	ATROPA BELLADONNA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D4 (HAB, VS. 41C), ATROPA BELLADONNA E FRUCTIBUS FERM 33A DIL. D3 (HAB, VS. 33A), MERCURIUS SOLUBILIS HAHNEMANNI DIL. D14 AQUOS.
17	ATROPA BELLADONNA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), ATROPA BELLADONNA E RADICE FERM 33B DIL. D5 (HAB, VS. 33B), BRYONIA CRETICA FERM 33B DIL. D5, PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D5 (HAB, VS. 33C)
17	ATROPA BELLADONNA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D3 (HAB, VS. 33A), BERBERIS VULGARIS E RADICE FERM 33D DIL. D2 (HAB, VS. 33D), TEREBINTHINA LARICINA TRIT. D2 (HAB, VS. 6)
17	ATROPA BELLADONNA	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D5 (HAB, VS. 33A), BERBERIS VULGARIS E RADICE FERM 33D DIL. D2 (HAB, VS. 33D), TEREBINTHINA LARICINA DIL. D7 (HAB, VS. 6)
17	ATROPA BELLADONNA	APIS MELLIFICA MOTHER TINCTURE, BELLADONNA DIL. D2, CANTHARIS DIL. D4, MERCURIUS SUBLIMATUS CORROSIVUS DIL. D6
17	ATROPA BELLADONNA	APISINUM TRIT. D 10, FRAXINUS AMERICANA (HAB 34) DIL. 2, NATRIUM CHLORATUM TRIT. D 3, SEPIA OFFICINALIS TRIT.. D 4, ATROPA BELLA-DONNA D4
17	ATROPA BELLADONNA	ARALIA RACEMOSA D3, BELLADONNA D4, LOBELIA INFLATA D4, YERBA SANTA D2
17	ATROPA BELLADONNA	ARGENTUM NITRICUM DIL. D19 AQUOS. (HAB, VS. 5B), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D13 (HAB, VS. 33A), QUARZ DIL. D20 AQUOS.
17	ATROPA BELLADONNA	ARGENTUM NITRICUM DIL. D20 AQUOS. (HAB, VS. 5B), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D14 (HAB, VS. 33A), GINGIVA BOVIS GL DIL. D16 (HAB, VS. 41B), MANDIBULA FETI BOVIS GL DIL. D16 (HAB, VS. 41B), MAXILLA FETI BOVIS GL DIL. D16 (HAB, VS. 41B), QUARZ DIL. D21 AQUOS., PERIODONTIUM BOVIS GL DIL. D16 (HAB, VS. 41B)
17	ATROPA BELLADONNA	ARGENTUM NITRICUM DIL. D20 AQUOS. (HAB, VS. 5B), ATROPA BELLADONNA EX HERBA FERM 33A DIL. D14 (HAB, VS. 33A), QUARZ DIL. D21 AQUOS.
17	ATROPA BELLADONNA	ARGENTUM NITRICUM DIL. D6, BELLADONNA DIL. D4, HYDRASTIS DIL. D4, NUX VOMICA DIL. D4, PHOSPHORUS DIL. D6
17	ATROPA BELLADONNA	ARISAEMA TRIPHYLLUM DIL. D2, ATROPA BELADONNA DIL. D1, HYOSCYAMUS NIGER DIL. D1, DROSERA Ø
17	ATROPA BELLADONNA	ARSENICUM ALBUM DIL. D10, BELLADONNA DIL. D6, GELSEMIUM, ETHANOL. DECOCTUM DIL. D4, PHOSPHORUS DIL. D10, BRYONIA DIL. D3
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D4, BRYONIA D3, CUPRUM ACETICUM D12, LOBARIA PULMONARIA D4, DROSERA D4
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D4, CAUSTICUM HAHNEMANNI D6, CUPRUM ACETICUM D6, ARSENUM IODATUM D6, URGINEA MARITIMA D4
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D4, SPIGELIA ANTHELMIA D6, STRYCHNOS NUX-VOMICA D6, LUFFA OPERCULATA D6
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D6, ATROPA BELLA-DONNA D12
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D6, HYDRARGYRUM BICHLORATUM D6, EUPHRASIA OFFICINALIS D6
17	ATROPA BELLADONNA	ATROPA BELLA-DONNA D6, POTENTILLA ANSERINA D6, VIBURNUM OPULUS D6
17	ATROPA BELLADONNA	ATROPA BELLADONNA DIL. D4
17	ATROPA BELLADONNA	ATROPA BELLADONNA E FRUCTIBUS FERM 33A DIL. D5 (HAB, VS. 33A), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M))
17	ATROPA BELLADONNA	ATROPA BELLADONNA E RADICE FERM 33B DIL. D11 (HAB, VS. 33B), VISCUM ALBUM (POPULI) E PLANTA TOTA FERM 33F DIL. D5 (HAB, VS. 33F)
17	ATROPA BELLADONNA	ATROPA BELLADONNA E RADICE FERM 33B DIL. D3 (HAB, VS. 33B), PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D5 (HAB, VS. 33C), BRYONIA CRETICA FERM 33B DIL. D2, APIS MELLIFICA EX ANIMALE TOTO GL DIL. D4 (HAB, VS. 41C)
17	ATROPA BELLADONNA	ATROPA BELLADONNA E RADICE FERM 33B DIL. D9 (HAB, VS. 33B), VISCUM ALBUM (POPULI) E PLANTA TOTA FERM 33F DIL. D2 (HAB, VS. 33F)
17	ATROPA BELLADONNA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D14 (HAB, VS. 33A), CONCHAE DIL. D6, CHALKOSIN DIL. D5, GLANDULA THYREOIDEA BOVIS GL DIL. D7 (HAB, VS. 41A)
17	ATROPA BELLADONNA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D3 (HAB, VS. 33A), LACHESIS DIL. D11 AQUOS. (HAB, VS. 5B), HEPAR SULFURIS DIL. D7, MERCURIALIS PERENNIS FERM 34C DIL. D5
17	ATROPA BELLADONNA	ATROPA BELLADONNA EX HERBA FERM 33A DIL. D5 (HAB, VS. 33A), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M))
17	ATROPA BELLADONNA	ATROPA BELLADONNA, GELSEMIUM SEMPERVIRENS, PULSATILLA, ALLIUM CEPA, SABADILLA OFFICINALIS, KALIUM BICHROMICUM
17	ATROPA BELLADONNA	ATROPINUM SULFURICUM D4, ATROPA BELLA-DONNA D4, CITRULLUS COLOCYNTHIS D4, DIOSCOREA VILLOSA D3

ID	Substance Group	Substances
17	ATROPA BELLADONNA	AURUM METALLICUM DIL. D9, ATROPA BELLADONNA EX HERBA FERM 33A DIL. D9 (HAB, VS. 33A), PLUMBUM MELLITUM DIL. D11 AQUOS. (HAB, VS. 8B)
17	ATROPA BELLADONNA	AURUM METALLICUM PRAEPARATUM DIL. D10 AQUOS., BELLADONNA RH DIL. D10, HYOSCYAMUS NIGER, PLANTA TOTA RH DIL. D10
17	ATROPA BELLADONNA	AURUM METALLICUM PRAEPARATUM DIL. D10, BELLADONNA DIL. D10, HYOSCYAMUS DIL. D10
17	ATROPA BELLADONNA	BELLADONNA ALKALOIDS
17	ATROPA BELLADONNA	BELLADONNA D4, CARBO VEGETABILIS D8, NUX VOMICA D6, LYCOPodium D12, COLOCYNTHIS D8
17	ATROPA BELLADONNA	BELLADONNA D4, OLEUM TEREBINTHINAE D4, SOLIDAGO VIRGAUREA D2
17	ATROPA BELLADONNA	BELLADONNA DIL. D1
17	ATROPA BELLADONNA	BELLADONNA DIL. D4, BRYONIA DIL. D3, CUPRUM ACETICUM DIL. D12, DROSER A DIL. D4, STICTA DIL. D4
17	ATROPA BELLADONNA	BELLADONNA DRY EXTRACT, PAPAVERINE HYDROCHLORIDE
17	ATROPA BELLADONNA	BELLADONNA EXTRACT
17	ATROPA BELLADONNA	BELLADONNA EXTRACT, GELATIN TANNATE, OPIUM EXTRACTS
17	ATROPA BELLADONNA	BELLADONNA LEAF DRY EXTRACT, STANDARDISED, PAPAVERINE HYDROCHLORIDE
17	ATROPA BELLADONNA	BELLADONNA Ø, APIS MELLIFICA 42A Ø, EUCALYPTI AETHEROLEUM
17	ATROPA BELLADONNA	BELLADONNA RH DIL. D3
17	ATROPA BELLADONNA	BELLADONNA TRIT. D3, ZINNOBER TRIT. D5, APISINUM TRIT. D5
17	ATROPA BELLADONNA	BISMUTUM SUBNITRICUM, MAGNESIUM CARBONICUM, STIBIUM SULFURATUM NIGRUM, ABSINTHIUM, BELLADONNA, CARBO VEGETABILIS, ABIES NIGRA D4, HEPAR SULFURIS D6
17	ATROPA BELLADONNA	COLOCYNTHIS DIL. D3, SABAL SERRULATUM DIL. D1, BELLADONNA DIL. D3, HYDRANGEA ARBORESCENS DIL. D2
17	ATROPA BELLADONNA	ERGOTAMINE TARTRATE, AMINOPHENAZONE, BELLADONNA LEAF DRY EXTRACT, STANDARDISED, CAFFEINE
17	ATROPA BELLADONNA	GELSEMIUM SEMPERVIRENS D4, ACIDUM SILICICUM D12, ATROPA BELLA-DONNA D4, BRYONIA D4, NATRIUM CARBONICUM D6, SPIGELIA ANTHELMIA D4, THUJA OCCIDENTALIS D12, MELILOTUS OFFICINALIS D4
17	ATROPA BELLADONNA	GELSEMIUM SEMPERVIRENS, PULSATILLA, BELLADONNA, ALLIUM CEPA, SABADILLA, KALIUM BICHROMICUM
17	ATROPA BELLADONNA	GELSEMIUM, BELLADONNA, ALLIUM CEPA, SABADILLA, KALIUM BICHROMICUM
17	ATROPA BELLADONNA	GELSEMIUM, PULSATILLA, BELLADONNA, ALLIUM CEPA, SABADILLA, KALIUM BICHROMICUM
17	ATROPA BELLADONNA	KALIUM BICHROMICUM DIL. D4, BELLADONNA DIL. D4, APIS DIL. D4, CALCIUM IODATUM DIL. D4, MARUM VERUM DIL. D6, MERCURIUS SUBLIMATUS CORROSIVUS DIL. D5, PHYTOLACCA DIL. D4
17	ATROPA BELLADONNA	MELILOTUS OFFICINALIS D3, ACIDUM SILICICUM D12, ATROPA BELLA-DONNA D3, BRYONIA D3, NATRIUM CARBONICUM D3, THUJA OCCIDENTALIS D12, GELSEMIUM SEMPERVIRENS D3, SPIGELIA ANTHELMIA D3
17	ATROPA BELLADONNA	PHOLCODINE, SULFOGAIACOL, ACONITE TINCTURE, BELLADONNA TINCTURE, SODIUM CAMPHOSULFONATE, EUCALYPTOL, SODIUM SULFOPHENATE
17	ATROPA BELLADONNA	SPONGIA DIL. D3, APIS MELLIFICA DIL. D3, BRYONIA DIL. D3, BELLADONNA DIL. D3
18	SALVIA	ACHILLEA MILLEFOLIUM, FLOS, ETHANOL. INFUSUM Ø, GENTIANA LUTEA, ETHANOL. DECOCTUM Ø, JUNIPERUS COMMUNIS, SUMMITATES, ETHANOL. INFUSUM Ø, ARTEMISIA ABSINTHIUM HERBA REC. Ø, CICHORIUM INTYBUS PLANTA TOTA REC. Ø, ERYTHRAEA CENTAURIUM HERBA REC. Ø, IMPERATORIA OSTRUTHIUM RHIZOMA REC. Ø, SALVIA OFFICINALIS, ETHANOL. INFUSUM Ø, TARAXACUM Ø
18	SALVIA	ANGELICA ARCHANGELICA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), ARGENTUM NITRICUM DIL. D14 AQUOS. (HAB, VS. 5B), HYOSCYAMUS NIGER EX HERBA FERM 33D DIL. D3 (HAB, VS. 33D), SALVIA OFFICINALIS E FOLIS FERM 33D Ø (HAB, VS. 33D), PYRIT TRIT. D2
18	SALVIA	ARGENTUM NITRICUM DIL. D14, MYRRHAE TINCTURA, RATANHIAE RADIX EXTR. FLUID. 1:1, FLUORIT DIL. D9, KIESERIT DIL. D19, SALVIA OFFICINALIS AETHEROLEUM, MENTHAE PIPERITAE AETHEROLEUM, AESCULUS, CORTEX, ETHANOL. DECOCTUM DIL. D19, EUCALYPTI AETHEROLEUM, CARYOPHYLLI FLORIS AETHEROLEUM, LAVANDULAE AETHEROLEUM
18	SALVIA	ARTEMISIA ABSINTHIUM, HERBA REC., ETHANOL. EXTR. 1:2,3, CENTAURIUM ERYTHRAEA, HERBA REC., ETHANOL. EXTR. 1:2,3, CICHORIUM INTYBUS, PLANTA TOTA REC., ETHANOL. EXTR. 1:2,3, GENTIANA LUTEA, ETHANOL. DECOCTUM Ø, JUNIPERUS COMMUNIS, SUMMITATES, ETHANOL. INFUSUM Ø, MILLEFOLII HERBA, ETHANOL. INFUSUM Ø, PEUCEDANUM OSTRUTHIUM, RHIZOMA REC., ETHANOL. DECOCTUM 1:2,15, SALVIA OFFICINALIS, ETHANOL. INFUSUM Ø, TARAXACUM Ø
18	SALVIA	CHAMOMILE OIL, CARYOPHYLLI OLEUM, SALVIAE OLEUM
18	SALVIA	MERCURIUS SOLUBILIS HAHNEMANNI D12, PHYTOLACCA AMERICANA D6, ATROPA BELLADONNA D6, SALVIA OFFICINALIS D1, LACHESIS MUTA D12
18	SALVIA	PILOCARPUS DIL. D 4, SALVIA OFFICINALIS DIL. D 2
18	SALVIA	SAGE LEAF (SALVIA OFFICINALIS)
18	SALVIA	SAGE LEAF FLUID EXTRACT
18	SALVIA	SAGE LEAF FLUID EXTRACT (DER 1:4-5, EXTRACTION MEDIUM ETHANOL 50% V/V)
18	SALVIA	SAGE LEAF TINCTURE (1:5)
18	SALVIA	SAGE LEAVES, ALCOHOLIC LIQUID EXTRACT
18	SALVIA	SAGE TINCTURE
18	SALVIA	SAGE TINCTURE, EUCALYPTUS EXTRACT, FENNEL EXTRACT, ANISE EXTRACT, PEPPERMINT EXTRACT
18	SALVIA	SALVIA
18	SALVIA	SALVIA OFFICINALIS
18	SALVIA	SALVIA OFFICINALIS ESSENCE
18	SALVIA	SALVIA OFFICINALIS L. FOLIUM
18	SALVIA	TORMENTIL TINCTURE, CHAMOMILE TINCTURE, SALVIA TINCTURE
19	HAMAMELIS	ACHILLEA MILLEFOLIUM D10, ACHILLEA MILLEFOLIUM D200, ACHILLEA MILLEFOLIUM D30, ACHILLEA MILLEFOLIUM D4, CINNAMOMUM VERUM D1, CINNAMOMUM VERUM D10, CINNAMOMUM VERUM D200, CINNAMOMUM VERUM D30, HAMAMELIS VIRGINIANA D10, HAMAMELIS VIRGINIANA D200, HAMAMELIS VIRGINIANA D3, HAMAMELIS VIRGINIANA D30

ID	Substance Group	Substances
19	HAMAMELIS	AESCULUS, CORTEX, ETHANOL. DECOCTUM DIL. D3, ANTIMONIT DIL. D8, GENTIANA LUTEA, ETHANOL. DECOCTUM DIL. D3, HAMAMELIS, ETHANOL. DECOCTUM DIL. D3, MILLEFOLIUM DIL. D1
19	HAMAMELIS	APIS MELLIFICA D4, ACIDUM SILICICUM D6, CARBO VEGETABILIS D8, HAMAMELIS VIRGINIANA D4, HYDRARGYRUM OXYDATUM RUBRUM D8, LYCOPODIUM CLAVATUM D4, PULSATILLA PRATENSIS D6
19	HAMAMELIS	CROCUS SATIVUS TRIT. D 3, FERRUM METALLICUM TRIT: D 4, GOSSYPIUM HERBACEUM (HAB 34) TRIT. D 4, HAMAMELIS VIRGINIANA TRIT. D 2, PLATINUM METALLICUM TRIT. D 8, CONYZA CANADENSIS TRIT. D 2
19	HAMAMELIS	DISTILLED HAMAMELIS WATER
19	HAMAMELIS	FERRUM PHOSPHORICUM DIL. D8, AESCULUS DIL. D2, ACIDUM SULFURICUM DIL. D4, CROCUS DIL. D4, HAMAMELIS DIL. D6, SECALE CORNUTUM DIL. D6
19	HAMAMELIS	GRAPHITES D6, PAEONIA OFFICINALIS D3, ACIDUM NITRICUM D8, HAMAMELIS VIRGINIANA D3, STRYCHNOS NUX-VOMICA D4, SULFUR D4
19	HAMAMELIS	HAMAMELIS BARK DRY EXTRACT (5.0-7.7:1)
19	HAMAMELIS	HAMAMELIS DIL. D1, MILLEFOLIUM DIL. D2, RUTA DIL. D2, AESCULUS DIL. D2
19	HAMAMELIS	HAMAMELIS HYDROALCOHOLIC FLUID EXTRACT, VIBURNUM HYDROALCOHOLIC FLUID EXTRACT
19	HAMAMELIS	HAMAMELIS LEAF
19	HAMAMELIS	HAMAMELIS LEAF AND TWIGS DISTILLATE
19	HAMAMELIS	HAMAMELIS LEAF DRY EXTRAKT
19	HAMAMELIS	HAMAMELIS LEAF, VIBURNUM, CALAMUS RHIZOME, PISCIDIA STEM BARK
19	HAMAMELIS	HAMAMELIS VIRGINIANA E CORTICE ET FOLIIS (1:9) LA 20% (HAB, VS. 12C)
19	HAMAMELIS	HAMAMELIS VIRGINIANA Ø
19	HAMAMELIS	HAMAMELIS, FOLIUM Ø
19	HAMAMELIS	HAMAMELIS WATER
19	HAMAMELIS	LIQUID EXTRACT WITCH HAZEL
19	HAMAMELIS	NUX VOMICA DIL. D4, LYCOPODIUM DIL. D5, ACIDUM NITRICUM DIL. D6, AESCULUS DIL. D2, COLLINSONIA CANADENSIS DIL. D4, HAMAMELIS DIL. D3, PAEONIA OFFICINALIS DIL. D3, SULFUR DIL. D5
19	HAMAMELIS	PISCIDIA ETHANOL FLUID EXTRACT, HAMAMELIS HYDROALCOHOLIC FLUID EXTRACT, VIBURNUM HYDROALCOHOLIC FLUID EXTRACT, CALAMUS HYDROALCOHOLIC FLUID EXTRACT
19	HAMAMELIS	PULSATILLA PRATENSIS D4, ACIDUM NITRICUM D8, CALCIUM FLUORATUM D12, ARTEMISIA ABROTANUM D4, AMANITA MUSCARIA D5, HAMAMELIS VIRGINIANA D4, PETROLEUM RECTIFICATUM D6
19	HAMAMELIS	PULSATILLA PRATENSIS D4, FERRUM METALLICUM D8, HAMAMELIS VIRGINIANA D3, LACHESIS D10, VIBURNUM OPULUS D3, JUNIPERUS SABINA D10
19	HAMAMELIS	STIBIUM METALLICUM PRAEPARATUM TRIT. D1, HAMAMELIS, SUMMITATES DESTILLATA Ø
20	PLANTAGO	ACIDUM ARSENICOSUM D6, BRYONIA D4, ARGENTUM NITRICUM D6, ATROPA BELLA-DONNA D6, HEPAR SULFURIS D10, HYDRARGYRUM OXYDATUM RUBRUM D10, LACHESIS D10, MATRICARIA RECUTITA D6, NATRIUM CARBONICUM D4, PLANTAGO MAJOR D2, PULSATILLA PRATENSIS D2, THUJA OCCIDENTALIS D2, PHYTOLACCA AMERICANA D4, RHUS TOXICODENDRON D3, ECHINACEA Ø
20	PLANTAGO	ACIDUM SILICICUM D12, CAPSICUM ANNUUM D4, FERRUM PHOSPHORICUM D6, HYDRARGYRUM CHLORATUM D12, MATRICARIA RECUTITA D4, PLANTAGO MAJOR D4, PULSATILLA PRATENSIS D6, MERCURIUS SOLUBILIS HAHNEMANNI D12
20	PLANTAGO	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D15, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D3, ATROPA BELLA-DONNA D30, PLANTAGO MAJOR D15, PLANTAGO MAJOR D2, PLANTAGO MAJOR D200, PLANTAGO MAJOR D30, PLANTAGO MAJOR D10, STRYCHNOS IGNATII D10, STRYCHNOS IGNATII D200, STRYCHNOS IGNATII D30, STRYCHNOS IGNATII D4
20	PLANTAGO	ATROPA BELLA-DONNA D2, CALCIUM CARBONICUM HAHNEMANNI D8, MATRICARIA RECUTITA D1, PLANTAGO MAJOR D3, PULSATILLA PRATENSIS D2
20	PLANTAGO	ATROPA BELLA-DONNA D2, CALCIUM CARBONICUM HAHNEMANNI D8, MATRICARIA RECUTITA D1, PLANTAGO MAJOR D3, PULSATILLA PRATENSIS D2, SOLANUM DULCAMARA D4
20	PLANTAGO	BRONCHI BOVIS GL DIL. D16 (HAB, VS. 41B), BRYONIA CRETICA FERM 33B DIL. D7, EUPATORIUM CANNABINUM EX HERBA FERM 33C DIL. D7 (HAB, VS. 33C), LARYNX BOVIS GL DIL. D16 (HAB, VS. 41B), TUNICA MUCOSA NASI BOVIS GL DIL. D13 (HAB, VS. 41A), PLANTAGO LANCEOLATA E FOLIIS FERM 34C DIL. D5 (HAB, VS. 34C), PYRIT DIL. D14 AQUOS.
20	PLANTAGO	CALCIUM CARBONICUM HAHNEMANNI D8, ATROPA BELLA-DONNA D6, MATRICARIA RECUTITA D4, PLANTAGO MAJOR D4, PULSATILLA PRATENSIS D6
20	PLANTAGO	CALENDULA OFFICINALIS D4, ECHINACEA PURPUREA D6, APIS MELLIFICA D8, ATROPA BELLA-DONNA D6, PLANTAGO MAJOR D4, PHYTOLACCA AMERICANA D4, SALVIA OFFICINALIS D4, VINCETOXICUM HIRUNDINARIA D6
20	PLANTAGO	CHAMOMILLA D3, COCCULUS D4, PLANTAGO MAJOR D1, XANTHOXYLON FRAXINEUM D3
20	PLANTAGO	ECHINACEA D1, ACIDUM ARSENICOSUM D6, BRYONIA D4, ARGENTUM NITRICUM D6, ATROPA BELLA-DONNA D6, HEPAR SULFURIS D10, HYDRARGYRUM OXYDATUM RUBRUM D10, LACHESIS D10, MATRICARIA RECUTITA D6, NATRIUM CARBONICUM D4, PLANTAGO MAJOR D2, PULSATILLA PRATENSIS D2, SOLANUM DULCAMARA D6, THUJA OCCIDENTALIS D2, PYROGENIUM NOSODE D200, PHYTOLACCA AMERICANA D4, RHUS TOXICODENDRON D3
20	PLANTAGO	EXTRACTUM FLUIDUM AQUOSUM (1:3) EX: PLANTAGINI LANCEOLATA FOLIUM ET VERBASI FLORIBUS
20	PLANTAGO	FENNEL, BITTER, SAGE LEAF (SALVIA OFFICINALIS), CETRARIA ISLANDICA, HONEY, RIBWORT PLANTAIN, BITTER FENNEL OIL
20	PLANTAGO	FLUID EXTRACT FROM RIBWORT HERBAL (1: 1)
20	PLANTAGO	FLUID EXTRACT FROM RIBWORT PLANTAIN HERB (1:0,9-1,1), EXTRACTION LIQUID: ETHANOL 40 % V/V
20	PLANTAGO	ISPAGHULA
20	PLANTAGO	ISPAGHULA HUSK
20	PLANTAGO	ISPAGHULA HUSK, PLANTAGO OVATA SEED COAT
20	PLANTAGO	ISPAGHULA HUSK, PLANTAGO OVATA SEED COAT, SENNA PODS
20	PLANTAGO	ISPAGHULA HUSK, SENNA DRY EXTRACT PURIFIED
20	PLANTAGO	ISPAGHULA SEED
20	PLANTAGO	ISPAGHULA SEED, ISPAGHULA HUSK, SENNA PODS
20	PLANTAGO	ISPAGHULA, PLANTAGO OVATA SEED COAT
20	PLANTAGO	ISPAGHULA, POTASSIUM CITRATE
20	PLANTAGO	MEBEVERINE HYDROCHLORIDE, ISPAGHULA HUSK

ID	Substance Group	Substances
20	PLANTAGO	MENTHAE PIPERITAE FOLIUM, PSYLLIUM SEED, SALVIA OFFICINALIS, RUBI FRUTICOSI FOLIUM, TORMENTILL ROOT STOCK
20	PLANTAGO	MENTHAE PIPERITAE FOLIUM, PSYLLIUM SEED, TORMENTIL, SALVIA OFFICINALIS, RUBI FRUTICOSI FOLIUM
20	PLANTAGO	PETASITES HYBRIDUS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), PLANTAGO LANCEOLATA E FOLIIS FERM 34C DIL. D2 (HAB, VS. 34C), ABIES ALBA E SUMMITATIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
20	PLANTAGO	PLANT POLLEN ALLERGENS MIXTURE: ARTEMISIA SP., CHENOPODIUM ALBUM, PLANTAGO LANCEOLATA, RUMEX ACETOSA
20	PLANTAGO	PLANTAGINIS EXTRACTUM FLUIDUM
20	PLANTAGO	PLANTAGINIS OVATAE SEMINIS TEGUMENTUM
20	PLANTAGO	PLANTAGO LANCEOLATA (342)
20	PLANTAGO	PLANTAGO LANCEOLATA FLUID EXTRACT
20	PLANTAGO	PLANTAGO LANCEOLATA L.
20	PLANTAGO	PLANTAGO LANCEOLATA L., URTICA DIOICA, ARTEMISIA VULGARIS POLLEN, RUMEX ACETOSELLA
20	PLANTAGO	PLANTAGO LANCEOLATA L., URTICA DIOICA, ARTEMISIA VULGARIS, RUMEX ACETOSELLA
20	PLANTAGO	PLANTAGO LANCEOLATA POLLEN
20	PLANTAGO	PLANTAGO LANCEOLATA PRESSED JUICE (1:0,5-0,7)
20	PLANTAGO	PLANTAGO LANCEOLATAE FOLIUM DRY EXTRACT
20	PLANTAGO	PLANTAGO MAJOR D1, RHUS TOXICODENDRON D4, STAPHISAGRIA D4
20	PLANTAGO	PLANTAGO MAJOR URTINKTUR, RHUS AROMATICA D4
20	PLANTAGO	PLANTAGO OVATA
20	PLANTAGO	PLANTAGO OVATA SEED COAT
20	PLANTAGO	PLANTAGO SEED
20	PLANTAGO	POTASSIUM SORBATE, PLANTAGO LANCEOLATA FLUID EXTRACT
20	PLANTAGO	POTASSIUM SORBATE, RIBWORT PLANTAIN LEAF FLUIDEXTRACT (1:1)
20	PLANTAGO	PRESSED JUICE FROM FRESH RIBWORT PLANTAIN HERB (1 : 0.60 - 0.90)
20	PLANTAGO	PRIMULA VERIS, FLOS REC., AQU. DIGESTIO 1:3,1 CUM 1 % HYOSCYAMUS Ø, PLANTAGO LANCEOLATA, FOLIUM REC., AQU. DIGESTIO 1:3,1 CUM 1 % HYOSCYAMUS Ø
20	PLANTAGO	PSYLLIUM SEED
20	PLANTAGO	PULSATILLA PRATENSIS D4, ATROPA BELLA-DONNA D4, CALCIUM CARBONICUM HAHNEMANNI D8, MATRICARIA RECUTITA D4, PLANTAGO MAJOR D4
20	PLANTAGO	RHAMNUS FRANGULA, PLANTAGO OVATA SEED COAT
20	PLANTAGO	RIBWORT PLANTAIN LIQUID EXTRACT
20	PLANTAGO	RUMEX ACETOSA L., PLANTAGO LANCEOLATA L., URTICA DIOICA, ARTEMISIA VULGARIS
20	PLANTAGO	SODIUM BENZOATE, PLANTAGO LANCEOLATA FLUID EXTRACT
20	PLANTAGO	THYME EXTRACT, ECHINACEAE PURPUREAE HERBAE RECENTIS SUCCUS (1:1), EXTRACTUM COMPOSITUM EX:PLANTAGINIS LANCEOLATAE FOLIO,GRINDELIAE HERBA, ROSAE FRUCTU
20	PLANTAGO	THYME, PRIMULAE EXTRACTUM FLUIDUM, PLANTAGINIS EXTRACTUM FLUIDUM, SENEGAE EXTRACTUM FLUIDUM
20	PLANTAGO	THYME, THYMUS SERPYLLUM FLUID EXTRACT, PLANTAGINIS EXTRACTUM FLUIDUM
20	PLANTAGO	THYMI EXTRACTUM FLUIDUM, EXTRACTUM FLUIDUM (1:1) EX:SAPONARIAE RADICE (15 P.) ET PLANTAGINIS LANCEOLATAE FOLIO (45 P.), EKSTRAHENT: ETANOL 50% (V/V)
20	PLANTAGO	TILIAE FLOS, MARSHMALLOW ROOT, PLANTAGINIS LANCEOLATAE
20	PLANTAGO	URTICA DIOICA (NETTLE) EXTRACT, RUMEX ACETOSELLA, PLANTAGO LANCEOLATA POLLEN, ARTEMISIA VULGARIS POLLEN EXTRACT
20	PLANTAGO	WÄSSRIGER AUSZUG MIT ZUCKER (1:1) AUS 0,3 G PICEA ABIES, SUMMITATES REC. (4:1), WÄSSRIGER AUSZUG MIT ZUCKER (1:1) AUS 0,7 G PLANTAGO LANCEOLATA, FOLIUM REC. (4:1), PETASITES HYBRIDUS E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
21	CHELIDONIUM	ACIDUM SILICICUM TRIT. D 4, BRYONIA TRIT. D 3, CHELIDONIUM MAJUS TRIT. D 6, FILIPENDULA ULMARIA TRIT. D 2, GUAJACUM TRIT. D 2, THUJA OCCIDENTALE TRIT. D 3, RHODODENDRON TRIT. D 3
21	CHELIDONIUM	ARSENICUM ALBUM DIL. D6, CHELIDONIUM DIL. D3, COLCHICUM, TUBER, ETHANOL. DIGESTIO DIL. D3, GLANDULA THYREOIDEA BOVIS DIL. D10, SPONGIA DIL. D10, VESPA CRABRO EX ANIM. TOT. DIL. D6
21	CHELIDONIUM	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D30, CHELIDONIUM MAJUS D10, CHELIDONIUM MAJUS D200, CHELIDONIUM MAJUS D30
21	CHELIDONIUM	ATROPA BELLA-DONNA D10, ATROPA BELLA-DONNA D1000, ATROPA BELLA-DONNA D200, ATROPA BELLA-DONNA D30, CHELIDONIUM MAJUS D10, CHELIDONIUM MAJUS D200, CHELIDONIUM MAJUS D30, FEL TAURI D10, FEL TAURI D200, FEL TAURI D30
21	CHELIDONIUM	ATROPA BELLA-DONNA D4, CARBO VEGETABILIS D8, CHELIDONIUM MAJUS D4, ARGENTUM NITRICUM D8, STRYCHNOS NUX-VOMICA D4, DIOSCOREA VILLOSA D4
21	CHELIDONIUM	BERBERIS VULGARIS D2, CHELIDONIUM MAJUS D3, STRYCHNOS NUX-VOMICA D2, TARAXACUM OFFICINALE D1
21	CHELIDONIUM	CARDUUS MARIANUS DIL. D2, QUASSIA AMARA DIL. D2, TARAXACUM DIL. D2, CHELIDONIUM DIL. D6, JUGLANS CINERA DIL. D4, LYCOPodium DIL. D4
21	CHELIDONIUM	CHELIDONIUM FERRO CULTUM DIL. D2
21	CHELIDONIUM	CHELIDONIUM FERRO CULTUM RH DIL. D2
21	CHELIDONIUM	CHELIDONIUM FERRO CULTUM RH DIL. D3
21	CHELIDONIUM	CHELIDONIUM MAJUS D 3, CINCHONA PUBESCENS D 4, LYCOPodium CLAVATUM D 4
21	CHELIDONIUM	CHELIDONIUM MAJUS E FLORIBUS FERM 34B Ø (HAB, VS. 34B), COLCHICUM AUTUMNALE E PLANTA TOTA FERM 34C Ø (HAB, VS. 34C)
21	CHELIDONIUM	CHELIDONIUM MAJUS EX HERBA FERM 34B DIL. D2 (HAB, VS. 34B), CHELIDONIUM MAJUS E RADICE FERM 34B DIL. D2 (HAB, VS. 34B), CITRULLUS COLOCYNTHIS E FRUCTIBUS FERM 33A DIL. D3 (HAB, VS. 33A)
21	CHELIDONIUM	CHELIDONIUM MAJUS EX HERBA FERM 34B DIL. D3 (HAB, VS. 34B), CHELIDONIUM MAJUS E RADICE FERM 34B DIL. D3 (HAB, VS. 34B), ROSA E FLORIBUS FERM CUM FERRO DIL. D3 (HAB, VS. 37A), RUTA GRAVEOLENS EX HERBA FERM 33C DIL. D3 (HAB, VS. 33C), TEREBINTHINA LARICINA DIL. D5 (HAB, VS. 6)
21	CHELIDONIUM	CHELIDONIUM MAJUS L. HERBA

ID	Substance Group	Substances
21	CHELIDONIUM	CHELIDONIUM MAJUS L. HERBA, TROCKENEXTRAKT AUS ALOE (2:1; AUSZUGSMITTEL WASSER) ENTSPRECHEND 8 MG HYDROXYANTHRACENDERIVATE (BERECHNET ALS WASSERFREIES ALOIN), HERBA CARDUI MARIAE C. FRUCT. 10 %
21	CHELIDONIUM	CHELIDONIUM MAJUS, CARDUUS MARIANUS, TARAXACUM OFFICINALE
21	CHELIDONIUM	CHELIDONIUM MAJUS, HYDRASTIS CANADENSIS, CHINA RUBRA, MAGNESIA MURIATICA
21	CHELIDONIUM	CHELIDONIUM RH DIL. D4
21	CHELIDONIUM	CHELIDONIUM, FLOS, ETHANOL. DIGESTIO DIL. D1, COLCHICUM, TUBER, ETHANOL. DIGESTIO DIL. D1, SPONGIA Ø
21	CHELIDONIUM	CINCHONA PUBESCENS DIL. D3, CARDUUS MARIANUS DIL. D2, CHELIDONIUM DIL. D6, LYCOPODIUM DIL. D4, NUX VOMICA DIL. D4
21	CHELIDONIUM	COLCHICUM AUTUMNALE E PLANTA TOTA FERM 34C DIL. D2 (HAB, VS. 34C), CHELIDONIUM MAJUS E FLORIBUS FERM 34B DIL. D2 (HAB, VS. 34B)
21	CHELIDONIUM	LYCOPODIUM D4, CHELIDONIUM MAJUS D4, TARAXACUM OFFICINALE D4, QUASSIA AMARA D6, DIOSCOREA VILLOSA D4, MYRICA CERIFERA D5
21	CHELIDONIUM	MAGNESIUM SULFURICUM D1, DIOSCOREA VILLOSA D2, TARAXACUM OFFICINALE D2, CHELIDONIUM MAJUS URT.
21	CHELIDONIUM	NATRIUM SULFURICUM TRIT. D 3, CHELIDONIUM MAJUS, CARDUUS MARIANUS, TARAXACUM OFFICINALE , LEPTANDRA VIRGINICA
21	CHELIDONIUM	TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D4 (HAB, VS. 34C), CHELIDONIUM MAJUS E FLORIBUS FERM 34B DIL. D4 (HAB, VS. 34B), DRYOPTERIS FILIX-MAS E RADICE FERM 33C DIL. D4 (HAB, VS. 33C), PHYLLITIS SCOLOPENDRIUM E FOLIIS FERM 34H DIL. D4 (HAB, VS. 34H), PTERIDIUM AQUILINUM E FOLIIS FERM 34C DIL. D4 (HAB, VS. 34C), SOLIDAGO VIRGAUREA EX HERBA FERM 33C DIL. D4 (HAB, VS. 33C)
22	GINKGO	AMBRA GRISEA DIL. D 6, ANAMIRTA COCCULUS DIL. D 4, GINKGO BILOBA DIL. D 4, PANAX GINSENG URT,
22	GINKGO	AURUM COLLOIDALE, GINKGO BILOBA
22	GINKGO	EXTRACTO DE GINKGO BILOBA
22	GINKGO	GINKGO BILOBA
22	GINKGO	GINKGO BILOBA EXTRACT
22	GINKGO	GINKGO BILOBA L., FOLIUM (DRY EXTRACT)
22	GINKGO	GINKGO BILOBA L., FOLIUM (DRY EXTRACT), PANAX GINSENG RADICIS EXTRACTUM SICCCUM
22	GINKGO	GINKGO BILOBA LEAF
22	GINKGO	GINKGO BILOBA LEAF EXTRACT
22	GINKGO	GINKGO BILOBA LEAF EXTRACT, PANAX GINSENG RADICIS EXTRACTUM SICCCUM
22	GINKGO	GINKGO DRY EXTRACT, REFINED AND QUANTIFIED
22	GINKGO	GINKGO LEAF DRY EXTRACT, REFINED AND QUANTIFIED
22	GINKGO	GINKGO LEAF, EXTRACTUM GINSENG
22	GINKGO	GINKGONIS EXTRACTUM SICCCUM RAFFINATUM ET QUANTIFICATUM
22	GINKGO	GINSENG EXTRACTUM SICCCUM NORMATUM, GINKGONIS EXTRACTUM SICCCUM RAFFINATUM ET QUANTIFICATUM
22	GINKGO	HIPPOCASTANI FRUCTUS INTRACTUM RECENTIS (1:1), GINKGO BILOBAE FOLIUM TINCTURA (1:5), CRATAEGI INFLORESCENTIA TINCTURA (1:5), VISCI HERBAE INTRACTUM (1:1), ARNICAE HERBAE TINCTURA (1:5)
22	GINKGO	HYPERICUM PERFORATUM D1, ARNICA MONTANA D12, CONIUM MACULATUM D6, GINKGO BILOBA D6, PANAX GINSENG D6
23	GINSENG	ACIDUM L(+)-LACTICUM D2, CINCHONA PUBESCENS D10, COENZYM A D10, COLCHICUM AUTUMNALE D10, CONIUM MACULATUM D10, GALIUM APARINE D8, HYDRASTIS CANADENSIS D10, KREOSOTUM D10, NADIDUM D10, NATRIUM DIETHYLOXALACETICUM D8, PULSATILLA PRATENSIS D10, SEMPERVIVUM TECTORUM SSP. TECTORUM D8, SULFUR D10, VISCUM ALBUM D8, PANAX GINSENG MOTHER TINCTURE D1, ADENOSINUM TRIPHOSPHORICUM D10
23	GINSENG	ACIDUM PHOSPHORICUM D3, AGARICUS D4, ANACARDIUM D4, PANAX GINSENG D4
23	GINSENG	ACIDUM PHOSPHORICUM D3, SEPIA OFFICINALIS D6, ANAMIRTA COCCULUS D5, CHAMAELIRIUM LUTEUM D5, CITRUS LIMON TM, STRYCHNOS IGNATII D5, ZINCUM METALLICUM D6, PANAX GINSENG TM
23	GINSENG	ACIDUM PHOSPHORICUM TRIT. D 3, AVENA SATIVA TRIT. D 1, KALIUM PHOSPHORICUM TRIT. D 4, LYCOPODIUM CLAVATUM TRIT. D 4, PANAX GINSENG TRIT. D 3, SELENIUM TRIT. D 6, THUJA OCCIDENTALE TRIT. D 4
23	GINSENG	ACIDUM PICRINICUM DIL. D 10, AVENA SATIVA DIL. D 1, CHAMAELIRIUM LUTEUM DIL. D 3, KALIUM PHOSPHORICUM DIL. D 3, PANAX GINSENG DIL. D 4, SELENIUM DIL. D 10, ZINCUM PICRINICUM DIL. D 10
23	GINSENG	AUSZUG AUS GINSENGWURZELN (1:11,0-13,6) AUSZUGSMITTEL LIKÖRWEIN
23	GINSENG	CYCLAMEN PURPURASCENS DIL. D 3, DAPHNE MEZEREUM DIL. D 3, PANAX GINSENG DIL. D 4, RUTA GRAVEOLENS DIL. D 3, SEPIA OFFICINALIS DIL. D 8, STILLINGIA SYLVATICA (HAB 34) DIL. D4
23	GINSENG	DRY EXTRACT FROM GINSENG ROOT (2.1 - 3.9 : 1); EXTRACTION MEDIUM ETHANOL 40 % (V/V)
23	GINSENG	DRY EXTRACT FROM RED (STEAM TREATED) GINSENG ROOT (2.2 - 3.8 :1); EXTRACTION MEDIUM ETHANOL 60% (V/V)
23	GINSENG	DRY EXTRACT FROM RED (STEAM TREATED) GINSENG ROOT (3 - 4 :1); EXTRACTION MEDIUM ETHANOL 60% (V/V)
23	GINSENG	ELEUTHEROCOCCUS
23	GINSENG	ELEUTHEROCOCCUS ROOT DRY EXTRACT
23	GINSENG	ELEUTHEROCOCCUS ROOT LIQUID EXTRACT (DER 1:1, EXTRACTION MEDIUM ETHANOL, 35% V/V)
23	GINSENG	EXTRACTUM GINSENG
23	GINSENG	FLUIDEXTRAKT AUS ELEUTHEROCOCCUSWURZEL (1:1) AUZUGSMITTEL: ETHANOL 30% (V/V)
23	GINSENG	FLUIDEXTRAKT AUS GINSENGWURZELN (1:1), AUSZUGSMITTEL: ETHANOL 34 % (V/V)
23	GINSENG	G115 PANAX GINSENG EXTRACT DRY EXTRACT ETHANOLIC 40%:1.3-3:1
23	GINSENG	GINSENG
23	GINSENG	GINSENG (POWDER TITRATED AT 2% TOTAL GINSENOSIDES)

ID	Substance Group	Substances
23	GINSENG	GINSENG EXTRACTUM SICCUM NORMATUM
23	GINSENG	GINSENG RADIX
23	GINSENG	GINSENG ROOT FLUID EXTRACT (1:1)
23	GINSENG	GINSENG ROOT FLUID EXTRACT (1 : 0,8 - 1,2) EXTRACTING AGENT: ETHANOL 25 % (M/M)
23	GINSENG	GINSENG ROOT POWDE
23	GINSENG	GINSENG ROOT POWDER
23	GINSENG	GINSENG-EXTRAKT G115 (TROCKENEXTRAKT AUS GINSENGWURZEL (GINSENG RADIX VON PANAX GINSENG C.A. MEYER) STANDARDISIERT AUF 4% GINSENOIDE, VERHÄLTNIS AUSGANGSDROGE ZU EXTRAKT 3-7:1, EXTRAKTIONSMITTEL ETHANOL/WASSER 40:60)
23	GINSENG	PANAX GINSENG
23	GINSENG	PANAX GINSENG D12, PANAX GINSENG D200, PANAX GINSENG D30
23	GINSENG	PANAX GINSENG D4, ACIDUM ASCORBICUM D6, CONIUM MACULATUM D28, COR SUIS D8, CURARE D8, DIEFFENBACHIA SEGUINE D6, DIENCEPHALON SUIS D10, EMBRYO TOTALIS SUIS D8, FERRUM PHOSPHORICUM D10, CORTISONUM ACETICUM D13, GLANDULA SUPRARENALIS SUIS D13, KALIUM PICRINICUM D6, LYCOPODIUM CLAVATUM D28, LYTIA VESICATORIA D8, MAGNESIUM PHOSPHORICUM D10, MANGANUM PHOSPHORICUM D8, SELENIUM D10, STRYCHNINUM PHOSPHORICUM D6, TESTIS SUIS D4, TURNERA DIFFUSA D8, PHOSPHORUS D8, VITEX AGNUS-CASTUS D6, ZINCUM METALLICUM D10
23	GINSENG	PANAX GINSENG D4, SELENIUM D10, CHININUM ARSENICOSUM D6
23	GINSENG	PANAX GINSENG RADICIS EXTRACTUM SICCUM
23	GINSENG	TAIGAWURZEL-PULVER
23	GINSENG	THICK EXTRACT OF GINSENG ROOT (1,7 - 2,9 : 1), EXTRACTING AGENT: ETHANOL 70 % (V/V)
23	GINSENG	TROCKENEXTRAKT AUS GINSENGWURZEL (3-5:1); AUSZUGSMITTEL: ETHANOL 36% (V/V)
23	GINSENG	TROCKENEXTRAKT AUS GINSENGWURZEL (6-7:1) AUSZUGSMITTEL ETHANOL 30% (M/M)
23	GINSENG	TROCKENEXTRAKT AUS GINSENGWURZELN (3-7:1) (AUSZUGSMITTEL: ETHANOL VOL.-40%)
23	GINSENG	TROCKENEXTRAKT AUS TAIGAWURZEL (15-18:1)
24	SOYA	AVOCADO OIL UNSAPONIFIABLES, SOYBEAN OIL UNSAPONIFIABLES
24	SOYA	COFFEIN, TROCKENEXTRAKT AUS POTENZHOLZ (100-250:1) AUSZUGSMITTEL: METHANOL 70% (V/V), TROCKENEXTRAKT AUS DAMIANABLÄTTERN 4-6:1 AUSZUGSMITTEL: METHANOL 60% (V/V), PHOSPHOLIPIDS FROM SOYA BEANS
24	SOYA	LAUROMACROGOL 400, SOYA OIL
24	SOYA	OMEGA-3-ACID TRIGLYCERIDES, SOYA-BEAN OIL REFINED, TRIGLYCERIDES MEDIUM CHAIN, LINOLEIC ACID, ALPHA-LINOLENIC ACID, EICOSAPENTANOIC ACID/DOCOSAHEXAENOIC ACID
24	SOYA	REFINED OLIVE OIL AND REFINED SOYA OIL
24	SOYA	SILICA, COLLOIDAL ANHYDROUS, STEARATE MAGNESIUM, GLYCINE MAX L. (DRY EXTRACT)
24	SOYA	SOY ISOFLAVONES, TRIFOLIUM PRATENSE L.
24	SOYA	SOYA BEAN OIL
24	SOYA	SOYA OIL
24	SOYA	SOYA OIL, AVOCADO OIL
24	SOYA	SOYABEAN
24	SOYA	SOYA-BEAN OIL
24	SOYA	SOYA-BEAN OIL REFINED
24	SOYA	SOYA-BEAN OIL REFINED, TRIGLYCERIDES MEDIUM CHAIN
24	SOYA	SOYA-BEAN OIL REFINED, TRIGLYCERIDES MEDIUM CHAIN, LINOLEIC ACID, ALPHA-LINOLENIC ACID
24	SOYA	SOYA-BEAN OIL REFINED, TRIGLYCERIDES MEDIUM CHAIN, LINOLEIC ACID, SODIUM OLEATE, ALPHA-LINOLENIC ACID
24	SOYA	SOYBEAN EXTRACT
25	QUERCUS	AESCULUS HIPPOCASTANUM E SEMINE LA 25% SICC. (HAB, VS. 12M), BORAGO OFFICINALIS EX HERBA LA 20% (HAB, VS. 12C), PRUNUS SPINOSA E FRUCTIBUS LA 25% (HAB, VS. 12O), QUERCUS ROBUR/PETRAEA E CORTICE, DECOCTUM LA 10% (HAB, VS. 12K), SOLIDAGO VIRGAUREA EX HERBA LA 20% (HAB, VS. 12C)
25	QUERCUS	BORAGO OFFICINALIS E FOLIIS FERM 34B Ø (HAB, VS. 34B), HAMAMELIS VIRGINIANA E FOLIIS FERM 33D Ø (HAB, VS. 33D), QUERCUS ROBUR/PETRAEA E CORTICE, DECOCTUM Ø (HAB, VS. 23A)
25	QUERCUS	CONCHAE, QUERCUS, ETHANOL. DECOCTUM TRIT. D3
25	QUERCUS	COR BOVIS GL DIL. D5 (HAB, VS. 41C), HEPAR BOVIS GL DIL. D5 (HAB, VS. 41A), MESENCHYM BOVIS GL DIL. D5 (HAB, VS. 41B), QUERCUS ROBUR/PETRAEA E CORTICE CUM CALCIO CARBONICO DIL. D12 AQUOS. (HAB, SV 5B, LSG=D6 HERGESTELLT DURCH 5MALIGE POTENZIERUNG VON QUERCUS ROB./PETR. E CORT., DECOCTUM Ø (HAB, VS. 23A) MIT GESÄTTIGTER WÄSSR. LSG. AUS CALCIUM CARBONICUM E CINERE QUERCU, RENES BOVIS GL DIL. D5 (HAB, VS. 41A), PANCREAS SUIS GL DIL. D5 (HAB, VS. 41A), PULMO BOVIS GL DIL. D5 (HAB, VS. 41A)
25	QUERCUS	CORNEA BOVIS GL DIL. D6 (HAB, VS. 41C), CORPUS VITREUM BOVIS GL DIL. D6 (HAB, VS. 41B), LEVISTICUM OFFICINALE E RADICE FERM 33C DIL. D5 (HAB, VS. 33C), LENS CRISTALLINA BOVIS GL DIL. D6 (HAB, VS. 41B), NERVUS OPTICUS BOVIS GL DIL. D5 (HAB, VS. 41A), QUERCUS ROBUR/PETRAEA E CORTICE CUM CALCIO CARBONICO DIL. D12 AQUOS. (HAB, SV 5B, LSG=D6 HERGESTELLT DURCH 5MALIGE POTENZIERUNG VON QUERCUS ROB./PETR. E CORT., DECOCTUM Ø (HAB, VS. 23A) MIT GESÄTTIGTER WÄSSR. LSG. AUS CALCIUM CARBONICUM E CINERE QUERCU
25	QUERCUS	CORNEA BOVIS GL DIL. D6 (HAB, VS. 41C), CORPUS VITREUM BOVIS GL DIL. D6 (HAB, VS. 41B), LEVISTICUM OFFICINALE E RADICE FERM 33C DIL. D5 (HAB, VS. 33C), LENS CRISTALLINA BOVIS GL DIL. D6 (HAB, VS. 41B), NERVUS OPTICUS BOVIS GL DIL. D5 (HAB, VS. 41A), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M)), QUERCUS ROBUR/PETRAEA E CORTICE CUM CALCIO CARBONICO DIL. D12 AQUOS. (HAB, SV 5B, LSG=D6 HERGESTELLT DURCH 5MALIGE POTENZIERUNG VON QUERCUS ROB./PETR. E CORT., DECOCTUM Ø (HAB, VS. 23A) MIT GESÄTTIGTER WÄSSR. LSG. AUS CALCIUM CARBONICUM E CINERE QUERCU
25	QUERCUS	FAGUS SYLVATICA L., QUERCUS ROBUR L.

ID	Substance Group	Substances
25	QUERCUS	FAGUS SYLVATICA POLLEN EXTRACT, QUERCUS RUBRA POLLEN EXTRACT
25	QUERCUS	LOBELIA INFLATA DIL. D6, PLUMBUM METALLICUM PRAEPARATUM DIL. D8, QUERCUS, ETHANOL. DECOCTUM DIL. D4, VERONICA OFFICINALIS, ETHANOL. DECOCTUM DIL. D4
25	QUERCUS	QUERCUS CORTEX
25	QUERCUS	QUERCUS ROBUR (138)
25	QUERCUS	QUERCUS ROBUR L.
25	QUERCUS	QUERCUS ROBUR/PETRAEA E CORTICE CUM CALCIO CARBONICO LSG.=D6 (HERGESTELLT AUS QUERCUS ROBUR/PETRAEA E CORTICE, DECOCTUM Ø (HAB, VS. 23A) DURCH 5MALIGE POTENZIERUNG MIT GESÄTTIGTER WÄSSRIGER LÖSUNG AUS CALCIUM CARBONICUM E CINERE QUERCUS) (HAB, SV 5B)
25	QUERCUS	QUERCUS ROBUR/PETRAEA E CORTICE, DECOCTUM LA 10% (HAB, VS. 12K)
25	QUERCUS	QUERCUS RUBRA POLLEN EXTRACT
25	QUERCUS	SALIX, FAGUS SYLVATICA L., QUERCUS ROBUR L., FRAXINUS EXCELSIOR, POPULUS DELTOIDES
26	AESCULUS	ACHILLEA MILLEFOLIUM D3, HAMAMELIS VIRGINIANA D3, AESCULUS HIPPOCASTANUM D2
26	AESCULUS	ACIDUM HYDROCHLORICUM DIL. D 12, AESCULUS HIPPOCASTANUM DIL. D 2, CARBO ANIMALIS DIL. D 10, COLLINSONIA CANADENSIS DIL D 3, KRAMERIA TRIANDRA DIL. D 2, PAEONIA OFFICINALIS DIL. D 2, SCROPHULARIA NODOSA DIL. D 1
26	AESCULUS	ACIDUM HYDROFLUORICUM DIL. D 15, AESCULUS HIPPOCASTANUM DIL. D 2, LYCOPodium CLAVATUM DIL D 6, PHOSPHORUS DIL. D 8, SEPIA OFFICINALIS DIL. D 8
26	AESCULUS	AESCULUS DIL. D2, CALCIUM FLUORATUM DIL. D6, HAMAMELIS DIL. D2
26	AESCULUS	AESCULUS HIPPOCASTANUM D2
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D2 (HAB, VS. 34C), AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D14 (HAB, VS. 34C), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D2 (HAB, VS. 35B), SOLUM ULIGINOSUM DIL. D14 AQUOS. [HAB, SV 5B, LÖSUNG D1 AUS WÄSSRIGEM EXTRAKT (1:5) AUS SOLUM ULIGINOSUM], SOLUM ULIGINOSUM DIL. D2 AQUOS. [HAB, SV 5B, LÖSUNG D1 AUS WÄSSRIGEM EXTRAKT (1:5) AUS SOLUM ULIGINOSUM]
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D2 (HAB, VS. 34C), HAMAMELIS VIRGINIANA E CORTICE FERM 33E DIL. D2 (HAB, VS. 33E), HIRUDO MEDICINALIS EX ANIMALE TOTO GL DIL. D5 (HAB, VS. 41C), MERCURIUS VIVUS DIL. D14 AQUOS., PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D2 (HAB, VS. 33C), PAEONIA OFFICINALIS E RADICE FERM 33C DIL. D2 (HAB, VS. 33C)
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D3 (HAB, VS. 34C), HAMAMELIS VIRGINIANA E CORTICE FERM 33E DIL. D3 (HAB, VS. 33E), HIRUDO MEDICINALIS EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C), MERCURIUS VIVUS DIL. D14 AQUOS., PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D3 (HAB, VS. 33C), PAEONIA OFFICINALIS E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D9 (HAB, VS. 34C), BORAGO OFFICINALIS E FOLIIS FERM 34B DIL. D2 (HAB, VS. 34B), CNICUS BENEDICTUS EX HERBA FERM 33D DIL. D2 (HAB, VS. 33D), HAMAMELIS VIRGINIANA E FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B), SKORODIT DIL. D9
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE LA 25% SICC. (HAB, VS. 12M)
26	AESCULUS	AESCULUS HIPPOCASTANUM E SEMINE W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL)
26	AESCULUS	AESCULUS HIPPOCASTANUM L.
26	AESCULUS	AESCULUS HIPPOCASTANUM TRIT. D 2, COLLINSONIA CANADENSIS TRIT. D 2, HAMAMELIS VIRGINIANA TRIT. D 3, LYCOPodium CLAVATUM TRIT. D 4, PAEONIA OFFICINALIS TRIT. D 2, SULFUR TRIT. D 6
26	AESCULUS	AESCULUS HIPPOCASTANUM, EXTRACT
26	AESCULUS	AESCULUS SEED EXTRACT
26	AESCULUS	ARNICAE TINCTURA, HORSE CHESTNUT DRY EXTRACT
26	AESCULUS	BRASSICA NIGRA E SEMINE W 10% (HAB, VS. 12F MIT RAFFINIERTEM ERDNUSSÖL), BRYONIA CRETICA FERM 33B Ø, CERA FLAVA, EQUISETUM ARVENSE EX HERBA FERM 35B Ø (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL Ø (HAB, VS. 41C), D-CAMPHOR, HONEY, AESCULUS HIPPOCASTANUM E SEMINE FERM 34C Ø (HAB, VS. 34C)
26	AESCULUS	COLLINSONIA CANADENSIS D3, AESCULUS HIPPOCASTANUM D3, HAMAMELIS VIRGINIANA D2, LYCOPodium CLAVATUM D5, SULFUR D5
26	AESCULUS	COLLINSONIA CANADENSIS D3, HAMAMELIS VIRGINIANA D3, AESCULUS HIPPOCASTANUM D2
26	AESCULUS	COLLINSONIA CANADENSIS D3, LYCOPodium D4, NUX VOMICA D4, PAEONIA OFFICINALIS D4, AESCULUS HIPPOCASTANUM D3
26	AESCULUS	DIMETHYL SULFOXIDE, ARNICA TINCTURE, HORSE CHESTNUT SEED EXTRACT, PIPPERMINT OIL
26	AESCULUS	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D11 (HAB, VS. 35B), SOLUM ULIGINOSUM DIL. D11 AQUOS. [HAB, SV 5B, LÖSUNG D1 AUS WÄSSRIGEM EXTRAKT (1:5) AUS SOLUM ULIGINOSUM], AESCULUS HIPPOCASTANUM E SEMINE FERM 34C DIL. D11 (HAB, VS. 34C)
26	AESCULUS	EQUISETUM ARVENSE EX HERBA LA 20% (HAB, VS. 12C), SOLUM ULIGINOSUM, WÄSSRIGER EXTRAKT (MOOREXTRAKT) (DROGE ZU EXTRAKTIONSMITTEL = 1:5), AESCULUS HIPPOCASTANUM E SEMINE LA 25% SICC. (HAB, VS. 12M)
26	AESCULUS	EQUISETUM ARVENSE EX HERBA LA 20% (HAB, VS. 12C), SOLUM ULIGINOSUM, WÄSSRIGER EXTRAKT (MOOREXTRAKT) (DROGE ZU EXTRAKTIONSMITTEL = 1:5), LAVANDULAE AETHEROLEUM, AESCULUS HIPPOCASTANUM E SEMINE LA 25% SICC. (HAB, VS. 12M)
26	AESCULUS	ESCI, DRY EXTRACT OF HORSE CHESTNUT SEEDS (5 - 7 : 1)
26	AESCULUS	ETHANOL, PULSATILLA DIL. D4, AESCULUS DIL. D2
26	AESCULUS	GRAPHITES D10, LACHESIS MUTUS D12, AESCULUS HIPPOCASTANUM D8, LYCOPodium CLAVATUM D12
26	AESCULUS	HAMAMELIS VIRGINIANA, PAEONIA OFFICINALIS, RATANHIA, AESCULUS HIPPOCASTANUM
26	AESCULUS	HAMAMELIS, FOLIUM SICC., ETHANOL. EXTR. 1:1, STIBIUM METALLICUM PRAEPARATUM, AESCULUS HIPPOCASTANUM, CORTEX SICC., ETHANOL. EXTR. 1:1
26	AESCULUS	HIPPOCASTANI SEMEN
26	AESCULUS	HIPPOCASTANI SEMEN EXTRACTUM SICCUM (5,3 - 7,7 : 1), ADJUSTED TO 40 MG OF TRITERPENE GLYCOSIDES, CALCULATED AS ANHYDROUS ESCINE, EXTRACTION MEDIUM: METHANOL 80%
26	AESCULUS	HIPPOCASTANI SEMEN, EXTRACTUM SICCUM
26	AESCULUS	HIPPOCASTANI SEMINIS EXTRACTUM SPISSUM
26	AESCULUS	HORSE CHESTNUT DRY EXTRACT

ID	Substance Group	Substances
26	AESCLUS	HORSE CHESTNUT DRY EXTRACT, HYDROALCOHOLIC
26	AESCLUS	HORSE CHESTNUT EXTRACT
26	AESCLUS	HORSE CHESTNUT SEED EXTRACT
26	AESCLUS	PAEONIA OFFICINALIS D4, HAMAMELIS VIRGINIANA D4, LYCOPODIUM CLAVATUM D4, STRYCHNOS NUX-VOMICA D4, AESCLUS HIPPOCASTANUM D4
26	AESCLUS	RUTA GRAVEOLENS TRIT. D1, ACHILLEA MILLEFOLIUM TRIT. D1, ARNICA MONTANA D3, AESCLUS HIPPOCASTANUM D1, HAMAMELIS VIRGINIANA D1
26	AESCLUS	RUTOSIDE TRIHYDRATE, HORSE CHESTNUT DRY EXTRACT
26	AESCLUS	RUTOSIDE, ESCULIN, HORSE CHESTNUT DRY EXTRACT
26	AESCLUS	SECALE CORNUTUM D 4, ACIDUM L(+)-LACTICUM D4, BARIUM CARBONICUM D13, CUPRUM SULFURICUM D6, EMBRYO TOTALIS SUIS D8, ARTERIA SUIS D10, FUNICULUS UMBILICALIS SUIS D10, HYPOPHYSIS SUIS D10, NATRIUM PYRUVICUM D8, PLACENTA TOTALIS SUIS D6, PLUMBUM JODATUM D18, SOLANUM NIGRUM D6, STROPHANTHUS GRATIS D6, MELILOTUS OFFICINALIS D6, NICOTIANA TABACUM D10, VENA SUIS D8, VIPERA BERUS D10, AESCLUS HIPPOCASTANUM D4
26	AESCLUS	SECALE CORNUTUM D 4, HAMAMELIS VIRGINIANA D4, LYCOPODIUM CLAVATUM D4, MELILOTUS OFFICINALIS D4, SULFUR D8, VIPERA BERUS D10, AESCLUS HIPPOCASTANUM D4
26	AESCLUS	SULFUR D6, ACIDUM HYDROFLUORICUM D6, BRYONIA D4, CITRULLUS COLOCYNTHIS D4, FORMICA RUFA D4, AESCLUS HIPPOCASTANUM D4
27	CAPSICUM	ACIDUM ARSENICOSUM D28, BAPTISIA TINCTORIA D4, CAPSICUM ANNUUM D6, CUPRUM SULFURICUM D6, APISINUM D8, ARGENTUM NITRICUM D6, BAROSMA D8, BERBERIS VULGARIS D4, COLIBACILLINUM NOSODE D13, EQUISETUM HIEMALE D4, CHONDRODENDRON D6, COXSACKIE VIRUS A9 NOSODE D8, HEPAR SULFURIS D10, HYDRARGYRUM BICHLORATUM D8, LYTTA VESICATORIA D6, NATRIUM PYRUVICUM D10, ORTHOSIPHON ARISTATUS D6, SMILAX D6, TEREBINTHINA LARICINA D6, URETER SUIS D10, URETHRA SUIS D10, VESICA URINARIA SUIS D8, PYELON SUIS D10, PYROGENIUM NOSODE D198, SOLIDAGO VIRGAUREA D3
27	CAPSICUM	ACIDUM ARSENICOSUM D6, CAPSICUM ANNUUM D4, DAPHNE MEZEREUM D4, DIEFFENBACHIA SEGUINE D4, PIX PINACEAE D6, SULFUR D4
27	CAPSICUM	APIS MELLIFICA D12, PULSATILLA PRATENSIS D6, CAPSICUM ANNUUM D2, ATROPA BELLADONNA D6, LACHESIS MUTUS D12
27	CAPSICUM	BENZYL NICOTINATE, ETHYL NICOTINATE, GLYCOL SALICYLATE, METHYL NICOTINATE, OLEORESIN CAPSICUM BPC 1973
27	CAPSICUM	CAPSICUM
27	CAPSICUM	CAPSICUM FRUIT SOFT EXTRACT
27	CAPSICUM	CAPSICUM OLEORESIN
27	CAPSICUM	CAPSICUM OLEORESIN, DIPROPYLENE GLYCOL SALICYLATE
27	CAPSICUM	CAPSICUM OLEORESIN, GLYCOL SALICYLATE, METHYL NICOTINATE
27	CAPSICUM	CAPSICUM TINCTURE BPC, SQUILL LIQUID EXTRACT
27	CAPSICUM	CETYLPYRIDINIUM CHLORIDE, BENZOIN TINCTURE, CAPSICUM TINCTURE BPC
27	CAPSICUM	DIETHYLAMINE SALICYLATE, GLYCOL SALICYLATE, METHYL NICOTINATE, CAPSICUM OLEORESIN BPC 1973
27	CAPSICUM	HISTAMINE DIHYDROCHLORIDE, CAPSICUM OLEORESIN, GLYCOL SALICYLATE, METHYL NICOTINATE
27	CAPSICUM	LEVOMENTHOL, ANISEED OIL BP, CAPSICUM TINCTURE BPC
27	CAPSICUM	LEVOMENTHOL, CAMPHOR, CAMPHOR OIL, CAPSICUM OLEORESIN, METHYL SALICYLATE
27	CAPSICUM	LEVOMENTHOL, CAMPHOR, RACEMIC, AMYL SALICYLATE, CAPSICUM OLEORESIN
27	CAPSICUM	MENTHOL BP, ANISEED OIL BP, CAPSICUM TINCTURE BPC
27	CAPSICUM	MENTHOL, CAMPHOR, CAPSICUM OLEORESIN, ETHYL SALICYLATE
27	CAPSICUM	METHYL SALICYLATE, TURPENTINE OIL, CAPSICUM FRUIT SOFT EXTRACT
27	CAPSICUM	OLEORESIN CAPSICUM BPC 1973
27	CAPSICUM	PEPPERMINT OIL BP, CAPSICUM TINCTURE BPC, ELDER FLOWER LIQUID EXTRACT
27	CAPSICUM	RHUBARB TINCTURE, COMPOUND, GLYCERIN, CAPSICUM TINCTURE BPC
27	CAPSICUM	URTICA URENS D3, ARCTOSTAPHYLOS UVA-URSI D3, BAPTISIA TINCTORIA D3, CAMPHORA D3, CAPSICUM ANNUUM D3, CUCURBITA PEPO D3, APIS MELLIFICA D3, BAROSMA D3, BERBERIS VULGARIS D5, EQUISETUM HIEMALE D3, HYDRARGYRUM BICHLORATUM D8, KREOSOTUM D5, LYTTA VESICATORIA D5, ONONIS SPINOSA D3, ORTHOSIPHON ARISTATUS D3, PETROSELINUM CRISpum CONV. CRISpum D3, PIPER CUBEBA D3, POPULUS TREMULOIDES Ø, SERENOA REPENS Ø, TEREBINTHINA LARICINA D6, URGINEA MARITIMA D3, SCROPHULARIA NODOSA D3, SOLIDAGO VIRGAUREA D3
28	EQUISETUM	APIS MELLIFICA DIL. D4, APOCYNUM DIL. D1, EQUISETUM HIEMALE MOTHER TINCTURE, HELLEBORUS DIL. D2, PETROSELINUM MOTHER TINCTURE, SARSAPARILLA MOTHER TINCTURE, BALSAMUM COPAIVAE DIL. D3
28	EQUISETUM	APIS MELLIFICA EX ANIMALE TOTO GL DIL. D31 (HAB, VS. 41C), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), RENES BOVIS GL DIL. D6 (HAB, VS. 41A), VERATRUM ALBUM E RADICE FERM 33C DIL. D5 (HAB, VS. 33C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D14 (HAB, VS. 34I)
28	EQUISETUM	ATROPA BELLA-DONNA D4, LYTTA VESICATORIA D5, EQUISETUM ARVENSE EX HERBA RECENTE DIL. D3 (VORSCHRIFT 2A, HAB)
28	EQUISETUM	AURUM METALLICUM DIL. D29 AQUOS., EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B)
28	EQUISETUM	AURUM METALLICUM DIL. D9, EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B)
28	EQUISETUM	AURUM METALLICUM PRAEPARATUM DIL. D30, EQUISETUM ARVENSE RH DIL. D20
28	EQUISETUM	BERBERIS VULGARIS DIL. D4, DULCAMARA DIL. D4, EQUISETUM HIEMALE DIL. D6, EUPATORIUM PURPUREUM DIL. D6
28	EQUISETUM	BETULAE FOLIUM, EQUISETUM STEM, LOVAGE ROOT, TARAXACI RADIX, PHASEOLI PERICARPUM, TARAXACUM OFFICINALE WEBER EX WIGG. HERBA, SOLIDAGO VIRGAUREA L., HERBA
28	EQUISETUM	BETULAE FOLIUM, LOVAGE ROOT, VIRGAUREA HERB, TARAXACI RADIX, PHASEOLI PERICARPUM, TARAXACUM OFFICINALE WEBER EX WIGG. HERBA, EQUISETI HERBA
28	EQUISETUM	CANTHARIS EX ANIMALE TOTO GL DIL. D5 (HAB, VS. 41C), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D2 (HAB, VS. 35B), VESICA URINARIA BOVIS GL DIL. D7 (HAB, VS. 41C), ACHILLEA MILLEFOLIUM FERM 33D DIL. D2

ID	Substance Group	Substances
28	EQUISETUM	CANTHARIS EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D3 (HAB, VS. 35B), VESICA URINARIA BOVIS GL DIL. D7 (HAB, VS. 41C), ACHILLEA MILLEFOLIUM FERM 33D DIL. D3
28	EQUISETUM	CICHORIUM INTYBUS E PLANTA TOTA FERM 33C DIL. D14 (HAB, VS. 33C), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), LIEN BOVIS GL DIL. D5 (HAB, VS. 41A), MESENCHYM BOVIS GL DIL. D5 (HAB, VS. 41B), RENES BOVIS GL DIL. D5 (HAB, VS. 41A)
28	EQUISETUM	DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D3 (HAB, VS. 41B), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D1 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), STANNUM METALLICUM TRIT. D4, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D1 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D1 (HAB, VS. 35C)
28	EQUISETUM	DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D3 (HAB, VS. 41B), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D1 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), STANNUM METALLICUM TRIT. D4, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D1 (HAB, VS. 34I), VIVIANIT TRIT. D4, PHYLLOSTACHYS E NODO FERM 35C DIL. D1 (HAB, VS. 35C), PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D2 (HAB, VS. 33C)
28	EQUISETUM	DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D3 (HAB, VS. 41B), EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D1 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), STANNUM METALLICUM TRIT. D4, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D1 (HAB, VS. 35C), PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D2 (HAB, VS. 33C)
28	EQUISETUM	EQUISETI HERBA
28	EQUISETUM	EQUISETUM
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D5 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), STANNUM METALLICUM DIL. D5, PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D5 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), STANNUM METALLICUM DIL. D5, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), HYPOPHYSIS BOVIS GL DIL. D7 (HAB, VS. 41A), NICOTIANA TABACUM E FOLIS FERM 33B DIL. D9 (HAB, VS. 33B), STANNUM METALLICUM DIL. D9, PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D11 (HAB, VS. 41C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), LENS CRISTALLINA BOVIS GL DIL. D7 (HAB, VS. 41B), STANNUM METALLICUM DIL. D5, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), LENS CRISTALLINA BOVIS GL DIL. D7 (HAB, VS. 41B), STANNUM METALLICUM DIL. D9, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I), PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D14 (HAB, VS. 35B), STANNUM METALLICUM DIL. D9
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D3 (HAB, VS. 35B), DISCI INTERVERTEBRALES CERVICALES, THORACICI ET LUMBALES BOVIS GL DIL. D5 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D6 (HAB, VS. 41C), STANNUM METALLICUM DIL. D5, VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D2 (HAB, VS. 34I), VIVIANIT DIL. D5, PHYLLOSTACHYS E NODO FERM 35C DIL. D5 (HAB, VS. 35C), PULSATILLA VULGARIS E FLORIBUS FERM 33C DIL. D3 (HAB, VS. 33C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D3 (HAB, VS. 35B), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D3 (HAB, VS. 34I)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D5 (HAB, VS. 35B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D7 (HAB, VS. 41C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D5 (HAB, VS. 35B), PANCREAS SUIS GL DIL. D4 (HAB, VS. 41A)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA FERM 35B DIL. D5 (HAB, VS. 35B), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA LA 20% (HAB, VS. 12C)
28	EQUISETUM	EQUISETUM ARVENSE EX HERBA W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL)
28	EQUISETUM	EQUISETUM ARVENSE RH DIL. D15, FORMICA 42A DIL. D10
28	EQUISETUM	EQUISETUM ARVENSE SILICEA CULTUM RH DIL. D2
28	EQUISETUM	EQUISETUM ARVENSE SILICEA CULTUM RH DIL. D3
28	EQUISETUM	EQUISETUM ARVENSE SILICEA CULTUM, HERBA DIL. D2
28	EQUISETUM	EQUISETUM ARVENSE, HERBA SICC. H 10 %
28	EQUISETUM	EQUISETUM CUM SULFURE TOSTUM DIL. D6 AQUOS.
28	EQUISETUM	EQUISETUM CUM SULFURE TOSTUM TRIT. D1
28	EQUISETUM	EQUISETUM STEM
28	EQUISETUM	EQUISETUM STEM, RHAMNUS FRANGULA L. CORTEX, AGROPYRI RHIZOMA, TARAXACUM OFFICINALE ROOT, TARAXACUM OFFICINALE WEBER EX WIGG. HERBA
28	EQUISETUM	EXTRACT OF EQUISETUM ARVENSE, EXTRACT OF TARAXACUM OFFICINALE
28	EQUISETUM	ORTHOSIPHONIS FOLIUM, JUNIPERUS COMMUNIS, BIRCH LEAF, SOLIDAGO VIRGAUREA L., HERBA, EQUISETI HERBA
28	EQUISETUM	RHAMNUS FRANGULA L. CORTEX, TARAXACI RADIX, TARAXACUM OFFICINALE WEBER EX WIGG. HERBA, GRAMINIS RHIZOMA, EQUISETI HERBA
28	EQUISETUM	SALICYLAMIDE, CAMPHOR, RACEMIC, MENTHOL, EXTRACTUM COMPOSITUM (ET. 96% V/V, 1:7,5) EX: SOENI, SALICIS CORTICE, POLYGONI AVICULARIS HERBA, EQUISETI HERBA, MILLEFOLII HERBA, CHAMOMILLAE ANTHODIO, CALENDULAE ANTHODIO, SAPONARIAE RADICE (25:10:4:4:2:2:1,5:1,5), WYCIĄG Z KOSTKI BOROWINOWEJ „IWONKA” (ET. 30% V/V, 1:1), PINI SILVESTRIS AETHEROLEUM
28	EQUISETUM	UVA URSI DRY EXTRACT, CLIVERS DRY EXTRACT, BUCHU LEAF, BUCHU DRY EXTRACT, COUCH GRASS DRY EXTRACT, EQUISETUM DRY EXTRACT, SHEPHERD’S PURSE DRY EXTRACT
29	ALOE	ALOES DRY EXTRACT, STANDARDISED, BOLDINE
29	ALOE	ALOES DRY EXTRACT, STANDARDISED, BOLDINE, FUMARIA EXTRACT
29	ALOE	CARAWAY FRUIT, RHAMNUS FRANGULA L. CORTEX, MARSHMALLOW ROOT, ALOES

ID	Substance Group	Substances
29	ALOE	EXTRACTUM BOLDO, ALOE
29	ALOE	WYSUSZONY, SPROSZKOWANY SOK Z LIŚCI ALOESU, WYCIĄG SUCHY Z KORY KRUSZYNY
30	ALTHAEA	ALTHAEA RADICIS MACERATIO
30	ALTHAEA	ALTHAEA RADIX, EXTRACTUM
31	AVENA SATIVA	AVENA SATIVA
31	AVENA SATIVA	AVENA SATIVA (781)
31	AVENA SATIVA	AVENA SATIVA 3DH, IGNATIA AMARA 15DH, KALIUM PHOSPHORICUM 6DH, AURUM METALLICUM 10DH
31	AVENA SATIVA	AVENA SATIVA D 4, CHININUM ARSENICOSUM D 10, COFFEA ARABICA D 10, LYCOPUS VIRGINICUS D 2, SELENICEREUS GRANDIFLORUS D 4
31	AVENA SATIVA	AVENA SATIVA D2, STRYCHNOS NUX-VOMICA D5, ZINCUM ISOVALERIANICUM DIL. D3
31	AVENA SATIVA	AVENA SATIVA DIL. D1, LYCOPUS VIRGINICUS DIL. D2, FERRUM JODATUM DIL. D10, LUPULUS DIL. D1
31	AVENA SATIVA	AVENA SATIVA L., TRITICUM SATIVUM, HORDEUM VULGARE
31	AVENA SATIVA	AVENA SATIVA L., TRITICUM SATIVUM, SECALE CEREALE, HORDEUM VULGARE
31	AVENA SATIVA	AVENA SATIVA MOTHER TINCTURE
31	AVENA SATIVA	AVENA SATIVA POLLEN EXTRACT
31	AVENA SATIVA	AVENA SATIVA, TEINTURE MÈRE
31	AVENA SATIVA	AVENA SATIVA, ZINCUM VALERIANICUM TRIT. D3, NUX VOMICA
31	AVENA SATIVA	HEPAR SULFURIS D12, AVENA SATIVA D12, PULSATILLA PRATENSIS D15, ZINCUM ISOVALERIANICUM D12
31	AVENA SATIVA	HORDEUM VULGARE POLLEN EXTRACT, AVENA SATIVA POLLEN EXTRACT, SECALE CEREALE POLLEN EXTRACT, TRITICUM AESTIVUM POLLEN EXTRACT
31	AVENA SATIVA	KALIUM PHOSPHORICUM DIL. 05, SEPIA OFFICINALIS TRIT. D5, AVENA SATIVA DIL. D3
31	AVENA SATIVA	OAT GRAIN
32	MELISSA	ANGELICA ROOT, GENTIAN ROOT, MELISSA LEAF, WORMWOOD, CALAMUS TINCTURE
32	MELISSA	BITTER CANDYTUFT FRESH PLANT EXTRACT, CHELIDONII HERBA, EXTRACTUM LIQUIDUM, MATRICARIA RECUTITA L. FLOS, MENTHA × PIPERITA L. FOLIUM, MELISSAE FOLII DRY AQUEOUS EXTRACT, SILYBUM MARIANUM EXTRACT, GLYCYRRHIZA GLABRA ROOT, ANGELICA ARCHANGELICA ROOT, CARVI EXTRACTUM FLUIDUM
32	MELISSA	BITTER CANDYTUFT FRESH PLANT EXTRACT, MATRICARIA RECUTITA L. FLOS, MENTHA × PIPERITA L. FOLIUM, MELISSAE FOLII DRY AQUEOUS EXTRACT, GLYCYRRHIZA GLABRA ROOT, CARVI EXTRACTUM FLUIDUM
32	MELISSA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), LACHESIS DIL. D11 AQUOS. (HAB, VS. 5B), MELISSA OFFICINALIS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), SEPIA OFFICINALIS E VOLUMINE BURSAR REC. GL DIL. D5 (HAB, VS. 41C), ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D9 (HAB, VS. 33C)
32	MELISSA	CHAMOMILLA RECUTITA E RADICE FERM 33C DIL. D2 (HAB, VS. 33C), LACHESIS DIL. D11 AQUOS. (HAB, VS. 5B), MELISSA OFFICINALIS EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), SEPIA OFFICINALIS E VOLUMINE BURSAR REC. GL DIL. D7 (HAB, VS. 41C), ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D9 (HAB, VS. 33C)
32	MELISSA	CLOVE, CORIANDRUM, ANGELICA, CINNAMON, LEMON, PEEL DRIED, MELISSA OFFICINALIS, CINNAMOMUM ZEYLANICUM, WATERCRESS LEAF
32	MELISSA	DISTILLATE OF MELISSA LEAF (536 MG/100 ML), HELENII RHIZOMA (714 MG/100 ML), ANGELICA ROOT (714 MG/100 ML), ZINGIBER OFFICINALE (GINGER) ROOT (714 MG/100 ML), CLOVES (285 MG/100 ML), GALANGAL RHIZOME (285 MG/100 ML), BLACK PEPPER FRUITS (71 MG/100 ML), GENTIAN ROOT (714 MG/100 ML), BITTER ORANGE PEEL (714 MG/100 ML), CINNAMOMI CORTEX (321 MG/100 ML), CINNAMON BLOSSOM (36 MG/100 ML), CARDAMOM SEEDS (10 MG/100 ML)
32	MELISSA	DISTILLATE OF MELISSA LEAF (536 MG/100 ML), HELENII RHIZOMA (714 MG/100 ML), ANGELICA ROOT (714 MG/100 ML), ZINGIBER OFFICINALE (GINGER) ROOT (714 MG/100 ML), CLOVES (285 MG/100 ML), GALANGAL RHIZOME (285 MG/100 ML), BLACK PEPPER FRUITS (71 MG/100 ML), GENTIAN ROOT (714 MG/100 ML), NUTMEG SEEDS (71 MG/100 ML), BITTER ORANGE PEEL (714 MG/100 ML), CINNAMOMI CORTEX (321 MG/100 ML), CINNAMON BLOSSOM (36 MG/100 ML), CARDAMOM SEEDS (10 MG/100 ML)
32	MELISSA	EXTRACTUM FLUIDUM EX: MILLEFOLII HERBA, MARRUBII HERBA, MELISSAE FOLIO, FOENICULI FRUCTU
32	MELISSA	LAVANDULAE FLOS, MELISSA LEAF, LUPULI STROBILUS
32	MELISSA	LIQUID EXTRACT FROM VALERIAN ROOT/ ANGELICA ROOT/ MELISSA LEAF/ HOP STROBILE/ LAVENDER FLOWER (6/4/5/2/3) 1:2
32	MELISSA	MAJORANA, HERBA SICC., ETHANOL. EXTR. 1:1, MELISSAE FOLIUM, ETHANOL. EXTR. 1:1
32	MELISSA	MAJORANA, HERBA SICC., ETHANOL. EXTR. 1:1, MELISSAE FOLIUM, ETHANOL. EXTR. 1:1, MAJORANA, HERBA / MELISSAE FOLIUM, OL. CACAO EXTR.
32	MELISSA	MELISSA EXTRACT, VALERIAN EXTRACT
32	MELISSA	MELISSA EXTRACT, VALERIAN ROOT EXTRACT
32	MELISSA	MELISSA LEAF
32	MELISSA	MELISSA LEAF DRY EXTRACT (5.0-6.2:1)), SOLVENT: WATER
32	MELISSA	MELISSA LEAF DRY EXTRACT, PASSION FLOWER DRY EXTRACT, VALERIAN ROOT DRY EXTRACT (DER: 3 - 6 : 1)
32	MELISSA	MELISSA LEAF SOFT EXTRACT (2.3-3.0:1), SOLVENT: WATER
32	MELISSA	MELISSA LEAF, CHAMOMILE, FENNEL
32	MELISSA	MELISSA LEAF, LINI SEMEN, CHAMOMILLAE ANTHODIUM
32	MELISSA	MELISSA LEAF, VALERIAN ROOT EXTRACT, HOP CONES DRY EXTRACT
32	MELISSA	MELISSA OFFICINALIS CUPRO CULTA, HERBA DIL. D2
32	MELISSA	MELISSA OFFICINALIS CUPRO CULTA, HERBA RH DIL. D2
32	MELISSA	MELISSA OFFICINALIS CUPRO CULTA, HERBA RH DIL. D3

ID	Substance Group	Substances
32	MELISSA	MELISSA OFFICINALIS EX HERBA W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), ORIGANUM MAJORANA EX HERBA W 5% (HAB, VS. 12G MIT RAFFINIERTEM ERDNUSSÖL), CARVI AETHEROLEUM, FOENICULI AMARI FRUCTUS AETHEROLEUM
32	MELISSA	MELISSAE FOLII DRY AQUEOUS EXTRACT
32	MELISSA	PASSION FLOWER DRY EXTRACT, VALERIAN ROOT DRY EXTRACT (3-6:1), ETHANOL 70 %(V/V), MELISSA LEAF DRY EXTRACT (DER: 3 - 7 : 1)
32	MELISSA	VALERIAN ROOT DRY EXTRACT (DER: 3 - 6 : 1), MELISSA LEAF DRY EXTRACT (DER: 3 - 7 : 1), PASSIONFLOWER DRY EXTRACT (DER: 5 - 7 : 1)
32	MELISSA	VALERIAN ROOT EXTRACT, MELISSA LEAF DRY EXTRACT
33	ANISE	ANISE ESSENTIAL OIL
33	ANISE	ANISE OIL
33	ANISE	ANISE OIL, LIQUORICE LIQUID EXTRACT
33	ANISE	ANISI FRUCTUS
33	ANISE	ASA FOETIDA DIL. D 4, CARBO VEGETABILIS DIL. D 8, DIOSCOREA VILLOSA DIL. D 3, GENTIANA LUTEA DIL. D 3, LYCOPodium CLAVATUM DIL D 4, MOMORDICA BALSAMINA DIL. D 3, RAPHANUS SATIVUS VAR. NIGER DIL. D 4, ANISUM STELLATUM (HAB 34) DIL. D 4
34	BETULA	ALLIUM CEPA FERM 34A DIL. D1, AURUM METALLICUM DIL. D8, BETULA PENDULA FERM 34E DIL. D1, CARTILAGO ARTICULARIS BOVIS GL DIL. D3 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D3 (HAB, VS. 41C), STANNUM METALLICUM DIL. D6
34	BETULA	ALLIUM CEPA FERM 34A DIL. D13, AURUM METALLICUM DIL. D8, BETULA PENDULA FERM 34E DIL. D3, CARTILAGO ARTICULARIS BOVIS GL DIL. D6 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D15 (HAB, VS. 41C), STANNUM METALLICUM DIL. D6
34	BETULA	ALLIUM CEPA FERM 34A DIL. D14, AURUM METALLICUM DIL. D9, BETULA PENDULA FERM 34E DIL. D4, CARTILAGO ARTICULARIS BOVIS GL DIL. D7 (HAB, VS. 41B), FORMICA RUFA EX ANIMALE TOTO GL DIL. D16 (HAB, VS. 41C), STANNUM METALLICUM DIL. D7
34	BETULA	ANTIMONIT DIL. D5, ARGENTUM METALLICUM DIL. D7, BETULA PENDULA FERM 34E DIL. D4, CARTILAGO ARTICULARIS BOVIS GL DIL. D7 (HAB, VS. 41B), MANDRAGORA OFFICINARUM E RADICE FERM 34D DIL. D4 (HAB, VS. 34D)
34	BETULA	ANTIMONIT TRIT. D4, ARGENTUM METALLICUM DIL. D6, BETULA PENDULA FERM 34E DIL. D1, CARTILAGO ARTICULARIS BOVIS GL DIL. D3 (HAB, VS. 41B), MANDRAGORA OFFICINARUM E RADICE FERM 34D DIL. D1 (HAB, VS. 34D)
34	BETULA	ARTERIA POPLITEA BOVIS GL DIL. D7 (HAB, VS. 41C), BETULA PENDULA E CORTICE, DECOCTUM DIL. D4 (HAB, VS. 23A), GALENIT DIL. D7, NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B), SECALE CORNUTUM E SKLEROTIO FERM 35B DIL. D5 (HAB, VS. 35B)
34	BETULA	ARTERIA POPLITEA BOVIS GL DIL. D7 (HAB, VS. 41C), BETULA PENDULA E CORTICE, DECOCTUM Ø (HAB, VS. 23A), GALENIT DIL. D7, NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B), SECALE CORNUTUM E SKLEROTIO FERM 35B DIL. D5 (HAB, VS. 35B)
34	BETULA	AUSZUG (10:1,3) AUS BETULA (FOLIUM), JUNIPERI PSEUDO-FRUCTUS (5:1,5) (AUSZUGSMITTEL: TRINKWASSER, SACCHAROSE, HONIG, CITRONENSÄURE-MONOHYDRAT)
34	BETULA	BELLADONNA RH DIL. D6, BETULA, FOLIUM DIL. D3, FORMICA DIL. D6
34	BETULA	BETULA ALBA POLLEN EXTRACT
34	BETULA	BETULA LEAF EXTRACT, DRY EXTRACT OF SOLIDAGO VIRGAUREAE, ORTHOSIPHON LEAF EXTRACT
34	BETULA	BETULA PENDULA E CORTICE, DECOCTUM DIL. D2 (HAB, VS. 23A), GALENIT DIL. D7, NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B), RETINA ET CHORIOIDEA BOVIS GL DIL. D7 (HAB, VS. 41C), SECALE CORNUTUM E SKLEROTIO FERM 35B DIL. D5 (HAB, VS. 35B)
34	BETULA	BETULA PENDULA E CORTICE, DECOCTUM DIL. D3 (HAB, VS. 23A), FILIPENDULA ULMARIA FERM 34C DIL. D2, GALENIT DIL. D6, MANDRAGORA OFFICINARUM E RADICE FERM 34D DIL. D3 (HAB, VS. 34D)
34	BETULA	BETULA PENDULA E CORTICE, DECOCTUM DIL. D3 (HAB, VS. 23A), FILIPENDULA ULMARIA FERM 34C DIL. D2, GALENIT DIL. D6, MANDRAGORA OFFICINARUM E RADICE FERM 34D DIL. D3 (HAB, VS. 34D)
34	BETULA	BETULA PENDULA E CORTICE, DECOCTUM DIL. D4 (HAB, VS. 23A), GALENIT DIL. D7, NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D5 (HAB, VS. 33B), RETINA ET CHORIOIDEA BOVIS GL DIL. D7 (HAB, VS. 41C), SECALE CORNUTUM E SKLEROTIO FERM 35B DIL. D5 (HAB, VS. 35B)
34	BETULA	BETULA PENDULA/PUBESCENS E FOLIIS W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL)
34	BETULA	BETULA VERRUCOSA (PENDULA) (108)
34	BETULA	BETULA VERRUCOSA (PENDULA) (108), ALUMINIUM HYDROXIDE, HYDRATED
34	BETULA	BETULA VERRUCOSA POLLEN
34	BETULA	BETULAE FOLII EXTRACTUM AQUOSUM SICCCUM
34	BETULA	BETULAE FOLIUM
34	BETULA	BETULAE FOLIUM, PHASEOLI PERICARPIUM, AGROPYRI RHIZOMA, RUBI FRUTICOSI FOLIUM, ROSAE FRUCTUS
34	BETULA	BIRCH
34	BETULA	BIRCH LEAF DRY EXTRACT (4-8:1)
34	BETULA	BIRCH POLLEN
34	BETULA	CARBO BETULAE, SULFUR TRIT. D1
34	BETULA	PRESSED JUICE FROM FRESH BIRCH LEAVES (1 : 2.05 – 2.40)
35	HARPAGOPHYTUM	BRYONIA DIL. D 4, DULCAMARA, FILIPENDULA ULMARIA, LEDUM, NUX VOMICA, GNAPHALIUM POLYCEPHALUM D2, KALIUM STIBYLTARTARICUM D6, HARPAGOPHYTUM
35	HARPAGOPHYTUM	CALCIUM PHOSPHORICUM D12, ACIDUM BENZOICUM D8, HARPAGOPHYTUM PROCUMBENS D6
35	HARPAGOPHYTUM	DEVIL'S CLAW ROOT
35	HARPAGOPHYTUM	DEVILS CLAW DRY EXTRACT (1,5-2,5:1)
35	HARPAGOPHYTUM	DEVIL'S CLAW EXTRACT
35	HARPAGOPHYTUM	DEVIL'S CLAW ROOT DRY EXTRACT (4.4-5.0:1)

ID	Substance Group	Substances
35	HARPAGOPHYTUM	HARPAGOPHYTI EXTRACTUM SICCUM
35	HARPAGOPHYTUM	HARPAGOPHYTUM
35	HARPAGOPHYTUM	HARPAGOPHYTUM PROCUMBENS
35	HARPAGOPHYTUM	HARPAGOPHYTUM PROCUMBENS RADIX DRY EXTRACT (1,5-2,5:1) , WATER
35	HARPAGOPHYTUM	HARPAGOPHYTUM PROCUMBENS ROOT
35	HARPAGOPHYTUM	HARPAGOPHYTUM PROCUMBENS ROOT EXTRACT
35	HARPAGOPHYTUM	HARPAGOPHYTUM PROCUMBENS, KALIUM STIBYLTARTARICUM D6, LEDUM PALUSTRE D4, RHUS TOXICODENDRON D6
36	VISCUM ALBUM	AMBRA GRISEA DIL. D 4, PHOSPHORUS DIL. D 12, SCHOENOCALON OFFICINALE DIL. D 3, TOXICODENDRON QUERCIFOLIUM DIL. D 10, VISCUM ALBUM DIL. D 2
36	VISCUM ALBUM	ANAMIRTA COCCULUS DIL. D 3, VISCUM ALBUM URT,
36	VISCUM ALBUM	AQUEOUS EXTRACT [1:1.1-1.5] FROM NON-LIGNIFIED MISTLETOE TWIGS WITH LEAVES (VSCI ALBI HERBA)
36	VISCUM ALBUM	CACTUS (=SELENICEREUS GRANDIFLORUS) TRIT. D1, GLONIOINUM TRIT. D4, RAUWOLFIA TRIT. D2, VISCUM ALBUMTRIT. D1
36	VISCUM ALBUM	CARTILAGO ARTICULARIS BOVIS GL DIL. D11 (HAB, VS. 41B), SILBERHORNERZ DIL. D5 (HAB, VS. 6), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D2 (HAB, VS. 34I)
36	VISCUM ALBUM	CARTILAGO ARTICULARIS BOVIS GL DIL. D11 (HAB, VS. 41B), SILBERHORNERZ DIL. D5 (HAB, VS. 6), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I)
36	VISCUM ALBUM	CAULOPHYLLUM THALICTROIDES D4, MAGNESIUM CHLORATUM D2, PHOSPHORUS D5, SECALE CORNUTUM D 4, VISCUM ALBUM D1
36	VISCUM ALBUM	CORPUS PINEALE SUI D8, GLANDULA SUPRARENALIS SUI D10, THALAMUS OPTICUS SUI D8, VISCUM ALBUM D10, ADENOSINUM-3',5'-CYCLOPHOSPHORICUM D6
36	VISCUM ALBUM	CORPUS VITREUM BOVIS GL DIL. D7 (HAB, VS. 41B), LENS CRISTALLINA BOVIS GL DIL. D11 (HAB, VS. 41B), ROSAE AETHEROLEUM DIL. D7 (HAB, VS. 5A, LSG. D1 MIT ETHANOL 94% (M/M)), SILBERHORNERZ DIL. D5 (HAB, VS. 6), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I)
36	VISCUM ALBUM	CORPUS VITREUM BOVIS GL DIL. D7 (HAB, VS. 41B), LENS CRISTALLINA BOVIS GL DIL. D11 (HAB, VS. 41B), SILBERHORNERZ DIL. D5 (HAB, VS. 6), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D2 (HAB, VS. 34I)
36	VISCUM ALBUM	CORPUS VITREUM BOVIS GL DIL. D7 (HAB, VS. 41B), LENS CRISTALLINA BOVIS GL DIL. D11 (HAB, VS. 41B), SILBERHORNERZ DIL. D5 (HAB, VS. 6), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D5 (HAB, VS. 34I)
36	VISCUM ALBUM	HYPOPHYSIS BOVIS GL DIL. D5 (HAB, VS. 41A), MAGNESIT DIL. D7, MAMMA BOVIS GL DIL. D5 (HAB, VS. 41C), VISCUM ALBUM (MALI) E PLANTA TOTA FERM 34I DIL. D4 (HAB, VS. 34I), APIS MELLIFICA EX ANIMALE TOTO GL DIL. D5 (HAB, VS. 41C), FUNICULUS UMBILICALIS BOVIS GL DIL. D5 (HAB, VS. 41B)
36	VISCUM ALBUM	SECALE CORNUTUM D 4, ARNICA MONTANA D12, BARIUM IODATUM D6, NICOTIANA TABACUM D8, SOLANUM NIGRUM D4, VISCUM ALBUM D4, PHOSPHORUS D8
36	VISCUM ALBUM	SECALE CORNUTUM D 4, ARNICA MONTANA D12, BARIUM IODATUM D6, NICOTIANA TABACUM D8, VISCUM ALBUM D4, PHOSPHORUS D8
36	VISCUM ALBUM	VISCUM ALBUM (ABIETIS) E PLANTA TOTA K DIL. STÄRKE H (HAB, VS. 38)
36	VISCUM ALBUM	VISCUM ALBUM (MALI) E PLANTA TOTA K DIL. STÄRKE H (HAB, VS. 38)
36	VISCUM ALBUM	VISCUM ALBUM (PINI) E PLANTA TOTA K DIL. STÄRKE H (HAB, VS. 38)
36	VISCUM ALBUM	VISCUM ALBUM (POPULI) E PLANTA TOTA K DIL. STÄRKE H (HAB, VS. 38)
36	VISCUM ALBUM	VISCUM ALBUM D6
36	VISCUM ALBUM	VISCUM ALBUM HERBA
36	VISCUM ALBUM	VISCUM ALBUM M C ARG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM M C CU, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM M C HG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM M, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM P C HG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM P, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM QU C ARG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM QU C CU, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM QU C HG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM QU, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM U C HG, HERBA REC., FERM. AQU. EXTR. 1:5
36	VISCUM ALBUM	VISCUM ALBUM URTINKTUR
36	VISCUM ALBUM	VISCUM ALBUM, DRY EXTRACT, MISTELKRAUT-PULVER
37	LINUM	CARAWAY FRUIT, RHAMNUS FRANGULA L. CORTEX, LINI SEMEN, AGROPYRI RHIZOMA
37	LINUM	DEQUALINIUM CHLORIDE, OXETACAIN, TIOTRICINE
37	LINUM	EXTRACTUM COMPOSITUM (1:1,3-1,6) EX: AGROPYRI RHIZOMATE 12,5 P.,ALLII CEPAE SQUAMA 5,0 P.,BETULAE FOLIO 10,0 P.,FOENUGRAECI SEMINE 15,0 P.,PETROSELINI RADICE 17,5 P.,SOLIDAGINIS HERBA 5,0 P., Equiseti HERBA 10,0 P.,LEVISTICI RADICE 10,0 P.,POLYGONI AVICULARIS HERBA 15,0 P.
37	LINUM	LINI OLEUM VIRGINALE 3:1
37	LINUM	LINI SEMEN
38	PASSIFLORA	ACIDUM PHOSPHORICUM D3, AVENA SATIVA URTINKTUR, STRYCHNOS NUX-VOMICA D5, GELSEMIUM SEMPERVIRENS D5, PASSIFLORA INCARNATA MOTHER TINCTURE, KALIUM PHOSPHORICUM D4, SILICEA D9
38	PASSIFLORA	ACIDUM PHOSPHORICUM DIL. D 4, AVENA SATIVA URT., HUMULUS LUPULUS URT., PASSIFLORA INCARNATA DIL. D 2

ID	Substance Group	Substances
38	PASSIFLORA	AMMONIUM BROMATUM D3, AMANITA MUSCARIA D3, CITRULLUS COLOCYNTHIS D3, CUPRUM SULFURICUM D5, ACONITUM NAPELLUS D5, ATROPINUM SULFURICUM D5, MAGNESIUM PHOSPHORICUM D6, MATRICARIA RECUTITA D2, PASSIFLORA INCARNATA D1, GELSEMIUM SEMPERVIRENS D5, VERATRUM ALBUM D5
38	PASSIFLORA	AMMONIUM BROMATUM D4, CITRULLUS COLOCYNTHIS D4, CUPRUM SULFURICUM D6, ATROPINUM SULFURICUM D6, AMANITA MUSCARIA D4, MATRICARIA RECUTITA D3, MAGNESIUM PHOSPHORICUM D6, PASSIFLORA INCARNATA D2, GELSEMIUM SEMPERVIRENS D6, VERATRUM ALBUM D6, ACONITUM NAPELLUS D6
38	PASSIFLORA	AVENA SATIVA D1, PASSIFLORA INCARNATA D1
38	PASSIFLORA	AVENA SATIVA D2, COFFEA ARABICA D12, PASSIFLORA INCARNATA D2, ZINCUM ISOVALERIANICUM D4
38	PASSIFLORA	AVENA SATIVA D2, COFFEA ARABICA D12, ZINCUM ISOVALERIANICUM D4, PASSIFLORA INCARNATA D2
38	PASSIFLORA	AVENA SATIVA DIL. D 3, HUMULUS LUPULUS DIL. D 3, PASSIFLORA INCARNATA DIL. D 3, ZINCUM ISOVALERIANICUM DIL. D 6
38	PASSIFLORA	AVENA SATIVA URT., GELSEMIUM SEMPERVIRENS TRIT. D 4, PASSIFLORA INCARNATA URT., IGNATIA TRIT. D4
38	PASSIFLORA	AVENA SATIVA URTINKTUR, COFFEA ARABICA D4, KALIUM PHOSPHORICUM D3, ZINCUM METALLICUM DIL. D8, PASSIFLORA INCARNATA MOTHER TINCTURE, HUMULUS LUPULUS D2
38	PASSIFLORA	ETHANOL, GELSEMIUM DIL. D4, PULSATILLA PRATENSIS DIL. D4, PASSIFLORA INCARNATA DIL. D2, LYCOPUS VIRGINICUS D2 DIL.
38	PASSIFLORA	GELSEMIUM SEMPERVIRENS, MATRICARIA RECUTITA, PASSIFLORA INCARNATA, STRAMONIUM, HYOSCYAMUS NIGER, KALIUM BROMATUM
38	PASSIFLORA	GELSEMIUM, MATRICARIA RECUTITA, PASSIFLORA INCARNATA, STRAMONIUM, HYOSCYAMUS NIGER, KALIUM BROMATUM
38	PASSIFLORA	HOPS, JAMAICA DOGWOOD, WILD LETTUCE DRY EXTRACT, PASSIFLORA DRY EXTRACT, PULSATILLA DRY EXTRACT
38	PASSIFLORA	LUPULUS, AVENA SATIVA, COFFEA ARABICA, PASSIFLORA INCARNATA, ZINC VALERATE DIHYDRATE
38	PASSIFLORA	PASSIFLORA HERB FLUID EXTRACT (DER 1:1, EXTRACTION MEDIUM ETHANOL 70% V/V)
38	PASSIFLORA	PASSIFLORA INCARNATA DRY EXTRACT
38	PASSIFLORA	PASSIFLORA INCARNATA DRY EXTRACT (7:1)
38	PASSIFLORA	PASSIFLORA INCARNATA LIQUID EXTRACT
38	PASSIFLORA	PASSIFLORA INCARNATA, GELSEMIUM SEMPERVIRENS D4, VERATRUM ALBUM D6, COFFEA D6, RESERPINUM D6
38	PASSIFLORA	PASSIFLORA INCARNATA, GELSEMIUM SEMPERVIRENS D4, VERATRUM ALBUM D6, COFFEA D6, RESERPINUM D8
38	PASSIFLORA	PASSIFLORA INCARNATA, STRAMONIUM, HYOSCYAMUS NIGER, BALLOTA FOETIDA, NUX MOSCHATA
38	PASSIFLORA	PASSIFLORA INCARNATA, STRAMONIUM, HYOSCYAMUS NIGER, NUX MOSCHATA
38	PASSIFLORA	PASSIFLORAE HERBAE EXTRACTUM SICCCUM
38	PASSIFLORA	SALIX ALBA SSP. VITELLINA E CORTICE ET FOLIIS FERM 33D DIL. D2 (HAB, VS. 33D), PASSIFLORA CAERULEA EX HERBA FERM 33C DIL. D2 (HAB, VS. 33C), CRATAEGUS LAEVIGATA/MONOGYNA E FOLIIS ET FRUCTIBUS FERM 33D DIL. D2 (HAB, VS. 33D)
38	PASSIFLORA	SALIX, PASSIFLORA INCARNATA L. HERBA, CRATAEGUS OXYACANTHA WHOLE
39	HEDERA	DRY EXTRACT OF HEDERA LEAVES [3 - 6 : 1]
39	HEDERA	DRY EXTRACT OF IVY LEAVES (6-7:1) NATIVE
39	HEDERA	HEDERA HELIX
39	HEDERA	HEDERAE HELICIS FOLIUM
39	HEDERA	IVY LEAF DRY EXTRACT (DER 4-8:1)
39	HEDERA	IVY LEAF DRY EXTRACT (DER 6-7:1) PREPARATION
39	HEDERA	IVY LEAF DRY EXTRACT (ETHANOL 40% V/V), DER NATIVE 6-7:1
39	HEDERA	IVY LEAVES DRY EXTRACT (5-7.5:1), EXTRACTIVE AGENT: ETHANOL 30% (W/W)
39	HEDERA	IVY LEAVES, DRY EXTRACT
39	HEDERA	IVY LEAVES, DRY EXTRACT; EXTRACTION MEDIUM ETHANOL 30% (M/M)
39	HEDERA	LEONURUS CARDIACA MOTHER TINCTURE, THYREOIDINUM E GLAND. THYREOID. SUIS D 12, SPONGIA DIL. D3, HEDERA HELIX, JODUM D15, LYCOPUS VIRGINICUS MOTHER TINCTURE
39	HEDERA	THYME EXTRACT, IVY LEAVES, DRY EXTRACT
39	HEDERA	THYMUS VULGARIS HERBA, EXTRACT, GLYCYRRHIZA EXTRACT, HEDERAE HELICIS FOLIUM
39	HEDERA	THYREOIDINUM E GLAND. THYREOID. SUIS D 12, LEONURUS CARDIACA TRIT. D1, HEDERA HELIX, LYCOPUS VIRGINICUS, SPONGIA, JODUM D15
40	ILICIIUM VERUM	LICHEN ISLANDICUS / CLADONIA RANGIFERINA / USNEA BARBATA, AQU. EXTR. 1:6, STICTA Ø, HONEY, STAR ANISE OIL
40	ILICIIUM VERUM	SODIUM HYDROGEN CARBONATE, SODIUM BENZOATE, AMMONIUM CHLORIDE, STAR ANISE OIL, THERMOPSISIDIS EXTRACTUM SICCCUM, GLYCYRRHIZAE EXTRACTUM SICCCUM
40	ILICIIUM VERUM	STAR ANISE OIL
40	ILICIIUM VERUM	STAR ANISE OIL, THYMUS HERB LIQUID EXTRACT
40	ILICIIUM VERUM	THYME LIQUID EXTRACT, STAR ANISE OIL
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225)
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ALOPECURUS PRATENSIS (203), DACTYLIS GLOMERATA (214), FESTUCA PRATENSIS (218), LOLIUM PERENNE (223)
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ALOPECURUS PRATENSIS (203), DACTYLIS GLOMERATA (214), FESTUCA PRATENSIS (218), LOLIUM PERENNE (223), ALUMINIUM HYDROXIDE, HYDRATED
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ALUMINIUM HYDROXIDE, HYDRATED
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ARRHENATHERUM ELATIUS (205), DACTYLIS GLOMERATA (214), FESTUCA PRATENSIS (218), LOLIUM PERENNE (223), POA PRATENSIS (228)
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ARRHENATHERUM ELATIUS (205), DACTYLIS GLOMERATA (214), FESTUCA PRATENSIS (218), LOLIUM PERENNE (223), POA PRATENSIS (228), ALUMINIUM HYDROXIDE, HYDRATED
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), ARRHENATHERUM ELATIUS (205), DACTYLIS GLOMERATA (214), FESTUCA PRATENSIS (218), LOLIUM PERENNE (223), POA PRATENSIS (228), SECALE CEREALE (231), ALUMINIUM HYDROXIDE, HYDRATED

ID	Substance Group	Substances
41	PHLEUM PRATENSE	PHLEUM PRATENSE (225), DACTYLIS GLOMERATA (214), LOLIUM PERENNE (223), ALUMINIUM HYDROXIDE, HYDRATED
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, ANTHOXANTHUM ODORATUM, LOLIUM PERENNE, POA PRATENSIS, ARRHENATHERUM ELATIUS, SECALE CEREALE POLLEN, HOLCUS LANATUS POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, ARRHENATHERUM ELATIUS, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, LOLIUM PERENNE POLLEN EXTRACT, POA PRATENSIS POLLEN EXTRACT, FESTUCA ELATIOR POLLEN EXTRACT, DACTYLIS GLOMERATA POLLEN EXTRACT
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ALNUS GLUTINOSA POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN, BETULA VERRUCOSA POLLEN, CORYLUS AVELLANA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ALNUS GLUTINOSA POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN, BETULA VERRUCOSA POLLEN, CORYLUS AVELLANA POLLEN, PARIETARIA SP. POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN, BETULA VERRUCOSA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, TRITICUM AESTIVUM POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE, DACTYLIS GLOMERATA, ANTHOXANTHUM ODORATUM, LOLIUM PERENNE, POA PRATENSIS, SECALE CEREALE, ARRHENATHERUM ELATIUS, HOLCUS LANATUS POLLEN, AGROSTIS STOLONIFERA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE, DACTYLIS GLOMERATA, ANTHOXANTHUM ODORATUM, SECALE CEREALE, ARRHENATHERUM ELATIUS, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, HOLCUS LANATUS POLLEN, AGROSTIS STOLONIFERA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE, HOLCUS LANATUS, ANTHOXANTHUM ODORATUM, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ARRHENATHERUM ELATIUS POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PHLEUM PRATENSE, HOLCUS LANATUS, DACTYLIS GLOMERATA, ANTHOXANTHUM ODORATUM, LOLIUM PERENNE, POA PRATENSIS, SECALE CEREALE, ARRHENATHERUM ELATIUS, AGROSTIS STOLONIFERA POLLEN, FESTUCA RUBRA POLLEN
41	PHLEUM PRATENSE	PLANT POLLEN ALLERGENS MIXTURE: SECALE CEREALE, AGROSTIS ALBA, ALOPECURUS PRATENSIS, ANTHOXANTHUM ODORATUM, APERA SPICA VENTI, ARRHENATHERUM ELATIUS, CYNOSURUS CRISTATUS, DACTYLIS GLOMERATA, FESTUCA PRATENSIS, HOLCUS LANATUS, LOLIUM PERENNE, PHLEUM PRATENSE, POA SP.
41	PHLEUM PRATENSE	TRITICUM SATIVUM, PHLEUM PRATENSE POLLEN, POA PRATENSIS POLLEN, LOLIUM PERENNE POLLEN, SECALE CEREALE POLLEN, ARRHENATHERUM ELATIUS POLLEN, HOLCUS LANATUS POLLEN, ANTHOXANTHUM ODORATUM POLLEN, AGROSTIS STOLONIFERA POLLEN, DACTYLIS GLOMERATA POLLEN, FESTUCA RUBRA POLLEN
42	DAUCUS CAROTA	CARROT
42	DAUCUS CAROTA	DAUCUS CAROTA (620)
42	DAUCUS CAROTA	SHEPHERD'S PURSE, WILD CARROT, UVA URSI DRY EXTRACT, CLIVERS DRY EXTRACT, JUNIPER BERRY OIL
43	APIUM GRAVEOLENS	APIUM GRAVEOLENS (650)
43	APIUM GRAVEOLENS	CELERY
43	APIUM GRAVEOLENS	CELERY LEAF
44	ANGELICA	ANGELICA ROOT, CARAWAY FRUIT, GENTIAN ROOT, WORMWOOD, CHICORY ROOT
44	ANGELICA	ARCHANGELICA, ETHANOL. DECOCTUM Ø
44	ANGELICA	ROSMARINI AETHEROLEUM, PINI PUMILIONIS AETHEROLEUM, CEPA DIL. D2, ANGELICA ARCHANGELICA, RADIX REC., FERM. PRESSSAFT, ALLIUM SATIVUM DIL. D2, HONEY, PINI SILVESTRIS AETHEROLEUM, LAVANDULAE AETHEROLEUM
45	CORYLUS	ALNUS GLUTINOSA (106), BETULA VERRUCOSA (PENDULA) (108), CORYLUS AVELLANA (113)
45	CORYLUS	ALNUS GLUTINOSA (106), BETULA VERRUCOSA (PENDULA) (108), CORYLUS AVELLANA (113), ALUMINIUM HYDROXIDE, HYDRATED
45	CORYLUS	ALNUS GLUTINOSA L., CORYLUS AVELLANA L., BETULA VERRUCOSA POLLEN
45	CORYLUS	ALNUS GLUTINOSA POLLEN, BETULA VERRUCOSA POLLEN, CORYLUS AVELLANA POLLEN
45	CORYLUS	ALNUS MILL., CORYLUS AMERICANA WALTER, BIRCH
45	CORYLUS	BETULA ALBA POLLEN EXTRACT, ALNUS GLUTINOSA POLLEN EXTRACT, CORYLUS AVELLANA POLLEN EXTRACT
45	CORYLUS	CORYLUS AMERICANA POLLEN
45	CORYLUS	CORYLUS AMERICANA WALTER
45	CORYLUS	CORYLUS AVELLANA L.
45	CORYLUS	CORYLUS AVELLANA L., ALNUS GLUTINOSA POLLEN, BETULA VERRUCOSA POLLEN
45	CORYLUS	CORYLUS AVELLANA (113)
45	CORYLUS	CORYLUS AVELLANA (113), ALUMINIUM HYDROXIDE, HYDRATED
45	CORYLUS	CORYLUS AVELLANA (761)
45	CORYLUS	CORYLUS AVELLANA L.

ID	Substance Group	Substances
45	CORYLUS	CORYLUS AVELLANA POLLEN
45	CORYLUS	CORYLUS AVELLANA POLLEN EXTRACT
45	CORYLUS	HAZELNUT EXTRACT
45	CORYLUS	PLANT POLLEN ALLERGENS MIXTURE: ALNUS SP., BETULA SP., CORYLUS AVELLANA
45	CORYLUS	TREE POLLEN ALERGOIDS MIXTURE: ALNUS SP., BETULA SP., CORYLUS AVELLANA
46	ULMUS	BRYONIA MOTHER TINCTURE, CINCHONA PUBESCENS DIL. D3, LEDUM DIL D2, THUJA DIL D1, COLCHICUM DIL. D1, BERBERIS MOTHER TINCTURE, RHUS TOXICODENDRON DIL. D3, DULCAMARA DIL. D3, ULMUS CAMPESTRI DIL. D3, NATRIUM NITRICUM DIL. D3
46	ULMUS	ULMUS CAMPESTRIS L.
47	AMBROSIA	AMBROSIA ARTEMISIIFOLIA (302)
47	AMBROSIA	AMBROSIA ELATIOR
47	AMBROSIA	HIGH AMBROSIA
47	AMBROSIA	RAGWEED POLLEN
47	AMBROSIA	SOLIDAGO VIRGAUREA, ALLIUM CEPA, EUPHRASIA OFFICINALIS, SABADILLA OFFICINALIS, AMBROSIA ARTEMISIIFOLIA L., HISTAMINUM MURIATICUM
47	AMBROSIA	SOLIDAGO VIRGAUREA, ALLIUM CEPA, EUPHRASIA OFFICINALIS, SABADILLA, AMBROSIA ARTEMISIIFOLIA L., HISTAMINUM MURIATICUM
48	VERATRUM ALBUM	ALOE D10, ALOE D2, ALOE D30, POTENTILLA RECTA D10, POTENTILLA RECTA D30, POTENTILLA RECTA Ø, RHEUM D1, RHEUM D10, RHEUM D30, VERATRUM ALBUM D10, VERATRUM ALBUM D2, VERATRUM ALBUM D200, VERATRUM ALBUM D30
48	VERATRUM ALBUM	BERBERIS VULGARIS D2, CITRULLUS COLOCYNTHIS D10, CITRULLUS COLOCYNTHIS D2, CITRULLUS COLOCYNTHIS D200, CITRULLUS COLOCYNTHIS D30, BERBERIS VULGARIS D10, BERBERIS VULGARIS D200, BERBERIS VULGARIS D30, VERATRUM ALBUM D10, VERATRUM ALBUM D200, VERATRUM ALBUM D3, VERATRUM ALBUM D30
48	VERATRUM ALBUM	CAMPHORA D2, VERATRUM ALBUM D6, NICOTIANA TABACUM D6, GLONOINUM D12, ACIDUM HYDROCYANICUM D12
48	VERATRUM ALBUM	CAMPHORA DIL. D3 AQUOS. (HAB, SV 5B), HYPOPHYSIS BOVIS GL DIL. D7 (HAB, VS. 41A), SKORODIT DIL. D5, VERATRUM ALBUM E RADICE FERM 33C DIL. D3 (HAB, VS. 33C), PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM 33D DIL. D5 (HAB, VS. 33D)
48	VERATRUM ALBUM	CITRULLUS COLOCYNTHIS D10, CITRULLUS COLOCYNTHIS D200, CITRULLUS COLOCYNTHIS D30, CITRULLUS COLOCYNTHIS D4, BERBERIS VULGARIS D10, BERBERIS VULGARIS D200, BERBERIS VULGARIS D30, BERBERIS VULGARIS D4, VERATRUM ALBUM D10, VERATRUM ALBUM D200, VERATRUM ALBUM D30, VERATRUM ALBUM D5
48	VERATRUM ALBUM	CUPRUM ACETICUM TRIT D 3, DATURA STRAMONIUM TRIT. D 6, GRATIOLA OFFICINALIS TRIT. D 3, HYOSCYAMUS NIGER TRIT. D 4, MAGNESIUM CHLORATUM TRIT. D 3, VERATRUM ALBUM TRIT. D 4
48	VERATRUM ALBUM	GELSEMIUM SEMPERVIRENS DIL. D 6, CUPRUM METALLICUM DIL. D 10, SECALE CORNUTUM DIL. D 4, VERATRUM ALBUM DIL. D 6, GNAPHALIUM POLYCEPHALUM (HAB 34) D6
48	VERATRUM ALBUM	MERCURIUS SOLUBILIS HAHNEMANNI D8, VERATRUM ALBUM D4, ARGENTUM NITRICUM D12, CARBO VEGETABILIS D10, IODUM D8, LYCOPODIUM CLAVATUM D6, MANDRAGORA E RADICE SICCATA D8, PODOPHYLLUM PELTATUM D6, MOMORDICA BALSAMINA D6
48	VERATRUM ALBUM	PHOSPHORUS DIL. D 10, BISMUTUM SUBNITRICUM DIL. 10, CINCHONA PUBESCENS DIL. D 6, GENTIANA LUTEA DIL. D 3, SOLANUM DULCAMARA DIL. D 4, STIBIUM SULFURATUM NIGRUM DIL. D 10, VERATRUM ALBUM DIL. D 4
48	VERATRUM ALBUM	VERATRI TINCTURA
48	VERATRUM ALBUM	VERATRUM ALBUM D3
48	VERATRUM ALBUM	VERATRUM ALBUM D4, ACIDUM ARSENICOSUM D8, CITRULLUS COLOCYNTHIS D6, ARGENTUM NITRICUM D8, COLCHICUM AUTUMNALE D6, HYDRARGYRUM BICHLORATUM D8, PODOPHYLLUM PELTATUM D6
48	VERATRUM ALBUM	VERATRUM ALBUM D4, CITRULLUS COLOCYNTHIS D10, CITRULLUS COLOCYNTHIS D200, CITRULLUS COLOCYNTHIS D30, CITRULLUS COLOCYNTHIS D4, BERBERIS VULGARIS D10, BERBERIS VULGARIS D200, BERBERIS VULGARIS D30, BERBERIS VULGARIS D4, VERATRUM ALBUM D10, VERATRUM ALBUM D200, VERATRUM ALBUM D30
48	VERATRUM ALBUM	VERATRUM ALBUM E RADICE FERM 33C DIL. D3 (HAB, VS. 33C)
49	GENTIANA	ACONITUM NAPELLUS D6, GENTIANA LUTEA D1, BRYONIA CRETICA D6, FERRUM PHOSPHORICUM D12, ACIDUM LACTICUM D12
49	GENTIANA	BRYONIA D6, ACONITUM NAPELLUS D6, GENTIANA LUTEA D1, FERRUM PHOSPHORICUM D12, ACIDUM LACTICUM D12
49	GENTIANA	CINCHONA BARK, GENTIAN ROOT, AURANTII PERICARPIUM, CINNAMOMI CORTEX
49	GENTIANA	CINCHONA PUBESCENS D3, GENTIANA LUTEA D3, STRYCHNOS NUX VOMICA DIL. D3
49	GENTIANA	GENTIAN ROOT DRY EXTRACT
49	GENTIANA	GENTIAN TINCTURE
49	GENTIANA	GENTIAN TINCTURE (1 : 5) EXTRACTION AGENTS: ETHANOL 70 (PER CENT)
49	GENTIANA	GENTIANA LUTEA RH DIL. D1
49	GENTIANA	GENTIANA LUTEA, ETHANOL. DECOCTUM DIL. D1
49	GENTIANA	GENTIANA LUTEA, ETHANOL. DECOCTUM DIL. D1, NUX MOSCHATA DIL. D4, NUX VOMICA DIL. D4
49	GENTIANA	MEADOWSWEET LIQUID EXTRACT, GENTIAN INFUSION, EUONYMUS TINCTURE BPC 1949
49	GENTIANA	THIAMINE HYDROCHLORIDE, NICOTINAMIDE, CAFFEINE, GENTIAN INFUSION
50	SOLIDAGINIS	BEARBERRY EXTRACT, SOLIDAGINIS EXTRACT
50	SOLIDAGINIS	DICKEXTRAKT AUS BETULAE FOLIUM (BIRKENBLÄTTER, DEV 4-8 : 1) (AUSZUGSMITTEL: WASSER), DICKEXTRAKT AUS SOLIDAGINIS HERBA (RIESENOLDRUTENKRAUT, DEV 4-7 :1) (AUSZUGSMITTEL: WASSER)
50	SOLIDAGINIS	EUROPEAN GOLDENROD DRY EXTRACT (5-7:1)
50	SOLIDAGINIS	EXTRACTUM COMPOSITUM SICCUM EX: SALICIS CORTICE, SOLIDAGINIS HERBA
50	SOLIDAGINIS	FRAXINI CORTEX, EXTRACTUM, POPULI CORTEX ET FOLIUM, EXTRACTUM, SOLIDAGINIS HERBA, EXTRACTUM
50	SOLIDAGINIS	GOLDENROD REAL-DRIED EXTRACT
50	SOLIDAGINIS	SOLIDAGINIS EXTRACT

ID	Substance Group	Substances
50	SOLIDAGINIS	SOLIDAGINIS HERBA
50	SOLIDAGINIS	SOLIDAGINIS HERBA, BETULA LEAF EXTRACT
50	SOLIDAGINIS	SOLIDAGINIS HERBA, FOLIUM UVA URSI, URTICAE HERBA
51	DACTYLIS	COCKSFOOT
51	DACTYLIS	COCKSFOOT POLLEN
51	DACTYLIS	DACTYLIS GLOMERATA
51	DACTYLIS	DACTYLIS GLOMERATA (214)
51	DACTYLIS	DACTYLIS GLOMERATA POLLEN EXTRACT
51	DACTYLIS	GRASS POLLEN ALLERGEN EXTRACT FROM COCKSFOOT , SWEET VERNAL GRASS , RYE GRASS , MEADOW GRASS AND TIMOTHY
52	VITEX AGNUS-CASTUS	AGNUS CASTUS FRUIT DRY EXTRACT (10-16:1)
52	VITEX AGNUS-CASTUS	DRY EXTRACT OF AGNUS CASTUS FRUIT (7-13:1)
52	VITEX AGNUS-CASTUS	ECHINACEA D2, ACIDUM CARBOLICUM D8, ALUMINIUM OXYDATUM D10, CONIUM MACULATUM D4, DAPHNE MEZEREUM D4, ARGENTUM NITRICUM D6, HEPAR SULFURIS D10, HYDRASTIS CANADENSIS D6, KREOSOTUM D6, LILIUM LANCIFOLIUM D4, THUJA OCCIDENTALIS D2, VITEX AGNUS CASTUS D3
52	VITEX AGNUS-CASTUS	GELSEMIUM SEMPERVIRENS DIL. D 6, AURUM METALLICUM DIL. D 8, CHININUM ARSENICOSUM DIL. D 6, KALIUM PHOSPHORICUM DIL. D 8, LUPULINUM (HAB 34) DIL. D 4 [HAB, V. 4A, URT. MIT ETHANOL 86 % (M/M)], STRYCHNOS IGNATII DIL. D 6, VITEX AGNUS-CASTUS DIL. D 6
52	VITEX AGNUS-CASTUS	IGNATIA DIL. D4, AGNUS CASTUS DIL. D2, ALETRIS FARINOSA DIL. D3, PULSATILLA DIL. D4, HELONIAS DIOICA DIL. D3, LILIUM TIGRINUM DIL. D3, SENECIO AUREUS DIL. D5, CAULOPHYLLUM THALICTROIDES DIL. D2, CIMICIFUGA DIL. D3, FRAXINUS AMERICANA DIL. D3
52	VITEX AGNUS-CASTUS	IGNATIA DIL. D4, AGNUS CASTUS DIL. D2, CIMICIFUGA DIL. D6, ALETRIS FARINOSA DIL. D3, PULSATILLA DIL. D4, HELONIAS DIOICA DIL. D3, LILIUM TIGRINUM DIL. D3, SENECIO AUREUS DIL. D5, CAULOPHYLLUM THALICTROIDES DIL. D2
52	VITEX AGNUS-CASTUS	TROCKENEXTRAKT AUS KEUSCHLAMMFRÜCHTEN (7-13 : 1)
52	VITEX AGNUS-CASTUS	VITEX AGNUS CASTUS
52	VITEX AGNUS-CASTUS	VITEX AGNUS CASTUS, DRY FRUIT EXTRACT
52	VITEX AGNUS-CASTUS	VITEX AGNUS-CASTUS
53	FOENICULUM	EXTRACTUM FLUIDUM COMPOSITUM EX: RHEI RADICE, FRANGULAE CORTICE, FOENICULI FRUCTU, CARVI FRUCTU
53	FOENICULUM	FOENICULI FRUCTUS
54	RHAMNUS	RHAMNUS FRANGULA L. CORTEX
54	RHAMNUS	RHAMNUS FRANGULA L. CORTEX, STERCULIA GUM
55	CYNARA	(CYNARAE FOLIUM EXTRACTUM SICCUM) (25-35:1)
55	CYNARA	APHLOIA (AQUEOUS DRY EXTRACT ON MALTODEXTRIN OF LEAVES), CHIMAPHILA UMBELLATA (AQUEOUS DRY EXTRACT ON MALTODEXTRIN OF AERIAL PARTS), ARTICHOKE (AQUEOUS DRY EXTRACT ON MALTODEXTRIN OF LEAVES)
55	CYNARA	ARTICHOKE LEAF DRY EXTRACT
55	CYNARA	ARTICHOKE LEAF DRY EXTRACT (4-6:1); EXTRACTION AGENT: WATER
55	CYNARA	ARTICHOKE LEAVES, AQUEOUS LIQUID EXTRACT, GENTIAN ROOT, AQUEOUS LIQUID EXTRACT, TUMERIC ROOT, AQUEOUS LIQUID EXTRACT, GINGER, AQUEOUS LIQUID EXTRACT, DANDELION, AQUEOUS LIQUID EXTRACT, YARROW, AQUEOUS LIQUID EXTRACT, BITTER FENNEL, AQUEOUS LIQUID EXTRACT, MATRICARIA FLOWER, AQUEOUS LIQUID EXTRACT, BITTER ORANGE PEEL, AQUEOUS LIQUID EXTRACT, BLESSED THISTLE, AQUEOUS LIQUID EXTRACT, BOGBean LEAVES, AQUEOUS LIQUID EXTRACT, CARDAMOM, AQUEOUS LIQUID EXTRACT, WORMWOOD, AQUEOUS LIQUID EXTRACT
55	CYNARA	ARTISCHOCKENBLAETTER-TROCKENEXTRAKT
55	CYNARA	CYNARA SCOLYMUS
55	CYNARA	CYNARA SCOLYMUS LEAF
55	CYNARA	CYNARAE FOLII EXTRACTUM SICCUM
55	CYNARA	CYNARAE FOLIUM EXTRACTUM SICCUM (5.8 - 7.5 : 1), WATER
55	CYNARA	CYNARAE HERBAE EXTRACTUM SICCUM
55	CYNARA	CYNARINE, BOLDINE, CASCARA EXTRACT, ALOE
55	CYNARA	DRY EXTRACT FROM FRESH ARTICHOKE LEAVES
55	CYNARA	NATIVE DRY EXTRACT OF ARTICHOKE LEAF
55	CYNARA	SOFT EXTRACT OF ARTICHOKE
56	ARTEMISIA	ARTEMISIA ABROTANUM D1, BERBERIS VULGARIS D5, COLCHICINUM D6 (HAB1, VORSCHRIFT 5A)
56	ARTEMISIA	ARTEMISIA ABSINTHIUM D3, MATRICARIA RECUTITA D2, GENTIANA LUTEA D3, JUNIPERUS COMMUNIS D3
56	ARTEMISIA	ARTEMISIA ABSINTHIUM EX HERBA, INFUSUM DIL. D3 (HAB, VS. 24A), GENTIANA LUTEA E RADICE, DECOCTUM DIL. D3 (HAB, VS. 23A), STRYCHNOS NUX-VOMICA E SEMINE FERM 35B DIL. D5 (HAB, VS. 35B), TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D2 (HAB, VS. 34C)
56	ARTEMISIA	ARTEMISIA ABSINTHIUM EX HERBA, INFUSUM Ø (HAB, VS. 24A), GENTIANA LUTEA E RADICE, DECOCTUM Ø (HAB, VS. 23A), STRYCHNOS NUX-VOMICA E SEMINE FERM 35B DIL. D4 (HAB, VS. 35B), TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C Ø (HAB, VS. 34C)
56	ARTEMISIA	ARTEMISIA ABSINTHIUM L. HERBA
56	ARTEMISIA	ARTEMISIA VULGARIS
56	ARTEMISIA	ARTEMISIA VULGARIS (312)

ID	Substance Group	Substances
56	ARTEMISIA	ARTEMISIA VULGARIS (312), ALUMINIUM HYDROXIDE, HYDRATED
56	ARTEMISIA	ARTEMISIA VULGARIS POLLEN
56	ARTEMISIA	ARTEMISIA VULGARIS POLLEN EXTRACT
56	ARTEMISIA	COLCHICINUM D8, ARTEMISIA ABROTANUM D4, BERBERIS VULGARIS D5
56	ARTEMISIA	GELSEMIUM SEMPERVIRENS DIL. D4, ARTEMISIA ABSINTHIUM Ø, ATROPINUM SULFURICUM D4
56	ARTEMISIA	MUGWORT
56	ARTEMISIA	MUGWORT POLLEN
57	ARCTOSTAPHYLOS UVA-U	ACONITUM NAPELLUS TRIT. D 4, ARCTOSTAPHYLOS UVA-URSI TRIT. D 2, CITRULLUS COLOCYNTHIS TRIT. D 4, HYDRAGYRUM BICHLORATUM TRIT. D 8, LYTTA VESICATORIA TRIT. D 4, SOLANUM DULCAMARA TRIT. D 3, THUJA OCCIDENTALE TRIT. D 3
57	ARCTOSTAPHYLOS UVA-U	ARCTOSTAPHYLOS UVA-URSI (L.) SPRENG FOLIUM
57	ARCTOSTAPHYLOS UVA-U	ARCTOSTAPHYLOS UVA-URSI, SOLIDAGO VIRGAUREA L., HERBA
57	ARCTOSTAPHYLOS UVA-U	BEARBERRY EXTRACT
57	ARCTOSTAPHYLOS UVA-U	TEREBINTHINAE AETHEROLEUM RECTIFICATUM DIL. D5, PETROSELINUM CRISpum CONVAR. CRISpum DIL. D2, LYTTA VESICATORIA DIL. D3, ARCTOSTAPHYLOS UVA-URSI DIL. D3, ASPARAGUS OFFICINALIS DIL. D3
58	VACCINIUM MYRTILLUS	ACIDUM ACETYSALICYLICUM D10, ACIDUM ASCORBICUM D6, ACIDUM L(+)-LACTICUM D6, ANTHRACHINONUM D10, COENZYM A D10, CONIUM MACULATUM D4, ACIDUM THIOCTICUM D8, COLCHICUM AUTUMNALE D4, GALIUM APARINE D6, HISTAMINUM D10, HYDRASTIS CANADENSIS D4, MAGNESIUM GLUCONICUM D10, MANGANUM PHOSPHORICUM D8, NADIDUM D10, NAPHTHOCHINONUM D10, NATRIUM DIETHYLOXALACETICUM D8, NATRIUM RIBOFLAVINUM PHOSPHORICUM D6, NICOTINAMIDUM D6, P-BENZOCHINONUM D10, PODOPHYLLUM PELTATUM D4, THIAMINUM HYDROCHLORICUM D6, TRICHINOYLUM D10, UBIDECARENONUM D10, PYRIDOXINUM HYDROCHLORICUM D6, HYDROCHINONUM D8, SULFUR D8, VACCINIUM MYRTILLUS D4, ADENOSINUM TRIPHOSPHORICUM D10
58	VACCINIUM MYRTILLUS	BETACAROTENE, ANTHOCYANOSIDIC EXTRACT OF VACCINIUM MYRTILLUS
58	VACCINIUM MYRTILLUS	BILBERRY FRUIT, DRIED
58	VACCINIUM MYRTILLUS	DRY HYDROALCOHOLIC EXTRACT OF VACCINIUM MYRTILLUS
58	VACCINIUM MYRTILLUS	MYRTILLUS
58	VACCINIUM MYRTILLUS	VACCINIUM MYRTILLUS ANTHOCYANOSIDES
59	CITRONELLA	CINCHOCAINE HYDROCHLORIDE, NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, COBALT CHLORIDE, COLOPHONY, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, NICKEL SULFATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, EPOXY RESIN, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS, BALSAM OF PERU
59	CITRONELLA	CINCHOCAINE HYDROCHLORIDE, NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, PERU BALSAM, COBALT CHLORIDE, COLOPHONY, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, NICKEL SULFATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS, BISPHENOL DIGLYCIDYL ETHER
59	CITRONELLA	CINCHOCAINE HYDROCHLORIDE, NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, PERU BALSAM, COBALT CHLORIDE, COLOPHONY, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, NICKEL SULFATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, EPOXY RESIN, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS
59	CITRONELLA	CINCHOCAINE HYDROCHLORIDE, NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, PERU BALSAM, COBALT CHLORIDE, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, NICKEL SULFATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, EPOXY RESIN, COLOPHONIUM, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS
59	CITRONELLA	CINCHOCAINE HYDROCHLORIDE, NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, PERU BALSAM, COLOPHONY, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, ETHYLENEDIAMINE DIHYDROCHLORIDE, EPOXY RESIN, COBALT CHLORIDE HEXAHYDRATE, NICKEL SULFATE HEXAHYDRATE, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS
59	CITRONELLA	CITRONELLA OIL
59	CITRONELLA	CITRONELLAE AETHEROLEUM 10 %
59	CITRONELLA	NEOMYCIN SULFATE, TETRACAINE HYDROCHLORIDE, BENZOCAINE, CHLORQUINALDOL, CLIOQUINOL, COBALT CHLORIDE, COLOPHONY, EUGENOL, POTASSIUM DICHROMATE, WOOL ALCOHOLS, NICKEL SULFATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, EPOXY RESIN, CINNAMALDEHYDE, GERANIOL, HYDROXYCITRONELLAL, CINNAMYL ALCOHOL, ISOEUGENOL, A-AMYL CINNAMALDEHYDE, OAK MOSS, BALSAM OF PERU, DIBUCAINE HYDROCHLORIDE
60	CENTELLA	AURUM METALLICUM DIL. D 6, CENTELLA ASIATICA DIL. D 4, CHAMAELIRIUM LUTEUM DIL. D 3, HYDRASTIS CANADENSIS DIL. D 4, KREOSOTUM DIL. D 8, MAGNESIUM CHLORATUM DIL. D 4, TILIA EUROPAEA (HAB 34) DIL. D 3
60	CENTELLA	CENTELLA ASIATICA
60	CENTELLA	CENTELLA ASIATICA DIL. D 4, DAPHNE MEZEREUM DIL. D 4, SMILAX DIL. D 4, SOLANUM DULCAMARA DIL. D 4, THUJA OCCIDENTALE DIL. D 3
60	CENTELLA	CENTELLA ASIATICA EXTRACT
60	CENTELLA	NEOMYCIN SULFATE, CENTELLA ASIATICA EXTRACT
60	CENTELLA	TETRACAINE HYDROCHLORIDE, CENTELLA ASIATICA EXTRACT
61	GARLIC	GARLIC
61	GARLIC	GARLIC POWDER
61	GARLIC	GARLIC POWDER, GARLIC OIL, ECHINACEA DRY EXTRACT
61	GARLIC	GARLIC POWDER, HAWTHORN BERRIES, HUMULUS LUPULUS EXTRACT, MISTLETOE EXTRACT, SOPHORA JAPONICA FLOWER

ID	Substance Group	Substances
61	GARLIC	GARLIC POWDER, HAWTHORN BERRIES, MISTLETOE EXTRACT, SOPHORA JAPONICA FLOWER
61	GARLIC	HAWTHORN BERRIES, GARLIC, VISCUM ALBUM, RUTOSIDE TRIHYDRATE
62	CASCARA	CASCARA DRY EXTRACT
62	CASCARA	CASCARA DRY EXTRACT, ALOE FEROX, RHAMNUS PURSHIANUS
62	CASCARA	CASCARA ESTRATTO SECCO ACQUOSO, RHUBARB SOFT EXTRACT, GENTIAN SOFT EXTRACT, BOLDO SOFT EXTRACT
62	CASCARA	CASCARAE EXTRACTUM SICCU
62	CASCARA	EXTRACT FLUID CORTEX CASCARA SAGRADA, EXTRACTUM BOLDO
62	CASCARA	PHENOLPHTHALEIN, BELLADONNA EXTRACT, CASCARA, PODOPHYLLUM RESIN, HYOSCYAMUS NIGER
62	CASCARA	RHUBARB EXTRACT, CASCARA EXTRACT, PEUMUS BOLDUS LEAF
62	CASCARA	RHUBARB, CASCARA, PEUMUS BOLDUS LEAF, DIHYDROXYDIBUTYLETHER
63	NIAOULI	EPHEDRINE, NIAOULI ESSENTIAL OIL, EUCALYPTOL
63	NIAOULI	GELSEMIUM SEMPERVIRENS, GRINDELIA, NIAOULI ESSENTIAL OIL
63	NIAOULI	NIAOULI ESSENTIAL OIL
63	NIAOULI	NIAOULI OIL
64	STROPHANTUS	ADONIS VERNALIS D4, SELENICEREUS GRANDIFLORUS D1, STROPHANTHUS GRATUS D4, URGINEA MARITIMA D4
64	STROPHANTUS	APOCYNUM DIL. D3, CACTUS DIL. D2, CONVALLARIA MAJALIS DIL. D3, LAUROCERASUS DIL. D3, STROPHANTHUS DIL. D3
64	STROPHANTUS	ARGENTUM NITRICUM D12, PIPER METHYSTICUM D12, KALIUM PHOSPHORICUM D12, PULSATILLA PRATENSIS D12, STROPHANTUS GRATUS D12
64	STROPHANTUS	AURUM METALLICUM DIL. D9, STIBIUM METALLICUM DIL. D7, STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D2 (HAB, VS. 35B)
64	STROPHANTUS	AURUM METALLICUM DIL. D9, STIBIUM METALLICUM DIL. D7, STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D4 (HAB, VS. 35B)
64	STROPHANTUS	AURUM METALLICUM DIL. D9, STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D5 (HAB, VS. 35B)
64	STROPHANTUS	AURUM METALLICUM PRAEPARATUM DIL. D10 AQUOS., STROPHANTHUS KOMBE, SEMEN, ETHANOL. DIGESTIO DIL. D6
64	STROPHANTUS	CACTUS MOTHER TINCTURE, STROPHANTHUS DIL. D2, AURUM METALLICUM DIL. D6
64	STROPHANTUS	NICOTIANA TABACUM E FOLIIS FERM 33B DIL. D9 (HAB, VS. 33B), STROPHANTHUS KOMBE E SEMINE FERM 35B DIL. D5 (HAB, VS. 35B), PLUMBUM MELLITUM DIL. D14 AQUOS. (HAB, VS. 8B)
64	STROPHANTUS	OLEUM STROPHANTHI KOMBE
64	STROPHANTUS	STROPHANTHUS GRATUS D4
65	CASSIA	CASSIA ANGUSTIFOLIA
65	CASSIA	CASSIA ANGUSTIFOLIA VAHL. (POLVO DE HOJAS), CASSIA ANGUSTIFOLIA VAHL. (POLVO DE FRUTOS), FUCUS VESICULOSUS L. (TALOS)
65	CASSIA	CASSIA ANGUSTIFOLIA, ALOE FEROX, TARAXACUM OFFICINALIS, FOENICULUM VULGARE MILLER SP. VULGARE VAR. DULCE (MILLER) THELLUNG, RHAMNUS PURSHIANUS
65	CASSIA	CASSIA ANGUSTIFOLIA, CASSIA FISTULA
65	CASSIA	CASSIA ANGUSTIFOLIA, CASSIA FISTULA, CORIANDRUM SATIVUM, TAMARINDUS INDICA
65	CASSIA	MANNITOL, CASSIA ANGUSTIFOLIA, APPLE FLAVOUR
66	CUCURBITA	CUCURBITA PEPO, FLOS REC. TRIT. D2, APATIT TRIT. D5
66	CUCURBITA	PUMPKIN OIL
66	CUCURBITA	PUMPKIN SEED
66	CUCURBITA	PUMPKIN SEED EXTRACT
66	CUCURBITA	PUMPKIN SEED OIL, HOP CONES DRY EXTRACT, SUMACH BARK, DRY EXTRACT
67	ERYSIMUM	AMMONIUM BROMATUM D4, ERYSIMUM OFFICINALE D2, PARIS QUADRIFOLIA D3, PHYTOLACCA DECANDRA D3
67	ERYSIMUM	ERYSIMUM
67	ERYSIMUM	PHOLCODINE, ERYSIMUM
67	ERYSIMUM	PHOLCODINE, ERYSIMUM (DRY AQUEOUS EXTRACT ON MALTODEXTRIN)
67	ERYSIMUM	PHOLCODINE, ERYSIMUM CHEIRANTHOIDES (LIQUID EXTRACT)
68	HUMULUS	HOP
68	HUMULUS	HUMULUS LUPULUS EXTRACT
69	TILIA	TILIAE FLOS
69	TILIA	VISCUM ALBUM (TILIAE) E PLANTA TOTA K DIL. STÄRKE H (HAB, VS. 38)
70	VITIS VINIFERA	CALCAREA FORMICICA TRIT. D2, FRAGARIA VESCA, FOLIUM SICC., STIBIUM METALLICUM PRAEPARATUM TRIT. D5, VITIS VINIFERA, FOLIUM SICC.
70	VITIS VINIFERA	FRAGARIA VESCA, FOLIUM SICC., VITIS VINIFERA, FOLIUM SICC.
70	VITIS VINIFERA	GRAPE LEAF EXTRACT
70	VITIS VINIFERA	VITIS VINIFERA, FOLIUM SICC.
71	PARIETARIA	PARIETARIA JUDAICA (357)
71	PARIETARIA	PARIETARIA JUDAICA POLLEN EXTRACT
71	PARIETARIA	PARIETARIA OFFICINALIS (360)
71	PARIETARIA	PARIETARIA SP. POLLEN
71	PARIETARIA	WALL PELLITORY

ID	Substance Group	Substances
71	PARIETARIA	WILD CARROT LIQUID EXTRACT, PELLITORY LIQUID EXTRACT, INFUSION BUCHU CONC BPC 1954, JUNIPER BERRIES LIQUID EXTRACT, CLIVERS LIQUID EXTRACT
72	JUGLANS REGIA	JUGLANS REGIA
72	JUGLANS REGIA	JUGLANS REGIA E FOLIIS ET PERICARPIIS DIL. D 2
72	JUGLANS REGIA	JUGLANS REGIA E FOLIIS ET PERICARPIIS TRIT. D 2
72	JUGLANS REGIA	JUGLANS REGIA, TESTA TRIT. D4, PYRUS MALUS, CARPELLUM TRIT. D4
72	JUGLANS REGIA	NATRIUM SULFURICUM D4, ARANEUS DIADEMATUS D6, CALCIUM PHOSPHORICUM D12, FERRUM IODATUM D12, EUISETUM HIEMALE D4, FUMARIA OFFICINALIS D4, GERANIUM ROBERTIANUM D4, JUGLANS REGIA SSP. REGIA D3, LEVOTHYROXINUM D12, MYOSOTIS ARVENSIS D3, NASTURTIUM OFFICINALE D4, PINUS SYLVESTRIS D4, SMILAX D6, TEUCRIUM SCORODONIA D3, GENTIANA LUTEA D5, SCROPHULARIA NODOSA D3, VERONICA OFFICINALIS D3
73	PELARGONIUM SIDOIDES	PELARGONIUM SIDOIDES
73	PELARGONIUM SIDOIDES	PELARGONIUM SIDOIDES ROOT LIQUID EXTRACT
73	PELARGONIUM SIDOIDES	PELARGONIUM SIDOIDES ROOT LIQUID EXTRACT, DRIED
74	LIQUORICE	CAMPBOR, RACEMIC, OPIUM TINCTURE, LIQUORICE EXTRACT
74	LIQUORICE	CATECHU TINCTURE, LIQUORICE LIQUID EXTRACT, SENEGA, TOLU SYRUP, TUSSILAGO ALCOHOLIC EXTRACT
74	LIQUORICE	LIQUORICE EXTRACT
74	LIQUORICE	LIQUORICE EXTRACT, HYSSOPUS OFFICINALIS LIQUID EXTRACT, SENEGA LIQUID EXTRACT
74	LIQUORICE	LIQUORICE LIQUID EXTRACT, POTASSIUM SULFOGUAYACOLATE
74	LIQUORICE	LIQUORICE LIQUID EXTRACT, SQUILL TINCTURE, IPECACUAHANA LIQUID EXTRACT
75	CITRUS SINENSIS	CITRUS SINENSIS (603)
75	CITRUS SINENSIS	ORANGE
75	CITRUS SINENSIS	SABAL FRUIT SOFT EXTRACT, ORANGE OIL FLA CP
76	ORTHOSIPHON	DRY EXTRACT OF SOLIDAGO VIRGAUREAE, ORTHOSIPHONIS FOLII EXTRACTUM AQUOSUM SICCUM, ONONIS SPINOSA DRY EXTRACT
76	ORTHOSIPHON	ORTHOSIPHON STAMINEUS (LIQUID EXTRACT)
76	ORTHOSIPHON	ORTHOSIPHONIS FOLIA Ø
77	SYMPHYTUM	CALCIUM PHOSPHORICUM DIL. D 10, ACIDUM HYDROFLUORICUM DIL. D 10, ASA FOETIDA DIL. D 4, AURUM METALLICUM DIL. D 12, PHOSPHORUS DIL. D 15, SYMPHYTUM OFFICINALE DIL. D 6
77	SYMPHYTUM	COMFREY ROOT LIQUID EXTRACT
77	SYMPHYTUM	METHYL NICOTINATE, COMFREY ROOT LIQUID EXTRACT
77	SYMPHYTUM	ROSMARINI AETHEROLEUM, ARNICA MONTANA, PLANTA TOTA REC., ETHANOL. EXTR. 1:1,1, BETULAE FOLIUM, ETHANOL. DECOCTUM 20%, MANDRAGORA, ETHANOL. DECOCTUM Ø, MANDRAGORA E RADICE SICCATA H 10 %, RESINA LARICIS, SYMPHYTUM OFFICINALE, RADIX REC., ETHANOL. DECOCTUM 1:4,2, ACONITUM NAPELLUS Ø
77	SYMPHYTUM	SULFUR D6, ACIDUM SILICICUM D6, ACIDUM THIOCTICUM D6, CARTILAGO SUIS D2, COENZYM A D6, EMBRYO TOTALIS SUIS D2, ARNICA MONTANA D2, FUNICULUS UMBILICALIS SUIS D2, NADIDUM D6, NATRIUM DIETHYLOXALACETICUM D6, PLACENTA TOTALIS SUIS D2, SANGUINARIA CANADENSIS D2, SOLANUM DULCAMARA D2, SYMPHYTUM OFFICINALE D8, RHUS TOXICODENDRON D2
77	SYMPHYTUM	SULFUR D6, ACIDUM SILICICUM D6, ACIDUM THIOCTICUM D6, CARTILAGO SUIS D4, COENZYM A D6, EMBRYO TOTALIS SUIS D4, ARNICA MONTANA D1, FUNICULUS UMBILICALIS SUIS D4, NADIDUM D6, NATRIUM DIETHYLOXALACETICUM D6, PLACENTA TOTALIS SUIS D4, SANGUINARIA CANADENSIS D3, SOLANUM DULCAMARA D2, SYMPHYTUM OFFICINALE D8, RHUS TOXICODENDRON D2
77	SYMPHYTUM	SULFUR D6, CARTILAGO SUIS D6, COENZYM A D8, EMBRYO TOTALIS SUIS D6, ACIDUM THIOCTICUM D8, ARNICA MONTANA D4, FUNICULUS UMBILICALIS SUIS D6, NADIDUM D8, NATRIUM DIETHYLOXALACETICUM D8, PLACENTA TOTALIS SUIS D6, SANGUINARIA CANADENSIS D4, SOLANUM DULCAMARA D3, SYMPHYTUM OFFICINALE D6, RHUS TOXICODENDRON D2
77	SYMPHYTUM	SYMPHYTUM OFFICINALE, RADIX, ETHANOL. DECOCTUM DIL. D3
78	CHENOPODIUM	CHENOPODIUM ALBUM (322)
78	CHENOPODIUM	CHENOPODIUM ALBUM L.
78	CHENOPODIUM	CHENOPODIUM ALBUM POLLEN EXTRACT
79	ANACARDIUM	ACIDUM PHOSPHORICUM D10, ANAMIRTA COCCULUS D4, CONIUM MACULATUM D4, AMBRA GRISEA D10, KALIUM PHOSPHORICUM D6, SEMECARPUS ANACARDIUM D6, STRYCHNOS IGNATII D8
79	ANACARDIUM	AMBRA GRISEA TRIT. D 4, CROCUS SATIVUS TRIT. D 3, RAUWOLFIA SERPENTINA TRIT. D 4, SEMECARPUS ANACARDIUM TRIT. D 4, ZINCUM METALLICUM TRIT. D 4
79	ANACARDIUM	ANACARDIUM D4, ARSENICUM ALBUM D8, CISTUS CANADENSIS D3, HYDROCOTYLE ASIATICA D3, MAHONIA AQUIFOLIUM D2, MEZEREUM D4
79	ANACARDIUM	ARGENTUM NITRICUM D12, SEMECARPUS ANACARDIUM D6, GLYCYRRHIZA GLABRA D1, STRYCHNOS NUX-VOMICA (NUX VOMICA) D6, BISMUTUM SUBNITRICUM D12
79	ANACARDIUM	SEMECARPUS ANACARDIUM D8, CARBO VEGETABILIS D8, ARGENTUM NITRICUM D6, COLCHICUM AUTUMNALE D6, STRYCHNOS NUX-VOMICA D4
80	JUSTICIA	ACONITUM NAPELLUS DIL. D 4, ADHATODA VASICA DIL D 2, ALLIUM CEPA DIL. D 3, EUPHRASIA DIL. D 3, NATRIUM CARBONICUM DIL. D 3, PULSATILLA PRATENSIS DIL. D 4
80	JUSTICIA	HOMOEOPATHIC PILLULES JUSTICIA ADHATODA D2
80	JUSTICIA	JUSTICIA ADHATODA DIL. D2
80	JUSTICIA	JUSTICIA ADHATODA TRIT. D2
81	RUSCUS	MELILOT FLUID EXTRACT, RUSCUS ACULEATUS DRY EXTRACT 30 % T.S.H.
81	RUSCUS	TETRACAINE HYDROCHLORIDE, RUSCOGENIN
82	VIOLA TRICOLOR	ACONITUM NAPELLUS TRIT. D 4, ARSENUM IODATUM TRIT. D 6, AURUM METALLICUM TRIT. D 4, GRAPHITES TRIT. D 4, HEPAR SULFURIS TRIT. D 3, PHYTOLACCA AMERICANA TRIT D 3, THUJA OCCIDENTALE TRIT. D 3, VIOLA ODORATA (HAB 34) TRIT. D 3
82	VIOLA TRICOLOR	BELLIS PERENNIS D2, VIOLA TRICOLOR D1
82	VIOLA TRICOLOR	VIOLA TRICOLOR
82	VIOLA TRICOLOR	VIOLA TRICOLOR TRIT. D3, SULFUR D6, THUJA OCCIDENTALIS D12, HYDROCOTYLE ASIATICA D4, GRAPHITES D12

ID	Substance Group	Substances
82	VIOLA TRICOLOR	VIOLAE TRICOLORIS HERBA
83	GINGER	GINGER EXTRACT
83	GINGER	RHIZOMA ZINGIBERAE
83	GINGER	WÄSSRIGER GESAMTAUSZUG AUS ENZIANWURZEL (0,3608 G), INGWERWURZEL (0,2215 G), KALMUSWURZEL (0,0333 G), PFEFFERFRÜCHTEN (0,0066 G), WERMUTKRAUT (0,2775 G)
83	GINGER	WÄSSRIGER GESAMTAUSZUG MIT ZUCKER AUS ENZIANWURZEL (0,2165 G), INGWERWURZEL (0,133 G), KALMUSWURZEL (0,02 G), PFEFFERFRÜCHTEN (0,004 G), WERMUTKRAUT (0,1665 G)
84	FAGUS SYLVATICA	BEECH
84	FAGUS SYLVATICA	FAGUS SYLVATICA (115)
84	FAGUS SYLVATICA	FAGUS SYLVATICA L.
84	FAGUS SYLVATICA	FAGUS SYLVATICA POLLEN EXTRACT
85	SALIX	ASPIDIUM (DRYOPTERIS) FILIX-MAS FOLIUM REC. ETHANOL. DIGEST. D1, POLYPODIUM VULGARE FOLIUM REC. ETHANOL. DIGEST. D1, SCOLOPENDRIUM (PHYLITIS) FOLIUM REC. ETHANOL. DIGEST. D1, SALIX ALBA FOLIUM REC. ETHANOL. DIGEST. D1, SALIX VIMINALIS FOLIUM REC. ETHANOL. DIGEST. D1, SALIX VITELLINA FOLIUM REC. ETHANOL. DIGEST. D1
85	SALIX	ATROPA BELLADONNA E FRUCTIBUS FERM 33A DIL. D4 (HAB, VS. 33A), DRYOPTERIS FILIX-MAS E RADICE FERM 33C DIL. D1 (HAB, VS. 33C), STRYCHNOS NUX-VOMICA E SEMINE FERM 35B DIL. D4 (HAB, VS. 35B), SALIX ALBA SSP. VITELLINA E CORTICE ET FOLIIS FERM 33D DIL. D1 (HAB, VS. 33D), SALIX PURPUREA E CORTICE ET FOLIIS FERM 33D DIL. D1 (HAB, VS. 33D), SALIX VIMINALIS E CORTICE ET FOLIIS FERM 33D DIL. D1 (HAB, VS. 33D), STIBIUM METALLICUM DIL. D6, TOXICODENDRON QUERCIFOLIUM E FOLIIS FERM 33D DIL. D4 (HAB, VS. 33D), PHYLITIS SCOLOPENDRIUM E FOLIIS FERM 34H DIL. D1 (HAB, VS. 34H), PTERIDIUM AQUILINUM E FOLIIS FERM 34C DIL. D1 (HAB, VS. 34C), BRYONIA CRETICA FERM 33B DIL. D3, ACONITUM NAPELLUS E TUBERE FERM 33C DIL. D4 (HAB, VS. 33C)
85	SALIX	DRYOPTERIS FILIX-MAS, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, POLYPODIUM VULGARE, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, SALIX ALBA / PURPUREA / VIMINALIS, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1, PHYLITIS SCOLOPENDRIUM, FOLIUM REC., ETHANOL. DIGESTIO 1:3,1
85	SALIX	WILLOW BARK
86	PRUNUS	AURUM METALLICUM DIL. D9, PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM 33D DIL. D5 (HAB, VS. 33D)
86	PRUNUS	AURUM NATURALE DIL. D10 AQUOS., PRUNUS SPINOSA, SUMMITATES RH DIL. D5
86	PRUNUS	BERBERIS VULGARIS E FRUCTIBUS FERM 33C Ø (HAB, VS. 33C), BALSAMUM PERUVIANUM, WÄSSRIGE KOLLOIDE SILICIUMDIOXIDLÖSUNG (ENTSPRECHEND SILICEA COLLOIDALIS 0,05 G) HERGESTELLT MIT CITRONENSÄURE-MONOHYDRAT, PRUNUS SPINOSA E FRUCTIBUS LA 25% (HAB, VS. 120)
86	PRUNUS	LOBELIA INFLATA D4, BRYONIA D3, DROSER A D2, KALIUM IODATUM DIL. D4, CUPRUM METALLICUM D8, PRUNUS LAUROCERASUS D3, STANNUM IODATUM D8
86	PRUNUS	PRUNUS AFRICANA
86	PRUNUS	PRUNUS AVIUM (629)
86	PRUNUS	PRUNUS DULCIS (764)
86	PRUNUS	PRUNUS PERSICA (613)
86	PRUNUS	PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM CUM FERRO DIL. D3 (HAB, VS. 37A)
86	PRUNUS	PRUNUS SPINOSA E FLORIBUS ET SUMMITATIBUS FERM CUM FERRO DIL. D6 (HAB, VS. 37A)
86	PRUNUS	PRUNUS SPINOSA E FLORIBUS W 5% (HAB, VS. 12G MIT NATIVEM OLIVENÖL)
86	PRUNUS	PRUNUS SPINOSA E FRUCTIBUS LA 25% (HAB, VS. 120)
86	PRUNUS	PRUNUS SPINOSA, SUMMITATES RH DIL. D5, AQUA MARIS DIL. D3 AQUOS.
87	PYGEUM AFRICANUM	PYGEUM AFRICANUM BARK
87	PYGEUM AFRICANUM	PYGEUM AFRICANUM EXTRACT
88	CURCUMA	CHELIDONIUM Ø, CURCUMA XANTHORRHIZA, RHIZOMA, ETHANOL. DECOCTUM Ø
88	CURCUMA	CURCUMA XANTHORRHIZA
88	CURCUMA	CURCUMA XANTHORRHIZA DRY EXTRACT
88	CURCUMA	PANCREAS POWDER, CURCUMA RHIZOME DRY EXTRACT, HARONGA BARK DRY EXTRACT
89	SOLANUM TUBEROSUM	POTATO
89	SOLANUM TUBEROSUM	PRESSED JUICE FROM FRESH POTATO TUBERS (1 : 0.45 – 0.70)
89	SOLANUM TUBEROSUM	SOLANUM TUBEROSUM (626)
90	OENOTHERA	EVENING PRIMROSE OIL
91	CAMELLIA SINENSIS	CAMELLIA SINENSIS
91	CAMELLIA SINENSIS	CAMELLIA SINENSIS (GREEN TEA) LEAF EXTRACT
92	TARAXACUM	AGROPYRON REPENS E RADICE FERM 33C DIL. D3 (HAB, VS. 33C), KALIUM CARBONICUM E CINERE FAGI SILVATICAE DIL. D9 AQUOS. (HAB, VS. 5B), TARAXACUM OFFICINALE E PLANTA TOTA FERM 34C DIL. D4 (HAB, VS. 34C), ZINNOBER DIL. D6
92	TARAXACUM	CENTAURIUM ERYTHRAEA EX HERBA REC. DIL. D 2, CARBO VEGETABILIS DIL. D 12, CUPRUM METALLICUM DIL. D 10, PEUMUS BOLDUS DIL. D 6, TARAXACUM OFFICINALIS DIL. D 2, PICRAMMA EXCELSA, QUASSIA AMARA DIL. D 3
92	TARAXACUM	EICHHORNIA DIL. D1, QUASSIA AMARA, TARAXACUM OFFICINALE, OKOUBAKA AUBREVILLEI
92	TARAXACUM	OKOUBAKA AUBREVILLEI D3, EICHHORNIA DIL. D3, QUASSIA AMARA, TARAXACUM OFFICINALIS
92	TARAXACUM	PRESSED JUICE FROM FRESH TARAXACUM OFFICINALE WHOLE (1:0.6-0.8)
92	TARAXACUM	TARAXACUM LIQUID EXTRACT
92	TARAXACUM	TARAXACUM OFFICINALE
92	TARAXACUM	TARAXACUM OFFICINALE EXTRACT

ID	Substance Group	Substances
92	TARAXACUM	TARAXACUM STANNO CULTUM RH DIL. D2
92	TARAXACUM	TARAXACUM STANNO CULTUM RH DIL. D3
92	TARAXACUM	TARAXACUM STANNO CULTUM, PLANTA TOTA DIL. D2
92	TARAXACUM	TARAXACUM VULGARE (351)
93	ORIGANUM MAJORANA	MAJORANAE HERBA
93	ORIGANUM MAJORANA	MAJORANAE HERBAE EXTRACTUM
94	RHUBARB	RHAPONTIC RHUBARB ROOT DRY EXTRACT, DER (16-26:1)
94	RHUBARB	RHUBARB EXTRACT
94	RHUBARB	RHUBARB EXTRACT, SALICYLIC ACID
95	FRAXINUS	FRAXINUS EXCELSIOR
95	FRAXINUS	FRAXINUS EXCELSIOR (117)
95	FRAXINUS	FRAXINUS EXCELSIOR POLLEN EXTRACT
95	FRAXINUS	SALIX CAPREA L., FRAXINUS EXCELSIOR L., POPULUS DELTOIDES
95	FRAXINUS	SALIX CAPREA L., FRAXINUS EXCELSIOR, POPULUS DELTOIDES
96	VERBASCUM	ACHILLEA MILLEFOLIUM, FLOS, ETHANOL. INFUSUM Ø, CETRARIA ISLANDICA, ETHANOL. DECOCTUM Ø, PIMPINELLA ANISUM, ETHANOL. DECOCTUM Ø, VERBASCUM DENSIFLORUM, FRUCTUS IMMAT. DIL. D2
96	VERBASCUM	ACIDUM SALICYLICUM TRIT. D 4, GAULTHERIA PROCUMBENS (HAB 34) TRIT D 4, GELSEMIUM SEMPERVIRENS TRIT. D 4, IRIS VESICOLOR TRIT D 3, MAGNESIUM CHLORATUM TRIT. D 3, STRYCHNOS IGNATII TRIT. D 4, TOXICODENDRON QUERCIFOLIUM TRIT. D 8, VERBASCUM DENSIFLORUM TRIT. D 3
96	VERBASCUM	APIS MELLIFICA D6, ALLIUM CEPA D4, VERBASCUM THAPSIFORME D4
96	VERBASCUM	COLOCYNTHIS DIL. D6, ACONITUM DIL. D4, CEDRON DIL. D4, KALMIA DIL. D3, VERBASCUM DIL. D2
96	VERBASCUM	DROSERA, VERBASCUM THAPSIFORME TRIT. D1, YERBA SANTA TRIT. D1, GRINDELIA, TEUCRIUM SCORODONIA, SPONGIA, STICTA PULMONARIA, KALIUM JODATUM D3, NAPHTHALINUM D6
96	VERBASCUM	GELSEMIUM SEMPERVIRENS D4, SIMAROUBA CEDRON D6, VERBASCUM DENSIFLORUM D3
96	VERBASCUM	MARUM VERUM DIL. D4, GALPHIMIA GLAUCA, KALIUM BICHROMICUM, APIS MELLIFICA D4, VERBASCUM DIL. D1
96	VERBASCUM	MEZEREUM DIL. D6, VERBASCUM DIL. D1, MAGNESIUM PHOSPHORICUM DIL. D6, COLOCYNTHIS DIL. D2, DIOSCOREA VILLOSA DIL. D4, CHININUM ARSENICOSUM DIL. D4
96	VERBASCUM	VERBASCUM THAPSIFORME D3, GELSEMIUM SEMPERVIRENS D6, PULSATILLA PRATENSIS D8, ACONITUM NAPELLUS DIL. D4, COLOCYNTHIS D8
97	HORDEUM	HORDEUM VULGARE
97	HORDEUM	HORDEUM VULGARE (782)
98	SAMBUCUS	ARISTOLOCHIA CLEMATITIS D8, SALVIA OFFICINALIS D10, SAMBUCUS NIGRA D6
98	SAMBUCUS	BERBERIS, FRUCTUS DIL. D6, SAMBUCUS NIGRA DIL. D3, TEUCRIUM SCORODONIA DIL. D4, PHOSPHORUS DIL. D6
98	SAMBUCUS	CUPRUM METALLICUM DIL. D 10, ARISAEMA TRIPHYLLUM DIL. D 4, BRYONIA DIL. D 4, CARBO VEGETABILIS DIL. D 8, CAUSTICUM HAHNEMANNI DIL. D 15, SAMBUCUS NIGRA DIL. D 3
98	SAMBUCUS	EXTRACTUM COMPOSITUM (1:2) EX: HELICHRYSI INFLORESCENTIA, MATRICARIAE FLORE, CORIANDRI FRUCTU, SAMBUCI FRUCTU (24 : 15,5 : 7,5 : 3), TARAXACI INTRACTUM (1:1)
98	SAMBUCUS	EXTRACTUM FLUIDUM EX: FARFARAE FOLIO, SAMBUCI FLORE, ILIAE INFLORESCENTIA, SALICIS CORTICE
98	SAMBUCUS	EXTRACTUM LIQUIDUM (ET. 75% V/V, 1:2) EX: PHASEOLI PERICARPIO, BARDANAE RADICE, SAMBUCI FRUCTU, EQUISETI HERBA, RHEI RADICE, FAGOPYRI HERBA, ONONIDIS RADICE, BETULAE FOLIO (30:20:15:10:7,5:7,5:5:5)
98	SAMBUCUS	LIQUORICE LIQUID EXTRACT, SAMBUCUS MOTHER TINCTURE
98	SAMBUCUS	MERCURIUS SOLUBILIS DIL. D20, HYDRARGYRUM SULFURATUM RUBRUM DIL. D8, LOBARIA PULMONARIA DIL. D7, SAMBUCUS NIGRA DIL. D7
98	SAMBUCUS	QUARZ DIL. D20 AQUOS., CITRUS LIMON, SUCCUS, CYDONIA OBLONGA, FRUCTUS REC., AQU. EXTR. 1:2,1, RESINA LARICIS DIL. D4, SAMBUCUS NIGRA, FLOS, ETHANOL. INFUSUM DIL. D2, SAMBUCUS NIGRA, MEDULLA, ETHANOL. DECOCTUM DIL. D3 (HAB, SV 19F), TILIA EUROPAEA DIL. D3, TRITICUM REPENS, RHIZOMA, ETHANOL. DECOCTUM DIL. D3
98	SAMBUCUS	SAMBUCI FLOS
98	SAMBUCUS	SAMBUCI FLOS, TILIAE FLOS, MATRICARIAE FLOS, WILLOW BARK, ACHILLEA MILLEFOLIUM L. HERBA
98	SAMBUCUS	SAMBUCUS NIGRA
98	SAMBUCUS	SAMBUCUS NIGRA (145)
98	SAMBUCUS	SAMBUCUS NIGRA D3
98	SAMBUCUS	SAMBUCUS NIGRA E MEDULLA FERM 35A DIL. D3 (HAB, VS. 35A), SAMBUCUS NIGRA EX UMBELLA FERM 33C DIL. D2 (HAB, VS. 33C), TEREBINTHINA LARICINA DIL. D4 (HAB, VS. 6)
98	SAMBUCUS	SAMBUCUS NIGRA FLOWER, UVA URSI DRY EXTRACT, CLIVERS DRY EXTRACT, PRICKLY ASH BARK, YARROW, BURDOCK ROOT DRY EXTRACT, POPLAR BARK DRY EXTRACT
98	SAMBUCUS	SAMBUCUS NIGRA LIQUID EXTRACT, PINUS CANADENSIS LIQUID EXTRACT, MYRICA CERIFERA LIQUID EXTRACT
98	SAMBUCUS	SOLANUM DULCAMARA D6, SAMBUCUS NIGRA D1, NATRIUM SULFURICUM D6, ARSENICUM ALBUM D12, TARTARUS EMETICUS D12
99	LAVANDULA	LAVANDULAE AETHEROLEUM 10 %
99	LAVANDULA	LAVANDULAE AETHEROLEUM 10% (HAB, VS. 12H MIT NATIVEM OLIVENÖL)
99	LAVANDULA	LAVANDULAE FLOS
99	LAVANDULA	ROSMARINI AETHEROLEUM, ARNICA FLOS / BETULAE FOLIUM / CALENDULA HERBA, OL. ARACH. EXTR., CUPRUM METALLICUM PRAEPARATUM, LAVANDULAE AETHEROLEUM
99	LAVANDULA	ROSMARINI AETHEROLEUM, ARNICA FLOS / BETULAE FOLIUM / CALENDULA HERBA, OL. ARACH. EXTR., LAVANDULAE AETHEROLEUM, CARVI AETHEROLEUM
100	VERBENA	GENTIAN ROOT, PRIMULA FLOWERS, VERBENA HERB, RUMEX ACETOSA L., ELDER FLOWERS
100	VERBENA	VERBENA HERB, GENTIANAE EXTRACTUM FLUIDUM, PRIMULAE EXTRACTUM FLUIDUM