

Reporting side effects

If you get any side effects, talk to your doctor or healthcare provider. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via <to be completed nationally>. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store HEMOPROSTOL

Keep this medicine out of the sight and reach of children.

Do not take this medicine after the expiry date which is stated on the carton and blister after EXP. The expiry date refers to the last day of that month.

Store below 30°C. Store in the original package in order to protect from moisture.

Do not throw away any medicines via wastewater or household waste. Ask your doctor or healthcare provider how to throw away medicines you no longer use. These measures will help protect the environment.

6. Contents of the pack and other information

What HEMOPROSTOL contains

- The active substance is misoprostol. One sublingual tablet contains 200 micrograms of misoprostol.
- The other ingredients are hypromellose, microcrystalline cellulose, sodium starch glycolate (Type A) and hydrogenated castor oil.

What HEMOPROSTOL looks like and contents of the pack

White, flat, round sublingual tablet, diameter 8.3 mm, with “ML” engraved on one side and “200” on the other side.

Boxes of 4, 60 x1 or 120 x1 sublingual tablets (at hospitals only).

Not all pack sizes may be marketed.

Scientific Opinion Holder

Linepharma International Limited
338 Regent's Place
Euston Road
London NW1 3BT
United Kingdom

Manufacturer

Laboratorios Leon Farma, SA
C/ La Valina S/N, Poligono Industrial Navatejera
Villaquilambre
24008 Leon
Spain

This leaflet was last revised in:

Other sources of information

Detailed information on this medicine is available on the European Medicines Agency web site: <http://www.ema.europa.eu>.