



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/925670/2022
EMA/H/C/005859

Lutetium (^{177}Lu) chloride Billev¹ (*lutetium (^{177}Lu) chloride*)

An overview of Lutetium (^{177}Lu) chloride Billev and why it is authorised in the EU

What is Lutetium (^{177}Lu) chloride Billev and what is it used for?

Lutetium (^{177}Lu) chloride Billev is a solution containing a radioactive form of lutetium (^{177}Lu) that is used for radiolabelling other medicines. Radiolabelling is a technique where a substance is labelled with a radioactive compound. Once the substance is radiolabelled with Lutetium (^{177}Lu) chloride Billev, it then carries the radioactivity to where it is needed in the body (for example, the site of a tumour).

Lutetium (^{177}Lu) chloride Billev is used to radiolabel medicines that have been specifically developed for use with lutetium (^{177}Lu) chloride.

Lutetium (^{177}Lu) chloride Billev contains the active substance lutetium (^{177}Lu) chloride.

How is Lutetium (^{177}Lu) chloride Billev used?

Lutetium (^{177}Lu) chloride Billev is only to be used by specialists who have experience in radiolabelling. Lutetium (^{177}Lu) chloride Billev is never given directly to a patient. Radiolabelling of a medicine takes place in a laboratory setting. The radiolabelled medicine is then given to the patient according to the instructions in that medicine's summary of product characteristics (SmPC).

How does Lutetium (^{177}Lu) chloride Billev work?

The active substance in Lutetium (^{177}Lu) chloride Billev, lutetium (^{177}Lu) chloride, is a radioactive compound that emits mainly a type of radiation known as 'beta-minus', for treatment, and a small amount of gamma radiation, for imaging. When a medicine is radiolabelled with Lutetium (^{177}Lu) chloride Billev, the medicine will carry the radiation to the particular site or type of cell in the body that is targeted by the medicine.

¹ Previously known as iLuzyce



What benefits of Lutetium (¹⁷⁷Lu) chloride Billev have been shown in studies?

The company presented information from published clinical studies on the potential uses of Lutetium (¹⁷⁷Lu) chloride Billev. Some of the data presented showed the usefulness of ¹⁷⁷Lu in radiolabelling medicines for treating neuroendocrine tumors and prostate cancer, used together with imaging techniques to detect the site and spread of tumours.

What are the risks associated with Lutetium (¹⁷⁷Lu) chloride Billev?

The side effects with Lutetium (¹⁷⁷Lu) chloride Billev depend largely on the medicine it has been used to radiolabel and will be described in that medicine's package leaflet. Lutetium (¹⁷⁷Lu) chloride Billev itself is radioactive and so its use in radiolabelling may carry a risk of developing cancer and hereditary defects. The doctor will ensure that the risks linked to the radioactive exposure are lower than the risks from the disease itself.

The most common side effects (which may affect more than 1 in 10 people) are anaemia (low red blood cell counts), thrombocytopenia (low blood platelet counts), leucopenia (low white blood cell counts), lymphopenia (low levels of lymphocytes, a particular type of white blood cell), nausea (feeling sick), vomiting and hair loss.

Lutetium (¹⁷⁷Lu) chloride Billev must not be given directly to any patient. It must not be used in women who are known to be or may be pregnant, and when pregnancy has not been ruled out. For the full list of restrictions of Lutetium (¹⁷⁷Lu) chloride Billev, see the package leaflet.

Information on the restrictions on the use of medicines radiolabelled with Lutetium (¹⁷⁷Lu) chloride Billev can be found in the respective package leaflets.

Why is Lutetium (¹⁷⁷Lu) chloride Billev authorised in the EU?

The European Medicines Agency decided that Lutetium (¹⁷⁷Lu) chloride Billev's benefits for radiolabelling medicines are greater than its risks and it can be authorised for use in the EU. Given the well-known risks linked to radiation exposure, the Agency concluded Lutetium (¹⁷⁷Lu) chloride Billev is only to be used if justified by the likely medical benefit.

What measures are being taken to ensure the safe and effective use of Lutetium (¹⁷⁷Lu) chloride Billev?

Recommendations and precautions to be followed by healthcare professionals and patients for the safe and effective use of Lutetium (¹⁷⁷Lu) chloride Billev have been included in the summary of product characteristics and the package leaflet.

As for all medicines, data on the use of Lutetium (¹⁷⁷Lu) chloride Billev are continuously monitored. Suspected side effects reported with Lutetium (¹⁷⁷Lu) chloride Billev are carefully evaluated and any necessary action taken to protect patients.

Other information about Lutetium (¹⁷⁷Lu) chloride Billev

Lutetium (¹⁷⁷Lu) chloride Billev received a marketing authorisation valid throughout the EU on 15 September 2022

Further information on Lutetium (¹⁷⁷Lu) chloride Billev can be found on the Agency's website:

[ema.europa.eu/medicines/human/EPAR/Lutetium_\(177Lu\)-chloride-Billev](https://ema.europa.eu/medicines/human/EPAR/Lutetium_(177Lu)-chloride-Billev)

This overview was last updated in 12-2022.