

EMA/436650/2024

European Medicines Agency decision P/0349/2024

of 24 September 2024

on the acceptance of a modification of an agreed paediatric investigation plan for Neisseria meningitidis serogroup A polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup C polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup Y polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup W polysaccharide conjugated to tetanus toxoid (MenACYW), (MenQuadfi), (EMEA-001930-PIP01-16-M06) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

Disclaimer

This decision does not constitute entitlement to the rewards and incentives referred to in Title V of Regulation (EC) No 1901/2006.

Only the English text is authentic.



European Medicines Agency decision

P/0349/2024

of 24 September 2024

on the acceptance of a modification of an agreed paediatric investigation plan for Neisseria meningitidis serogroup A polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup C polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup Y polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup W polysaccharide conjugated to tetanus toxoid (MenACYW), (MenQuadfi), (EMEA-001930-PIP01-16-M06) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

The European Medicines Agency,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1901/2006 of the European Parliament and of the Council of 12 December 2006 on medicinal products for paediatric use and amending Regulation (EEC) No 1768/92, Directive 2001/20/EC, Directive 2001/83/EC and Regulation (EC) No 726/2004¹,

Having regard to Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Union procedures for the authorisation and supervision of medicinal products for human use and establishing a European Medicines Agency²,

Having regard to the European Medicines Agency's decision P/0359/2017 issued on 1 December 2017, the decision P/0164/2019 issued on 6 May 2019, the decision P/0169/2019 issued on 11 October 2019, the decision P/0285/2021 issued on 29 July 2021 the decision P/0222/2022 issued on 24 June 2022, and the decision P/0186/2024 issued on 29 May 2024,

Having regard to the application submitted by Sanofi Pasteur on 30 May 2024 under Article 22 of Regulation (EC) No 1901/2006 proposing changes to the agreed paediatric investigation plan with a deferral and a waiver,

Having regard to the opinion of the Paediatric Committee of the European Medicines Agency, issued on 6 September 2024, in accordance with Article 22 of Regulation (EC) No 1901/2006,

Having regard to Article 25 of Regulation (EC) No 1901/2006,

Whereas:

- (1) The Paediatric Committee of the European Medicines Agency has given an opinion on the acceptance of changes to the agreed paediatric investigation plan.
- (2) It is therefore appropriate to adopt a decision on the acceptance of changes to the agreed paediatric investigation plan.

¹ OJ L 378, 27.12.2006, p.1, as amended.

² OJ L 136, 30.4.2004, p. 1, as amended.

Has adopted this decision:

Article 1

Changes to the agreed paediatric investigation plan for Neisseria meningitidis serogroup A polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup C polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup Y polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup W polysaccharide conjugated to tetanus toxoid (MenACYW), (MenQuadfi), solution for injection, intramuscular use, are hereby accepted in the scope set out in the opinion of the Paediatric Committee of the European Medicines Agency annexed hereto, together with its appendices.

Article 2

This decision is addressed to Sanofi Pasteur, 14 Espace Henry Vallée, 69007 - Lyon, France.



EMA/PDCO/273526/2024 Amsterdam, 6 September 2024

Opinion of the Paediatric Committee on the acceptance of a modification of an agreed Paediatric Investigation Plan EMEA-001930-PIP01-16-M06

Scope of the application

Active substance(s):

Neisseria meningitidis serogroup A polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup C polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup Y polysaccharide conjugated to tetanus toxoid / N. meningitidis serogroup W polysaccharide conjugated to tetanus toxoid (MenACYW)

Invented name and authorisation status:

See Annex II

Condition(s):

Prevention of invasive meningococcal disease

Pharmaceutical form(s):

Solution for injection

Route(s) of administration:

Intramuscular use

Name/corporate name of the PIP applicant:

Sanofi Pasteur

Basis for opinion

Pursuant to Article 22 of Regulation (EC) No 1901/2006 as amended, Sanofi Pasteur submitted to the European Medicines Agency on 30 May 2024 an application for modification of the agreed paediatric investigation plan with a deferral and a waiver as set out in the European Medicines Agency's decision P/0359/2017 issued on 1 December 2017, the decision P/0164/2019 issued on 6 May 2019, the decision P/0169/2019 issued on 11 October 2019, the decision P/0285/2021 issued on 29 July 2021 the decision P/0222/2022 issued on 24 June 2022, and the decision P/0186/2024 issued on 29 May 2024.



The application for modification proposed changes to the agreed paediatric investigation plan.

The procedure started on 8 July 2024.

Scope of the modification

Some measures or timelines of the paediatric investigation plan have been modified.

Opinion

- The Paediatric Committee, having assessed the application in accordance with Article 22 of Regulation (EC) No 1901/2006 as amended, recommends as set out in the appended summary report:
 - to agree to changes to the paediatric investigation plan in the scope set out in the Annex I of this opinion.

The Paediatric Committee member of Norway agrees with the above-mentioned recommendation of the Paediatric Committee.

2. The measures and timelines of the paediatric investigation plan and the subset(s) of the paediatric population and condition(s) covered by the waiver are set out in the Annex I.

This opinion is forwarded to the applicant and the Executive Director of the European Medicines Agency, together with its annexes and appendix.

Annex I

The subset(s) of the paediatric population and condition(s) covered by the waiver and the measures and timelines of the agreed paediatric investigation plan (PIP)

1. Waiver

1.1. Condition

Prevention of invasive meningococcal disease

The waiver applies to:

- the paediatric population from birth to less than 6 weeks of age;
- solution for injection; intramuscular use;
- on the grounds that the specific medicinal product is likely to be ineffective.

2. Paediatric investigation plan

2.1. Condition

Prevention of invasive meningococcal disease

2.1.1. Indication(s) targeted by the PIP

Active immunization to prevent invasive meningococcal disease caused by N. meningitidis serogroups A, C, Y, and W-135

2.1.2. Subset(s) of the paediatric population concerned by the paediatric development

From 6 weeks to less than 18 years of age

2.1.3. Pharmaceutical form(s)

Solution for injection

2.1.4. Measures

Area	Description	
Quality-related studies	Not applicable	
Non-clinical studies	Not applicable	
Clinical studies	An open-label, randomized, parallel-group, controlled, multi-centre study to evaluate the immunogenicity and safety profile of a single dose of MenACYW conjugate vaccine when given alone compared to that of the licensed Meningococcal (Groups A, C, Y and W-135) Diphtheria Conjugate Vaccine (Menveo), and when MenACYW conjugate vaccine is given concomitantly with diphtheria, pertussis, and tetanus (Tdap) vaccine and human papilloma virus (HPV) vaccine in paediatric subjects from 10 to less than 18 years of age; (study MET50).	

Study 2

A randomized, active-controlled, open-label study to evaluate the immunogenicity and safety profile of a single dose of MenACYW conjugate vaccine when given alone compared to that of a licensed meningococcal group A, C, W-135 and Y conjugate vaccine (Nimenrix) in 12 to 23 months old paediatric subjects; (study MET54).

Study 3

A modified double-blind, randomized, parallel-group, active-controlled, multi-centre trial to compare the immunogenicity and describe the safety of a single dose of MenACYW conjugate vaccine to a single dose of licensed quadrivalent meningococcal polysaccharide groups A, C, W-135, and Y conjugate vaccine (MenACWY-Tetanus Toxoid [TT], Nimenrix) in paediatric subjects from 12 to less than 24 months old in the European Union (EU) who were either meningococcal vaccine naïve or had received monovalent MenC vaccination during infancy (MET51).

Study 4

Open-label, randomized, parallel-group, active-controlled, multi-centre study to describe the immunogenicity and safety of a single dose of MenACYW conjugate vaccine when administered alone and when administered concomitantly with other paediatric vaccine(s) in paediatric subjects from 12 to less than 24 months old; (study MET57).

Study 5

A double-blind, randomized, parallel-group, active-controlled, trial to evaluate the immunogenicity and describe the safety of MenACYW conjugate vaccine compared to Meningococcal (Groups A, C, Y and W-135) Diphtheria Conjugate Vaccine (Menveo) in paediatric subjects 2 to 9 years of age in the United States; (study MET35).

Study 6

Open-label, randomized, parallel-group, active-controlled, multi-centre study to evaluate the immunogenicity and describe the safety of MenACYW conjugate vaccine when administered concomitantly with Men B vaccine and other routine paediatric vaccines as part of the National Immunization Schedule in the 2nd year of life to healthy paediatric subjects in the United Kingdom; (study MET52).

Study 7

Partially modified double-blind (open-label for some of the vaccines/study groups), randomized, parallel-group, active-controlled, multi-centre study to compare the immunogenicity and describe the safety of MenACYW conjugate vaccine to a licensed quadrivalent meningococcal polysaccharide groups A, C, W-135, and Y conjugate vaccine (Nimenrix) when administered concomitantly with routine

paediatric vaccines to healthy paediatric subjects from 6 weeks old in EU

Study 8

Partially modified double-blind, randomized, parallel-group, active-controlled, multi-centre study to compare the immunogenicity and describe the safety of MenACYW conjugate vaccine and Meningococcal (Groups A, C, Y and W-135) Diphtheria Conjugate Vaccine (Menveo) when administer ed concomitantly with routine paediatric vaccines to paediatric subjects from 6 weeks old in the United States

Study 9

Modified double-blind, randomized, parallel-group, active-controlled, study to describe the safety of MenACYW conjugate vaccine when administered concomitantly with routine paediatric vaccines given to healthy infants and toddlers in the United States and Puerto Rico to describe the safety profile of MenACYW conjugate vaccine and Menveo when administered concomitantly with routine paediatric vaccines in healthy infants and toddlers

Study 10

Open-label, randomized, parallel-group, active-controlled, multi-centre study to describe the immunogenicity and safety of a 3-dose immunization schedule of MenACYW conjugate vaccine or a 4-dose immunization schedule of a licensed quadrivalent meningococcal conjugate vaccine (Menveo) when administered concomitantly with routine paediatric vaccines in healthy infants and toddlers in Mexico and to describe the immunogenicity and safety of a 3-dose immunization schedule of MenACYW conjugate vaccine when administered concomitantly with routine paediatric vaccines in healthy infants and toddlers in the Russian Federation

Study 11

Modified double-blind, randomized, parallel-group, active-controlled, multi-centre study to compare the immunogenicity and describe the safety of MenACYW conjugate vaccine and Menveo or Meningococcal (Groups A, C, Y and W-135) Polysaccharide Diphtheria Toxoid Conjugate Vaccine (Menactra) when administered concomitantly with or without routine paediatric vaccines to paediatric subjects 6 months to 19 months old, in the United States

Study 12

Modified double-blind, randomized, parallel-group, active-controlled, multi-centre study to evaluate immune lot consistency of MenACYW conjugate vaccine, evaluate the immune non-inferiority versus Meningococcal (Groups A, C, Y and W-135) Polysaccharide Diphtheria Toxoid Conjugate Vaccine (Menactra), and describe the safety and

	additional immunogenicity of study vaccines in paediatric patients 10 to less than 18 years old; (study MET43).
	Study 13
	Double-blind, randomized, parallel-group, active-controlled, multicentre trial to compare the immunogenicity and describe the safety of a booster dose of MenACYW conjugate vaccine compared to Meningococcal (Groups A, C, Y and W-135) Polysaccharide Diphtheria Toxoid Conjugate Vaccine (Menactra) in paediatric subjects from 15 to less than 18 years old; (study MET56).
	Study 14
	Open-label, multi-centre study to describe the immune persistence of the priming dose and describe the immunogenicity and safety of a booster dose of MenACYW conjugate vaccine in children in Finland who had been vaccinated 3 years earlier as toddlers with either MenACYW conjugate vaccine or quadrivalent meningococcal olysaccharide groups A, C, W-135, and Y conjugate vaccine (Nimenrix) as part of the MET54 study (Study 2) in paediatric subjects 4 to 5 years old (MET62).
	Study 15
	Open-label, multi-centre study to evaluate the immune persistence of the priming dose and describe the immunogenicity and safety of a booster dose of MenACYW conjugate vaccine, when co-administered along with MenB vaccines in adolescents (and adults) in USA who had been vaccinated 5 years earlier as adolescents with either MenACYW conjugate vaccine or Meningococcal (Groups A, C, Y and W-135) Diphtheria Conjugate Vaccine (Menveo) as part of the MET50 study (Study 1); (study MET59).
Extrapolation, modelling and simulation studies	Not applicable.
Other studies	Not applicable.

3. Follow-up, completion and deferral of PIP

Not applicable.

Other measures

Concerns on potential long term safety/efficacy issues in relation to paediatric use:	No
Date of completion of the paediatric investigation plan:	By September 2024
Deferral for one or more measures contained in the paediatric investigation plan:	Yes

Annex II Information about the authorised medicinal product

Information provided by the applicant:

Condition(s) and authorised indication(s)

1. Prevention of invasive meningococcal disease

Authorised indication(s):

- Indicated for active immunisation of individuals from the age of 12 months and older, against invasive meningococcal disease caused by Neisseria meningitidis serogroups A, C, W, and Y.
 - Authorised pharmaceutical form(s): Solution for injection
 - Authorised route(s) of administration: Intramuscular use
 - Authorised via centralised procedure