



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/591650/2014

European Medicines Agency decision

P/0264/2014

of 3 October 2014

on the acceptance of a modification of an agreed paediatric investigation plan for fidaxomicin (Dificlir), (EMA-000636-PIP01-09-M03) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

Disclaimer

This Decision does not constitute entitlement to the rewards and incentives referred to in Title V of Regulation (EC) No 1901/2006.

Only the English text is authentic.



European Medicines Agency decision

P/0264/2014

of 3 October 2014

on the acceptance of a modification of an agreed paediatric investigation plan for fidaxomicin (Dificlir), (EMA-000636-PIP01-09-M03) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

The European Medicines Agency,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1901/2006 of the European Parliament and of the Council of 12 December 2006 on medicinal products for paediatric use and amending Regulation (EEC) No. 1768/92, Directive 2001/20/EC, Directive 2001/83/EC and Regulation (EC) No 726/2004¹,

Having regard to Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Community procedures for the authorisation and supervision of medicinal products for human and veterinary use and establishing a European Medicines Agency²,

Having regard to the European Medicines Agency's decision P/98/2010 issued on 4 June 2010, the decision P/0313/2012 issued on 21 December 2012 and the decision P/0063/2014 issued on 7 March 2014,

Having regard to the application submitted by Astellas Pharma Europe B.V. on 23 June 2014 under Article 22 of Regulation (EC) No 1901/2006 proposing changes to the agreed paediatric investigation plan with a deferral,

Having regard to the opinion of the Paediatric Committee of the European Medicines Agency, issued on 12 September 2014, in accordance with Article 22 of Regulation (EC) No 1901/2006,

Having regard to Article 25 of Regulation (EC) No 1901/2006,

Whereas:

- (1) The Paediatric Committee of the European Medicines Agency has given an opinion on the acceptance of changes to the agreed paediatric investigation plan.
- (2) It is therefore appropriate to adopt a decision on the acceptance of changes to the agreed paediatric investigation plan.

¹ OJ L 378, 27.12.2006, p.1.

² OJ L 136, 30.4.2004, p. 1.

Has adopted this decision:

Article 1

Changes to the agreed paediatric investigation plan for fidaxomicin (Dificlir), tablet, granules for oral suspension, oral use, are hereby accepted in the scope set out in the opinion of the Paediatric Committee of the European Medicines Agency annexed hereto, together with its appendices.

Article 2

This decision is addressed to Astellas Pharma Europe B.V., Sylviusweg 62, 2333 BE – Leiden, The Netherlands.

Done at London, 3 October 2014

For the European Medicines Agency
Guido Rasi
Executive Director
(Signature on file)



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/PDCO/393772/2014

Opinion of the Paediatric Committee on the acceptance of a modification of an agreed Paediatric Investigation Plan

EMA-000636-PIP01-09-M03

Scope of the application

Active substance(s):

Fidaxomicin

Invented name:

Dificlir

Condition(s):

Treatment of enterocolitis caused by *Clostridium difficile*

Authorised indication(s):

See Annex II

Pharmaceutical form(s):

Tablet

Granules for oral suspension

Route(s) of administration:

Oral use

Name / corporate name of the PIP applicant:

Astellas Pharma Europe B.V.

Information about the authorised medicinal product:

See Annex II



Basis for opinion

Pursuant to Article 22 of Regulation (EC) No 1901/2006 as amended, Astellas Pharma Europe B.V. submitted to the European Medicines Agency on 23 June 2014 an application for modification of the agreed paediatric investigation plan with a deferral as set out in the European Medicines Agency's decision P/98/2010 issued on 4 June 2010, the decision P/0313/2012 issued on 21 December 2012 and the decision P/0063/2014 issued on 7 March 2014.

The application for modification proposed changes to the agreed paediatric investigation plan.

The procedure started on 18 December 2013.

Scope of the modification

Some measures and timelines of the Paediatric Investigation Plan have been modified.

Opinion

1. The Paediatric Committee, having assessed the application in accordance with Article 22 of Regulation (EC) No 1901/2006 as amended, recommends as set out in the appended summary report:
 - to agree to changes to the paediatric investigation plan in the scope set out in the Annex I of this opinion.

The Icelandic and the Norwegian Paediatric Committee member agree with the above-mentioned recommendation of the Paediatric Committee.

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This opinion is forwarded to the applicant and the Executive Director of the European Medicines Agency, together with its annexes and appendix.

London, 12 September 2014

On behalf of the Paediatric Committee
Dr Dirk Mentzer, Chairman
(Signature on file)

Annex I

The subset(s) of the paediatric population and condition(s) covered by the waiver and the measures and timelines of the agreed Paediatric Investigation Plan (PIP)

1. Waiver

Not applicable.

2. Paediatric Investigation Plan

2.1. Condition

Treatment of enterocolitis caused by *Clostridium difficile*

2.1.1. Indication(s) targeted by the PIP

Treatment of *Clostridium difficile* infections (CDI) also known as *Clostridium difficile* associated diarrhoea (CDAD)

2.1.2. Subset(s) of the paediatric population concerned by the paediatric development

From birth to less than 18 years of age

2.1.3. Pharmaceutical form(s)

Granules for oral suspension

Tablet

2.1.4. Measures

Area	Number of studies	Description
Quality-related studies	1	Study 1 Development of an age-appropriate oral suspension formulation for use in children from birth to less than 18 years
Non-clinical studies	3	Study 2 Pharmacokinetic evaluation of fidaxomicin oral suspension as compared to fidaxomicin oral tablets in adult beagle dogs Study 3 Dose range-finding study for the evaluation of toxicokinetics and tolerability of fidaxomicin oral suspension in young beagle dogs Study 4 Study for the evaluation of toxicity and toxicokinetics and effect on the developing gastrointestinal tract of fidaxomicin oral suspension in young beagle dogs
Clinical studies	2	Study 5 Open-label study to determine the safety and pharmacokinetics of

		fidaxomicin oral suspension and tablets taken for ten days in paediatric patients aged 6 months to less than 18 years with Clostridium difficile Associated Disease (CDAD) Study 6 Open-label, randomised, parallel-group study to compare the safety and efficacy of fidaxomicin oral suspension and tablets taken q12h, with vancomycin oral solution and capsules taken q6h, for ten days in paediatric patients from birth to less than 18 years with Clostridium difficile Associated Disease (CDAD) Study 7 (This study was deleted in EMEA-000636-PIP01-09-M01). Study 8 (This study was deleted in EMEA-000636-PIP01-09-M03). Study 9 (This study was deleted in EMEA-000636-PIP01-09-M03).
Extrapolation, modelling and simulation studies	0	Not applicable.
Other studies	0	Not applicable.
Other measures	0	Not applicable.

3. Follow-up, completion and deferral of PIP

Concerns on potential long term safety issues in relation to paediatric use:	No
Date of completion of the paediatric investigation plan:	By February 2016
Deferral for one or more studies contained in the paediatric investigation plan:	Yes

Annex II

Information about the authorised medicinal product

Condition(s) and authorised indication(s):

1. Condition: treatment of enterocolitis caused by *Clostridium difficile*

Authorised indication:

- treatment of *Clostridium difficile* infections (CDI) also known as C. difficile associated diarrhoea (CDAD)

Authorised pharmaceutical formulation(s):

Film-coated tablet

Route(s) of administration:

Oral use