



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/792254/2012

European Medicines Agency decision P/0292/2012

of 18 December 2012

on the acceptance of a modification of an agreed paediatric investigation plan for ustekinumab (Stelara) (EMA-000311-PIP03-11-M01) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

Disclaimer

This Decision does not constitute entitlement to the rewards and incentives referred to in Title V of Regulation (EC) No 1901/2006.

Only the English text is authentic.



European Medicines Agency decision

P/0292/2012

of 18 December 2012

on the acceptance of a modification of an agreed paediatric investigation plan for ustekinumab (Stelara) (EMA-000311-PIP03-11-M01) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

The European Medicines Agency,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1901/2006 of the European Parliament and of the Council of 12 December 2006 on medicinal products for paediatric use and amending Regulation (EEC) No. 1768/92, Directive 2001/20/EC, Directive 2001/83/EC and Regulation (EC) No 726/2004¹,

Having regard to Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Community procedures for the authorisation and supervision of medicinal products for human and veterinary use and establishing a European Medicines Agency²,

Having regard to the European Medicines Agency's decision P/0062/2012 issued on 28 March 2012,

Having regard to the application submitted by Janssen-Cilag International NV on 22 October 2012 under Article 22 of Regulation (EC) No 1901/2006 proposing changes to the agreed paediatric investigation plan with a deferral and a waiver,

Having regard to the opinion of the Paediatric Committee of the European Medicines Agency, issued on 7 December 2012, in accordance with Article 22 of Regulation (EC) No 1901/2006,

Having regard to Article 25 of Regulation (EC) No 1901/2006,

Whereas:

- (1) The Paediatric Committee of the European Medicines Agency has given an opinion on the acceptance of changes to the agreed paediatric investigation plan.
- (2) It is therefore appropriate to adopt a decision on the acceptance of changes to the agreed paediatric investigation plan.

¹ OJ L 378, 27.12.2006, p.1.

² OJ L 136, 30.4.2004, p. 1.

Has adopted this decision:

Article 1

Changes to the agreed paediatric investigation plan for ustekinumab (Stelara), solution for injection, subcutaneous use, are hereby accepted in the scope set out in the opinion of the Paediatric Committee of the European Medicines Agency annexed hereto, together with its appendices.

Article 2

This agreed PIP covers all conditions, indications, pharmaceutical forms, routes of administration, measures, timelines, waivers and deferrals, as agreed in the decision P/19/2009 issued on 4 February 2009, including subsequent modifications thereof.

Article 3

This decision is addressed to Janssen-Cilag International NV, Turnhoutseweg 30, B2340 Beerse, Belgium.

Done at London, 18 December 2012

For the European Medicines Agency
Guido Rasi
Executive Director
(Signature on file)



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/PDCO/743126/2012 Corr

Opinion of the Paediatric Committee on the acceptance of a modification of an agreed Paediatric Investigation Plan EMA-000311-PIP03-11-M01

Scope of the application

Active substance(s):

Ustekinumab

Invented name:

Stelara

Condition(s):

Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, psoriatic arthritis, ankylosing spondylarthritis and juvenile idiopathic arthritis)

Authorised indication(s):

See Annex II

Pharmaceutical form(s):

Solution for injection

Route(s) of administration:

Subcutaneous use

Name/corporate name of the PIP applicant:

Janssen-Cilag International NV

Information about the authorised medicinal product:

See Annex II



Basis for opinion

Pursuant to Article 22 of Regulation (EC) No 1901/2006 as amended, Janssen-Cilag International NV submitted to the European Medicines Agency on 22 October 2012 an application for modification of the agreed paediatric investigation plan with a deferral and a waiver as set out in the European Medicines Agency's decision P/0062/2012 issued on 28 March 2012.

The application for modification proposed changes to the agreed paediatric investigation plan.

The procedure started on 14 November 2012.

Scope of the modification

Amendment of the scope of the Paediatric Investigation Plan to include another condition referred to in paediatric investigation plan EMEA- 000311-PIP-01-08.

Opinion

1. The Paediatric Committee, having assessed the application in accordance with Article 22 of Regulation (EC) No 1901/2006 as amended, recommends as set out in the appended summary report:

- to agree to changes to the paediatric investigation plan.

The Icelandic and the Norwegian Paediatric Committee members agree with the above-mentioned recommendation of the Paediatric Committee.

2. The measures and timelines of the paediatric investigation plan and the subset(s) of the paediatric population and condition(s) covered by the waiver are set out in the Annex I.

This opinion is forwarded to the applicant and the Executive Director of the European Medicines Agency, together with its annex(es) and appendix.

London, 7 December 2012

On behalf of the Paediatric Committee
Dr Daniel Brasseur, Chairman
(Signature on file)

Annex I

The subset(s) of the paediatric population and condition(s) covered by the waiver and the measures and timelines of the agreed Paediatric Investigation Plan

1. Waiver

1.1. Condition: Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, psoriatic arthritis, ankylosing spondylarthritis and juvenile idiopathic arthritis)

The waiver applies to:

- Children from birth to less than 1 year of age;
- For solution for injection, subcutaneous use;
- on the grounds that the disease or condition for which the specific medicinal product is intended does not occur in the specified paediatric subset(s).
- Children from 1 to less than 6 years of age;
- for solution for injection, subcutaneous use;
- on the grounds that the specific medicinal product does not represent a significant therapeutic benefit over existing treatments.

2. Paediatric Investigation Plan

2.1. Condition: Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, psoriatic arthritis, ankylosing spondylarthritis and juvenile idiopathic arthritis)

2.1.1. Indication(s) targeted by the PIP

Treatment of juvenile idiopathic arthritis (JIA).

2.1.2. Subset(s) of the paediatric population concerned by the paediatric development

From 6 to less than 18 years of age.

2.1.3. Pharmaceutical form(s)

Solution for injection.

2.1.4. Studies

Area	Number of studies	Description
Quality	1	Study 1 Development of age-appropriate strength for children less than 12 years old.
Non-clinical	0	Not applicable.
Clinical	2	Study 2

Area	Number of studies	Description
		Double-blind, placebo controlled randomised withdrawal study of the safety and efficacy of ustekinumab in patients with polyarticular JIA. Study 3 Double-blind placebo controlled randomised withdrawal study of the safety and efficacy of ustekinumab in patients with systemic JIA.

3. Follow-up, completion and deferral of PIP

Concerns on potential long term safety and efficacy issues in relation to paediatric use:	Yes
Date of completion of the paediatric investigation plan:	By March 2024
Deferral for one or more measures contained in the paediatric investigation plan:	Yes

Annex II

Information about the authorised medicinal product

Condition(s) and authorised indication(s):

1. Treatment of psoriasis.

Authorised indication:

Stelara is indicated for the treatment of moderate to severe plaque psoriasis in adults who failed to respond to, or who have a contraindication to, or are intolerant to other systemic therapies including ciclosporin, methotrexate and PUVA.

Authorised pharmaceutical formulation(s):

Solution for injection.

Authorised route(s) of administration:

Subcutaneous use.