



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/439423/2021

European Medicines Agency decision P/0342/2021

of 9 August 2021

on the acceptance of a modification of an agreed paediatric investigation plan for bupivacaine (Exparel), (EMEA-000877-PIP03-17-M03) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

Disclaimer

This decision does not constitute entitlement to the rewards and incentives referred to in Title V of Regulation (EC) No 1901/2006.

Only the English text is authentic.



European Medicines Agency decision

P/0342/2021

of 9 August 2021

on the acceptance of a modification of an agreed paediatric investigation plan for bupivacaine (Exparel), (EMA-000877-PIP03-17-M03) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

The European Medicines Agency,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1901/2006 of the European Parliament and of the Council of 12 December 2006 on medicinal products for paediatric use and amending Regulation (EEC) No 1768/92, Directive 2001/20/EC, Directive 2001/83/EC and Regulation (EC) No 726/2004¹,

Having regard to Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Community procedures for the authorisation and supervision of medicinal products for human and veterinary use and establishing a European Medicines Agency²,

Having regard to the European Medicines Agency's decision P/0402/2018 issued on 7 December 2018, the decision P/0036/2020 issued on 29 January 2020 and the decision P/0113/2021 issued on 17 March 2021,

Having regard to the application submitted by Pacira Ltd on 16 April 2021 under Article 22 of Regulation (EC) No 1901/2006 proposing changes to the agreed paediatric investigation plan with a deferral and a waiver,

Having regard to the opinion of the Paediatric Committee of the European Medicines Agency, issued on 23 July 2021, in accordance with Article 22 of Regulation (EC) No 1901/2006,

Having regard to Article 25 of Regulation (EC) No 1901/2006,

Whereas:

- (1) The Paediatric Committee of the European Medicines Agency has given an opinion on the acceptance of changes to the agreed paediatric investigation plan.
- (2) It is therefore appropriate to adopt a decision on the acceptance of changes to the agreed paediatric investigation plan.

¹ OJ L 378, 27.12.2006, p.1.

² OJ L 136, 30.4.2004, p. 1.

Has adopted this decision:

Article 1

Changes to the agreed paediatric investigation plan for bupivacaine (Exparel), suspension for injection, prolonged-release dispersion for injection, perineural use, infiltration use, are hereby accepted in the scope set out in the opinion of the Paediatric Committee of the European Medicines Agency annexed hereto, together with its appendices.

Article 2

This decision is addressed to Pacira Ltd, Wessex House, Marlow Road, SL8 5SP - Bourne End, United Kingdom.



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

EMA/PDCO/255467/2021
Amsterdam, 23 July 2021

Opinion of the Paediatric Committee on the acceptance of a modification of an agreed Paediatric Investigation Plan EMA-000877-PIP03-17-M03

Scope of the application

Active substance(s):

Bupivacaine

Invented name:

Exparel

Condition(s):

Postsurgical analgesia

Authorised indication(s):

See Annex II

Pharmaceutical form(s):

Suspension for injection

Prolonged-release dispersion for injection

Route(s) of administration:

Perineural use

Infiltration use

Name/corporate name of the PIP applicant:

Pacira Ltd

Information about the authorised medicinal product:

See Annex II



Basis for opinion

Pursuant to Article 22 of Regulation (EC) No 1901/2006 as amended, Pacira Ltd submitted to the European Medicines Agency on 16 April 2021 an application for modification of the agreed paediatric investigation plan with a deferral and a waiver as set out in the European Medicines Agency's decision P/0402/2018 issued on 7 December 2018, the decision P/0036/2020 issued on 29 January 2020 and the decision P/0113/2021 issued on 17 March 2021.

The application for modification proposed changes to the agreed paediatric investigation plan.

The procedure started on 25 May 2021.

Scope of the modification

Some measures and timelines of the Paediatric Investigation Plan have been modified.

Opinion

1. The Paediatric Committee, having assessed the application in accordance with Article 22 of Regulation (EC) No 1901/2006 as amended, recommends as set out in the appended summary report:
 - to agree to changes to the paediatric investigation plan in the scope set out in the Annex I of this opinion.

The Norwegian Paediatric Committee member agrees with the above-mentioned recommendation of the Paediatric Committee.

2. The measures and timelines of the paediatric investigation plan and the subset(s) of the paediatric population and condition(s) covered by the waiver are set out in the Annex I.

This opinion is forwarded to the applicant and the Executive Director of the European Medicines Agency, together with its annexes and appendix.

Annex I

The subset(s) of the paediatric population and condition(s) covered by the waiver and the measures and timelines of the agreed paediatric investigation plan (PIP)

1. Waiver

1.1. Condition:

Postsurgical analgesia

The waiver applies to:

- the paediatric population from birth to less than 1 year of age;
- suspension for injection, perineural and infiltration use;
- on the grounds that the specific medicinal product is likely to be unsafe.

2. Paediatric investigation plan

2.1. Condition:

Postsurgical analgesia

2.1.1. Indication(s) targeted by the PIP

Local or regional analgesia when administered into the surgical site or as a nerve block in children from 1 year to less than 18 years of age

2.1.2. Subset(s) of the paediatric population concerned by the paediatric development

From 1 year to less than 18 years of age

2.1.3. Pharmaceutical form(s)

Suspension for injection

Prolonged-release dispersion for injection

2.1.4. Measures

Area	Number of measures	Description
Quality-related studies	0	Not applicable
Non-clinical studies	0	Not applicable
Clinical studies	4	Study 1 (402-C-319) A multicentre study to evaluate the pharmacokinetics and safety of liposomal bupivacaine (hereinafter: Exparel) for postsurgical analgesia in paediatric subjects aged 6 years to less than 17 years of age Study 2 (402-C-WI2) Multicentre, open-label, randomised, bupivacaine-controlled study to evaluate the pharmacokinetics, safety

		and efficacy of Exparel for postsurgical analgesia in paediatric patients from birth to less than 6 years (402-C-WI2) Study 3 (402-C-NB1) Multicentre, open-label, randomised, ropivacaine-controlled study to evaluate the safety and pharmacokinetics of Exparel when administered as a nerve block for surgical procedures like anterior cruciate ligament (ACL) repair, upper or lower extremity fractures in paediatric subjects aged 6 years to less than 18 years Study 4 (402-C-NB2) Multicentre, open-label, randomised, ropivacaine-controlled study to evaluate the safety and pharmacokinetics of Exparel in paediatric subjects aged 1 to less than 6 years when administered as a nerve block for surgical procedures like repair of fractured femoral shaft (femoral block), hand or forearm surgery (axillary block), or inguinal hernia repair (ilio-inguinal block)
Extrapolation, modelling and simulation studies	0	Not applicable
Other studies	0	Not applicable
Other measures	0	Not applicable

3. Follow-up, completion and deferral of PIP

Concerns on potential long term safety/efficacy issues in relation to paediatric use:	No
Date of completion of the paediatric investigation plan:	By January 2024
Deferral for one or more measures contained in the paediatric investigation plan:	Yes

Annex II

Information about the authorised medicinal product

Condition(s) and authorised indication(s):

1. Postsurgical analgesia

Authorised indication(s):

- EXPAREL liposomal is indicated as a brachial plexus block or femoral nerve block for treatment of post-operative pain in adults, and as a field block for treatment of somatic post-operative pain from small- to medium-sized surgical wounds in adults

Authorised pharmaceutical form(s):

Prolonged-release dispersion for injection.

Authorised route(s) of administration:

Infiltration, perineural use