



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

EMA/521807/2018

## European Medicines Agency decision

P/0257/2018

of 14 August 2018

on the acceptance of a modification of an agreed paediatric investigation plan for paclitaxel (Abraxane), (EMEA-001308-PIP01-12-M02) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

### **Disclaimer**

This decision does not constitute entitlement to the rewards and incentives referred to in Title V of Regulation (EC) No 1901/2006.

**Only the English text is authentic.**



# European Medicines Agency decision

P/0257/2018

of 14 August 2018

on the acceptance of a modification of an agreed paediatric investigation plan for paclitaxel (Abraxane) (EMA-001308-PIP01-12-M02) in accordance with Regulation (EC) No 1901/2006 of the European Parliament and of the Council

The European Medicines Agency,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1901/2006 of the European Parliament and of the Council of 12 December 2006 on medicinal products for paediatric use and amending Regulation (EEC) No. 1768/92, Directive 2001/20/EC, Directive 2001/83/EC and Regulation (EC) No 726/2004<sup>1</sup>,

Having regard to Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Community procedures for the authorisation and supervision of medicinal products for human and veterinary use and establishing a European Medicines Agency<sup>2</sup>,

Having regard to the European Medicines Agency's decision P/0116/2013 issued on 26 April 2013 and the decision P/0017/2017 issued on 31 January 2017,

Having regard to the application submitted by, Celgene Europe Limited on 9 April 2018 under Article 22 of Regulation (EC) No 1901/2006 proposing changes to the agreed paediatric investigation plan with a deferral,

Having regard to the opinion of the Paediatric Committee of the European Medicines Agency, issued on 29 June 2018, in accordance with Article 22 of Regulation (EC) No 1901/2006,

Having regard to Article 25 of Regulation (EC) No 1901/2006,

Whereas:

- (1) The Paediatric Committee of the European Medicines Agency has given an opinion on the acceptance of changes to the agreed paediatric investigation plan and to the deferral.
- (2) It is therefore appropriate to adopt a decision on the acceptance of changes to the agreed paediatric investigation plan, including changes to the deferral.

---

<sup>1</sup> OJ L 378, 27.12.2006, p.1.

<sup>2</sup> OJ L 136, 30.4.2004, p. 1.

Has adopted this decision:

**Article 1**

Changes to the agreed paediatric investigation plan for paclitaxel (Abraxane), powder for suspension for infusion, intravenous use, including changes to the deferral, are hereby accepted in the scope set out in the opinion of the Paediatric Committee of the European Medicines Agency annexed hereto, together with its appendices.

**Article 2**

This decision is addressed to Celgene Europe Limited, 1 Longwalk Road, Stockely Park, UB11 1DB – Uxbridge. United Kingdom.



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

EMA/PDCO/238013/2018

London, 29 June 2018

## Opinion of the Paediatric Committee on the acceptance of a modification of an agreed Paediatric Investigation Plan

EMA-001308-PIP01-12-M02

### Scope of the application

**Active substance(s):**

Paclitaxel

**Invented name:**

Abraxane

**Condition(s):**

Treatment of solid malignant tumours

**Authorised indication(s):**

See Annex II

**Pharmaceutical form(s):**

Powder for suspension for infusion

**Route(s) of administration:**

Intravenous use

**Name/corporate name of the PIP applicant:**

Celgene Europe Limited

**Information about the authorised medicinal product:**

See Annex II



## **Basis for opinion**

Pursuant to Article 22 of Regulation (EC) No 1901/2006 as amended, Celgene Europe Limited submitted to the European Medicines Agency on 9 April 2018 an application for modification of the agreed paediatric investigation plan with a deferral as set out in the European Medicines Agency's decision P/0116/2013 issued on 26 April 2013 and the decision P/0017/2017 issued on 31 January 2017.

The application for modification proposed changes to the agreed paediatric investigation plan and to the deferral.

The procedure started on 2 May 2018.

## **Scope of the modification**

Some measures and timelines of the Paediatric Investigation Plan have been modified.

## **Opinion**

1. The Paediatric Committee, having assessed the application in accordance with Article 22 of Regulation (EC) No 1901/2006 as amended, recommends as set out in the appended summary report:
  - to agree to changes to the paediatric investigation plan and to the deferral in the scope set out in the Annex I of this opinion.

The Norwegian Paediatric Committee member agrees with the above-mentioned recommendation of the Paediatric Committee.

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This opinion is forwarded to the applicant and the Executive Director of the European Medicines Agency, together with its annexes and appendix.

## **Annex I**

**The subset(s) of the paediatric population and condition(s) covered by the waiver and the measures and timelines of the agreed paediatric investigation plan (PIP)**

## 1. Waiver

Not applicable

## 2. Paediatric Investigation Plan

### 2.1. Condition

Treatment of solid malignant tumours

#### 2.1.1. Indication(s) targeted by the PIP

Treatment of a paediatric solid malignant tumour

#### 2.1.2. Subset(s) of the paediatric population concerned by the paediatric development

From birth to less than 18 years of age

#### 2.1.3. Pharmaceutical form(s)

Powder for suspension for infusion

#### 2.1.4. Measures

Area	Number of measures	Description
Quality-related studies	1	<b>Study 1</b> deleted in procedure EMEA-001308-PIP01-12-M02
Non-clinical studies	3	<b>Study 2</b> <i>In vivo</i> pharmacodynamic study of paclitaxel (formulated as albumin-bound nanoparticles) against Ewing sarcoma, rhabdomyosarcoma, osteosarcoma and neuroblastoma xenografts <b>Study 3</b> <i>In vivo</i> pharmacodynamic study of paclitaxel (formulated as albumin-bound nanoparticles) against paediatric bone sarcoma xenografts <b>Study 4</b> <i>In vitro</i> and <i>in vivo</i> pharmacodynamic study of paclitaxel (formulated as albumin-bound nanoparticles) in neuroblastoma and sarcoma models
Clinical studies	3	<b>Study 5</b> Open-label, non-controlled, multi-centre trial to evaluate pharmacokinetics, pharmacodynamics, tolerability and safety of paclitaxel (formulated as albumin-bound nanoparticles) in children

		<p>from 6 months to less than 18 years of age (and adults) with a solid malignant tumour</p> <p><b>Study 6</b></p> <p>deleted in procedure EMEA-001308-PIP01-12-M02</p> <p><b>Study 7</b></p> <p>deleted in procedure EMEA-001308-PIP01-12-M02</p>
--	--	--

### 3. Follow-up, completion and deferral of PIP

Concerns on potential long term safety issues in relation to paediatric use:	Yes
Date of completion of the paediatric investigation plan:	By June 2018
Deferral for one or more measures contained in the paediatric investigation plan:	Yes



## **Annex II**

### **Information about the authorised medicinal product**

## **Condition(s) and authorised indication(s):**

### 1. Treatment of solid malignant tumours

#### Authorised indication(s):

- Abraxane monotherapy is indicated for the treatment of metastatic breast cancer in adult patients who have failed first-line treatment for metastatic disease and for whom standard, anthracycline containing therapy is not indicated.
- Abraxane in combination with gemcitabine is indicated for the first-line treatment of adult patients with metastatic adenocarcinoma of the pancreas.
- Abraxane in combination with carboplatin is indicated for the first-line treatment of non-small cell lung cancer in adult patients who are not candidates for potentially curative surgery and/or radiation therapy.

## **Authorised pharmaceutical form(s):**

Powder for suspension for infusion

## **Authorised route(s) of administration:**

Intravenous use