



Breakout Workgroup 1

Organization and Communications

First meeting of the European Paediatric Network

London, 16 February 2009

Paolo Rossi / Paolo Tomasi

Paed network implementation working group



- 5-10 people
- 6 months working time
- To startup network and decide criteria for admission to the EU network of networks
- To precede the Coordinating Committee (up to 20 members)
- To include thematic and non-thematic components
- Many volunteers
- 1 volunteer to chair the group
(chaired to be elected by group)

paed network implementation working group - candidatures



- Teddy pharmacoepidemiology and vigilance group
- Printo
- ERS Respiratory diseases
- MCRN UK (Medicines for Children Network UK)
- EAP
- European Bone Marrow transplantation Network
- Pednet Germany
- European Neonatal Network
- MCRN Netherlands
- Penta should be represented.
- Priomed child

Organization of the Coordinating committee



- National vs. **international** remit?
- **Disease-driven** vs. **problem-oriented** networks?
- Organizational networks (CRO-like)
- Diversity; e.g.:
 - Appr. 10 for disease-driven
 - Appr. 4 for problem-oriented (neonates, pharmacogenomics, etc)
 - 1-2 for organizational, educational, etc.
- Acquired experience important
- Cross-fertilization
- Federation of “sister” association/networks recommended for inclusion in Committee