

US FDA's Experience with Medicines Communication using Social Media

EMA Human Scientific Committees' Working Parties with Patients' and Consumers' Organisations (PCWP) and Healthcare Professionals' Organisations (HCPWP) joint meeting Workshop on social media

FDA, CDER Office of Communications, Division of Drug Information

CAPT Catherine Chew, PharmD


Deputy Director, Division of Drug Information

Kimberly Chiu, PharmD

CDER Social Media Lead, Division of Drug Information



CDER/Office of Communications





Who is your target audience?








Patients and Consumers Health Care Providers Regulated Industry



What platform(s) does your target audience use?

FDA's Center for Drug Evaluation and Research





What platform(s) does your target audience use?

FDA proactively segments twitter audiences

By Product Area (Examples)

Drugs: @FDA_Drug_Info

Biologics: @FDACBER

Tobacco: @FDATobacco

By Audience (Examples)

Patients: @FDA_Patient_Net

Press:

@FDAMedia

Devices Industry: @FDACDRHIndustry

Spanish Speakers: @FDA_EnEspanol By Programs (Examples)

openFDA: @openFDA

PrecisionFDA: @precisionFDA



FDA

Global Alliance of Drug Information Specialists (GADIS)

66 members



Kimberly Wu

Pharmacist OWNER • 2w

Voluntary nationwide recall of oral liquid docusate sodium manufactured by PharmaTech & distributed by Rugby Laboratories

FDA is alerting health care professionals that PharmaTech LLC, Davie, Florida, is voluntarily recalling all non-expired lots of Diocto Liquid, a docusate sodium solution distributed by Rugby Laboratories, Livonia, Michigan. The agency confirmed the p... Show more

Like Comment | 🖵 2



Genevieve Lynn Ness, PharmD Thank you very much for this information. What symptoms does the Burkholderia cepacia bacteria cause in patients?

Like 🔰 👌 1

•• 2w



Kimberly DeFronzo According to the CDC at https://www.cdc.gov/HAI/organisms /bCepacia.html, the effects of B. cepacia on people vary widely, ranging from no symptoms at all to serious respiratory infections, especially in patients with cystic fibrosis... Show more



What are target audience(s) saying?

- Current concerns or questions
- Current misperceptions or incorrect information
- Current sentiment





Best practices

- Graphics and videos increase reach
- Best time and how often
- Remember mobile devices





- Identify natural partners
 - Stakeholder organizations on social media
 - Medical information resource companies

ReachMD Be part of the knowledge.™





Use metrics to optimize SM platforms

 Feb 2015 			March 2015			Apr 2015 ►
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2 Twitter: 8	3 Twitter: 6	4 Twitter: 5	5 Twitter: 6	6 Twitter: 3	7
	Facebook:	Facebook:	Facebook: 2	Facebook:	Facebook: 1	
	Listserv: 1	Listserv:	Listserv: 3	Listserv:	Listserv: 2	
8	9	10	11	12	13	14
	Twitter: 1	Twitter: 2	Twitter: 2	Twitter: 0	Twitter: 0	
	Facebook:	Facebook: 2	Facebook:	Facebook:	Facebook:	
	Listserv: 1	Listserv: 1	Listserv: 1	Listserv:	Listserv:	
15	16	17	18	19	20	21
	Twitter: 3	Twitter: 1	Twitter: 2	Twitter: 2	Twitter: 1	
	Facebook:	Facebook:	Facebook: 1	Facebook: 1	Facebook:	
	Listserv:	Listserv:	Listserv: 1	Listserv: 1	Listerv: 1	
22	23	24	25	26	27	28
	Twitter: 1	Twitter: 2	Twitter: 1	Twitter: 1	Twitter: 0	
	Facebook: 1	Facebook: 1	Facebook:	Facebook: 1	Facebook:	
	Listserv: 1	Listserv: 1	Listserv: 1	Listserv:	Listserv:	
29	30	31	Notes:			
	Twitter: 3	Twitter: 0	March 2-5: Many tainted pr	oduct announcements		
	Facebook: 2	Facebook:				
	Listserv: 2	Listserv:				



Use metrics to optimize SM platforms

	Twitter	
	Avg # of Impressions	Avg Engagement Rate
1	DMD Guidance	Drug Approvals
2	Podcasts	Resources
3	Promoting: App	Promoting: App
4	Drug Approvals	ALS Statement
5	Drug Safety Communications	Trivia
6	Division of Online Communications	Drug Safety Communications
7	Drug Info Rounds Video	Exhibit
8	Campaign	Promoting: Webinar

	Faceboo)k
	Avg # Reached	Avg Engagement Rate
1	Safety	Promoting: App
2	Drug Approvals	Drug Approvals
3	Promoting: App	Safety
4	Drug Safety Communications	Promoting: Meeting
5	Patient Focused Drug Development Meeting	Drug Safety Communications
6	Announcements	Division of Online Communications
7	Promoting: Meeting	DMD Guidance
8	Division of Online Communications	Announcements



- As a Regulatory Agency:
 - Must be neutral
 - Humanize FDA- "Operation Nice FDA"

• Other Rules, Regulations or Policies



FDA's Office of Prescription Drug Promotion

Draft Guidance: <u>Internet/Social Media Platforms with</u> <u>Character Space Limitations- Presenting Risk & Benefit</u> <u>Information for Prescription Drugs and Medical Devices</u>






EU Medicines Agency @EMA_News - Jul 28 We've published the assessment report for Zepatier (elbasvir / grazoprevir), a #medicine to treat #Hepatitis C: bit.ly/2a6Yg10




FDA Drug Information @FDA_Drug_Info - May 19 New Drug Safety Comm. on Nizoral (ketoconazole) oral tabs go.usa.gov /cJDsh. View PI: go.usa.gov/cJZeA















FDA Drug Information @FDA_Drug_Info - May 19

New Drug Safety Comm. on Nizoral (ketoconazole) oral tabs go.usa.gov /cJDsh. View PI: go.usa.gov/cJZeA







EU Medicines Agency @EMA_News - Jul 28 We've published the assessment report for Zepatier (elbasvir / grazoprevir), a #medicine to treat #Hepatitis C: bit.ly/2a6Yg10





Other Rules, Regulations or Policies

- Commercial Confidential Information
- Paperwork Reduction Act
- <u>508 Compliance</u>
- Term of Service (TOS) Agreements





Social Media as a part of communications strategy



Fluoroquinolones

FDA U.S. FOOD		DRUG			A to Z Index Fol	kow FDA En I	Español
	js M	edical Devices	Radiation-Emitting Products	Vaccines, Blood & Biologics	Animal & Veterinary	Cosmetics	Tobacco Products
Drugs							
Home > Drugs > Drug Safety	and A	vailability					
Drug Safety and Availability Drug Alerts and Statements Medication Guides		rest cert	Drug Safet ricting fluor ain uncomp	oquinolone licated infe	antibioti ctions; w	c use /arns	e for about
Drug Safety Communications		disa	bling side e	effects that o	can occu	r toge	ether
Drug Shortages	•	f SHARE	TWEET IN LINKEDIN	🖗 PINIT 🔤 EMAIL 🖨 PRINT	г		
Postmarket Drug Safety Information for Patients and Providers	*		DA has issued new informa I July 26, 2016	ation about this safety issu	ie, see the FDA Dru	ıg Safety Co	ommunication
Information by Drug Class							
Medication Errors		Safety	Announcement				~
Drug Safety Podcasts	•		2-2016] The U.S. Food an uoroquinolone antibacteria				
Safe Use Initiative	~	acute	bronchitis, and uncomplica nese conditions, fluoroquin	ted urinary tract infections	who have other tre	atment opti	ons. For patients
Drug Recalls		option		olones should be reserved		or nave alte	inative treatment
Drug Supply Chain Integrity	*	injecta	A safety review has shown able) are associated with di er. These side effects can	sabling and potentially pe	rmanent serious sid	e effects that	at can occur
		drugs	esult, we are requiring the to be updated to reflect th uoroquinolones and will up	is new safety information.	We are continuing	to investigat	e safety issues



Social Media Outreach







FDA Drug Information @FDA_Drug_Info - Jul 26

New FDA Drug Safety Communication on fluoroquinolone antibiotics: go.usa.gov/xYZvW.





New FDA Drug Safety Communication on Fluoroquinolones: http://go.usa.gov/cuuhY. Access Pl(s) at: http://go.usa.gov/cuuQ9

Published by Valarie Thorpe [?] - May 12 - 🚷





Listen and Answer

Date	Topic	Notes (Inquiry/Request)	POC	Demographic	State	Country
08/04/2016	Cipro	Could my fever blister be caused by Cipro?	VM - Phone	Consumer	AL	USA
08/03/2016	Cipro	Patient developed CNS side effects. Is there anything else they should do besides stopping the medication?	Live - Phone	MD	MI	USA
07/27/2016	Drug Interactions	if ciprofloxacin can be used in Mucopurulent conjunctives, Endo ophthalmitis	Email	Pharmacist	5	USA
08/09/2016	FQ	treated for pneumonia in ICU via IV - had complete Achilles tendon rupture - recovering after 2 months	Live - Phone	Consumer	CA	USA
08/08/2016	FQ	Dr. concerned about topical formulations of FQs and absorption thru mucous membranes. Asking does the DSC include topical products as well.	Live - Phone	MD	OR	USA
08/08/2016	FQ	We required following reference sample Please arrange it in urgent basis. 1. Azithromycin Dihydrochloride 2. Ciprofloxacin Hcl. 3. Ceftriaxone 4. Cefixime 5. Cephradin 6. Dexamethason 7. Levofloxacin	Email	Industry	3	Banglade
08/08/2016	FQ	I have had a torn Achilles tendon due to levofloxacin 750mg	Live - Phone	Consumer	VA	USA
08/08/2016	FQ	Was given levofloxacin. Has seizures and is on generic Keppra. Doctor insisted she take levofloxacin. Had red pin point spots. Yesterday started to have muscle pain in shoulder and right side of body.	Live - Phone	Consumer	NJ	USA
08/08/2016	FQ	How long will levaquin stay in the body?	Live - Phone	Consumer	он	USA
08/05/2016	FQ	Wrote in asking about if the studies for fluroquinolones is published anywhere to read.	Email	Insurance Provider	4	USA
08/05/2016	FQ	The patient called to report ADR of possible tendon weakness which led to muscle tearing due to using cirpo	Live - Phone	Consumer	тх	USA
08/05/2016	FQ	Can levaquin help with mosquito bites or have any relationship with the zika virus?	Live - Phone	Consumer	СТ	USA
08/05/2016	FQ	The Dr. gave my Levaquin (levofloxacin) for bronchitis and I also have chronic leukemia. I have SE of all my muscles in my shoulder, arm being tensed. How long will it take for the SE to go away? I called my physician but he does not know the answer.	VM - Phone	Consumer	NJ	USA
08/05/2016	FQ	I was prescribed Ciprofloxacin for a kidney infection and I had bad SE such as burning of the skin, diarrhea, pins and needles in my elbow. I have contacted my physician.	VM - Phone	Consumer	MD	USA
08/05/2016	FQ	Wrote in asking about if the studies for fluroquinolones is published anywhere to read.	Email	Insurance Provider		USA
08/05/2016	FQ	Patient called to report ADRs of ciprofloxacin; according to her she possibly have had weakened tendon which led to muscle tearing due to using cipro	Live - Phone	Consumer	TX	USA
08/05/2016	FQ	Patient called to report ADRs of constipation, muscle soreness, sore spot on shit bone (felt like bruise but wasn't bruise), tingling sensation around mouth, and acid reflux associated with taking ciorofloxacin for 2 days	Live - Phone	Consumer	OR	USA



Listen and Answer on Social Media

I experienced an adverse event due to a fluoroquinolone.

How will doctors learn this information?

FDA needs to take more action.



U.S. Food and Drug Administration May 12 · 🚱

New FDA Drug Safety Communication on Fluoroquinolones: http://go.usa.gov/cuuhY. Access Pl(s) at: http://go.usa.gov/cuuQ9





Listen on Stakeholder/Patient Sites

Floxie Hope May 12 . @

dr Like Page

THIS IS HUGE IIIIII

"FDA is advising that the serious side effects associated with fluoroquinolone antibacterial drugs generally outweigh the benefits for patients with sinusitis, bronchitis, and uncomplicated urinary tract infections who have other treatment options. For patients with these conditions. fluoroquinolones should be reserved for those who do not have alternative treatment options

An EDA safety review has shown that fluoroounglones when used systemically (i.e. tablets, capsules, and injectable) are associated with disabling and potentially permanent serious side effects that can occur together. These side effects can involve the tendons, muscles, joints, nerves, and central nervous system

As a result, FDA is requiring the drug labels and Medication Guides for all fluoroquinolone antibacterial drugs to be updated to reflect this new safety information. FDA is continuing to investigate safety issues with fluoroquinolones and will update the public with additional information if it becomes available."

PLEASE SHARFIL

http://www.fda.gov/.../SafetyAlertsforHumanMed.../ucm500665.htm.

Fluoroquinolone Antibacterial Drugs: Drug Safety Communication - FDA Advises Restricting Use for ... Serious side effects associated with fluoroquinolones generally outweigh the benefits for patients with sinusitis, bronchitis, and uncomplicated urinary tract infections who have other treatment options.

009 105

24 Comments 143 Shares 🙇 🗸



Floxie Hope

May 27 · @

http://www.runnersworld.com/.../fda-warns-of-tendon-damage-li.

the Like Page





The information that the FDA put out about the depth and breadth of fluoroquinolone reactions is wonderful and greatly appreciated. Unfortunately, they're not sending out a "dear doctor" letter to physicians. Please send the FDA announcements and/or this post to doctors, the media. your loved ones, and anyone else who needs to know about the dangers of FQs. Thank you!

As Missy noted on the Floxie Hope facebook page, "When a new drug hits the market there are drug reps out and about educating healthcare providers and promoting prescriptions. Now that this "old" drug has restrictions there are no drug reps out and about educating healthcare providers of the dangers and limiting prescriptions." Exactly. For better or worse, we need to be anti-pharmaceutical-reps and tell physicians about the dangers of these drugs

Publicizing Fluoroquinolone Warnings one hand, I feel like they really. FLOXIEHOPE.COM

Comment A Share 👘 Like 32



🗯 Like	Comment	A Share	۵
09914	14		Chronological *





Duchenne Muscular Dystrophy (DMD)







🗘 💄 Follow

@US_FDA When your 14 yr old brother with #Duchenne is able to carry you around in the pool #thedrugworks #etep \$SRPT



5:23 PM - 29 Jul 2016







🔅 💄 Follow

Duchenne taking on FDA #believeyoureyes #makeduchennehistory #cantstopwontstop #wecandothistogether



RETWEETS	LIKES	🛃 🔐 🎒 🔡 😤 🚺 🕷	
7	9	📷 🚟 📰 🚟 🕱 🚺 🕷 🕷	

jenn mcnary @jennmcnary 🗧 🚑 Follow

Boys gripping their speeches in their hands, waiting for their turn - what I'll remember most #makeduchennehistory




RETWEETS	LIKES	
25	62	📑 🕸 😤 🎑 🎦 📷 😤 🔮





2 Follow Ö


On our way to Washington for the Sarepta @US_FDA AdComm. Quick team talk from our little man #MakeDuchenneHistory



12:01 AM - 23 Apr 2016



Questions? Comments?



Kimberly.Chiu@fda.hhs.gov Catherine.Chew@fda.hhs.gov