



AMGEVITA

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IB/0033	B.II.e.6.a - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that affects the product information	09/01/2023		SmPC, Labelling and PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



II/0031	B.II.b.2.c.3 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing for a biol/immunol product and any of the test methods is a biol/immunol/immunochemical method	10/11/2022	n/a		
IA/0030	B.II.e.6.b - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that does not affect the product information	07/03/2022	n/a		
R/0029	Renewal of the marketing authorisation.	14/10/2021	09/12/2021	SmPC, Labelling and PL	Based on the review of data on quality, safety and efficacy, the CHMP considered that the benefit-risk balance of AMGEVITA in the approved indication remains favourable and therefore recommended the renewal of the marketing authorisation with unlimited validity.
IB/0027/G	This was an application for a group of variations. C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	21/07/2021	12/08/2021	SmPC, Labelling and PL	
WS/2026	This was an application for a variation following a worksharing procedure according to Article 20 of	08/07/2021	n/a		

	Commission Regulation (EC) No 1234/2008. B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method				
IAIN/0028	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	21/06/2021	n/a		
IB/0025	B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	16/04/2021	n/a		
IB/0024	C.I.11.z - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Other variation	21/01/2021	n/a		
II/0023	B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS	14/01/2021	n/a		
PSUSA/10783 /201912	Periodic Safety Update EU Single assessment - adalimumab	03/09/2020	n/a		PRAC Recommendation - maintenance
IB/0021	C.I.2.a - Change in the SPC, Labelling or PL of a	25/02/2020	02/06/2020	SmPC, Annex II	

	generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH			and PL	
IA/0020	B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure	06/11/2019	n/a		
II/0019/G	This was an application for a group of variations. B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place	26/09/2019	02/06/2020	Annex II	
PSUSA/10589 /201812	Periodic Safety Update EU Single assessment - adalimumab (biosimilars)	11/07/2019	n/a		PRAC Recommendation - maintenance
II/0017	B.II.e.4.b - Change in shape or dimensions of the	04/07/2019	n/a		

	container or closure (immediate packaging) - The change in shape or dimensions concerns a fundamental part, which may have a significant impact on the delivery, use, safety or stability of the FP				
IAIN/0018	B.II.e.6.a - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that affects the product information	14/06/2019	02/06/2020	SmPC, Labelling and PL	
IB/0015/G	<p>This was an application for a group of variations.</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a</p>	14/03/2019	28/03/2019	SmPC, Annex II and PL	

	generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH				
IB/0014	B.I.a.1.k - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - New storage site of MCB and/or WCB	04/01/2019	n/a		
IB/0012/G	<p>This was an application for a group of variations.</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p>	31/10/2018	28/11/2018	SmPC and PL	

IB/0013	B.II.g.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product	03/09/2018	n/a		
IB/0010	C.I.11.z - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Other variation	08/08/2018	n/a		
IAIN/0011	B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes	20/07/2018	29/10/2018	SmPC and Labelling	
IAIN/0009	B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes	20/07/2018	29/10/2018	SmPC and Labelling	
PSUSA/10589/201712	Periodic Safety Update EU Single assessment - adalimumab (biosimilars)	12/07/2018	n/a		PRAC Recommendation - maintenance
IG/0946	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	04/06/2018	29/10/2018	PL	
WS/1373/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	26/04/2018	29/10/2018	SmPC and PL	

	<p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p>				
WS/1358	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.g.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product</p>	12/04/2018	n/a		
WS/1313/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p>	14/12/2017	29/10/2018	SmPC and PL	

	<p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p>				
IG/0853	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	10/11/2017	29/10/2018	Annex II and PL	
WS/1182	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Submission of the final report from study/studies 20130258, an open-label, single-arm extension study to evaluate the long-term safety and efficacy of ABP 501 in subjects with moderate to severe rheumatoid arthritis, listed as a category 3 study in the RMP (MEA002). No changes of the PI are proposed; the RMP is updated accordingly (version 2.0).</p>	01/09/2017	n/a		

	C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority				
--	---	--	--	--	--