



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Bemrist Breezhaler

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
R/0026	Renewal of the marketing authorisation.	12/12/2024	12/02/2025	SmPC and PL	Based on the review of data on quality, safety and efficacy, the CHMP considered that the benefit-risk balance of Bemrist Breezhaler in the approved indication remains favourable and therefore recommended the renewal of the marketing authorisation with unlimited validity.

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



PSUSA/10850 /202405	Periodic Safety Update EU Single assessment - indacaterol / mometasone furoate	16/01/2025	n/a		PRAC Recommendation - maintenance
IG/1791	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	04/12/2024		Annex II and PL	
IG/1762/G	This was an application for a group of variations. B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place	09/07/2024	n/a		
IG/1759/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites	26/06/2024	n/a		

IG/1749/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites	11/06/2024	n/a		
IG/1706	B.I.c.1.a - Change in immediate packaging of the AS - Qualitative and/or quantitative composition	27/05/2024	n/a		
IG/1742	B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer	30/04/2024	n/a		
PSUSA/10850 /202305	Periodic Safety Update EU Single assessment - indacaterol / mometasone furoate	11/01/2024	n/a		PRAC Recommendation - maintenance
IB/0020/G	This was an application for a group of variations. B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place	05/01/2024	n/a		

	B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS				
IG/1635/G	This was an application for a group of variations. A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient	11/09/2023	n/a		

WS/2523	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. Update of sections 5.3 and 6.6 of the SmPC in order to include a statement regarding the risk to the environment based on results from ERA study Mometasone furoate – Fish Sexual Development Test with Zebrafish (Danio rerio). The Package Leaflet is updated accordingly. In addition, the MAH took the opportunity to introduce minor editorial changes to the PI. C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data	07/09/2023	16/09/2024	SmPC and PL	Mometasone is considered an endocrine active substance (EAS) and is therefore potentially harmful to aquatic life at a Predicted Environmental Concentration in surface water (PEC_{sw}) below the action limit of 0.01 µg/L. A GLP-compliant OECD 234 Fish Sexual Development study was carried out and as a result section 5.3 was updated to indicate that 'Environmental risk assessment studies have shown that mometasone may pose a risk to surface water.' and section 6.6. that "This medicinal product may pose a risk to the environment (See section 5.3). Any unused medicinal product or waste material should be disposed of in accordance with local requirements.' The Package Leaflet (PL) (section 5) is updated accordingly. For more information, please refer to the Summary of Product Characteristics.
IB/0016/G	This was an application for a group of variations. B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data B.I.d.1.b.1 - Stability of AS - Change in the storage conditions - Change to more restrictive storage conditions of the AS	28/04/2023	n/a		
PSUSA/10850 /202205	Periodic Safety Update EU Single assessment - indacaterol / mometasone furoate	12/01/2023	n/a		PRAC Recommendation - maintenance
N/0015	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	01/12/2022	16/09/2024	PL	

IB/0013	B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation	30/08/2022	n/a		
IG/1511	B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier	16/05/2022	n/a		
IB/0011/G	This was an application for a group of variations. B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place B.II.b.5.b - Change to in-process tests or limits applied during the manufacture of the finished product - Addition of a new test(s) and limits B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.1.e - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch-release, batch control, primary and secondary packaging, for non-sterile medicinal products B.II.f.1.d - Stability of FP - Change in storage conditions of the finished product or the diluted/reconstituted product B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	18/01/2022	04/04/2022	SmPC, Labelling and PL	

PSUSA/10850 /202105	Periodic Safety Update EU Single assessment - indacaterol / mometasone furoate	13/01/2022	n/a		PRAC Recommendation - maintenance
N/0010	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	11/10/2021	04/04/2022	PL	
PSUSA/10850 /202011	Periodic Safety Update EU Single assessment - indacaterol / mometasone furoate	08/07/2021	n/a		PRAC Recommendation - maintenance
IG/1405	A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient	07/07/2021	n/a		
IG/1391	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	22/04/2021	04/04/2022	SmPC, Annex II and PL	
IG/1376/G	This was an application for a group of variations. A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	14/04/2021	n/a		

IG/1344	B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits	22/03/2021	n/a		
WS/2007	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)	11/03/2021	04/04/2022	SmPC	
IG/1300/G	This was an application for a group of variations. B.I.c.1.a - Change in immediate packaging of the AS - Qualitative and/or quantitative composition A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient	29/10/2020	n/a		
IG/1299/G	This was an application for a group of variations. B.III.1.b.4 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Deletion of certificates (in case multiple certificates exist per material) B.III.1.b.4 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Deletion of certificates (in case multiple certificates	27/10/2020	n/a		

	exist per material) B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer B.III.1.b.2 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - New certificate for a starting material/reagent/intermediate/or excipient from a new or an already approved manufacturer B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer				
--	---	--	--	--	--