



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Blitzima

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
N/0080	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	06/12/2024		PL	
WS/2761	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	14/11/2024	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	B.I.e.2 - Introduction of a post approval change management protocol related to the AS				
WS/2735/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.d - Stability of FP - Change in storage conditions of the finished product or the diluted/reconstituted product B.II.f.1.c - Stability of FP - Change in storage conditions for biological medicinal products, when the stability studies have not been performed in accordance with an approved stability protocol	12/09/2024		SmPC, Labelling and PL	
IG/1773/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites	05/08/2024	n/a		
WS/2728	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.4.f - Change in the batch size (including batch size ranges) of the finished product - The scale for a	25/07/2024	n/a		

	biological/immunological medicinal product is increased/decreased without process change (e.g. duplication of line)				
PSUSA/2652/202311	Periodic Safety Update EU Single assessment - rituximab	13/06/2024	n/a		PRAC Recommendation - maintenance
IG/1713	B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	29/02/2024	n/a		
WS/2617	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	11/01/2024	n/a		
IG/1682/G	This was an application for a group of variations. A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer	08/12/2023		Annex II and PL	

	responsible for importation and/or batch release - Not including batch control/testing				
WS/2547	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method	19/10/2023	n/a		
WS/2565	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation	21/09/2023	n/a		
PSUSA/2652/202211	Periodic Safety Update EU Single assessment - rituximab	22/06/2023	23/08/2023		Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/2652/202211.
IG/1638	A.7 - Administrative change - Deletion of manufacturing sites	13/07/2023	n/a		
WS/2461/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	26/04/2023	n/a		

	B.I.b.1.f - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Change outside the approved specifications limits range for the AS B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS				
IG/1600	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	14/03/2023	n/a		
IG/1594	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	31/01/2023	23/08/2023	Annex II and PL	
IG/1587	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	31/01/2023	23/08/2023	Annex II and PL	
WS/2263	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	24/11/2022	n/a		

	B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation				
N/0061	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	10/11/2022	23/08/2023	PL	
WS/2346/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation A.7 - Administrative change - Deletion of manufacturing sites B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites B.I.c.z - Container closure system of the AS - Other variation B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting	20/10/2022	23/08/2023	Annex II	

	material/intermediate B.I.a.4.e - Change to in-process tests or limits applied during the manufacture of the AS - Deletion of an in-process test which may have a significant effect on the overall quality of the AS B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product				
PSUSA/2652/202111	Periodic Safety Update EU Single assessment - rituximab	23/06/2022	17/08/2022	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s) for PSUSA/2652/202111.
IG/1533	B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	20/07/2022	n/a		
WS/2266	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)	02/06/2022	n/a		
R/0049	Renewal of the marketing authorisation.	24/02/2022	25/04/2022	SmPC, Annex II, Labelling and PL	Based on the review of data on quality, safety and efficacy, the CHMP considered that the benefit-risk balance of Blitzima in the approved indication remains favourable and therefore recommended the renewal of the marketing authorisation with unlimited validity.

N/0057	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	11/04/2022	17/08/2022	PL	
IG/1481	A.6 - Administrative change - Change in ATC Code/ATC Vet Code	14/02/2022	25/04/2022	SmPC and PL	
WS/2209	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.e - Stability of FP - Change to an approved stability protocol	27/01/2022	n/a		
WS/2164/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.2.z - Change in test procedure for AS or starting material/reagent/intermediate - Other variation B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a	20/01/2022	n/a		

	biological AS				
WS/2208	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	13/01/2022	n/a		
WS/2186	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation	13/01/2022	n/a		
WS/2118/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.2.b - Changes in the manufacturing process of the AS - Substantial change to the manufacturing process of the AS which may have a significant impact on the quality, safety or efficacy of the medicinal product B.I.a.4.c - Change to in-process tests or limits	02/12/2021	25/04/2022	Annex II	

applied during the manufacture of the AS - Deletion of a non-significant in-process test A.7 - Administrative change - Deletion of manufacturing sites A.7 - Administrative change - Deletion of manufacturing sites B.II.c.3.a.2 - Change in source of an excipient or reagent with TSE risk - From TSE risk material to vegetable or synthetic origin - For excipients or reagents USED in the manufacture of a biol/immunol AS or in a biol/immunol medicinal product B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS B.I.b.1.g - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Widening of the approved specs for starting mat./intermediates, which may have a significant effect on the quality of the AS and/or the FP B.I.b.1.g - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Widening of the					
---	--	--	--	--	--

	approved specs for starting mat./intermediates, which may have a significant effect on the quality of the AS and/or the FP B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure				
WS/2165/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation B.II.b.3.c - Change in the manufacturing process of the finished or intermediate product - The product is a biological/immunological medicinal product and the change requires an assessment of comparability	25/11/2021	n/a		
N/0053	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	12/11/2021	25/04/2022	PL	

WS/2123	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH	02/09/2021	25/04/2022	SmPC	
PSUSA/2652/202011	Periodic Safety Update EU Single assessment - rituximab	24/06/2021	20/08/2021	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/2652/202011.
IG/1423/G	This was an application for a group of variations. B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits B.I.c.2.b - Change in the specification parameters and/or limits of the immediate packaging of the AS - Addition of a new specification parameter to the specification with its corresponding test method B.III.2.z - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Other variation B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method	29/07/2021	n/a		

WS/2095/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.d.1.d - Change in the specification parameters and/or limits of the finished product - Deletion of a non-significant specification parameter B.II.b.3.c - Change in the manufacturing process of the finished or intermediate product - The product is a biological/immunological medicinal product and the change requires an assessment of comparability	22/07/2021	n/a		
WS/2068/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.d.1.d - Change in the specification parameters and/or limits of the finished product - Deletion of a non-significant specification parameter B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.I.b.1.f - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Change outside the approved specifications limits range for the AS	10/06/2021	n/a		

WS/2016/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol	18/03/2021	n/a		
WS/2020	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method	18/03/2021	n/a		
IG/1336	A.7 - Administrative change - Deletion of manufacturing sites	28/01/2021	20/08/2021	Annex II and	

				PL	
WS/1947/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data B.I.d.1.c - Stability of AS - Change in the re-test period/storage period or storage conditions - Change to an approved stability protocol	12/11/2020	n/a		
WS/1933/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation	29/10/2020	n/a		
WS/1893	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	29/10/2020	n/a		

	C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority				
WS/1888/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation	29/10/2020	n/a		
N/0035	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	08/10/2020	20/08/2021	PL	
WS/1859/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following	04/09/2020	30/09/2020	SmPC, Annex II and PL	

	assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH				
PSUSA/2652/201911	Periodic Safety Update EU Single assessment - rituximab	11/06/2020	n/a		PRAC Recommendation - maintenance
WS/1724	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission	12/03/2020	n/a		

	of studies to the competent authority				
WS/1759/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place B.II.b.4.f - Change in the batch size (including batch size ranges) of the finished product - The scale for a biological/immunological medicinal product is increased/decreased without process change (e.g. duplication of line)	06/02/2020	n/a		
WS/1712	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.b.5 - Stability of FP - Extension of the shelf life of the finished product - Biological/immunological medicinal product in accordance with an approved stability protocol	05/12/2019	30/09/2020	SmPC	
IG/1140	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	30/08/2019	n/a		
WS/1633/G	This was an application for a group of variations following a worksharing procedure according to	27/06/2019	25/07/2019	SmPC and PL	

	Article 20 of Commission Regulation (EC) No 1234/2008. C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH				
PSUSA/2652/201811	Periodic Safety Update EU Single assessment - rituximab	14/06/2019	n/a		PRAC Recommendation - maintenance

WS/1625/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range B.II.e.3.a - Change in test procedure for the immediate packaging of the finished product - Minor changes to an approved test procedure	06/06/2019	n/a		
WS/1576/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.b.3 - Stability of FP - Extension of the shelf life of the finished product - After dilution or	02/05/2019	25/07/2019	SmPC	

	reconstitution (supported by real time data) B.II.f.1.e - Stability of FP - Change to an approved stability protocol				
IG/1078	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	11/03/2019	n/a		
IG/1051/G	This was an application for a group of variations. B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits	26/02/2019	n/a		
IG/1053/G	This was an application for a group of variations. B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP -	28/01/2019	22/05/2019	Annex II and PL	

	Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing				
WS/1516/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.e.2.z - Change in the specification parameters and/or limits of the immediate packaging of the finished product - Other variation B.II.e.4.c - Change in shape or dimensions of the container or closure (immediate packaging) - Sterile medicinal products	24/01/2019	n/a		
WS/1487	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.b.5 - Stability of FP - Extension of the shelf life of the finished product - Biological/immunological medicinal product in accordance with an approved stability protocol	29/11/2018	22/05/2019	SmPC, Annex II and PL	
IG/1015	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging	23/11/2018	n/a		

	site				
WS/1412	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation	20/09/2018	n/a		
WS/1415	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.g.2 - Introduction of a post approval change management protocol related to the finished product	20/09/2018	n/a		
WS/1376/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product	21/06/2018	n/a		

	B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate				
PSUSA/2652/201711	Periodic Safety Update EU Single assessment - rituximab	14/06/2018	n/a		PRAC Recommendation - maintenance
WS/1347	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.g.2 - Introduction of a post approval change management protocol related to the finished product	31/05/2018	n/a		
WS/1333	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority	31/05/2018	n/a		
IG/0905/G	This was an application for a group of variations. B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits	25/05/2018	n/a		

	B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits				
WS/1379	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	17/05/2018	n/a		

WS/1378	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.f.1.b.5 - Stability of FP - Extension of the shelf life of the finished product - Biological/immunological medicinal product in accordance with an approved stability protocol	17/05/2018	20/09/2018	SmPC	
IG/0893	A.1 - Administrative change - Change in the name and/or address of the MAH	21/02/2018	20/09/2018	SmPC, Labelling and PL	
WS/1280	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation	07/12/2017	n/a		
WS/1248/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation B.II.e.5.c - Change in pack size of the finished product - Change in the fill weight/fill volume of sterile multidose (or single-dose, partial use) parenteral medicinal products, including	30/11/2017	20/09/2018	SmPC, Labelling and PL	

	biological/immunological medicinal products				
IG/0866	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	24/10/2017	n/a		
WS/1260	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	12/10/2017	20/09/2018	SmPC and PL	
IG/0838	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	15/09/2017	n/a		