



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Briviact

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IB/0040	B.IV.1.a.1 - Change of a measuring or administration device - Addition or replacement of a device which is not an integrated part of the primary packaging - Device with CE marking	09/01/2024		PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



IB/0039/G	<p>This was an application for a group of variations.</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)</p> <p>B.II.f.1.b.z - Stability of FP - Extension of the shelf life of the finished product - Other variation</p>	13/11/2023		SmPC	
IB/0038	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	13/03/2023	n/a		
II/0037/G	<p>This was an application for a group of variations.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p> <p>C.I.3.a - Change(s) in the SPC, Labelling or PL intended to implement the outcome of a procedure concerning PSUR or PASS or the outcome of the assessment done under A 45/46 - Implementation of wording agreed by the competent authority</p>	09/02/2023		SmPC and PL	
IB/0036/G	<p>This was an application for a group of variations.</p> <p>B.II.d.1.c - Change in the specification parameters and/or limits of the finished product - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.1.d - Change in the specification parameters</p>	22/07/2022	n/a		

	and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)				
II/0032/G	<p>This was an application for a group of variations.</p> <p>C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one</p> <p>B.II.f.1.b.2 - Stability of FP - Extension of the shelf life of the finished product - After first opening (supported by real time data)</p>	27/01/2022	24/02/2022	SmPC, Labelling and PL	
PSUSA/10447/202101	Periodic Safety Update EU Single assessment - brivaracetam	16/09/2021	22/11/2021	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10447/202101.
IAIN/0035	B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer	23/09/2021	n/a		
II/0034/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.c - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer uses a substantially different route of synthesis or manufacturing conditions</p> <p>B.I.a.1.c - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The</p>	24/06/2021	n/a		

	proposed manufacturer uses a substantially different route of synthesis or manufacturing conditions				
IB/0031/G	<p>This was an application for a group of variations.</p> <p>B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p>	28/01/2021	n/a		
PSUSA/10447/202001	Periodic Safety Update EU Single assessment - brivaracetam	17/09/2020	25/11/2020	SmPC	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10447/202001.
IA/0030/G	<p>This was an application for a group of variations.</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>	19/11/2020	n/a		
IA/0029/G	<p>This was an application for a group of variations.</p> <p>B.I.b.2.a - Change in test procedure for AS or</p>	29/10/2020	n/a		

	starting material/reagent/intermediate - Minor changes to an approved test procedure B.II.e.4.a - Change in shape or dimensions of the container or closure (immediate packaging) - Non-sterile medicinal products				
R/0025	Renewal of the marketing authorisation.	23/07/2020	09/10/2020	SmPC, Annex II, Labelling and PL	
IB/0028/G	This was an application for a group of variations. B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.4.b - Change in the batch size (including batch size ranges) of the finished product - Downscaling down to 10-fold	11/09/2020	n/a		

IB/0026	B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation	16/04/2020	n/a		
IB/0024	B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation	09/01/2020	n/a		
IB/0023/G	<p>This was an application for a group of variations.</p> <p>B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)</p> <p>B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)</p> <p>B.II.f.1.e - Stability of FP - Change to an approved stability protocol</p>	07/01/2020	09/10/2020	SmPC	
IB/0022	B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)	11/12/2019	n/a		
IB/0021/G	<p>This was an application for a group of variations.</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p> <p>B.II.d.2.d - Change in test procedure for the finished</p>	25/09/2019	n/a		

	<p>product - Other changes to a test procedure (including replacement or addition)</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>				
PSUSA/10447/201901	Periodic Safety Update EU Single assessment - brivaracetam	05/09/2019	n/a		PRAC Recommendation - maintenance
IB/0020	B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation	29/08/2019	n/a		
IAIN/0019	B.IV.1.a.1 - Change of a measuring or administration device - Addition or replacement of a device which is not an integrated part of the primary packaging - Device with CE marking	10/05/2019	n/a		
PSUSA/10447	Periodic Safety Update EU Single assessment -	14/02/2019	n/a		PRAC Recommendation - maintenance

/201807	brivaracetam				
IB/0017	B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	18/12/2018	n/a		
IA/0015/G	<p>This was an application for a group of variations.</p> <p>A.7 - Administrative change - Deletion of manufacturing sites</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>	25/09/2018	n/a		
PSUSA/10447 /201801	Periodic Safety Update EU Single assessment - brivaracetam	06/09/2018	n/a		PRAC Recommendation - maintenance
II/0010/G	This was an application for a group of variations.	31/05/2018	11/07/2018	SmPC,	Please refer to the Scientific Discussion Briviact

	<p>Extension of Indication to include adjunctive therapy in the treatment of partial-onset seizures with or without secondary generalisation in patients with epilepsy 4 years of age and older for Briviact. As a consequence, sections 4.1, 4.2, 4.4, 4.8, 5.1, 5.2 and 6.5 of the SmPC are updated.</p> <p>In addition, the Marketing authorisation holder (MAH) has provided a 5ml oral dosing syringe and adaptor for the 10mg/ml oral solution, for use in the paediatric population.</p> <p>B.IV.1.a.1 - Change of a measuring or administration device - Addition or replacement of a device which is not an integrated part of the primary packaging - Device with CE marking</p> <p>C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one</p> <p>C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority</p>			Labelling and PL	EMEA/H/C/003898/II/0010/G.
PSUSA/10447/201707	Periodic Safety Update EU Single assessment - brivaracetam	08/02/2018	n/a		PRAC Recommendation - maintenance
IAIN/0013	A.2.a - Administrative change - Change in the (invented) name of the medicinal product for CAPs	08/01/2018	11/07/2018	SmPC, Labelling and PL	The Italian SmPC, labelling and PL have been updated to reflect the approved name for the medicinal product for the Italian market: Nubriveo.
IA/0012/G	This was an application for a group of variations.	27/11/2017	n/a		

	<p>B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation</p> <p>B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure</p>				
PSUSA/10447/201701	Periodic Safety Update EU Single assessment - brivaracetam	01/09/2017	n/a		PRAC Recommendation - maintenance
PSUSA/10447/201607	Periodic Safety Update EU Single assessment - brivaracetam	23/02/2017	20/04/2017	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10447/201607.
IB/0008/G	<p>This was an application for a group of variations.</p> <p>A.7 - Administrative change - Deletion of manufacturing sites</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p>	20/12/2016	n/a		

IB/0007/G	<p>This was an application for a group of variations.</p> <p>B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)</p> <p>B.II.f.1.z - Stability of FP - Change in the shelf-life or storage conditions of the finished product - Other variation</p>	05/12/2016	22/03/2017	SmPC, Labelling and PL	
IA/0005/G	<p>This was an application for a group of variations.</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure</p>	01/09/2016	n/a		
N/0004	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	21/06/2016	22/03/2017	Labelling	
IB/0003	B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	04/05/2016	n/a		
IAIN/0002/G	<p>This was an application for a group of variations.</p> <p>B.II.e.5.a.1 - Change in pack size of the finished</p>	07/04/2016	22/03/2017	SmPC, Labelling and PL	

	product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes				
IAIN/0001	B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes	07/04/2016	22/03/2017	SmPC, Labelling and PL	