



EMA/50689/2021

Doptelet

Procedural steps taken and scientific information after the authorisation

| Application number | Scope | Opinion/ Notification ¹ issued on | Commission Decision Issued ² / amended on | Product Information affected ³ | Summary |
|--------------------|--|--|--|---|--|
| II/0004/G | This was an application for a group of variations. Extension of indication to include the treatment of chronic immune thrombocytopenia (ITP) in adult patients who are refractory to other treatments; consequently, sections 4.1, 4.2, 4.4, 4.5, 4.6, 4.8, | 10/12/2020 | 18/01/2021 | SmPC, Annex II, Labelling and PL | Please refer to Scientific Discussion 'Doptelet-H-C-4722-II-0004-G'. |

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



| | | | | | |
|-------------|--|------------|------------|------------------------|--|
| | <p>5.1, 5.2 of the SmPC are updated. Additionally, the SmPC section 5.3 is updated with data from juvenile toxicity studies. Furthermore, an additional pack size of 30 tablets has been introduced with subsequent updates of sections 6.5 and 8 of the SmPC. The Package Leaflet and Labelling are updated in accordance. Version 2.7 of the RMP has also been updated. Furthermore, the PI is brought in line with the latest QRD template version 10.1.</p> <p>B.II.e.5.a.2 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change outside the range of the currently approved pack sizes</p> <p>C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one</p> | | | | |
| T/0007 | Transfer of Marketing Authorisation | 07/09/2020 | 09/10/2020 | SmPC, Labelling and PL | |
| IAIN/0005/G | <p>This was an application for a group of variations.</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.b - Replacement or addition of a manufacturing site for the FP - Primary packaging site</p> <p>B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP -</p> | 06/08/2020 | 09/10/2020 | Annex II and PL | |

| | | | | | |
|---------------------|--|------------|------------|------|-----------------------------------|
| | Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing | | | | |
| PSUSA/10779 /201911 | Periodic Safety Update EU Single assessment - avatrombopag | 11/06/2020 | n/a | | PRAC Recommendation - maintenance |
| IB/0001 | B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data) | 04/12/2019 | 09/10/2020 | SmPC | |