Eltrombopag Viatris

Procedural steps taken and scientific information after the authorisation*

*Due to the Agency`s update of its procedure management systems, an additional document, reflecting the historical lifecycle may be available in the 'Assessment history' section. For the complete product lifecycle procedures, you may need to also refer to **EPAR - Procedural steps taken and scientific information after authorisation (archive)**.

Application number	Scope	Opinion/ Notification [1] issued on	Commission Decision Issued[2] / amended on	Product Information affected[3]	Summary
Variation type IA_IN /	E.4 Change in the name and/or address of	05/05/2026		Annex II and	

[1] Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.
[2] A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.
[3] SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).

EMA/VR/0000325156	the marketing Term name: E.4 authorisation holder, ASMF holder, storage site of the master and/or working cell bank, manufacturing site for an active substance, intermediate or finished product, primary and/or secondary packaging site, manufacturer responsible for batch release, site where quality control takes place, and/or supplier of a packaging component, medical device (part), starting material, reagent and/or excipient (when mentioned in the dossier - E.4.b) The change in the name and/or address concerns a manufacturer(s)whose activities include batch release of the finished product - Accepted			PL	
Variation type IA / EMA/VR/0000323909	B.II.d.1 Change in the specification parameters and/or limits of the finished product - B.II.d.1.z Change in the specification parameters and/or limits of the finished product to more accurately describe the appearance of the drug product - Accepted	05/02/2026		SmPC and PL	
Variation type IB / EMA/VR/0000316215	C.I.2 Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet of a generic/hybrid/biosimilar medicinal products following assessment of the same change for the reference product - C.I.2.a Implementation of change(s) for which no new additional data is required to be	05/01/2026		SmPC and PL	To update Section 4.8 of the SmPC to include safety results for severe aplastic anaemia in the paediatric population. This change follows the approval of the same update for the reference product, Revolade.

	submitted by the MAH - Accepted C.I.2.a (Type IB) – To update Section 4.8 of the SmPC to include safety results for severe aplastic anaemia in the paediatric population. This change follows the approval of the same update for the reference product, Revolade. Additionally, the MAH has implemented editorial changes throughout the Annexes, including aligning the English PI with the reference product, correcting a typographical error in Section 6.5 by changing "Aluminum" to "Aluminium," and updating the contact details for the local representative in CY. For the translated PI, the changes include alignment with the reference product, correction of typographical errors, and updates in line with the QRD template.				
Variation type IB / EMA/VR/0000293034	B.I.b.2 Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - B.I.b.2.e Other changes to a test procedure (including replacement or addition) for the active substance or a starting material/intermediate - Accepted	12/09/2025			
Variation type IA_IN / EMA/VR/0000248123	This was an application for a group of variations.	26/02/2025		SmPC, Labelling and	

	B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the currently approved pack sizes - Accepted B.II.e.5.a Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - B.II.e.5.a.1 Change within the range of the			PL	

	currently approved pack sizes - Accepted				