



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

FABHALTA

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
II/0001	Extension of indication to include, in combination with a renin-angiotensin system (RAS) inhibitor, the treatment of adult patients with complement 3 glomerulopathy (C3G) for FABHALTA, based on interim analysis results from study CLNP023B12301 (APPEAR-C3G) and supported by additional evidence	27/02/2025	31/03/2025	SmPC, Annex II and PL	Please refer to Scientific Discussion 'Falbhalta-H-C-005764-II-001'.

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	of efficacy and safety data from Phase II study CLNP023X2202 (X2202) and Phase IIIb study CLNP023B12001B (C3G-REP). APPEAR-C3G is a Phase 3, multicenter, randomized, double-blind, parallel arm, placebo-controlled study to evaluate the efficacy and safety of iptacopan in patients with C3G. The study included a 6-month blinded, placebo-controlled period, followed by a 6-month period in which all patients receive open-label iptacopan (total study duration of 12 months). As a consequence, sections 4.1, 4.2, 4.4, 4.6, 4.8 and 5.1 of the SmPC are being updated. The Annex II and Package Leaflet are updated in accordance. Version 2.3 of the RMP has also been submitted. In addition, the MAH took the opportunity to introduce minor editorial changes to the PI. C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one				
PSUSA/11054 /202406	Periodic Safety Update EU Single assessment - iptacopan	16/01/2025	n/a		PRAC Recommendation - maintenance
IB/0005/G	This was an application for a group of variations. B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of	11/12/2024	n/a		

	the AS B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation				
IAIN/0006	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	29/11/2024	31/03/2025	Annex II and PL	
N/0004	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	04/10/2024	31/03/2025	Labelling and PL	
IB/0002/G	This was an application for a group of variations. B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	05/08/2024	n/a		

--	--	--	--	--	--