



EMA/548341/2020

Fulvestrant Mylan

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IB/0010	C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH	24/09/2020		SmPC and PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



IB/0009/G	<p>This was an application for a group of variations.</p> <p>B.II.e.5.a.1 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change within the range of the currently approved pack sizes</p> <p>B.II.e.5.a.2 - Change in pack size of the finished product - Change in the number of units (e.g. tablets, ampoules, etc.) in a pack - Change outside the range of the currently approved pack sizes</p>	10/08/2020		SmPC, Labelling and PL	
IB/0008/G	<p>This was an application for a group of variations.</p> <p>B.II.b.4.a - Change in the batch size (including batch size ranges) of the finished product - Up to 10-fold compared to the originally approved batch size</p> <p>B.II.d.1.g - Change in the specification parameters and/or limits of the finished product - Addition or replacement (excluding biological or immunological product) of a specification parameter with its corresponding test method as a result of a safety or quality issue</p>	15/06/2020	n/a		
IB/0007/G	<p>This was an application for a group of variations.</p> <p>C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH</p>	14/04/2020		SmPC, Annex II, Labelling and PL	

	C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH				
N/0006	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	11/03/2019		PL	
II/0005	B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range	24/01/2019	n/a		
IB/0004/G	This was an application for a group of variations. B.II.c.1.c - Change in the specification parameters and/or limits of an excipient - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.II.c.1.c - Change in the specification parameters and/or limits of an excipient - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)	12/12/2018	n/a		
IB/0003	B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	16/10/2018	n/a		
IAIN/0002	B.III.1.a.3 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the	23/08/2018	n/a		

	relevant Ph. Eur. Monograph - New certificate from a new manufacturer (replacement or addition)				
IB/0001	C.I.2.a - Change in the SPC, Labelling or PL of a generic/hybrid/biosimilar products following assessment of the same change for the reference product - Implementation of change(s) for which NO new additional data is required to be submitted by the MAH	26/07/2018	27/08/2018	SmPC and PL	