



Hexacima

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
WS/1575/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product</p>	29/05/2019	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation				
WS/1574	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p>	26/04/2019	n/a		
WS/1525	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	11/04/2019	n/a		
WS/1496/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p> <p>B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a</p>	28/03/2019		SmPC, Labelling and PL	

	<p>biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol</p>				
WS/1455/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p>	17/01/2019	n/a		
WS/1438/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal</p>	06/12/2018	n/a		

	<p>product and is not related to a protocol</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient</p> <p>B.I.d.1.b.3 - Stability of AS - Change in the storage conditions - Change in storage conditions of the AS</p> <p>B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer</p> <p>B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer</p> <p>B.III.1.b.4 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Deletion of certificates (in case multiple certificates exist per material)</p> <p>B.III.1.b.4 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Deletion of certificates (in case multiple certificates exist per material)</p>				
WS/1393/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p>	22/11/2018	n/a		

	<p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p>				
PSUSA/10091 /201804	<p>Periodic Safety Update EU Single assessment - diphtheria / tetanus / pertussis antigens (pertussis toxoid, filamentous haemagglutinin) (acellular, component) / hepatitis b (rdna) / poliomyelitis (inactivated) / haemophilus type b conjugate vaccines (adsorbed)</p>	31/10/2018	n/a		PRAC Recommendation - maintenance
WS/1394	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p>	27/09/2018	n/a		
WS/1353/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.a - Change in test procedure for AS or starting</p>	20/09/2018	n/a		

	<p>material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>				
WS/1350	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	28/06/2018	n/a		
WS/1304	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.d.1.z - Stability of AS - Change in the re-test period/storage period or storage conditions - Other variation</p>	19/04/2018	n/a		
WS/1281/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.z - Quality change - Active substance - Other variation</p> <p>B.I.a.2.b - Changes in the manufacturing process of the AS - Substantial change to the manufacturing</p>	12/04/2018	n/a		

	<p>process of the AS which may have a significant impact on the quality, safety or efficacy of the medicinal product</p> <p>B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation</p> <p>B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p>				
WS/1306	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p>	22/03/2018	n/a		
WS/1303/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a</p>	22/02/2018	n/a		

	biological AS				
WS/1286	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	01/02/2018	n/a		
WS/1233/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p>	01/02/2018	n/a		

R/0068	Renewal of the marketing authorisation.	09/11/2017	08/01/2018	SmPC and PL	
IG/0869	A.1 - Administrative change - Change in the name and/or address of the MAH	08/12/2017	17/12/2018	SmPC, Annex II, Labelling and PL	
WS/1185/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.z - Quality change - Active substance - Other variation B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	16/11/2017	n/a		
WS/1231	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate	02/11/2017	n/a		
PSUSA/10091 /201704	Periodic Safety Update EU Single assessment - diphtheria / tetanus / pertussis antigens (pertussis toxoid, filamentous haemagglutinin) (acellular, component) / hepatitis b (rdna) / poliomyelitis (inactivated) / haemophilus type b conjugate vaccines (adsorbed)	26/10/2017	n/a		PRAC Recommendation - maintenance

IG/0854/G	<p>This was an application for a group of variations.</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>	20/10/2017	n/a		
-----------	---	------------	-----	--	--

<p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>				
---	--	--	--	--

	<p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting</p> <p>material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion</p>				
--	--	--	--	--	--

<p>of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters</p>				
--	--	--	--	--

<p>and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>				
--	--	--	--	--

<p>non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p>				
---	--	--	--	--

	<p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.II.c.1.c - Change in the specification parameters and/or limits of an excipient - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.III.2.c - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change in specifications from a national pharmacopoeia of a Member State to the Ph. Eur.</p>				
WS/1192	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion</p>	14/09/2017	n/a		

	of an obsolete parameter)				
WS/1081	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p>	20/07/2017	n/a		
WS/1153	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	13/07/2017	n/a		
WS/1122/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation</p> <p>B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits</p>	13/07/2017	n/a		
WS/1174	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p>	09/06/2017	n/a		

	B.II.d.1.z - Change in the specification parameters and/or limits of the finished product - Other variation				
WS/1112	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate	01/06/2017	n/a		
IG/0803	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	17/05/2017	n/a		
WS/1129/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.2.z - Change in test procedure for AS or starting material/reagent/intermediate - Other variation B.I.d.1.z - Stability of AS - Change in the re-test period/storage period or storage conditions - Other variation	11/05/2017	n/a		
WS/1148/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	21/04/2017	08/01/2018	SmPC	Section 4.2 of SmPC has been amended to include the information on sequential schedule of hexavalent and pentavalent vaccines in primary series: 'When a dose of hepatitis B vaccine is given at birth, the sequential infant

	<p>C.I.3.z – To include the information about sequential schedule of hexavalent and pentavalent vaccines in primary series in section 4.2 of SmPC following the assessment of A3L39 study.</p> <p>C.I.4 - Update of section 5.1 of the SmPC in order to include data on persistence of immunity following final results from studies: A3L47: Laboratory analysis on sera stored at Sanofi Pasteur Global Clinical Immunology laboratory and collected within the context of trial PNA19 and A3L49: Phase III, multi-center study in children vaccinated with Hep B vaccine at birth followed by three infant primary series doses of Hexaxim® or Infanrix® hexa in A3L12 study in Thailand</p> <p>C.I.3.z - Change(s) in the SPC, Labelling or PL intended to implement the outcome of a procedure concerning PSUR or PASS or the outcome of the assessment done under A 45/46 - Other variation</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>				<p>primary vaccination hexavalent/pentavalent/hexavalent schedule with Hexaxim/Hexyon/Hexacima and a pentavalent DTaP-IPV/Hib vaccine can be used in accordance with official recommendations.'</p> <p>Section 5.2 has been updated to include information on Persistence of immune response please see the SmPC for details.</p>
WS/1146	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.f.1.z - Stability of FP - Change in the shelf-life or storage conditions of the finished product - Other variation</p>	21/04/2017	08/01/2018	SmPC	

WS/1071	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.a - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits for medicinal products subject to OCABR</p>	19/01/2017	n/a		
N/0056	<p>Update of the package leaflets with revised contact details of the local representatives for BE, BG, LU, DA, DE, NL, NO, EL, AT, ES, FR, PT, IE, IS, IT, FI, SE, and UK.</p> <p>Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)</p>	03/01/2017	11/04/2017	PL	
WS/0922/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p>	15/12/2016	n/a		

	<p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation</p> <p>B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.b.2.z - Change in test procedure for AS or starting material/reagent/intermediate - Other variation</p>				
WS/0964/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p> <p>B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol</p>	10/11/2016	n/a		

PSUSA/10091 /201604	Periodic Safety Update EU Single assessment - diphtheria / tetanus / pertussis antigens (pertussis toxoid, filamentous haemagglutinin) (acellular, component) / hepatitis b (rdna) / poliomyelitis (inactivated) / haemophilus type b conjugate vaccines (adsorbed)	27/10/2016	n/a		PRAC Recommendation - maintenance
WS/0967	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol	13/10/2016	n/a		
IG/0732/G	This was an application for a group of variations. A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release) A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	20/09/2016	n/a		
WS/0918/G	This was an application for a group of variations following a worksharing procedure according to Article	15/09/2016	n/a		

	<p>20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p> <p>B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol</p>				
WS/0838/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p> <p>B.I.d.1.z - Stability of AS - Change in the re-test period/storage period or storage conditions - Other variation</p>	04/08/2016	n/a		
WS/0913/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p>	19/05/2016	n/a		

	<p>B.I.z - Quality change - Active substance - Other variation</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>				
WS/0912/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.1.e - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a specification parameter which may have a significant effect on the overall quality of the AS and/or the FP</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p>	12/05/2016	n/a		

	<p>approved test procedure</p> <p>B.1.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.1.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.1.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.1.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p>				
WS/0907	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>C.1.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>	28/04/2016	11/04/2017	SmPC	
WS/0901/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.1.a.2.b - Changes in the manufacturing process of the AS - Substantial change to the manufacturing process of the AS which may have a significant impact on the quality, safety or efficacy of the medicinal product</p> <p>B.1.d.z - Stability of AS - Other variation</p>	14/04/2016	n/a		

WS/0885	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p>	07/04/2016	n/a		
WS/0874	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	01/04/2016	n/a		
WS/0853	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	11/02/2016	n/a		
N/0044	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	03/02/2016	13/05/2016	PL	
WS/0869	This was an application for a variation following a worksharing procedure according to Article 20 of	14/01/2016	n/a		

	<p>Commission Regulation (EC) No 1234/2008.</p> <p>B.II.e.1.a.3 - Change in immediate packaging of the finished product - Qualitative and quantitative composition - Sterile medicinal products and biological/immunological medicinal products</p>				
WS/0832/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.z - Quality change - Active substance - Other variation</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p>	10/12/2015	n/a		
WS/0797/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.z - Quality change - Active substance - Other variation</p> <p>B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer</p>	03/12/2015	n/a		
WS/0842	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.c - Changes in the manufacturing process of</p>	26/11/2015	n/a		

	the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol				
WS/0789	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Update of section 4.8 of the SmPC, upon request by PRAC following the assessment of PSUSA/10091/201410, to include 'convulsion with or without fever' and 'anaphylactic reaction' as ADRs. The Package Leaflet has been updated accordingly. In addition, for Hexyon the WSA took the opportunity to update the contact details for the local representative in Romania in the Package Leaflet. An updated RMP version 10.0 was agreed during the procedure.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>	19/11/2015	13/05/2016	SmPC and PL	This variation application has been submitted in order to include 'convulsions with or without fever' and 'anaphylactic reactions' for the DTaP-IPV-HB-PRP-T hexavalent vaccine (Hexyon, Hexacima, Hexaxim) as adverse reactions reported during commercial use in section 4.8 of the SmPC with a frequency classification of 'rare'. 'Convulsions with or without fever' and 'anaphylactic reactions' were already listed in section 4.8 of the SmPC as potential adverse events (i.e. adverse events which have been reported with other vaccines).
PSUSA/10091 /201504	Periodic Safety Update EU Single assessment - diphtheria / tetanus / pertussis antigens (pertussis toxoid, filamentous haemagglutinin) (acellular, component) / hepatitis b (rdna) / poliomyelitis (inactivated) / haemophilus type b conjugate vaccines (adsorbed)	06/11/2015	n/a		PRAC Recommendation - maintenance
WS/0796	This was an application for a variation following a worksharing procedure according to Article 20 of	01/10/2015	n/a		

	<p>Commission Regulation (EC) No 1234/2008.</p> <p>B.III.2.a.2 - Change of specification(s) of a former non EU Pharmacopoeial substance to fully comply with the Ph. Eur. or with a national pharmacopoeia of a Member State - Excipient/AS starting material</p>				
IG/0618	B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	23/09/2015	n/a		
WS/0773	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	17/09/2015	n/a		
WS/0729	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p>	17/09/2015	n/a		

N/0033	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	30/07/2015	13/05/2016	PL	
IG/0587	B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	15/07/2015	n/a		
IG/0579/G	This was an application for a group of variations. B.II.c.1.b - Change in the specification parameters and/or limits of an excipient - Addition of a new specification parameter to the specification with its corresponding test method B.II.c.1.b - Change in the specification parameters and/or limits of an excipient - Addition of a new specification parameter to the specification with its corresponding test method	29/06/2015	n/a		
WS/0568/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol B.I.c.1.b - Change in immediate packaging of the AS - Qualitative and/or quantitative composition for sterile and non-frozen biological/immunological ASs B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the	25/06/2015	n/a		

	<p>manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS</p>				
WS/0749/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to</p>	04/06/2015	n/a		

	or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS				
IG/0563	B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer	27/05/2015	n/a		
IG/0561	B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	27/05/2015	n/a		
WS/0702	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Update of sections 4.5 and 5.1 of the SmPC in order to add the information on co-administration of the hexavalent vaccine with meningococcal serogroup C vaccine. The Package Leaflet is updated accordingly. The MAH took also the opportunity to make minor editorial changes throughout the PI.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>	21/05/2015	13/05/2016	SmPC and PL	In this variation the Product information has been updated with the information that co-administration of the hexavalent vaccine with meningococcal serogroup C vaccine does not lead to any clinically relevant interference in the antibody response to each of the antigens.
IG/0556	B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits	13/05/2015	n/a		

PSUSA/10091 /201410	Periodic Safety Update EU Single assessment - diphtheria / tetanus / pertussis antigens (pertussis toxoid, filamentous haemagglutinin) (acellular, component) / hepatitis b (rdna) / poliomyelitis (inactivated) / haemophilus type b conjugate vaccines (adsorbed)	07/05/2015	n/a		PRAC Recommendation - maintenance
WS/0727/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release) B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place	23/04/2015	n/a		
WS/0678/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS B.I.b.2.d - Change in test procedure for AS or starting	26/03/2015	n/a		

	material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS				
WS/0677	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an approved protocol</p>	26/02/2015	n/a		
WS/0676	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Update of sections 4.2 and 5.1 of the SmPC with regards to 2+1 vaccination schedule combining a 2 dose priming series with a booster vaccination, further to the results of Phase III Study A3L38 conducted in healthy infants and toddlers (MEA 005). The package leaflet is updated accordingly. The MAH has taken also the opportunity to revise information of the local representative for Croatia in Hexacima PL, and to bring in line the PL for Hexaxim with the latest QRD v.9.0.</p>	22/01/2015	24/02/2015	SmPC and PL	Analysis of data provided in study A3L38 confirm that administration of two doses (with an interval of at least 8 weeks) or three doses (with an interval of at least 4 weeks), in accordance with the official recommendations, together with one booster dose are capable of providing an adequate antibody response against each valence. No new safety concern with Hexacima/Hexyon administered in a 2+1 schedule emerged during the course of study A3L38.

	C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data				
WS/0652/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Changes to the manufacturing process of the active substance (IPV)</p> <p>B.I.a.3.c - Change in batch size (including batch size ranges) of AS or intermediate - The change requires assessment of the comparability of a biological/immunological AS</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.c.1.b - Change in immediate packaging of the AS - Qualitative and/or quantitative composition for sterile and non-frozen biological/immunological ASs</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion</p>	18/12/2014	n/a		

	of an obsolete parameter)				
WS/0594/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p> <p>B.III.2.b - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State</p> <p>B.III.2.b - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State</p>	18/12/2014	n/a		
WS/0617/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product</p>	20/11/2014	n/a		

	B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place				
PSUV/0011	Periodic Safety Update	06/11/2014	n/a		PRAC Recommendation - maintenance
IAIN/0014	C.I.8.a - Introduction of or changes to a summary of Pharmacovigilance system - Changes in QPPV (including contact details) and/or changes in the PSMF location	16/10/2014	n/a		
WS/0580	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. changes to the manufacturing process of the active substance B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol	24/07/2014	n/a		
WS/0531	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting	26/06/2014	n/a		

	material/intermediate/reagent - Other variation				
PSUV/0006	Periodic Safety Update	08/05/2014	n/a		PRAC Recommendation - maintenance
WS/0547	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. Change in test procedures for the active substance. B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	25/04/2014	n/a		
PSUV/0003	Periodic Safety Update	09/01/2014	n/a		PRAC Recommendation - maintenance
IG/0372	B.III.2.b - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State	13/11/2013	n/a		
IAIN/0004	C.I.12 - Inclusion or deletion of black symbol and explanatory statements for medicinal products in the list of medicinal products that are subject to additional monitoring	11/11/2013	30/10/2014	SmPC and PL	
WS/0462/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.2.c - Changes in the manufacturing process of	24/10/2013	n/a		

the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol

B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits

B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol

B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits

B.I.b.1.h - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition or replacement (excl. Biol. or immunol. substance) of a specification parameter as a result of a safety or quality issue

B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol

B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal

<p>product and is not related to a protocol</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.III.1.b.3 - Submission of a new/updated or deletion of Ph. Eur. TSE Certificate of Suitability - Updated certificate from an already approved manufacturer</p> <p>B.I.a.4.c - Change to in-process tests or limits applied during the manufacture of the AS - Deletion of a non-significant in-process test</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.d.1.a.3 - Stability of AS - Change in the re-test period/storage period - Extension of storage period of a biological/immunological AS not in accordance with an approved stability protocol</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance</p>				
--	--	--	--	--

	<p>which may have a significant impact on the medicinal product and is not related to a protocol</p> <p>B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.c.1.b - Change in immediate packaging of the AS - Qualitative and/or quantitative composition for sterile and non-frozen biological/immunological ASs</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p> <p>B.II.c.3.z - Change in source of an excipient or reagent with TSE risk - Other variation</p>				
WS/0431/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any</p>	19/09/2013	n/a		

	<p>manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological medicinal products.</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological medicinal products.</p>				
--	--	--	--	--	--