



Ilumetri

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IA/0044	B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure	13/02/2023	n/a		
IB/0043	B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	31/01/2023	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



II/0036	B.IV.1.c - Change of a measuring or administration device - Addition or replacement of a device which is an integrated part of the primary packaging	26/01/2023		SmPC, Labelling and PL	The SmPC sections 1, 2, 4.2, 6.4, 6.5, 8, and Annex II has been updated as follows: inclusion of prefilled pen (EU/1/18/1323/004). The Labelling and PL have been updated accordingly.
IB/0040	B.II.z - Quality change - Finished product - Other variation	08/12/2022	n/a		
IB/0039	B.II.b.1.z - Replacement or addition of a manufacturing site for the FP - Other variation	28/10/2022	n/a		
PSUSA/10720 /202203	Periodic Safety Update EU Single assessment - tildrakizumab	27/10/2022	n/a		PRAC Recommendation - maintenance
IAIN/0038	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	13/10/2022	n/a		
N/0037	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	12/10/2022		PL	
IA/0035	A.7 - Administrative change - Deletion of manufacturing sites	03/08/2022	n/a		
IB/0033	B.I.a.1.k - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - New storage site of MCB and/or WCB	06/07/2022	n/a		
IB/0034	B.I.a.2.z - Changes in the manufacturing process of the AS - Other variation	04/07/2022	n/a		

PSUSA/10720/202109	Periodic Safety Update EU Single assessment - tildrakizumab	22/04/2022	20/06/2022		Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s) for PSUSA/10720/202109.
IAIN/0031/G	This was an application for a group of variations. A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	24/05/2022	n/a		
II/0029/G	This was an application for a group of variations. B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS -	19/05/2022	n/a		

	Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method				
X/0023	Extension application to introduce a new strength (200 mg solution for injection). Annex I_2.(c) Change or addition of a new strength/potency	24/02/2022	25/04/2022	SmPC, Labelling and PL	
IB/0030	B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	19/04/2022	n/a		
IA/0026	B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation	19/11/2021	n/a		
IA/0025	A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient	02/11/2021	n/a		
PSUSA/10720/202103	Periodic Safety Update EU Single assessment - tildrakizumab	28/10/2021	n/a		PRAC Recommendation - maintenance
IAIN/0024	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	02/07/2021	n/a		

IB/0019	B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation	02/06/2021	n/a		
IB/0021	B.I.z - Quality change - Active substance - Other variation	28/05/2021	n/a		
IAIN/0020	A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	28/04/2021	05/07/2021	Annex II, Labelling and PL	
PSUSA/10720 /202009	Periodic Safety Update EU Single assessment - tildrakizumab	09/04/2021	n/a		PRAC Recommendation - maintenance
N/0018	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	08/02/2021	05/07/2021	PL	
IA/0016	B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure	06/11/2020	n/a		
IB/0015/G	This was an application for a group of variations. B.I.z - Quality change - Active substance - Other variation B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.b.2.e - Change in test procedure for AS or	03/11/2020	n/a		

	starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate				
PSUSA/10720 /202003	Periodic Safety Update EU Single assessment - tildrakizumab	01/10/2020	n/a		PRAC Recommendation - maintenance
II/0012/G	<p>This was an application for a group of variations.</p> <p>A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient</p> <p>B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p> <p>B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method</p> <p>B.I.a.1.j - Change in the manufacturer of AS or of a</p>	23/07/2020	05/07/2021	Annex II	

<p>starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method</p> <p>B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method</p> <p>B.I.a.1.j - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Replacement or addition of a site where batch control/testing takes place and any of the test method at the site is a biol/immunol method</p> <p>B.I.a.1.k - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - New storage site of MCB and/or WCB</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting</p>				
---	--	--	--	--

	<p>material/intermediate</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p>				
IB/0014/G	<p>This was an application for a group of variations.</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p>	22/07/2020	n/a		
PSUSA/10720 /201909	<p>Periodic Safety Update EU Single assessment - tildrakizumab</p>	17/04/2020	n/a		PRAC Recommendation - maintenance
II/0010/G	<p>This was an application for a group of variations.</p> <p>B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other</p>	20/02/2020	n/a		

	<p>variation</p> <p>B.I.a.4.z - Change to in-process tests or limits applied during the manufacture of the AS - Other variation</p> <p>B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS</p>				
PSUSA/10720 /201903	Periodic Safety Update EU Single assessment - tildrakizumab	03/10/2019	n/a		PRAC Recommendation - maintenance
IB/0009/G	<p>This was an application for a group of variations.</p> <p>B.II.b.1.z - Replacement or addition of a manufacturing site for the FP - Other variation</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p>	06/09/2019	n/a		
II/0005/G	<p>This was an application for a group of variations.</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release/control, and secondary packaging, for biol/immunol medicinal products or pharmaceutical forms manufactured by complex manufacturing</p>	27/06/2019	n/a		

<p>processes</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release/control, and secondary packaging, for biol/immunol medicinal products or pharmaceutical forms manufactured by complex manufacturing processes</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release/control, and secondary packaging, for biol/immunol medicinal products or pharmaceutical forms manufactured by complex manufacturing processes</p> <p>B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method</p> <p>B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method</p> <p>B.II.d.2.c - Change in test procedure for the finished product - Substantial change to or replacement of a biol/immunol/immunochemical test method or a method using a biol. reagent or replacement of a biol. reference preparation not covered by an</p>				
--	--	--	--	--

	approved protocol B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)				
IA/0008/G	This was an application for a group of variations. A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	25/06/2019	n/a		
IAIN/0006	B.II.e.6.a - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that affects the product information	31/05/2019	04/05/2020	SmPC, Labelling and PL	
PSUSA/10720 /201809	Periodic Safety Update EU Single assessment - tildrakizumab	11/04/2019	n/a		PRAC Recommendation - maintenance
N/0004	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	21/03/2019	04/05/2020	PL	
IAIN/0002	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	23/11/2018	n/a		

IB/0001/G	This was an application for a group of variations. B.I.z - Quality change - Active substance - Other variation B.II.z - Quality change - Finished product - Other variation	23/11/2018	n/a		
-----------	---	------------	-----	--	--