



Insulatard

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
WS/1901	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	24/09/2020		SmPC, Annex II, Labelling and PL	
WS/1903	This was an application for a variation following a worksharing procedure according to Article 20 of	10/09/2020	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	<p>Commission Regulation (EC) No 1234/2008.</p> <p>B.I.e.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product</p>				
WS/1866	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.a.2.c - Changes in the manufacturing process of the AS - The change refers to a [-] substance in the manufacture of a biological/immunological substance which may have a significant impact on the medicinal product and is not related to a protocol</p>	03/09/2020	n/a		
IG/1225	A.7 - Administrative change - Deletion of manufacturing sites	20/04/2020	n/a		
IG/1167	A.7 - Administrative change - Deletion of manufacturing sites	22/11/2019	n/a		
WS/1674	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.e.2 - Introduction of a post approval change management protocol related to the AS</p>	12/09/2019	n/a		
WS/1644/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No	12/09/2019	n/a		

	<p>1234/2008.</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release/control, and secondary packaging, for biol/immunol medicinal products or pharmaceutical forms manufactured by complex manufacturing processes</p> <p>B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method</p>				
WS/1615	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.z - Quality change - Active substance - Other variation</p>	11/07/2019	n/a		
WS/1582	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>To update the Human Insulin RMP to version 3.1 in order to reclassify the risk of 'Medication errors' (including human error-related medication errors) from an important potential risk to an important identified risk following a Pharmacovigilance Risk</p>	11/07/2019	03/07/2020	SmPC and Labelling	Update of SmPC section 4.4 to add the below warning on avoidance of accidental mix-ups/medication errors; this is in line with the existing wording in the Package Leaflet. Avoidance of accidental mix-ups/medication errors Patients must be instructed to always check the insulin label before each injection to avoid accidental mix-ups between Actraphane and other insulin products.

	<p>Assessment Committee (PRAC) request (EMA/H/C/PSUSA/00001753/201710) and in accordance with the Good practice guide on risk minimisation and prevention of medication errors, issued by the PRAC in 2015.</p> <p>Furthermore, in accordance with the updated GVP Module V guidance on RMPs, the Work sharing Applicant (WSA) proposed to remove this risk as it is fully characterised and managed through routine pharmacovigilance and no additional pharmacovigilance activities or additional risk minimisation measures are planned or being currently undertaken.</p> <p>Information regarding the avoidance of accidental mix-ups/medication errors is included in the PIL for the concerned products. In consequence, section 4.4 of the SmPC was updated in order to add a warning on accidental mix-ups/medication.</p> <p>Additionally, the WSA took the opportunity include minor updates to Annex IIIA to bring the PI in line with the latest QRD template version.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>				
IG/1066	A.7 - Administrative change - Deletion of manufacturing sites	29/03/2019	n/a		
PSUSA/1753/201710	Periodic Safety Update EU Single assessment - insulin human, insulin human / insulin isophane (subcutaneous and intravenous routes of	14/06/2018	n/a		PRAC Recommendation - maintenance

	administration)				
WS/1375	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation</p>	26/04/2018	28/03/2019	SmPC and PL	
IG/0859	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	01/12/2017	n/a		
WS/1197	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Submission of an updated RMP version 2.2 according to GVP Module V, in order to remove three important potential risks (immunogenicity, allergic reactions and lack of efficacy) related to the new NN729 manufacturing process from the RMP, remove hypoglycaemia and anaphylactic reactions, remove peripheral neuropathy, refraction disorders, lipodystrophy, urticaria, rash, oedema and diabetic retinopathy and remove missing information concerning special populations. No changes are proposed to the product information.</p> <p>C.I.11.b - Introduction of, or change(s) to, the obligations and conditions of a marketing</p>	26/10/2017	n/a		

	authorisation, including the RMP - Implementation of change(s) which require to be further substantiated by new additional data to be submitted by the MAH where significant assessment is required				
IG/0796	A.7 - Administrative change - Deletion of manufacturing sites	28/06/2017	n/a		
IB/0067	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	21/03/2017	01/03/2018	SmPC, Annex II, Labelling and PL	
IG/0642	A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	21/12/2015	08/09/2016	Annex II and PL	
IG/0644	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	10/12/2015	n/a		
WS/0802	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.h.z - Adventitious Agents Safety - Other variation	29/10/2015	n/a		
WS/0776	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	17/09/2015	08/09/2016	SmPC and PL	

	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation				
IG/0594	A.7 - Administrative change - Deletion of manufacturing sites	04/09/2015	n/a		
IB/0062	B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place	23/06/2015	n/a		
PSUSA/1753/201410	Periodic Safety Update EU Single assessment - insulin human, insulin human / insulin isophane (subcutaneous and intravenous routes of administration)	11/06/2015	n/a		PRAC Recommendation - maintenance
WS/0692	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.z - Change in manufacture of the AS - Other variation	23/04/2015	n/a		
WS/0454	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. Update of the SmPC, Annex II, labelling and Package Leaflet in line with the QRD template version 9.0, revision 1, together with a harmonisation of the product information across Novo Nordisk A/S insulin products. Further, "international units" has been	26/06/2014	11/06/2015	SmPC, Labelling and PL	N/A

	<p>implemented throughout the annexes instead of the abbreviation "IU".</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>				
WS/0437	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	23/01/2014	n/a		
IA/0056	A.7 - Administrative change - Deletion of manufacturing sites	26/07/2013	n/a		
II/0055/G	<p>This was an application for a group of variations.</p> <p>Type II: B.II.b.1.c - Addition of a manufacturing site for the finished product for Insulatard 10 mL, 100 IU/mL - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological medicinal products.</p> <p>Type IA: B.II.b.1.a - Addition of a secondary packaging site for the finished product</p>	25/07/2013	n/a		

	<p>Type IB: B.II.b.4.f: change in the batch size of the finished product f) the scale for a biological medicinal product is increased without process change</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological medicinal products.</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.4.f - Change in the batch size (including batch size ranges) of the finished product - The scale for a biological/immunological medicinal product is increased/decreased without process change (e.g. duplication of line)</p>				
IG/0280	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	17/04/2013	n/a		
IG/0251	B.II.e.5.b - Change in pack size of the finished product - Deletion of a pack size(s)	11/01/2013	22/01/2014	SmPC, Annex II, Labelling and PL	
WS/0273/G	<p>This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Update of section 4.5 of the SmPC with modified wording regarding effect of alcohol on hypoglycemia</p>	18/10/2012	19/11/2012	SmPC, Annex II, Labelling and PL	The information about the risk of developing lipodystrophy including information on how to reduce this risk has been clarified throughout the product information. This has been done to make the information more legible for both healthcare professionals and patients, and specifically to highlight that rotating the injection site does not necessarily prevent development of lipodystrophy but may

	<p>following the assessment of the latest PSUR. Update of sections 4.2 and 4.8 of the SmPC to modify the wording on lipodystrophy to make it more legible; update to section 4.4 of the SmPC to add new information about "concomitant illness" to harmonise with the product information of other insulins; and additionally hypoglycaemia to be moved from section 4.3 to section 4.4. The PL has been updated accordingly.</p> <p>Furthermore, the PI is being brought in line with the latest QRD template version 8.0 rev. 1 and with the SmPC Guideline.</p> <p>Minor changes to the labelling have been made in relation to the implementation of the new design on Novo Nordisk A/S cartons and labels.</p> <p>Lastly, the information relating to counterfeit needles has been deleted and the sentence in section 4.5 of the SmPC with regards to "Octreotide/lanreotide" has been linguistically improved.</p> <p>C.I.3.a - Implementation of change(s) requested following the assessment of an USR, class labelling, a PSUR, RMP, FUM/SO, data submitted under A 45/46, or amendments to reflect a Core SPC - Changes with NO new additional data are submitted by the MAH</p> <p>C.I.4 - Variations related to significant modifications of the SPC due in particular to new quality, pre-clinical, clinical or pharmacovigilance data</p>				<p>help to reduce the risk for such development.</p> <p>In addition, the MAH has provided calculations showing that the human insulin products involved in this procedure can be considered "sodium-free".</p> <p>Furthermore, changes to all annexes have been introduced in order to comply with latest version of the QRD template (v. 8.0, rev. 1). The variation also includes changes to sections 4.6 and 4.8 of the SmPC which are based on the recommendations in the SmPC Guideline. The SmPC has also been modified in order to align it with the updates already implemented for other insulin products from the same MAH.</p>
II/0051/G	<p>This was an application for a group of variations.</p> <p>To introduce an additional manufacturing site for the</p>	24/05/2012	27/06/2012	Annex II and PL	

	<p>finished product.</p> <p>B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological medicinal products.</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.2.b.3 - Change to batch release arrangements and quality control testing of the FP - Including batch control/testing for a biol/immunol product and one of the test methods is a biol/immunol/immunochemical method</p>				
WS/0209	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate</p>	16/02/2012	16/02/2012		
IB/0046	<p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p>	30/11/2011	n/a		

IA/0049	A.7 - Administrative change - Deletion of manufacturing sites	21/11/2011	n/a		
IA/0045	B.IV.1.a.1 - Change of a measuring or administration device - Addition or replacement of a device which is not an integrated part of the primary packaging - Device with CE marking	12/04/2011	n/a	SmPC, Labelling and PL	
WS/0091	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>Further to a CHMP request based on the recommendations from PhVWP, the Product Information (Summary of Product Characteristics section 4.4 and Package Leaflet section 2) is updated by adding a warning on an increased incidence of heart failure when pioglitazone is used in combination with insulin, especially in patients with predisposing factors.</p> <p>In addition to the above the MAH took the opportunity to update annex IIB "Other conditions" with the latest wording as per October 2010 CHMP announcement regarding the Pharmacovigilance system.</p> <p>This application was submitted for a group of variations consisting of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>C.I.3.a - Implementation of change(s) requested following the assessment of an USR, class labelling, a</p>	17/02/2011	24/03/2011	SmPC, Annex II and PL	<p>The PhVWP was requested to consider whether the increased risk of fluid retention and exacerbation of heart failure with the concomitant use of pioglitazone and insulin should apply to all centrally authorised insulin products. After the review of the available evidence, during its October 2010 meeting the PhVWP has concluded this review with a recommendation to the CHMP on the need to harmonise the SmPC and PL for all insulin products by including appropriate warning. The CHMP endorsed this recommendation, and in this context the Committee agreed that all centrally authorised insulin containing products should include warning on increased cardiac failure when pioglitazone is used in combination with insulin, especially in patients with predisposing factors in the in the section 4.4 of the SmPC and section 2 of the PL.</p> <p>Annex IIB "Other conditions" was also updated with the latest wording as per October 2010 CHMP announcement regarding the Pharmacovigilance system.</p>

	PSUR, RMP, FUM/SO, data submitted under A 45/46, or amendments to reflect a Core SPC - Changes with NO new additional data are submitted by the MAH				
IG/0048/G	This was an application for a group of variations. C.I.9.d - Changes to an existing pharmacovigilance system as described in the DDPS - Change in the safety database C.I.9.g - Changes to an existing pharmacovigilance system as described in the DDPS - Change of the site undertaking pharmacovigilance activities C.I.9.h - Changes to an existing pharmacovigilance system as described in the DDPS - Other change(s) to the DDPS that does not impact on the operation of the pharmacovigilance system	11/03/2011	n/a		
IA/0044	B.IV.1.a.1 - Change of a measuring or administration device - Addition or replacement of a device which is not an integrated part of the primary packaging - Device with CE marking	01/08/2010	n/a	SmPC and PL	
IA/0043	Addition of a manufacturing site for part of the manufacturing process of the finished product. Insulatard FlexPen: Presentations (EU/1/02/233/013-015) IA_07_a_Replacement/add. of manufacturing site: Secondary packaging site	18/12/2009	n/a		
N/0042	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	16/11/2009	n/a	Labelling	

X/0009	Annex I_1.(c) Replacement of a biological AS with one of a slightly different molecular structure	25/06/2009	01/10/2009	Annex II	The present line extension application refers to the implementation of a new manufacturing process for the drug substance insulin human. A comparative characterisation of the insulin human drug substance produced by the new manufacturing process and insulin human from the current production was performed. No adverse effects on safety or efficacy of the insulin human drug product have been reported. Pharmacovigilance and Risk Management Plan have been updated to monitor potential changes in frequency or severity of adverse reaction or lack of effect compared to the cumulative experience with the current process.
IA/0041	IA_07_a Replacement/add. of manufacturing site: Secondary packaging site	26/08/2009	n/a	PL	
IA/0040	IA_25_b_01_Change to comply with Ph. - compliance with EU Ph. update - active substance	30/06/2009	n/a		
IA/0039	IA_09_Deletion of manufacturing site	05/05/2009	n/a		
II/0038	To change the status of specified products manufacturing sites from single product to multi product facilities. Change(s) to the manufacturing process for the finished product	23/04/2009	27/04/2009		
N/0035	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	18/09/2008	n/a	PL	

IA/0037	IA_09_Deletion of manufacturing site	31/07/2008	n/a		
IA/0036	IA_09_Deletion of manufacturing site	07/07/2008	n/a		
II/0034	Change to the test procedure and/or specification of a raw material	30/05/2008	05/06/2008		
II/0030	Change(s) to container	19/03/2008	18/04/2008	Labelling and PL	
N/0032	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	17/03/2008	n/a	Labelling and PL	
N/0031	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	17/03/2008	n/a	PL	
II/0020	Update of or change(s) to the pharmaceutical documentation	16/11/2006	22/11/2007		
II/0029	Quality changes	15/11/2007	21/11/2007		
R/0026	Renewal of the marketing authorisation.	19/07/2007	18/09/2007	SmPC, Annex II, Labelling and PL	Based on the review of the available information the CHMP is of the opinion that the quality, the safety and the efficacy of this medicinal product continues to be adequately and sufficiently demonstrated and therefore considers that the benefit/risk profile continues to be favourable. The CHMP was also of the opinion that the renewal can be granted with unlimited validity.
II/0027	Change(s) to the manufacturing process for the finished product	19/07/2007	23/07/2007		

IA/0028	IA_09_Deletion of manufacturing site	03/07/2007	n/a		
II/0025	Change(s) to the manufacturing process for the active substance	26/04/2007	03/05/2007		
II/0023	Change(s) to the manufacturing process for the active substance	22/02/2007	27/02/2007		
II/0021	Change(s) to the manufacturing process for the finished product	22/02/2007	27/02/2007		
IA/0024	IA_05_Change in the name and/or address of a manufacturer of the finished product	22/01/2007	n/a		
N/0018	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	24/05/2006	n/a		
II/0016	Change(s) to the manufacturing process for the active substance	27/04/2006	10/05/2006		
IB/0017	IB_25_a_02_Change to comply with Ph. - compliance with EU Ph. - excipient	24/04/2006	n/a		
N/0015	The Marketing Authorisation Holder (MAH) applied for minor changes to the 10 ml insulin vial outer cartons and labels (changing the labels from being attached with glue to being self-adhesive, and changing the background colour of the area where the production date, expiry date and batch number are printed on the outer carton). Minor change in labelling or package leaflet not	19/08/2005	n/a	Labelling	

	connected with the SPC (Art. 61.3 Notification)				
II/0012	Change(s) to the manufacturing process for the active substance	26/05/2005	06/06/2005		
IA/0014	IA_09_Deletion of manufacturing site	23/05/2005	n/a		
N/0013	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	27/04/2005	n/a	Labelling	
N/0010	Changes to include the increase in the dimensions of the Package Leaflet, and the outer packing material, as well as the introduction of an optimised blister packing material (introduction of air cushions to protect the cartridges) in accordance with article 61 (3) of Directive 2001/83/EC. Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	11/03/2005	n/a	Labelling and PL	
IA/0011	IA_05_Change in the name and/or address of a manufacturer of the finished product	02/03/2005	n/a	Annex II and PL	
II/0008	Update of or change(s) to the pharmaceutical documentation	29/07/2004	03/08/2004		
II/0007	Update of section 4.8 of the SPC and corresponding section of the Package Leaflet. Introduction of changes to reflect the CHMP Note for Guidance on Declaration of Storage Conditions and an update to bring the SPC, labelling and Package Leaflet in accordance with the latest QRD template and to	23/06/2004	02/08/2004	SmPC, Labelling and PL	Update of section 4.8 of the SPC in order to better reflect the adverse drug reactions reported in clinical trials, to list undesirable effects using the MedDRA terminology, and to list them according to frequencies. The introduction to section 4.8 of the SPCs has also been updated to state that hypoglycaemia is the most frequent

	<p>harmonise with the MAH's other insulin products.</p> <p>Update of Summary of Product Characteristics, Labelling and Package Leaflet</p>				<p>undesirable effect, but no exact frequency is included, as the frequency of hypoglycaemia is highly variable among various patient populations and dose regimens.</p> <p>This update of section 4.8 also includes the removal of hyperglycaemia. All information on hyperglycaemia (including symptoms) has been located in section 4.4, including the warning of the risk of fatal outcome of untreated hyperglycaemic events.</p> <p>The terms 'diabetic retinopathy' and 'painful neuropathy' have been added to section 4.8. The adverse event "Fainting/loss of consciousness" is also added to the list in section 4.8.</p> <p>These changes have been reflected in the section 5 of the Package Leaflet.</p> <p>In addition changes have been made to the Product Information to reflect the CHMP Note for Guidance on Declaration of Storage Conditions, linguistic amendments in accordance to the latest QRD template (version 6, 1/2004) and to harmonise with other insulin products from NovoNordisk.</p>
I/0006	01_Change in or addition of manufacturing site(s) for part or all of the manufacturing process	22/10/2003	27/10/2003		
II/0003	<p>Change(s) to the manufacturing process for the active substance</p> <p>Change(s) to the test method(s) and/or specifications for the active substance</p> <p>Change(s) to shelf-life or storage conditions</p>	25/09/2003	01/10/2003		

I/0005	15_Minor changes in manufacture of the medicinal product	25/09/2003	01/10/2003		
I/0004	01_Change in or addition of manufacturing site(s) for part or all of the manufacturing process	16/07/2003	25/08/2003	Annex II and PL	
I/0002	30_Change in pack size for a medicinal product	09/07/2003	13/08/2003	SmPC, Labelling and PL	
II/0001	Change(s) to container	28/01/2003	29/01/2003		