



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Leqvio

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
IAIN/0030/G	This was an application for a group of variations. B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release -	25/11/2024		Annex II and PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	Not including batch control/testing A.7 - Administrative change - Deletion of manufacturing sites				
IA/0029	A.7 - Administrative change - Deletion of manufacturing sites	28/10/2024	n/a		
IB/0028/G	This was an application for a group of variations. B.z - Quality Change - Other variation B.z - Quality Change - Other variation	18/07/2024	n/a		
PSUSA/10904/202312	Periodic Safety Update EU Single assessment - inclisiran	11/07/2024	n/a		PRAC Recommendation - maintenance
II/0027/G	This was an application for a group of variations. B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition) B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place	04/07/2024	n/a		
II/0021	The variation requires amendments to the Risk Management Plan. C.I.13 - Other variations not specifically covered	13/06/2024	n/a		

	elsewhere in this Annex which involve the submission of studies to the competent authority				
II/0022	<p>Update of the Package Leaflet (Annex III.B) in order to include complete Instructions For Use for Healthcare Professionals for the pre-filled syringe without needle guard and to update the Instructions For Use for Healthcare Professionals for the pre-filled with needle guard.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>	14/03/2024	19/04/2024	PL	For more information, please refer to the Summary of Product Characteristics.
IAIN/0026	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	13/03/2024	n/a		
IB/0023/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS -</p> <p>Changes to quality control testing arrangements for</p>	08/02/2024	n/a		

	<p>the AS -replacement or addition of a site where batch control/testing takes place</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p> <p>B.II.b.4.a - Change in the batch size (including batch size ranges) of the finished product - Up to 10-fold compared to the originally approved batch size</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p>				
IAIN/0024	B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	07/02/2024	n/a		
PSUSA/10904 /202212	Periodic Safety Update EU Single assessment - inclisiran	31/08/2023	n/a		PRAC Recommendation - maintenance
IAIN/0020/G	<p>This was an application for a group of variations.</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p>	10/08/2023	19/04/2024	Annex II and PL	

	<p>B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p>				
IB/0019/G	<p>This was an application for a group of variations.</p> <p>B.II.d.1.z - Change in the specification parameters and/or limits of the finished product - Other variation</p> <p>B.II.d.1.z - Change in the specification parameters and/or limits of the finished product - Other variation</p>	11/05/2023	n/a		
IA/0018	B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process	13/03/2023	n/a		
PSUSA/10904 /202206	Periodic Safety Update EU Single assessment - inclisiran	12/01/2023	n/a		PRAC Recommendation - maintenance

II/0011	C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority	01/12/2022	n/a		
IB/0016/G	<p>This was an application for a group of variations.</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation</p>	25/10/2022	n/a		
IA/0014	B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	30/09/2022	n/a		
II/0013	C.I.13 - Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority	01/09/2022	n/a		
PSUSA/10904 /202112	Periodic Safety Update EU Single assessment - inclisiran	01/09/2022	n/a		PRAC Recommendation - maintenance

N/0012	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	18/08/2022	19/04/2024	PL	
II/0008	B.IV.1.c - Change of a measuring or administration device - Addition or replacement of a device which is an integrated part of the primary packaging	24/03/2022	13/06/2022	SmPC, Labelling and PL	
IB/0009/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p>	11/02/2022	n/a		
PSUSA/10904 /202106	Periodic Safety Update EU Single assessment - inclisiran	13/01/2022	n/a		PRAC Recommendation - maintenance
IB/0007	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	06/12/2021	n/a		
IB/0005/G	<p>This was an application for a group of variations.</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change</p>	02/09/2021	n/a		

<p>in the manufacturing process</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.e.6.b - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that does not affect the product information</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p> <p>B.II.b.4.a - Change in the batch size (including batch size ranges) of the finished product - Up to 10-fold compared to the originally approved batch size</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP -</p>				
--	--	--	--	--

	<p>Replacement/addition of a site where batch control/testing takes place</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/immunological medicinal products</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p>				
IB/0004	B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)	04/08/2021	13/06/2022	SmPC and PL	
IAIN/0003/G	<p>This was an application for a group of variations.</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p>	30/06/2021	n/a		

IB/0002/G	<p>This was an application for a group of variations.</p> <p>B.I.a.3.a - Change in batch size (including batch size ranges) of AS or intermediate - Up to 10-fold increase compared to the originally approved batch size</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p>	04/05/2021	n/a		
IAIN/0001/G	<p>This was an application for a group of variations.</p> <p>B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing</p> <p>B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing</p>	26/01/2021	13/06/2022	Annex II and PL	