



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Onpattro

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
PSUSA/10715 /202208	Periodic Safety Update EU Single assessment - patisiran	30/03/2023	26/05/2023	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10715/202208.
R/0031	Renewal of the marketing authorisation.	23/02/2023	04/04/2023		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



IAIN/0033	B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer	21/03/2023	n/a		
IB/0032	C.I.11.z - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Other variation	23/01/2023	n/a		
II/0025	C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data	12/01/2023	04/04/2023	SmPC	
IA/0029	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	17/10/2022	n/a		
IAIN/0028/G	This was an application for a group of variations. B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	05/10/2022	n/a		

II/0027/G	<p>This was an application for a group of variations.</p> <p>B.II.c.1.d - Change in the specification parameters and/or limits of an excipient - Change outside the approved specifications limits range</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p> <p>B.II.c.1.a - Change in the specification parameters and/or limits of an excipient - Tightening of specification limits</p> <p>B.II.b.3.b - Change in the manufacturing process of the finished or intermediate product - Substantial changes to a manufacturing process that may have a significant impact on the quality, safety and efficacy of the medicinal product</p> <p>B.II.c.4.a - Change in synthesis or recovery of a non-pharmacopoeial or novel excipient - Minor change</p> <p>A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p> <p>B.II.c.2.d - Change in test procedure for an excipient - Other changes to a test procedure (including replacement or addition)</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p>	01/09/2022	n/a		

	<p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p>				
IB/0026/G	<p>This was an application for a group of variations.</p> <p>B.II.b.5.f - Change to in-process tests or limits applied during the manufacture of the finished product - Addition or replacement of an in-process test as a result of a safety or quality issue</p> <p>B.II.b.5.f - Change to in-process tests or limits applied during the manufacture of the finished product - Addition or replacement of an in-process test as a result of a safety or quality issue</p> <p>B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p> <p>B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits</p>	17/05/2022	n/a		
PSUSA/10715 /202108	Periodic Safety Update EU Single assessment - patisiran	10/03/2022	n/a		PRAC Recommendation - maintenance
IA/0024/G	<p>This was an application for a group of variations.</p> <p>A.7 - Administrative change - Deletion of</p>	23/02/2022	n/a		

	<p>manufacturing sites</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p>				
II/0022	<p>Type II variation C.I.4 in the Summary of Product Characteristics (SmPC), Labelling or Package Leaflet (PL) due to new quality, preclinical, clinical or pharmacovigilance data: update of sections 4.2, 4.8, 5.1 and 5.2 of the SmPC to confirm that the safety profile of pasitiran in liver transplant recipients is comparable to data in patients without liver transplant, based on final results from study ALN-TTR02-008, a global phase 3b, open-label, extension study to evaluate safety, efficacy and pharmacokinetics of patisiran in patients with hereditary transthyretin-mediated amyloidosis (HATTR amyloidosis) with disease progression post-orthotopic liver transplant (OLT). The RMP version 1.1 has also been submitted. In addition, the MAH took the opportunity to make some minor changes to the English PI in SmPC section 5.1, 6.3 (In line with EMA recommendation from procedure EMEA/H/C/004699/IB/0014), PL section 2 (minor typographical error changes), 6 (update to contact numbers of local MAH representatives in Cyprus and Malta, and MAH local representative from 'United Kingdom' to 'United Kingdom [Northern Ireland] in line with the QRD template version 10.2) and implement minor linguistic changes and</p>	16/12/2021	28/11/2022	SmPC and PL	For more information, please refer to the Summary of Product Characteristics.

	<p>typographical error corrections in the Italian PI translation.</p> <p>C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data</p>				
II/0021/G	<p>This was an application for a group of variations.</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p> <p>B.I.b.1.f - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Change outside the approved specifications limits range for the AS</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of</p>	07/10/2021	n/a		

<p>specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.b.5.e - Change to in-process tests or limits applied during the manufacture of the finished product - Widening of the approved IPC limits, which may have a significant effect on overall quality of the finished product</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting</p>				
--	--	--	--	--

	<p>material/intermediate/reagent - Tightening of specification limits</p> <p>B.II.d.1.a - Change in the specification parameters and/or limits of the finished product - Tightening of specification limits</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p> <p>B.II.c.1.a - Change in the specification parameters and/or limits of an excipient - Tightening of specification limits</p> <p>B.II.b.5.e - Change to in-process tests or limits applied during the manufacture of the finished product - Widening of the approved IPC limits, which may have a significant effect on overall quality of the finished product</p> <p>B.I.b.1.f - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Change outside the approved specifications limits range for the AS</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p>				
PSUSA/10715 /202102	Periodic Safety Update EU Single assessment - patisiran	02/09/2021	n/a		PRAC Recommendation - maintenance
IA/0020/G	<p>This was an application for a group of variations.</p> <p>B.II.c.2.a - Change in test procedure for an excipient</p>	18/06/2021	n/a		

	- Minor changes to an approved test procedure B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process				
IA/0019/G	This was an application for a group of variations. B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits	30/04/2021	n/a		
PSUSA/10715 /202008	Periodic Safety Update EU Single assessment - patisiran	11/03/2021	n/a		PRAC Recommendation - maintenance
IA/0017/G	This was an application for a group of variations. B.I.b.2.c - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure for a reagent, which does not have a significant effect on the overall quality of the AS B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	06/01/2021	n/a		

PSUSA/10715/202002	Periodic Safety Update EU Single assessment - patisiran	17/09/2020	20/11/2020	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10715/202002.
IAIN/0016/G	This was an application for a group of variations. A.1 - Administrative change - Change in the name and/or address of the MAH A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	10/11/2020	11/10/2021	SmPC, Annex II, Labelling and PL	
IB/0014	B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)	14/10/2020	11/10/2021	SmPC	
IAIN/0013/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site	28/07/2020	20/11/2020	Annex II and PL	
PSUSA/10715/201908	Periodic Safety Update EU Single assessment - patisiran	26/03/2020	20/05/2020	SmPC and PL	Refer to Scientific conclusions and grounds recommending the variation to terms of the Marketing Authorisation(s)' for PSUSA/10715/201908.
II/0011/G	This was an application for a group of variations. B.I.a.4.c - Change to in-process tests or limits applied during the manufacture of the AS - Deletion	12/03/2020	n/a		

	<p>of a non-significant in-process test</p> <p>B.I.a.4.d - Change to in-process tests or limits applied during the manufacture of the AS - Widening of the approved in-process test limits, which may have a significant effect on the overall quality of the AS</p>				
IB/0010/G	<p>This was an application for a group of variations.</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p> <p>B.II.c.z - Change in control of excipients in the Finished Product - Other variation</p>	10/01/2020	n/a		
IB/0008/G	<p>This was an application for a group of variations.</p> <p>A.z - Administrative change - Other variation</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p>	10/12/2019	n/a		

	<p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.2.z - Change in test procedure for AS or starting material/reagent/intermediate - Other variation</p>				
PSUSA/10715 /201902	Periodic Safety Update EU Single assessment - patisiran	05/09/2019	n/a		PRAC Recommendation - maintenance
IA/0007	B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	31/07/2019	n/a		
II/0004/G	<p>This was an application for a group of variations.</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p> <p>B.II.d.2.d - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)</p>	25/07/2019	n/a		

IB/0006	B.II.f.1.b.1 - Stability of FP - Extension of the shelf life of the finished product - As packaged for sale (supported by real time data)	19/07/2019	09/03/2020	SmPC and PL	
IAIN/0003/G	This was an application for a group of variations. A.6 - Administrative change - Change in ATC Code/ATC Vet Code A.7 - Administrative change - Deletion of manufacturing sites B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	04/04/2019	09/03/2020	SmPC, Annex II, Labelling and PL	
IAIN/0002	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	14/12/2018	n/a		
N/0001	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	09/11/2018	09/03/2020	PL	