

Reblozyl

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
II/0027	B.I.b.2.d - Change in test procedure for AS or starting material/reagent/intermediate - Substantial change to or replacement of a biological/immunological/immunochemical test method or a method using a biological reagent for a biological AS	11/04/2024	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

II/0021	Extension of indication to include treatment of adult patients with transfusion-dependent anaemia due to very low, low and intermediate-risk myelodysplastic syndromes (MDS), based on results from study ACE-536-MDS-002 (COMMANDS), an active-controlled, open-label, randomized Phase 3 study comparing the efficacy and safety of luspatercept vs epoetin alfa in adult subjects with anemia due to IPSS-R very low, low or intermediate risk MDS, who are ESA naïve and require RBC transfusions, and studies ACE-536-MDS-001(MEDALIST), ACE-536-MDS-004, A536-03, A536-05 and ACE-536-LTFU-001; As a consequence, sections 4.1, 4.2, 4.4, 4.8, 5.1 and 5.2 of the SmPC are updated. The Package Leaflet is updated in accordance. Version 2.1 of the RMP has also been submitted. C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one	22/02/2024	27/03/2024	SmPC and PL	Extension of indication to include treatment of adult patients with transfusion-dependent anaemia due to very low, low and intermediate-risk myelodysplastic syndromes (MDS), based on results from study ACE-536-MDS-002 (COMMANDS). Please refer to Scientific Discussion 'Reblozyl-H-C-4444-II-21'.
PSUSA/10860 /202306	Periodic Safety Update EU Single assessment - luspatercept	11/01/2024	n/a		PRAC Recommendation - maintenance
II/0023	Submission of the final report from study ACE-536-MDS-005 listed as a category 3 study in the RMP. This is a non-interventional post-authorisation safety study (PASS) to evaluate the effectiveness of the additional risk minimisation measure (aRMM) for Reblozyl among Healthcare Providers (HCPs) in the	11/01/2024	27/03/2024	SmPC, Annex II and PL	Update of the Product Information and Risk Management Plan to refer to the patient card for women for childbearing potential. In addition, the HCPs checklist has been kept and should be made available in the concerned Member States. For more information please refer to the Summary of Product Characteristics.

	EU/EEA. Update of section 4.6 of the PI and Annex II.D. The Package Leaflet has been updated accordingly. The RMP version 3.2 has been submitted accordingly. C.I.11.b - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Implementation of change(s) which require to be further substantiated by new additional data to be submitted by the MAH where significant assessment is required				
IB/0026/G	This was an application for a group of variations. B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	04/12/2023	n/a		
IA/0025/G	This was an application for a group of variations. B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure A.7 - Administrative change - Deletion of manufacturing sites B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure	25/09/2023	n/a		

	B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure B.II.e.7.a - Change in supplier of packaging components or devices (when mentioned in the dossier) - Deletion of a supplier				
IB/0022	B.II.f.1.b.5 - Stability of FP - Extension of the shelf life of the finished product - Biological/immunological medicinal product in accordance with an approved stability protocol	24/08/2023	27/03/2024	SmPC	
PSUSA/10860 /202212	Periodic Safety Update EU Single assessment - luspatercept	06/07/2023	n/a		PRAC Recommendation - maintenance
II/0016	Please refer to the Recommendations section above. C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data	15/06/2023	27/03/2024	SmPC	
IB/0018/G	This was an application for a group of variations. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.1.k - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - New storage site of MCB and/or WCB B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other	02/05/2023	n/a		

	variation A.7 - Administrative change - Deletion of manufacturing sites B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation					
IB/0020/G	This was an application for a group of variations. B.I.d.1.c - Stability of AS - Change in the re-test period/storage period or storage conditions - Change to an approved stability protocol B.II.f.1.e - Stability of FP - Change to an approved stability protocol	30/03/2023	n/a			
IB/0017/G	This was an application for a group of variations. A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release) A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release) B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch	03/03/2023	n/a			

	control/testing takes place A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)				
II/0011	Update of sections 4.2, 4.4, and 4.8 of the SmPC in order to include new safety information about Extramedullary Hematopoietic Masses in transfusion-dependent β-thalassemia patients based on the open-label phase of the ACE-536-B-THAL-001 Phase III study, the long-term follow-up study and post marketing data. The Package Leaflet is updated accordingly. C.I.4 - Change(s) in the SPC, Labelling or PL due to new quality, preclinical, clinical or pharmacovigilance data	26/01/2023	27/02/2023	SmPC and PL	New contraindication in patients requiring treatment to control the growth of EMH masses and new warning in section 4.4 of SmPC providing information based on the pivotal study and the long term follow-up study, on frequencies of occurrence of extramedullary haemopoiesis (EMH) masses and spinal cord compression symptoms due to EMH masses in transfusion-dependent —thalassaemia patients. EMH has also been recorded as ADR as common for the —thalassaemia indication in section 4.8 of the SmPC. Please refer to Scientific Discussion 'Reblozyl-H-C-4444-II-11' For more information, please refer to the Summary of Product Characteristics.
II/0009	Extension of indication in β-thalassaemia to include adult patients with non-transfusion dependent β-thalassaemia (NTDT) for Reblozyl; as a consequence, sections 4.1, 4.2, 4.4, 4.8, 5.1 and 5.2 of the SmPC are updated. The Package Leaflet is updated in accordance. Version 1.3 of the RMP has also been submitted. In addition, the Marketing authorisation holder (MAH) took the opportunity to update the list of local representatives in the Package Leaflet. C.I.6.a - Change(s) to therapeutic indication(s) -	26/01/2023	27/02/2023	SmPC and PL	Please refer to Scientific Discussion `Reblozyl-H-C-4444-II-09'

	Addition of a new therapeutic indication or modification of an approved one				
PSUSA/10860 /202206	Periodic Safety Update EU Single assessment - luspatercept	12/01/2023	n/a		PRAC Recommendation - maintenance
II/0013	B.I.a.1.e - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The change relates to a biological AS or a starting material [-] used in the manufacture of a biological/immunological product	10/11/2022	n/a		
IB/0015	B.I.d.1.a.4 - Stability of AS - Change in the re-test period/storage period - Extension or introduction of a re-test period/storage period supported by real time data	05/10/2022	n/a		
IB/0012	B.II.f.1.b.5 - Stability of FP - Extension of the shelf life of the finished product - Biological/immunological medicinal product in accordance with an approved stability protocol	12/09/2022	27/02/2023	SmPC	
PSUSA/10860 /202112	Periodic Safety Update EU Single assessment - luspatercept	07/07/2022	n/a		PRAC Recommendation - maintenance
PSUSA/10860 /202106	Periodic Safety Update EU Single assessment - luspatercept	13/01/2022	n/a		PRAC Recommendation - maintenance
IAIN/0008/G	This was an application for a group of variations. B.II.b.2.c.1 - Change to importer, batch release	31/08/2021	19/09/2022	SmPC, Annex II and PL	

	arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing C.I.3.a - Change(s) in the SPC, Labelling or PL intended to implement the outcome of a procedure concerning PSUR or PASS or the outcome of the assessment done under A 45/46 - Implementation of wording agreed by the competent authority			
IAIN/0006/G	This was an application for a group of variations. B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS A.7 - Administrative change - Deletion of manufacturing sites B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	22/07/2021	n/a	
PSUSA/10860 /202012	Periodic Safety Update EU Single assessment - luspatercept	08/07/2021	n/a	PRAC Recommendation - maintenance
IB/0005/G	This was an application for a group of variations. B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP -	26/05/2021	n/a	

	Replacement/addition of a site where batch control/testing takes place			
T/0003	Transfer of Marketing Authorisation	20/01/2021	04/02/2021	SmPC, Labelling and PL
II/0002/G	B.II.b.1.c - Replacement or addition of a manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch release/control, and secondary packaging, for biol/immunol medicinal products or pharmaceutical forms manufactured by complex manufacturing processes B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method B.II.b.2.b - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place for a biol/immunol product and any of the test methods at the site is a biol/immunol method	10/12/2020	n/a	

II/0001/G	This was an application for a group of variations.	26/11/2020	04/02/2021	Annex II
	A.7 - Administrative change - Deletion of			
	manufacturing sites			
	B.I.a.1.e - Change in the manufacturer of AS or of a			
	starting material/reagent/intermediate for AS - The			
	change relates to a biological AS or a starting			
	material [-] used in the manufacture of a			
	biological/immunological product			
	B.I.a.1.j - Change in the manufacturer of AS or of a			
	starting material/reagent/intermediate for AS -			
	Replacement or addition of a site where batch			
	control/testing takes place and any of the test			
	method at the site is a biol/immunol method			
	B.I.a.1.z - Change in the manufacturer of AS or of a			
	starting material/reagent/intermediate for AS - Other			
	variation			
	B.I.a.3.c - Change in batch size (including batch size			
	ranges) of AS or intermediate - The change requires			
	assessment of the comparability of a			
	biological/immunological AS			
	B.I.b.2.e - Change in test procedure for AS or			
	starting material/reagent/intermediate - Other			
	changes to a test procedure (including replacement			
	or addition) for the AS or a starting			
	material/intermediate			
	B.I.b.2.e - Change in test procedure for AS or			
	starting material/reagent/intermediate - Other			
	changes to a test procedure (including replacement			
	or addition) for the AS or a starting			

material/intermediate B.I.b.2.z - Change in test procedure for AS or		
starting material/reagent/intermediate - Other variation		