



Recarbrio

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
N/0021	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	28/11/2022		PL	
IB/0020	B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation	10/11/2022	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



IA/0019	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	27/09/2022	n/a		
IB/0017	B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS	26/09/2022	n/a		
PSUSA/10830 /202201	Periodic Safety Update EU Single assessment - imipenem / cilastatin / relebactam	01/09/2022	n/a		PRAC Recommendation - maintenance
IA/0016/G	This was an application for a group of variations. B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)	20/07/2022	n/a		
IA/0015/G	This was an application for a group of variations. A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites	10/06/2022	n/a		

	(excluding manufacturer for batch release) A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient				
WS/2193	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.g.2 - Introduction of a post approval change management protocol related to the finished product	02/06/2022	n/a		
PSUSA/10830 /202107	Periodic Safety Update EU Single assessment - imipenem / cilastatin / relebactam	10/02/2022	n/a		PRAC Recommendation - maintenance
IB/0012/G	This was an application for a group of variations. B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer	02/12/2021	n/a		
N/0010	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	11/10/2021	24/03/2022	PL	

IB/0009/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p> <p>B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer</p> <p>B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer</p>	16/09/2021	n/a		
IB/0008/G	<p>This was an application for a group of variations.</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation</p>	02/09/2021	n/a		
PSUSA/10830 /202101	Periodic Safety Update EU Single assessment - imipenem / cilastatin / relebactam	02/09/2021	n/a		PRAC Recommendation - maintenance
IAIN/0006	A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	15/02/2021	24/03/2022	Annex II and PL	

PSUSA/10830 /202007	Periodic Safety Update EU Single assessment - imipenem / cilastatin / relebactam	11/02/2021	n/a		PRAC Recommendation - maintenance
IB/0005	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	29/01/2021	n/a		
II/0001	C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one	15/10/2020	16/11/2020	SmPC, Annex II and PL	
IAIN/0002	B.I.e.5.a - Implementation of changes foreseen in an approved change management protocol - Requires no further supportive data	12/06/2020	n/a		