



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Sugammadex Adroiq

Procedural steps taken and scientific information after the authorisation*

*Due to the Agency's update of its procedure management systems, an additional document, reflecting the historical lifecycle may be available in the 'Assessment history' section. For the complete product lifecycle procedures, you may need to also refer to **EPAR - Procedural steps taken and scientific information after authorisation (archive)**.

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
Variation type IA /	A. ADMINISTRATIVE CHANGES - A.7	16/01/2026		Annex II and	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



EMA/VR/0000322606	Deletion of manufacturing sites for an active substance, intermediate or finished product, packaging site, manufacturer responsible for batch release, site where batch control takes place, or supplier of a starting material, reagent or excipient (when mentioned in the dossier)* - Accepted			PL	
Variation type IA_IN / EMA/VR/0000297355	A. ADMINISTRATIVE CHANGES - A.1 Change in the name and/or address of the marketing authorisation holder - Accepted	23/09/2025		SmPC, Labelling and PL	
Variation type IB / EMA/VR/0000282615	This was an application for a group of variations. B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.z Other variation - Accepted B.I.d.1.a Re-test period/storage period - B.I.d.1.a.4 Extension or introduction of a re-test period/storage period supported by real time data - Accepted B.I.a.2 Changes in the manufacturing process of the active substance - B.I.a.2.a	04/08/2025	N/A		

	Minor change in the manufacturing process of the active substance - Accepted B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.z Other variation - Accepted B.I.a.3 Change in batch size (including batch size ranges) of active substance or intermediate used in the manufacturing process of the active substance - B.I.a.3.a Up to 10-fold increase compared to the originally approved batch size - Accepted A. ADMINISTRATIVE CHANGES - A.4 Change in the name and/or address of: a manufacturer (including where relevant quality control testing sites); or an ASMF holder; or a supplier of the active substance, starting material, reagent or intermediate used in the manufacture of the active substance (where specified in the technical dossier) where no Ph. Eur. Certificate of Suitability is part of the approved dossier; or a manufacturer of a novel excipient (where specified in the technical dossier) - Accepted				
--	---	--	--	--	--

Variation type IB / EMA/VR/0000257364	C.I.2 Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet of a generic/hybrid/biosimilar medicinal products following assessment of the same change for the reference product - C.I.2.a Implementation of change(s) for which no new additional data is required to be submitted by the MAH - Accepted C.I.2.a - To update section 4.8 of the SmPC for Hypersensitivity following assessment of the same change for the reference product Bridion 100 mg/mL solution for injection.	31/03/2025		SmPC	
Variation type IA_IN / EMA/VR/0000251824	C.I.3 Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet of human medicinal products intended to implement the outcome of a procedure concerning PSUR or PASS, or the outcome of the assessment done by the competent authority under Articles 45 or 46 of Regulation 1901/2006 - C.I.3.a Implementation of wording agreed by the competent authority - Refused	27/02/2025	N/A		