

Tolura

Procedural steps taken and scientific information after the authorisation*

*Due to the Agency`s update of its procedure management systems, an additional document, reflecting the historical lifecycle may be available in the 'Assessment history' section. For the complete product lifecycle procedures, please also refer to **EPAR - Procedural steps taken and scientific information after authorisation (archive)**.

Application number	Scope	Opinion/ Notification ¹ issued on	Product Information affected ³	Summary
Variation type IB /	C.I HUMAN AND VETERINARY MEDICINAL	18/03/2025	SmPC and PL	To updated sections 4.4 and 4.8 of the SmPC to add

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.



² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).

EMA (VD (0000347066	DRODUCTS C. I. z. Chango(s) in the		now cafety information regarding intestinal
EMA/VR/0000247066	PRODUCTS - C.I.z Change(s) in the		new safety information regarding intestinal
	Summary of product Characteristics,		angioedema following PRAC recommendation
	Labelling or Package Leaflet intended to		EMA/PRAC/499603/2024; EPITT 20104. The
	implement the outcome of a PRAC signal		package leaflet is updated accordingly. In addition
	recommendation: implementation of		the MAH has taken the opportunity to make minor
	change(s) which require to be further		editorial corrections in several translations.
	substantiated by new additional data to be		
	submitted by the MAH - Accepted		
	To updated sections 4.4 and 4.8 of the		
	SmPC to add new safety information		
	regarding intestinal angioedema following		
	PRAC recommendation		
	EMA/PRAC/499603/2024; EPITT 20104. The		
	package leaflet is updated accordingly. In		
	addition the MAH has taken the opportunity		
	to make minor editorial corrections in		
	several translations.		