



## Trepulmix

### Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification <sup>1</sup> issued on	Commission Decision Issued <sup>2</sup> / amended on	Product Information affected <sup>3</sup>	Summary
IB/0016	C.I.11.z - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Other variation	13/09/2023	n/a		
IB/0017/G	This was an application for a group of variations.	25/07/2023	n/a		

<sup>1</sup> Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

<sup>2</sup> A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

<sup>3</sup> SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	<p>B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation</p> <p>B.II.b.5.b - Change to in-process tests or limits applied during the manufacture of the finished product - Addition of a new test(s) and limits</p>				
IA/0015	B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier	11/07/2023	n/a		
N/0012	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	19/01/2023		PL	
PSUSA/3013/202205	Periodic Safety Update EU Single assessment - treprostinil	12/01/2023	n/a		PRAC Recommendation - maintenance
IAIN/0011/G	<p>This was an application for a group of variations.</p> <p>B.II.e.6.b - Change in any part of the (primary) packaging material not in contact with the finished product formulation - Change that does not affect the product information</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure</p>	02/12/2022	n/a		
IB/0009	B.I.d.1.a.4 - Stability of AS - Change in the re-test	22/06/2022	n/a		

	period/storage period - Extension or introduction of a re-test period/storage period supported by real time data				
PSUSA/3013/202105	Periodic Safety Update EU Single assessment - treprostinil	13/01/2022	n/a		PRAC Recommendation - maintenance
IAIN/0008	B.II.b.2.c.1 - Change to importer, batch release arrangements and quality control testing of the FP - Replacement or addition of a manufacturer responsible for importation and/or batch release - Not including batch control/testing	20/09/2021	22/03/2022	Annex II and PL	
IA/0007/G	This was an application for a group of variations.  A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release) B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place	23/08/2021	n/a		
IB/0005/G	This was an application for a group of variations.  B.I.a.1.a - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - The proposed manufacturer is part of the same pharmaceutical group as the currently approved manufacturer	13/07/2021	n/a		

<p>B.I.c.z - Container closure system of the AS - Other variation</p> <p>B.I.c.3.a - Change in test procedure for the immediate packaging of the AS - Minor changes to an approved test procedure</p> <p>B.I.z - Quality change - Active substance - Other variation</p> <p>B.I.a.1.f - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Changes to quality control testing arrangements for the AS -replacement or addition of a site where batch control/testing takes place</p> <p>B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-</p>				
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--

<p>significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>B.I.b.1.b - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Tightening of specification limits</p> <p>B.I.a.4.b - Change to in-process tests or limits applied during the manufacture of the AS - Addition of a new in-process test and limits</p> <p>B.I.a.4.f - Change to in-process tests or limits applied during the manufacture of the AS - Addition or replacement of an in-process test as a result of a safety or quality issue</p> <p>B.I.b.2.a - Change in test procedure for AS or starting material/reagent/intermediate - Minor changes to an approved test procedure</p> <p>B.I.b.1.d - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter)</p> <p>A.4 - Administrative change - Change in the name and/or address of a manufacturer or an ASMF holder or supplier of the AS, starting material, reagent or intermediate used in the manufacture of the AS or manufacturer of a novel excipient</p> <p>B.I.a.3.a - Change in batch size (including batch size ranges) of AS or intermediate - Up to 10-fold increase compared to the originally approved batch size</p>				
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--

IB/0004	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	09/03/2021	22/03/2022	SmPC, Labelling and PL	
PSUSA/3013/ 202005	Periodic Safety Update EU Single assessment - treprostinil	14/01/2021	n/a		PRAC Recommendation - maintenance
II/0002/G	<p>This was an application for a group of variations.</p> <p>B.I.a.1.b - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Introduction of a manufacturer of the AS supported by an ASMF</p> <p>B.I.b.2.c - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure for a reagent, which does not have a significant effect on the overall quality of the AS</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.1.f - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the FP - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile medicinal products (including those that are aseptically manufactured) excluding biological/ immunological medicinal products</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch</p>	06/11/2020	n/a		

	<p>control/testing takes place</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p> <p>B.II.b.4.a - Change in the batch size (including batch size ranges) of the finished product - Up to 10-fold compared to the originally approved batch size</p> <p>B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place</p>				
IB/0001	C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	12/06/2020	n/a		