



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Trimbow

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
WS/2763/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.1.e - Replacement or addition of a	13/02/2025		SmPC and PL	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	<p>manufacturing site for the FP - Site where any manufacturing operation(s) take place, except batch-release, batch control, primary and secondary packaging, for non-sterile medicinal products</p> <p>B.II.b.2.c.2 - Change to importer, batch release arrangements and quality control testing of the FP - Including batch control/testing</p> <p>B.II.b.1.b - Replacement or addition of a manufacturing site for the FP - Primary packaging site</p> <p>B.II.b.1.a - Replacement or addition of a manufacturing site for the FP - Secondary packaging site</p> <p>B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process</p>				
PSUSA/10617 /202407	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	13/02/2025	n/a		PRAC Recommendation - maintenance
IA/0044	B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier	19/12/2024	n/a		
N/0042	Minor change in labelling or package leaflet not connected with the SPC (Art. 61.3 Notification)	04/11/2024		Labelling and PL	
WS/2659/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.	19/09/2024	n/a		

	<p>B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation</p> <p>B.II.a.3.b.2 - Changes in the composition (excipients) of the finished product - Other excipients</p> <p>- Qualitative or quantitative changes in one or more excipients that may have a significant impact on the safety, quality or efficacy of the product</p> <p>B.II.b.5.a - Change to in-process tests or limits applied during the manufacture of the finished product - Tightening of in-process limits</p>				
IA/0040	B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure	24/04/2024	n/a		
PSUSA/10617 /202307	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	08/02/2024	n/a		PRAC Recommendation - maintenance
IG/1701	B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation	02/02/2024	n/a		
IB/0035/G	<p>This was an application for a group of variations.</p> <p>B.I.b.1.c - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Addition of a new specification parameter to the specification with its corresponding test method</p> <p>B.II.b.3.a - Change in the manufacturing process of</p>	03/01/2024	n/a		

	the finished or intermediate product - Minor change in the manufacturing process B.III.1.a.3 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - New certificate from a new manufacturer (replacement or addition)				
IB/0036	C.I.11.z - Introduction of, or change(s) to, the obligations and conditions of a marketing authorisation, including the RMP - Other variation	18/12/2023	n/a		
IA/0033	B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier	31/07/2023	n/a		
WS/2440/G	This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.II.b.2.a - Change to importer, batch release arrangements and quality control testing of the FP - Replacement/addition of a site where batch control/testing takes place B.II.b.1.b - Replacement or addition of a manufacturing site for the FP - Primary packaging site B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure B.II.b.1.e - Replacement or addition of a manufacturing site for the FP - Site where any	04/05/2023	n/a		

	manufacturing operation(s) take place, except batch-release, batch control, primary and secondary packaging, for non-sterile medicinal products				
IG/1592/G	This was an application for a group of variations. A.7 - Administrative change - Deletion of manufacturing sites B.III.2.b - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State	13/02/2023	n/a		
IG/1590	B.III.2.b - Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State - Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State	09/02/2023	n/a		
PSUSA/10617 /202207	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	09/02/2023	n/a		PRAC Recommendation - maintenance
IB/0028	B.III.1.a.3 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - New certificate from a new manufacturer (replacement or addition)	03/10/2022	n/a		
R/0025	Renewal of the marketing authorisation.	27/01/2022	24/03/2022	SmPC, Annex II, Labelling	Based on the review of data on quality, safety and efficacy, the CHMP considered that the benefit-risk balance of Trimbow in the approved indication remains favourable and

				and PL	therefore recommended the renewal of the marketing authorisation with unlimited validity.
IG/1494/G	<p>This was an application for a group of variations.</p> <p>B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation</p> <p>B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure</p> <p>B.II.d.2.a - Change in test procedure for the finished product - Minor changes to an approved test procedure</p>	18/03/2022	n/a		
PSUSA/10617/202107	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	10/02/2022	n/a		PRAC Recommendation - maintenance
PSUSA/10617/202101	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	02/09/2021	n/a		PRAC Recommendation - maintenance
IB/0023	B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation	16/08/2021	n/a		
IA/0024	A.5.b - Administrative change - Change in the name and/or address of a manufacturer/importer of the finished product, including quality control sites (excluding manufacturer for batch release)	10/08/2021	n/a		

IA/0022/G	<p>This was an application for a group of variations.</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p>	13/07/2021	n/a		
IG/1422/G	<p>This was an application for a group of variations.</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p>	13/07/2021	n/a		

	from an already approved manufacturer				
WS/2075	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.e.1.a.2 - Change in immediate packaging of the finished product - Qualitative and quantitative composition - Semi-solid and non-sterile liquid pharmaceutical forms</p>	08/07/2021	n/a		
WS/2074	<p>This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008.</p> <p>B.II.d.1.e - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range</p>	24/06/2021	n/a		
IB/0020	B.II.b.3.z - Change in the manufacturing process of the finished or intermediate product - Other variation	22/06/2021	n/a		
IG/1385	B.II.e.7.a - Change in supplier of packaging components or devices (when mentioned in the dossier) - Deletion of a supplier	03/05/2021	n/a		
X/0012	<p>Extension application to add a new pharmaceutical form (inhalation powder) associated with new strength (88µg / 5µg / 9µg). The RMP (version 6.2) is updated in accordance.</p> <p>Annex I_2.(c) Change or addition of a new</p>	28/01/2021	07/04/2021	SmPC, Labelling and PL	Please refer to the scientific discussion - Trimbow EMA/H/C/004257/X/0012

	strength/potency Annex I_2.(d) Change or addition of a new pharmaceutical form				
PSUSA/10617 /202007	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	11/02/2021	n/a		PRAC Recommendation - maintenance
X/0008/G	This was an application for a group of variations. Annex I_2.(c) Change or addition of a new strength/potency C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one	12/11/2020	14/01/2021	SmPC, Labelling and PL	
PSUSA/10617 /202001	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	04/09/2020	n/a		PRAC Recommendation - maintenance
IAIN/0014	A.5.a - Administrative change - Change in the name and/or address of a manufacturer/importer responsible for batch release	02/07/2020	14/01/2021	Annex II and PL	
WS/1734	This was an application for a variation following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. C.I.z - Changes (Safety/Efficacy) of Human and Veterinary Medicinal Products - Other variation	27/02/2020	n/a		

PSUSA/10617 /201907	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	13/02/2020	n/a		PRAC Recommendation - maintenance
IA/0011	B.II.e.7.b - Change in supplier of packaging components or devices (when mentioned in the dossier) - Replacement or addition of a supplier	25/10/2019	n/a		
IA/0007/G	<p>This was an application for a group of variations.</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p>	13/08/2019	n/a		
PSUSA/10617 /201901	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	11/07/2019	n/a		PRAC Recommendation - maintenance
PSUSA/10617 /201807	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	14/02/2019	n/a		PRAC Recommendation - maintenance

II/0002	<p>Extension of indication, based on results from two Phase III studies: Triple 7 (CCD-05993AA1-07) and Triple 8 (CCD-05993AA1-08), to include maintenance treatment in adult patients with moderate to severe chronic obstructive pulmonary disease (COPD) who are not adequately treated by combination of a long-acting beta2-agonist and a long-acting muscarinic antagonist. Sections 4.1, 4.4, 4.8 and 5.1 of the SmPC are updated accordingly to reflect the studies' results and add a new warning with regards to the risk of visual disturbance associated with beclometasone following the PSUSA recommendation PSUSA/00000306/201612. The package leaflet and the risk management plan (version 6.0) are updated accordingly. Additionally changes to annex IIIA are introduced in the Braille section to bring in line with the QRD template.</p> <p>C.I.6.a - Change(s) to therapeutic indication(s) - Addition of a new therapeutic indication or modification of an approved one</p>	13/12/2018	23/01/2019	SmPC, Labelling and PL	Please refer to the scientific discussion Trimbow EMEA/H/C/004257/II/0002.
PSUSA/10617/201801	Periodic Safety Update EU Single assessment - beclometasone / formoterol / glycopyrronium bromide	12/07/2018	n/a		PRAC Recommendation - maintenance
IA/0004/G	<p>This was an application for a group of variations.</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p>	18/05/2018	n/a		

	B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer				
IA/0001/G	<p>This was an application for a group of variations.</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p> <p>B.III.1.a.2 - Submission of a new/updated or deletion of Ph. Eur. Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer</p>	30/11/2017	n/a		