



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Winrevair

Procedural steps taken and scientific information after the authorisation

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
PSUSA/11076 /202409	Periodic Safety Update EU Single assessment - sotatercept	10/04/2025	n/a		PRAC Recommendation - maintenance
IB/0004/G	This was an application for a group of variations. B.I.b.2.a - Change in test procedure for AS or	06/03/2025	n/a		

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	starting material/reagent/intermediate - Minor changes to an approved test procedure B.I.b.1.z - Change in the specification parameters and/or limits of an AS, starting material/intermediate/reagent - Other variation B.I.b.2.e - Change in test procedure for AS or starting material/reagent/intermediate - Other changes to a test procedure (including replacement or addition) for the AS or a starting material/intermediate B.I.e.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product B.II.g.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product				
IB/0001/G	This was an application for a group of variations. B.I.e.5.c - Implementation of changes foreseen in an approved change management protocol - For a biological/immunological medicinal product B.I.a.2.a - Changes in the manufacturing process of the AS - Minor change in the manufacturing process of the AS B.I.a.4.a - Change to in-process tests or limits applied during the manufacture of the AS - Tightening of in-process limits B.I.d.1.b.1 - Stability of AS - Change in the storage conditions - Change to more restrictive storage conditions of the AS	09/01/2025	n/a		

IB/0003/G	This was an application for a group of variations. B.II.b.3.a - Change in the manufacturing process of the finished or intermediate product - Minor change in the manufacturing process B.II.b.5.z - Change to in-process tests or limits applied during the manufacture of the finished product - Other variation	18/12/2024	n/a		
-----------	---	------------	-----	--	--