

Annex I

List of the names, pharmaceutical forms, strengths of the medicinal products, routes of administration, marketing authorisation holders in the member states

Member State / EU / EEA	Marketing authorisation holder	Invented name	Strength	Pharmaceutical form	Route of administration
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	EXTRANEAL - Peritonealdialyselösung	75 g/L	solution for peritoneal dialysis	intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Dianeal PD4 Glucose 1,36% w/v/13,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 13.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	solution for peritoneal dialysis	intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Dianeal PD4 Glucose 2,27% w/v/22,7 mg/ml - Peritonealdialyselösung	Anhydrous glucose 22.7 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	solution for peritoneal dialysis	intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml - Peritonealdialyselösung	Anhydrous glucose 38.6 g/L, sodium chloride 5.38 g/L, sodium-L(+) lactate 4.48 g/L, calcium chloride dihydrate 0.184 g/L, magnesium chloride hexahydrate 0.051 g/L	solution for peritoneal dialysis	intraperitoneal use
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Nutrineal PD4 mit 1,1 % Aminosäuren - Peritonealdialyselösung	alanine 951 mg/L, arginine 1071 mg/L, glycine 510 mg/L, histidine 714 mg/L, isoleucine 850 mg/L, leucine 1020 mg/L, lysine hydrochloride 955 mg/L, methionine 850 mg/L, phenylalanine 570 mg/L, proline 595 mg/L, serine 510 mg/L, threonine 646 mg/L, tryptophan 270 mg/L, tyrosine 300 mg/L, valine 1393 mg/L, sodium chloride 5380 mg/L, calcium chloride dihydrate 184 mg/L, magnesium chloride hexahydrate 51 mg/L, sodium(s)-lactate 4480 mg/L	solution for peritoneal dialysis	intraperitoneal use

Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Monosol Hämodialyse-, Hämodiafiltrations- und Hämofiltrationslösung	Glucose monohydrate 1.1 g/L, sodium chloride 6.43 g/L, sodium lactate 3.36 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L	solution for haemodialysis, haemodiafiltration and haemofiltration	intraarterial use, intravenous use, hemodialysis
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Monosol-K mit 2mEq Kalium/l Hämodialyse-, Hämodiafiltrations- und Hämofiltrationslösung	Glucose monohydrate 1.1 g/L, sodium chloride 6.43 g/L, sodium lactate 3.36 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L, potassium chloride 0.149 g/L	solution for haemodialysis, haemodiafiltration and haemofiltration	intraarterial use, intravenous use, hemodialysis
Austria	Baxter Healthcare GmbH, Stella-Klein-Löw-Weg 15, A-1020 Wien Austria	Monosol-K mit 4mEq Kalium/l Hämodialyse-, Hämodiafiltrations- und Hämofiltrationslösung	Glucose monohydrate 1.1 g/L, sodium chloride 6.43 g/L, sodium lactate 3.36 g/L, calcium chloride dihydrate 0.257 g/L, magnesium chloride hexahydrate 0.152 g/L, potassium chloride 0.298 g/L	solution for haemodialysis, haemodiafiltration and haemofiltration	intraarterial use, intravenous use, hemodialysis
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	EXTRANEAL 7,5 %, solution pour dialyse péritonéale	75.00 g/l Icodextrine	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD1 Glucose 1,36 % (13,6 mg/ml), solution pour dialyse péritonéale	13.6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD1 Glucose 2,27 % (22,7 mg/ml), solution pour dialyse péritonéale	22.7 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD1 Glucose 3,86 % (38,6 mg/ml), solution pour dialyse péritonéale	38.6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use

Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD4 Glucose 1,36 % (13,6 mg/ml), solution pour dialyse péritonéale	13.6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD4 Glucose 2,27 % (22,7 mg/ml), solution pour dialyse péritonéale	22.7 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Dianeal PD4 Glucose 3,86 % (38,6 mg/ml), solution pour dialyse péritonéale	38.6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Belgium	Baxter SA Boulevard R. Branquart 80 7680 Lessines Belgium	Nutrineal Peritoneal Dialysis 4 à 1,1 % d'acides aminés, solution pour dialyse péritonéale	1,1% acides aminés	solution for peritoneal dialysis	intraperitoneal use
Bulgaria	BAXTER d.o.o.,Zelezna cesta 18, 1000 Ljubljana Slovenia	Dianeal PD4 Glucose 1.36%	1.36% w/v/ 13.6mg/ml	solution for peritoneal dialysis	intraperitoneal use
Bulgaria	BAXTER d.o.o.,Zelezna cesta 18, 1000 Ljubljana Slovenia	Dianeal PD4 Glucose 2.27%	2.27% w/v/ 22.7mg/ml	solution for peritoneal dialysis	intraperitoneal use
Bulgaria	BAXTER d.o.o.,Zelezna cesta 18, 1000 Ljubljana Slovenia	Dianeal PD4 Glucose 3.86%	3.86% w/v/ 38.6mg/ml	solution for peritoneal dialysis	intraperitoneal use
Bulgaria	BAXTER d.o.o.,Zelezna cesta 18, 1000 Ljubljana Slovenia	Extraneal	7.50%	solution for peritoneal dialysis	intraperitoneal use
Bulgaria	BAXTER d.o.o.,Zelezna cesta 18, 1000 Ljubljana Slovenia	Nutrineal PD 4 with 1.1% Amino Acids	1,1% amino acid	solution for peritoneal dialysis	intraperitoneal use

Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	EXTRANEAL	7,5 % 75 g / 1000 ml	solution for peritoneal dialysis	peritoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 1,36 % w/v / 13,6 mg/ml	1,36 % w/v / 13,6 mg/ml	solution for peritoneal dialysis	peritoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 2,27 % w/v / 22,7 mg/ml	2,27 % w/v / 22,7 mg/ml	solution for peritoneal dialysis	peritoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	Dianeal PD4 Glucose 3,86 % w/v / 38,6 mg/ml	3,86 % w/v / 38,6 mg/ml	solution for peritoneal dialysis	peritoneal use
Czech Republic	Baxter Healthcare S.A. Moneen Road Castlebar, Co. Mayo Ireland	NUTRINEAL PD4 WITH 1.1% AMINOACIDS	1.10%	solution for peritoneal dialysis	peritoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Natriumklorid Baxter 9 mg/ml	9 mg/ml	solution for infusion	intravenous use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Dianeal PD4 med Glucos	13,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Dianeal PD4 med Glucos	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Dianeal PD4 med Glucos	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use

Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Extraneal	75 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Denmark	Baxter A/S, Gydevang 43, DK-3450 Allerød Denmark	Nutrineal PD4 med 1,1 % aminozyrer	1,1 %/1000 ml	solution for peritoneal dialysis	intraperitoneal use
Estonia	Baxter OY P.O box 270, Valimotie 15A, Helsinki 00381 Finland	EXTRANEAL	7.50%	solution for peritoneal dialysis	intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland	Natriumklorid Baxter 9 mg/ml	9 mg/ml	solution for infusion	intravenous use
Finland	Baxter Oy Valimotie 15 A 00380 Helsinki Finland	Extraneal	7.50%	solution for peritoneal dialysis	intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland	Dianeal PD4 Glucose	13.6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland	Dianeal PD4 Glucose	22.7 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Finland	Baxter Healthcare S.A. Moneen Road, Castlebar County Mayo Ireland	Dianeal PD4 Glucose	38.6 mg/ml	solution for peritoneal dialysis	intraperitoneal use

France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 1,36 %, solution pour dialyse péritonéale en poche	1.36%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 3,86 %, solution pour dialyse péritonéale en poche	3.86%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 3,86 %, solution pour dialyse péritonéale en poche	3.86%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD1 GLUCOSE 2,27 %, solution pour dialyse péritonéale en poche	2.27%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 2,27 %, solution pour dialyse péritonéale en poche	2.27%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	DIANEAL PD4 GLUCOSE 1,36 %, solution pour dialyse péritonéale en poche	1.36%	solution for peritoneal dialysis	intraperitoneal use

France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	EXTRANEAL, solution pour dialyse péritonéale	7.50%	solution for peritoneal dialysis	intraperitoneal use
France	Baxter SAS Avenue louis Pasteur ZA de Coignières Maurepas 78310 Maurepas France	NUTRINEAL PD4 A 1,1 % D'ACIDES AMINES, solution pour dialyse péritonéale	1.10%	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 1.36% w/v	13.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 2.27% w/v	22.7 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD1 Glucose 3.86% w/v	38.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 1.36% w/v	13.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use

Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 2.27% w/v	22.7 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PD4 Glucose 3.86% w/v	38.6 g / l 5.4 g / l 4.5 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 1,36 %	13.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 2,27 %	22.7 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG1 3,86 %	38.6 g / l 5.67 g / l 3.92 g / l 0.257 g / l 0.0152 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 1,36 %	13.6 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use

Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 2,27 %	22.7 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Dianeal PDG4 3,86 %	38.6 g / l 5.38 g / l 4.48 g / l 0.184 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Extraneal	75 g / l 5.4. g / l 4.5 g / l 0.257 g / l 0.051 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Nutrineal PD4 mit 1,1 % Aminosäuren	11,205 g / l 5.38 g / l 0.184 g / l 0.0508 g / l 4.48 g / l	solution for peritoneal dialysis	intraperitoneal use
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Monosol	1.1 g / l 6.43 g / l 0.257 g / l 0.152 g / l 3.36 g / l	solution for haemodialysis	hemodialysis
Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Monosol-K mit 2 mmol Kalium/l	1.1 g / l 6.43 g / l 0.257 g / l 0.149 g / l 0.152 g / l 3.36 g / l	solution for haemodialysis	hemodialysis

Germany	Baxter Deutschland GmbH Edisonstr. 4 D-85716 Unterschleißheim Germany	Monosol-K mit 4 mmol Kalium/l	1.1 g / l 6.43 g / l 0.257 g / l 0.298 g / l 0.152 g / l 3.36 g / l	solution for haemodialysis	hemodialysis
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	DIANEAL PD1	1,36% W/V 2,27% W/V 3,86% W/V	solution for peritoneal dialysis	Intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	DIANEAL PD4	1.36% W/V 2,27% W/V 3,86% W/V	solution for peritoneal dialysis	intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	EXTRANEAL	(7,5+0,54+0,45+0,0257+0,0051)% w/v	solution for peritoneal dialysis	intraperitoneal use
Greece	DIOPHAR S.A. Kifissias Avenue 368, Halandri, 152 33 Greece	Nutrineal PD4	1.1%	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	EXTRANEAL peritoneális dializáló oldat	7,5% (icodextrin)	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 1,36% peritoneális dializáló oldat	1.36%	solution for peritoneal dialysis	intraperitoneal use

Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 2,27% peritoneális dializáló oldat	2.27%	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 1 Glucose 3,86% peritoneális dializáló oldat	3.86%	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 1,36% peritoneális dializáló oldat	1.36%	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 2,27% peritoneális dializáló oldat	2.27%	solution for peritoneal dialysis	intraperitoneal use
Hungary	Baxter Hungary Kft. Népfürdő u. 22. 1138, Budapest Hungary	DIANEAL PD 4 Glucose 3,86% peritoneális dializáló oldat	3.86%	solution for peritoneal dialysis	intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	13.6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use

Iceland	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Monosol, Solution for haemodialysis, haemodiafiltration and haemofiltration	Glucose Monohydrate Ph. Eur.1.1, Sodium Chloride Ph. Eur. 6.43, Calcium Chloride Dihydrate Ph. Eur., 0.257, Magnesium Chloride Hexahydrate Ph. Eur.0.152, Sodium Lactate Ph. Eur. 3.36	solution for haemodialysis, haemodiafiltration and haemofiltration	hemodialysis
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Monosol-K with 2 mEq Potassium/l, Solution for haemodialysis, haemodiafiltration and haemofiltration	Glucose Monohydrate Ph. Eur. 1.1, Sodium Chloride Ph. Eur. 6.43, Calcium Chloride Dihydrate Ph. Eur. 0.257, Magnesium Chloride Hexahydrate Ph. Eur. 0.152, Sodium Lactate Ph. Eur. 3.36, Potassium Chloride Ph. Eur. 0.149	solution for haemodialysis, haemodiafiltration and haemofiltration	hemodialysis
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Monosol-K with 4 mEq Potassium/l, Solution for haemodialysis, haemodiafiltration and haemofiltration	Glucose Monohydrate Ph. Eur. 1.1, Sodium Chloride Ph. Eur. 6.43, Calcium Chloride Dihydrate Ph. Eur. 0.257, Magnesium Chloride Hexahydrate Ph. Eur. 0.152, Sodium Lactate Ph. Eur. 3.36, Potassium Chloride Ph. Eur. 0.298	solution for haemodialysis, haemodiafiltration and haemofiltration	hemodialysis
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 1.36% w/v (13.6mg/ml) Solution for Peritoneal Dialysis	1.36% w/v	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 3.86% w/v (38.6 mg/ml) Solution for Peritoneal Dialysis	3.86% w/v (38.6 mg/ml)	solution for peritoneal dialysis	intraperitoneal use

Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD1 Glucose 2.27% w/v (22.7 mg/ml) Solution for Peritoneal Dialysis	2.27% w/v (22.7 mg/ml)	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 1.36 % w/v (13.6 mg/ml) Solution for peritoneal dialysis	1.36 % w/v (13.6 mg/ml)	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 2.27 % w/v (22.7 mg/ml) Solution for peritoneal dialysis	2.27 % w/v (22.7 mg/ml)	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Dianeal PD4 Glucose 3.86 % w/v (38.6 mg/ml) Solution for peritoneal dialysis	3.86 % w/v (38.6 mg/ml)	solution for peritoneal dialysis	intraperitoneal use
Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	Nutrineal Solution for Peritoneal Dialysis 4 with 1.1% Amino Acids	L-Tyrosine Ph.Eur. 0.300 g, L-Tryptophan Ph.Eur. 0.270 g, L-Phenylalanine Ph.Eur. 0.570 g, L-Threonine Ph.Eur. 0.646 g, L-Serine Ph.Eur. 0.510 g, L-Proline Ph.Eur. 0.595 g, Glycine Ph.Eur. 0.510 g, L-Alanine Ph.Eur. 0.951 g, L-Valine Ph.Eur. 1.393 g, L- Methionine Ph.Eur. 0.850 g, L-Isoleucine Ph.Eur. 0.850 g, L-Leucine Ph.Eur. 1.020 g, L- Lysine hydrochloride Ph.Eur. 0.955 g, L- Histidine Ph.Eur. 0.714 g L-Arginine Ph.Eur. 1.071 g, Calcium chloride dihydrate Ph.Eur. 0.184 g, Magnesium chloride hexahydrate Ph.Eur. 0.051 g, Sodium-lactate Ph.Eur. 4.480 g, Sodium chloride Ph. Eur. 5.380 g	solution for peritoneal dialysis	intraperitoneal use

Ireland	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk, IP24 3SE, United Kingdom	EXTRANEAL Solution for peritoneal dialysis	Icodextrin 7.5 % w/v, Sodium Chloride Ph. Eur. 0.54 % w/v, Sodium (S)-lactate 0.45 % w/v, Calcium Chloride Ph. Eur. 0.0257 % w/v, Magnesium Chloride Ph. Eur. 0.0051 % w/v	solution for peritoneal dialysis	intraperitoneal use
Italy	Baxter SPA piazzale dell' industria 20 - 00144 Roma, Italy	EXTRANEAL	7.5%	solution for dialysis peritoneal	intraperitoneal use
Italy	Baxter SPA piazzale dell' industria 20 - 00144 Roma, Italy	NUTRINEAL PD4	1.1%	solution for dialysis peritoneal	intraperitoneal use
Italy	Baxter SPA piazzale dell' industria 20 - 00144 Roma, Italy	SOLUZIONI PER DIALISI PERITONEALE BAXTER	4,95 g/l - 49,54 g/l;	solution for dialysis peritoneal	intraperitoneal use
Latvia	Baxter Oy Valimotie 15 A 00381 Helsinki Finland	Extraneal solution for peritoneal dialysis	75g/L 5,4g/L 4,5g/L 0,257g/L 0,051g/L	solution for peritoneal dialysis	intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose 2,27% w/v//22,7 mg/ml solution for peritoneal dialysis	2,27 % w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	solution for peritoneal dialysis	intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose 3,86 % w/v/38,6 mg/ml solution for peritoneal dialysis	3,86% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	solution for peritoneal dialysis	intraperitoneal use
Latvia	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo	Dianeal PD4 Glucose 1,36 % w/v/13,6 mg/ml solution for peritoneal dialysis	1,36% w/v 0,538% w/v 0,448% w/v 0,0184% w/v 0,0051% w/v	solution for peritoneal dialysis	intraperitoneal use

	Ireland				
Lithuania	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	13,6g+5,38g+4,48g+0,184g+0,051g/l	solution for peritoneal dialysis	intraperitoneal use
Lithuania	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	22,7g+5,38g+4,48g+0,184g+0,051g/l	solution for peritoneal dialysis	intraperitoneal use
Lithuania	Baxter Healthcare S.A. Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 Glucose	38,6g+5,38g+4,48g+0,184g+0,051g/l	solution for peritoneal dialysis	intraperitoneal use
Lithuania	Baxter Oy, P.O. Box 270 Valimotie 15A 00381 Helsinki Finland	EXTRANEAL	75g+5,4g+4,5g+0,257g+0,051g/1000ml	solution for peritoneal dialysis	intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Nutrineal PD4+A.A.1,1%	1,1% amino acids	solution for peritoneal dialysis	intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Dianeal PD1 Glucose	1,36%/2,27%/3,86% dextrose anydre	solution for peritoneal dialysis	intraperitoneal use

Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Dianeal PD4 Glucose	1,36%/2,27%/3,86% dextrose anydre	solution for peritoneal dialysis	intraperitoneal use
Luxembourg	Baxter SA, Bd René Branquart 80, B-7860 Lessines Belgium	Extraneal	75.00 g/l Icodextrine	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Extraneal (Icodextrin 7.5%)	Icodextrin (75 g/l), Sodium chloride (5.4 g/l), Calcium chloride (0.257 g/l), Magnesium chloride (0.051 g/l), Sodium lactate solution (4.5 g/l)	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Nutrineal PD4 with 1.1% amino acids	L-Tyrosine 0.300 g/l L-Tryptophan 0.270 g/l L-Phenylalanine 0.570 g/l L-Threonine 0.646 g/l L-Serine 0.510 g/l L-Proline 0.595 g/l Glycine 0.510 g/l L-Alanine 0.951 g/l L-Valine 1.393 g/l L-Methionine 0.850 g/l L-Isoleucine 0.850 g/l L-Leucine 1.020 g/l L-Lysine (chlorhydrate) 0.955 g/l L-Histidine 0.714 g/l L-Arginine 1.071 g/l Calcium chloride dihydrate 0.184 g/l Magnesium chloride hexahydrate 0.051 g/l Sodium Lactate 4.48 g/l	solution for peritoneal dialysis	intraperitoneal use

			Sodium Chloride 5.38 g/l Quantitative Composition of Sodium Lactate Lactic Acid 139 g Sodium Hydroxide 52.25 g Water for Injections to 100 ml		
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 1.36%w/v 13.6mg/ml	Anhydrous Glucose Ph.Eur. 1.36 % w/v or Glucose Monohydrate Ph.Eur. 1.50 % w/v Sodium Chloride Ph.Eur. 0.57 % w/v Sodium Lactate Ph.Eur. 0.39 % w/v Calcium Chloride Ph.Eur. 0.0257 % w/v Magnesium Chloride Ph.Eur. 0.0152 % w/v	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 2.27%w/v 22.7mg/ml	Anhydrous Glucose Ph.Eur. 2.27 % w/v or Glucose Monohydrate Ph.Eur. 2.50 % w/v Sodium Chloride Ph.Eur. 0.57 % w/v Sodium Lactate Ph.Eur. 0.39 % w/v Calcium Chloride Ph.Eur. 0.0257 % w/v Magnesium Chloride Ph.Eur. 0.0152 % w/v	solution for peritoneal dialysis	intraperitoneal use

Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD1 Glucose 3.86%w/v 38.6mg/ml	Anhydrous Glucose Ph.Eur. 3.86 % w/v or Glucose Monohydrate Ph.Eur. 4.25 % w/v Sodium Chloride Ph.Eur. 0.57 % w/v Sodium Lactate Ph.Eur. 0.39 % w/v Calcium Chloride Ph.Eur. 0.0257 % w/v Magnesium Chloride Ph.Eur. 0.0152 % w/v	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 1.36%w/v 13.6mg/ml	Anhydrous Glucose Ph.Eur. 1.36 % w/v or Glucose Monohydrate Ph.Eur. 1.50 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 2.27%w/v 22.7mg/ml	Anhydrous Glucose Ph.Eur. 2.27 % w/v or Glucose Monohydrate Ph.Eur. 2.50 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Ltd., Caxton Way, Thetford, Norfolk, IP24 3SE United Kingdom	Dianeal PD4 Glucose 3.86%w/v 38.6mg/ml	Anhydrous Glucose Ph.Eur. 3.86 % w/v or Glucose Monohydrate Ph.Eur. 4.25 % w/v Sodium Chloride Ph.Eur. 0.538 % w/v Sodium Lactate Ph.Eur. 0.448 % w/v Calcium Chloride Ph.Eur. 0.0184 % w/v Magnesium Chloride Ph.Eur. 0.0051 % w/v	solution for peritoneal dialysis	intraperitoneal use
Malta	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Monosol	Glucose Monohydrate 1.1 g/l, Sodium Chloride 6.43 g/l, Calcium Chloride Dihydrate 0.257 g/l, Magnesium Chloride Hexahydrate 0.152 g/l, Sodium Lactate 3.36 g/l	solution for haemodialysis/hae mofiltration	intraarterial use, intravenous use

Malta	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE, UK	Monosol-K with 2MEQ Potassium/L	Glucose Monohydrate 1.1 g/l, Sodium Chloride 6.43 g/l, Calcium Chloride Dihydrate 0.257 g/l, Magnesium Chloride Hexahydrate 0.152 g/l, Potassium Chloride 0.149 g/l, Sodium Lactate 3.36 g/l	solution for haemodialysis/hae mofiltration	intra-arterial use, intravenous use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD1 Glucose 1.36%/13,6 mg/ml, peritoneaaldialysevloeistof	13,6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD1 Glucose 2.27%/22,7 mg/ml, peritoneaaldialysevloeistof	22,7 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD1 Glucose 3.86%/38,6 mg/ml, peritoneaaldialysevloeistof	38,6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD4 Glucose 1.36%/13,6 mg/ml, peritoneaaldialysevloeistof	13,6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD4 Glucose 2.27%/22,7 mg/ml, peritoneaaldialysevloeistof	22,7 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Dianeal PD4 Glucose 3.86%/38,6 mg/ml, peritoneaaldialysevloeistof	38,6 g/l glucose anhydrate	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	Nutrineal PD4 met 11 g/l aminozuren en Ca 1,25 mmol/l, peritoneaaldialysevloeistof	11 g/l amino acids and 1,25 mmol/l Ca.	solution for peritoneal dialysis	intraperitoneal use
Netherlands	Baxter B.V., Kobaltweg 49, 3542 CE Utrecht The Netherlands	EXTRANEAL 7,5 %, oplossing voor peritoneale dialyse	75 g/l icodextrine	solution for peritoneal dialysis	intraperitoneal use

Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo Norway	Natriumklorid Baxter 9 mg/ml	9 mg/ml	solution for infusion	intravenous use
Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo Norway	Nutrineal PD4 amino Acids 1,1 %	1.10%	solution for peritoneal dialysis	intraperitoneal use
Norway	Baxter AS Gjerdrumsvei 11 0484 Oslo Norway	Extraneal	75 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD1 (glukoza 1,36%). Zestaw do dializy otrzewnowej	15 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0,257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD1 (glukoza 2,27%). Zestaw do dializy otrzewnowej	25 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0,257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruczkowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD1 (glukoza 3,86%). Zestaw do dializy otrzewnowej	42,5 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0.257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use

Poland	Baxter Polska SP. z o.o. Kruckowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD4 (glukoza 1,36%). Zestaw do dializy otrzewnowej	15 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruckowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD4 (glukoza 2,27%). Zestaw do dializy otrzewnowej	25 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruckowskiego 8 st., 00-380 Warszawa Poland	Dianeal PD4 (glukoza 3,86%). Zestaw do dializy otrzewnowej	42,5 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruckowskiego 8 st., 00-380 Warszawa Poland	Extraneal Zestaw do dializy otrzewnowej	75 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Poland	Baxter Polska SP. z o.o. Kruckowskiego 8 st., 00-380 Warszawa Poland	Nutrineal PD4 (z 1,1% roztworem aminokwasów)	1,071 mg/ml Arginine; 0,714 mg/ml Histine; 0,955 mg/ml Lysine hydrochloride; 1,02 mg/ml Leucine; 0,85 mg/ml Isoleucine; 0,85 mg/ml Methionine; 1,393 mg/ml Valine; 0,951 mg/ml Alanine; 0,51 mg/ml Glycine; 0,595 mg/ml Proline; 0,51 mg/ml Serine; 0,646 mg/ml Threonine; 0,57 mg/ml Phenylalanine; 0,27 mg/ml Tryptophan; 0,3 mg/ml Tyrosine; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 5,38 mg/ml Sodium Chloride; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use

Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Extraneal	75 mg/ml Icodextrin; 5,4 mg/ml Sodium Chloride; 4,5 mg/ml Sodium (S) - lactate solution; 0,051 mg/ml Magnesium Chloride; 0,257 mg/ml Calcium Chloride	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	42,5 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0.257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	25 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0,257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd1	15 mg/ml Glucose Monohydrate; 5,67 mg/ml Sodium Chloride; 0,257 mg/ml Calcium Chloride Dihydrate; 0,152 mg/ml Magnesium Chloride Hexahydrate; 3,92 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use

Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	42,5 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	25 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Dianeal Pd4	15 mg/ml Glucose Monohydrate; 5,38 mg/ml Sodium Chloride; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 4,48 mg/ml Sodium Lactate	solution for peritoneal dialysis	intraperitoneal use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park, 2710-089 Sintra Portugal	Nutrineal PD4	1,071 mg/ml Arginine; 0,714 mg/ml Histine; 0,955 mg/ml Lysine hydrochloride; 1,02 mg/ml Leucine; 0,85 mg/ml Isoleucine; 0,85 mg/ml Methionine; 1,393 mg/ml Valine; 0,951 mg/ml Alanine; 0,51 mg/ml Glycine; 0,595 mg/ml Proline; 0,51 mg/ml Serine; 0,646 mg/ml Threonine; 0,57 mg/ml Phenylalanine; 0,27 mg/ml Tryptophan; 0,3 mg/ml Tyrosine; 0,184 mg/ml Calcium Chloride Dihydrate; 0,051 mg/ml Magnesium Chloride Hexahydrate; 5,38 mg/ml Sodium Chloride;	solution for peritoneal dialysis	intraperitoneal use

			4,48 mg/ml Sodium Lactate		
Romania	BAXTER HEALTHCARE Ltd., Caxton Way, Thetford, Norfolk, 1P24 3SE, Thetford, United Kingdom	EXTRANEAL	75 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo Ireland	DIANEAL PD4 GLUCOSE 1,36% m/v (13,6 mg/ml),	13,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo Ireland	DIANEAL PD4 GLUCOSE 2,27% m/v (22,7 mg/ml)	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Romania	BAXTER HEALTHCARE S.A. Moneen Road, Castelbar, County Mayo Ireland	DIANEAL PD4 GLUCOSE 3,86% m/v (38,6 mg/ml)	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Romania	BAXTER d.o.o. Zelezna cesta 14, SI-1000 Ljubljana Slovenia	NUTRINEAL PD4 cu 1,1% aminoacizi	1.1%	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 1,36% w/v /13,6 mg/ml	13,6 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 2,27% w/v /22,7 mg/ml	22,7 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use

Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Dianeal® PD1 glucose 3,86% w/v /38,6 mg/ml	38,6 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 1,36 % w/v/13,6 mg/ ml	13,6 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 2,27 % w/v/22,7 mg/ ml	22,7 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	DIANEAL PD4 glucose 3,86 % w/v/38,6 mg/ ml	38,6 mg/1 ml	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare Ltd.Caxton Way Thetford Norfolk IP24 3SE United Kingdom	EXTRANEAL	7.5%	solution for peritoneal dialysis	intraperitoneal use
Slovak Republic	Baxter Healthcare SA Moneen Rd Castlebar, Co. Mayo Ireland	Nutrineal PD4 with 1.1 % Amino Acids	1.1%	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Extraneal 75 mg/ml ikodekstrina raztopina za peritonealno dializo	75 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Nutrineal PD4 11 mg/ml amino kislin raztopina za peritonealno dializo	11 mg/ml	solution for peritoneal dialysis	intraperitoneal use

Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 13,6 mg/ml glukoze raztopina za peritonealno dializo	13,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 22,7 mg/ml glukoze raztopina za peritonealno dializo	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD1 38,6 mg/ml glukoze raztopina za peritonealno dializo	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 13,6 mg/ml glukoze raztopina za peritonealno dializo	13,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 22,7 mg/ml glukoze raztopina za peritonealno dializo	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Slovenia	Baxter d.o.o., Zelezna cesta 18 , Ljubljana, SI-1000, Slovenia	Dianeal PD4 38,6 mg/ml glukoze raztopina za peritonealno dializo	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 46394 Ribarroja del Turia (Valencia) Spain	EXTRANEAL Solución para diálisis peritoneal	75 g/l; 5.4 g/l; 4.5 g/l; 0.257 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 46394 Ribarroja del Turia (Valencia) Spain	Nutrineal PD4 con 1,1% de aminoácidos solución para diálisis peritoneal	951 mg/l; 1071 mg/l; 510 mg/l; 714 mg/l; 850 mg/l; 1020 mg/l; 955 mg/l; 850 mg/l; 570 mg/l; 595 mg/l; 510 mg/l; 646 mg/l; 270 mg/l; 300 mg/l; 1393 mg/l; 5380 mg/l; 184 mg/l; 51 mg/l; 4480 mg/l	solution for peritoneal dialysis	intraperitoneal use

Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Nutrineal PD4 con 1,1% de aminoácidos con sistema de desconexión integrado solución para diálisis peritoneal	951 mg/l; 1071 mg/l; 510 mg/l; 714 mg/l; 850 mg/l; 1020 mg/l; 955 mg/l; 850 mg/l; 570 mg/l; 595 mg/l; 510 mg/l; 646 mg/l; 720 mg/l; 300 mg/l; 1393 mg/l; 5380 mg/l; 184 mg/l; 51 mg/l; 4480 mg/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 1,36% solución para diálisis peritoneal	15 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 1,36% con sistema de desconexión integrado solución para diálisis peritoneal.	15 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 2,27% solución para diálisis peritoneal	25.0 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 2,27% con sistema de desconexión integrado solución para diálisis peritoneal	25.0 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use

Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 3,86% solución para diálisis peritoneal	42.50 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD1 Glucosa 3,86% con sistema de desconexión integrado solución para diálisis peritoneal	42.50 g/l; 5.67 g/l; 3.92 g/l; 0.257 g/l; 0.152 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 1,36% solución para diálisis peritoneal	15.0 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 1,36% con sistema de desconexión integrado solución para diálisis peritoneal.	15.0 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 2,27% solución para diálisis peritoneal	25.0 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use

Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 2,27% con sistema de desconexión integrado solución para diálisis peritoneal	25.0 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 3,86% solución para diálisis peritoneal	42.50 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Spain	BAXTER S.L. Pouet de Camilo 2 Ribarroja del Turia (Valencia) 46394 Spain	Dianeal PD4 Glucosa 3,86% con sistema de desconexión integrado solución para diálisis peritoneal	42.50 g/l; 5.38 g/l; 4.48 g/l; 0.184 g/l; 0.051 g/l	solution for peritoneal dialysis	intraperitoneal use
Sweden	Baxter Medical AB Box 63 164 94 Kista Sweden	Natriumklorid Baxter 9 mg/ml	9 mg/ml	solution for infusion	intravenous use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 med glucos 13,6 mg/ml	13,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 med glucos 22,7 mg/ml	22,7 mg/ml	solution for peritoneal dialysis	intraperitoneal use

Sweden	Baxter Healthare SA Moneen Road Castlebar County Mayo Ireland	Dianeal PD4 med glucos 38,6 mg/ml	38,6 mg/ml	solution for peritoneal dialysis	intraperitoneal use
Sweden	Baxter Medical AB Box 63 164 94 Kista Sweden	Extraneal	7.5%	solution for peritoneal dialysis	intraperitoneal use
Sweden	Baxter Medical AB Box 63 164 94 Kista Sweden	Nutrineal PD4 1,1 % Aminosyror	1.10%	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Monosol	Calcium Chloride: 0.026% w/v. glucose 0.110%w/v; sodium lactate 0.336%w/v; sodium chloride 0.643%w/v; magnesium chloride 0.015%w/v	solution for haemodialysis/hae mofiltration	intraarterial use, intravenous use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Monosol-K with 2MEQ Potassium/L	sodium chloride 0.643%w/v; magnesium chloride 0.015%w/v; calcium chloride 0.026%w/v; glucoae 0.110%w/v; potassium chloride 0.015%w/v; sodium lactate 0.336%w/v	solution for haemodialysis/hae mofiltration	intraarterial use, intravenous use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Monosol-K with 4MEQ Potassium/L	magnesium chloride 0.015%w/v; potassium chloride 0.029%w/v; calcium chloride 0.026%w/v; sodium lactate 0.336%w/v; sodium chloride 0.643%w/v; glucose 0.110%w/v	solution for haemodialysis/hae mofiltration	intraarterial use, intravenous use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD1 Glucose 1.36% w/v /13.6mg/ml	magnesium chloride 0.015%w/v; calcium chloride 0.026%w/v; glucose 1.36%w/v; sodium lactate 0.39%w/v; sodium chloride 0.57%w/v	solution for peritoneal dialysis	intraperitoneal use

United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD1 Glucose 3.86% w/v /38.6mg/ml	magnesium chloride 0.015%w/v; calcium chloride 0.026%w/v; glucose 3.86%w/v; sodium lactate 0.39%w/v; sodium chloride 0.57%w/v	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD1 Glucose 2.27% w/v /22.7mg/ml	sodium chloride 0.57%w/v; glucose 2.27%w/v; magnesium chloride 0.015%w/v; sodium lactate 0.39%w/v; calcium chloride 0.026%w/v	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD4 Glucose 1.36% w/v /13.6mg/ml	magnesium chloride 0.005%w/v; glucose 1.36%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD4 Glucose 2.27% w/v /22.7mg/ml	magnesium chloride 0.005%w/v; glucose 2.27%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Dianeal PD4 Glucose 3.86% w/v /38.6mg/ml	magnesium chloride 0.005%w/v; glucose 3.86%w/v; sodium lactate 0.45%w/v; calcium chloride 0.018%w/v; sodium chloride 0.54%w/v	solution for peritoneal dialysis	intraperitoneal use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Extraneal (Icodextrin 7.5%) Solution for peritoneal dialysis	icodextrin 75g/l; sodium chloride 5.4g/l; calcium chloride 0.257g/l; magnesium chloride 0.051g/l; sodium s-lactate 4.5g/l	solution for peritoneal dialysis	intraperitoneal use

United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Nutrineal PD4 with 1.1% Amino Acids	tyrosine 0.03%w/v; tryptophan 0.027%w/v; phenylalanine 0.057%w/v; threonine 0.064%w/v; L-serine 0.051%w/v; L-proline 0.058%w/v; glycine 0.051%w/v; L-alanine 0.095%w/v; valine 0.139%w/v; methionine 0.085%w/v; isoleucine 0.085%w/v; leucine 0.102%w/v; lysine 0.095%w/v; histidine 0.071%w/v; arginine 0.107%w/v; calcium chloride 0.018%w/v; magnesium chloride 0.005%w/v; sodium chloride 0.538%w/v; sodium s-lactate 0.448%w/v	solution for peritoneal dialysis	intraperitoneal use
----------------	---	-------------------------------------	---	----------------------------------	---------------------