

## **Annex I**

**List of the names, pharmaceutical forms, strengths of the medicinal products, routes of administration, marketing authorisation holders in the Member States**

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	HAES-steril „Fresenius“ (HES 200/0,5) 6 % - Infusionsloesung	60 g/l, 9 g/l	solution for infusion	intravenous use
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	HyperHAES 6% in 7,2 % NaCl – Infusionsloesung	60 g/l, 72 g/l	solution for infusion	intravenous use
Austria	Baxter Healthcare GmbH Stella-Klein-Loew-Weg 15 1020 Vienna Austria	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate	PlasmaHES Redibag – Infusionsloesung	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.200 g/l, 3.70 g/l	solution for infusion	intravenous use
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	Refortan 6% Infusionsflasche	60 g/l, 9 g/l	solution for infusion	intravenous use
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	Refortan plus 10% Infusionsflasche	100 g/l, 9 g/l	solution for infusion	intravenous use
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	Stabisol 6% Infusionsflasche	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Austria	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 100 mg/ml Infusionsloesung	100.0 g/l, 6.25 g/l, 0.30 g/l, 0.37 g/l, 0.20 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Austria	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 60 mg/ml Infusionsloesung	60.0 g/l, 6.25 g/l, 0.30 g/l, 0.37 g/l, 0.20 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Austria	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium Chloride	VENOFUNDIN 60 mg/ml Infusionsloesung	60 g/l, 9 g/l	solution for infusion	intravenous use
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium acetate trihydrate, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate,	Volulyte 6% Infusionsloesung	60.00 g/l, 4.63 g/l, 6.02 g/l, 0.30 g/l, 0.30 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Austria	Fresenius Kabi Austria GmbH Hafnerstraße 36 8055 Graz Austria	Hydroxyethyl Starch, Sodium Chloride	Voluven (HES 130/0,4) 6 % - Infusionsloesung	60 g/l, 9 g/l	solution for infusion	intravenous use
Belgium	Fresenius Kabi NV Molenberglei 7 2627 Schelle Belgium	Hydroxyethyl starch	Haes-Steril 10%	100 mg/ml	solution for infusion	intravenous use
Belgium	Fresenius Kabi NV Molenberglei 7 2627 Schelle Belgium	Hydroxyethyl starch	Haes-Steril 6%	60 mg/ml	solution for infusion	intravenous use
Belgium	Baxter SA Bd Rene Branquart, 80 7860 Lessines Belgium	Sodium Acetate (Trihydrate), Potassium Chlorid, Magnesium Chlorid Hexahydrate, Sodium Chlorid, Calcium Chlorid (Dihydrate), Hydroxyethyl starch	Plasmavolume Redibag 6%	3.70 mg/ml, 0.40 mg/ml, 0.20 mg/ml, 6 mg/ml, 0.13 mg/ml, 60 mg/ml	solution for infusion	intravenous use
Belgium	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsugen Germany	Sodium Acetate (Trihydrate), Potassium Chlorid, Magnesium Chlorid Hexahydrate, Sodium Chlorid, Calcium Chlorid (Dihydrate), Hydroxyethyl starch, Malic Acid	Tetraspan 10%	3.27 mg/ml, 0.30 mg/ml, 0.20 mg/ml, 6.25 mg/ml, 0.37 mg/ml, 100 mg/ml, 0.67 mg/ml	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Belgium	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsugen Germany	Sodium Acetate (Trihydrate), Potassium Chlorid, Magnesium Chlorid Hexahydrate, Sodium Chlorid, Calcium Chlorid (Dihydrate), Hydroxyethyl starch, Malic Acid	Tetraspan 6%	3.27 mg/ml, 0.30 mg/ml, 0.20 mg/ml, 6.25 mg/ml, 0.37 mg/ml, 60 mg/ml, 0.67 mg/ml	solution for infusion	intravenous use
Belgium	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsugen Germany	Sodium Chlorid, Hydroxyethyl starch	Venohes 6%	9 mg/ml, 60 mg/ml	solution for infusion	intravenous use
Belgium	Fresenius Kabi NV Molenberglei 7 2627 Schelle Belgium	Sodium Acetate (Trihydrate), Potassium Chlorid, Magnesium Chlorid Hexahydrate, Sodium Chlorid, Hydroxyethyl starch	Volulyte 6%	4.63 mg/ml, 0.30 mg/ml, 0.30 mg/ml, 6.02 mg/ml, 60 mg/ml	solution for infusion	intravenous use
Belgium	Fresenius Kabi NV Molenberglei 7 2627 Schelle Belgium	Sodium Chlorid, Hydroxyethyl starch	Voluven 10%	9 mg/ml, 100 mg/ml	solution for infusion	intravenous use
Belgium	Fresenius Kabi NV Molenberglei 7 2627 Schelle Belgium	Sodium Chlorid, Hydroxyethyl starch	Voluven 6%	9 mg/ml, 60 mg/ml	solution for infusion	intravenous use
Bulgaria	B. Braun Melsungen AG Carl-Braun-Strasse 1 D-34212 Melsungen Germany	Poly(O-2-Hydroxyethyl) starch, Sodium chloride	Hemohees 6%	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Bulgaria	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Poly(O-2-Hydroxyethyl) starch, Sodium chloride	Voluven 6%	60 g/l, 9 g/l	solution for infusion	intravenous use
Bulgaria	Fresenius Kabi EOOD "Alexander Jendov" str. 1 6th floor, ap 37+Sofia 1113 Bulgaria	Poly(O-2-Hydroxyethyl) starch, Sodium chloride	Voluven 10%	100 g/l, 9 g/l	solution for infusion	intravenous use
Bulgaria	Fresenius Kabi EOOD "Alexander Jendov" str. 1 6th floor, ap 37+Sofia 1113 Bulgaria	Poly(O-2-Hydroxyethyl) starch, Sodium chloride, Sodium acetate trihydrate, Potassium chloride, Magnesium chloride hexahydrate	Volulyte 6%	60 g/l, 6,02 g/l, 4,63 g/l, 0,3 g/l, 0,3 g/l	solution for infusion	intravenous use
Bulgaria	Baxter Deutschland GmbH, Edissonstrasse 4+Unterschleissheim, 85716 Germany	Hydroxyethyl Starch 130/0,42, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate	Plasma volume Redibag	60,0g/l, 6g/l, 0,400g/l, 0,134g/l, 0,2g/l, 3,70g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Croatia	B. Braun Adria d.o.o Hondlova 2/9 10000 Zagreb Croatia	Calcium chloride dihydrate, hydroxyethyl starch (HES), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, malic acid	TETRASPAN 60 mg/ml SOLUTION FOR INFUSION	0,37 g/l, 60,0 g/l, 0,30 g/l, 0,2 g/l, 6,25 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Croatia	B. Braun Adria d.o.o Hondlova 2/9 10000 Zagreb Croatia	Calcium chloride dihydrate, hydroxyethyl starch (HES), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, malic acid	TETRASPAN 100 mg/ml SOLUTION FOR INFUSION	0,37 g/l, 100,0 g/l, 0,30 g/l, 0,2 g/l, 6,25 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Croatia	Fresenius Kabi d.o.o. Trg J.F. Kennedyja 6b 10000 Zagreb Croatia	Hydroxyethyl starch, Sodium chloride, Sodium acetate trihydrate, Potassium chloride, Magnesium chloride hexahydrate	VOLULYTE 6 % SOLUTION FOR INFUSION	60,0 g/l, 6,02 g/l, 4,63 g/l, 0,30 g/l, 0,30 g/l	solution for infusion	intravenous use
Croatia	Fresenius Kabi d.o.o. Trg J.F. Kennedyja 6b 10000 Zagreb Croatia	Hydroxyethyl starch, Sodium chloride	VOLUVEN 6% SOLUTION FOR INFUSION	60,0 g/l, 9,0 g/l	solution for infusion	intravenous use
Cyprus	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Hydroxyethyl starch + Sodium chloride+Sodium acetate trihydrate+Potassium chloride+Magnesium chloride hexahydrate	VOLULYTE SOLUTION FOR INFUSION 6%	60g/l, 6.02g/l, 4.63g/l, 0.3g/l, 0.3g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Cyprus	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Hydroxyethyl starch + Sodium chloride	VOLUVEN SOLUTION FOR INFUSION 10%	100g/l, 9g/l	solution for infusion	intravenous use
Czech Republic	BAXTER CZECH spol. S r.o. Karla Engliše 3201/6 150 00 Praha 5 Czech Republic	Hydroxyethyl Starch 130 000, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate	PLASMA VOLUME REDIBAG 6%	60,0 g/l, 6,0 g/l, 0,4 g/l, 0,134 g/l, 0,2 g/l, 3,7 g/l	solution for infusion	intravenous use
Czech Republic	B. Braun Melsungen AG Carl-Braun Strasse 1 342 12 Melsungen Germany	Hydroxyethyl Starch 130 000, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate, L-Malic Acid	TETRASPAN 10 %	100,0 g/l, 6,25 g/l, 0,3 g/l, 0,37 g/l, 0,2 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Czech Republic	B. Braun Melsungen AG Carl-Braun Strasse 1 342 12 Melsungen Germany	Hydroxyethyl Starch 130 000, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate, L-Malic Acid	TETRASPAN 6%	60,0 g/l, 6,25 g/l, 0,30 g/l, 0,37 g/l, 0,2 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Czech Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hetastarch, Sodium Acetate Trihydrate, Sodium Chloride, Potassium Chloride, Magnesium Chloride Hexahydrate	VOLULYTE 6%	60,0 g/l, 4,63 g/l, 6,02 g/l, 0,3 g/l, 0,3 g/l	solution for infusion	intravenous use
Czech Republic	Fresenius Kabi s.r.o. Zeletavská 1525/1 140 00 Praha 4 - Michle Czech Republic	Hetastarch, Sodium Chloride	VOLUVEN 10%	100 g/l, 9 g/l	solution for infusion	intravenous use
Czech Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hetastarch, Sodium Chloride	HYPERHAES	60 g/l, 72 g/l	solution for infusion	intravenous use
Czech Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hetastarch, Sodium Chloride	VOLUVEN	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Denmark	Baxter A/S Gydevang 43 DK-3450 Allerød Denmark	Calcium chloride dihydrate, hydroxyethyl starch (hes), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, water	Hesra	0,134 g/l, 60 g/l, 0,4 g/l, 0,2 g/l, 6 g/l, 3,7 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	Fresenius Kabi AB Rapsgatan 7 SE-751 74 Uppsala Sweden	Hydroxyethyl starch (HES), sodium chloride, water	HyperHAES	60 g/l, 72 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	B. Braun Melsungen Carl-Braun-Strasse 1 DE-34212 Melsungen Germany	Calcium chloride dihydrate, hydroxyethyl starch (HES), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, malic acid, sodium hydroxide, water	Tetraspan	0,37 g/l, 60 g/l, 0,3 g/l, 0,2 g/l, 6,25 g/l, 3,27 g/l, 0,67 g/l, 1,197 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	B. Braun Melsungen Carl-Braun-Strasse 1 DE-34212 Melsungen Germany	Calcium chloride dihydrate, hydroxyethyl starch (HES), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, malic acid, sodium hydroxide, water	Tetraspan	0,37 g/l, 100 g/l, 0,3 g/l, 0,2 g/l, 6,25 g/l, 3,27 g/l, 0,67 g/l, 1,197 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	B. Braun Melsungen Carl-Braun-Strasse 1 DE-34212 Melsungen Germany	Hydroxyethyl starch (HES), sodium chloride, water	Venofundin	60 g/l, 9 g/l, water ad 1000 ml	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Denmark	Fresenius Kabi AB Rapsgatan 7 SE-751 74 Uppsala Sweden	Hydroxyethyl starch (HES), potassium chloride, magnesium chloride hexahydrate, sodium chloride, sodium acetate trihydrate, water	Volulyte	60 g/l, 0,3 g/l, 0,3 g/l, 6,02 g/l, 4,63 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	Fresenius Kabi AB Rapsgatan 7 SE-751 74 Uppsala Sweden	Hydroxyethyl starch (HES), Sodium Chloride, water	Voluven	60 g/l, 9 g/l, water ad 1000 ml	solution for infusion	intravenous use
Denmark	Fresenius Kabi AB Rapsgatan 7 SE-751 74 Uppsala Sweden	Hydroxyethyl starch (HES), Sodium Chloride, water	Voluven	100 g/l, 9 g/l, water ad 1000 ml	solution for infusion	intravenous use
Estonia	B.Braun Melsungen AG Carl-Braun-Strasse 1 Melsungen D-34212 Germany	Hydroxyethyl starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride, Sodium acetate trihydrate, Malic acid	TETRASPAN 60MG/ML	60 g/l, 6.25 g/l, 0,3 g/l, 0.37g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Estonia	B.Braun Melsungen AG Carl-Braun-Strasse 1 Melsungen D-34212 Germany	Hydroxyethyl starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride, Sodium acetate trihydrate, Malic acid	TETRASPAN 100MG/ML	100 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Estonia	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch, Sodium chloride	VOLUVEN	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Estonia	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch, Sodium acetate trihydrate, Sodium chloride, Sodium chloride, Magnesium chloride	VOLULYTE	60 g/l, 4.63 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l	solution for infusion	intravenous use
Estonia	Fresenius Kabi Polska Sp.z o.o Crown Tower ul.Hrubieszowska 2 Warszawa 01-209 Poland	Hydroxyethyl starch, Sodium chloride	VOLUFORTE	100 g/l, 9 g/l	solution for infusion	intravenous use
Finland	Baxter Oy Tammasaarekatu 1 P.O.Box 119 00181 Helsinki, Finland	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Dihydrate, Sodium Acetate Trihydride	HESRA	60.0 g/l, 6.000 g/l, 0.400 g/l, 0.134 g/l, 0.200 g/l, 3.700 g/l	solution for infusion	intravenous use
Finland	Fresenius Kabi Ab Rapskatan 7 75174 Uppsala, Sweden	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride	HYPERHAES	60.0 g/l, 72 g/l	solution for infusion	intravenous use
Finland	B. Braun Melsungen AG Carl-Braun-Strasse 1 34209 Melsungen, Germany	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydride, Malic Acid	TETRASPAN	100.0 g/l, 6.252 g/l, 0.2984 g/l, 0.3675 g/l, 0.2033 g/l, 3.266 g/l, 0.671 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Finland	B. Braun Melsungen AG Carl-Braun-Strasse 1 34209 Melsungen, Germany	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Dihydrate, Sodium Acetate Trihydrate, Malic Acid	TETRASPAN	60.0 g/l, 6.252 g/l, 0.2984 g/l, 0.3675 g/l, 0.2033 g/l, 3.266 g/l, 0.671 g/l	solution for infusion	intravenous use
Finland	B. Braun Melsungen AG Carl-Braun-Strasse 1 34209 Melsungen, Germany	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride	VENOFUNDIN	60.0 g/l, 9 g/l	solution for infusion	intravenous use
Finland	Fresenius Kabi Ab Rapsgatan 7 75174 Uppsala, Sweden	Poly(o-2-hydroxyethyl) Starch, Sodium Acetate Trihydrate, Sodium Chloride, Potassium Chloride, Magnesium Chloride Hexahydrate	VOLULYTE	60 g/l, 4.63 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l	solution for infusion	intravenous use
Finland	Fresenius Kabi Ab Rapsgatan 7 75174 Uppsala, Sweden	Poly(o-2-hydroxyethyl) Starch, Sodium Chloride	VOLUVEN	60 g/l, 9.0 g/l	solution for infusion	intravenous use
Finland	Fresenius Kabi Ab Rapsgatan 7 75174 Uppsala, Sweden	Hydroxyethyl Starch, Sodium Chloride	VOLUVEN	100 g/l, 9.0 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
France	B BRAUN MELSUNGEN Carl-Braun Strasse 1 34212 Melsungen Germany	hydroxyethyl starch 130 000 calcium chloride dihydrate magnesium chloride hexahydrate malic acide potassium chloride sodium acetate trihydrate sodium chloride	ISOVOL 6 %, solution pour perfusion	60 g / l 0,367 g / l 0,203 g / l 0,671 g / l 0,298 g / l 3,266 g / l 6,252 g / l	solution for infusion	intravenous use
France	BAXTER S.A.S. Avenue Louis Pasteur ZA de Coignères Maurepas 78310 Maurepas France	hydroxyethyl starch 130 000 calcium chloride dihydrate magnésium chloride hexahydrate potassium chloride sodium acetate trihydrate sodium chloride	PLASMAVOLUME 6 %, solution pour perfusion	60 g / l 0,134 g / l 0,2 g / l 0,4 g / l 3,7 g / l 6 g / l	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE 5, place du Marivel 92316 Sèvres Cedex France	hydroxyethyl starch 130 000 magnesium chloride hexahydrate potassium chloride sodium acetate trihydrate sodium chloride	VOLULYTE 6 %, solution pour perfusion	60 g / l 0,3 g / l 0,3 g / l 4,63 g / l 6,02 g / l	solution for infusion	intravenous use
France	B BRAUN MELSUNGEN Carl-Braun Strasse 1 34212 Melsungen Germany	hydroxyethyl starch 130 000 sodium chloride	RESTORVOL 6 %, solution pour perfusion	60 g / l 9 g / l	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 130 000 sodium chloride	VOLUVEN, solution pour perfusion	60 g / l 9 g / l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 200 000	ELOHES 6 %, solution pour perfusion en poche	6 g / 100 ml	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 200 000	ELOHES 6%, solution injectable pour perfusion en flacon	6 g / 100 ml	solution for infusion	intravenous use
France	AGUETTANT 1, rue Alexander Fleming 69007 Lyon France	hydroxyethyl starch 200 000	PLASMOHES 6%, solution pour perfusion	6 g / 100 ml	solution for infusion	intravenous use
France	B BRAUN MELSUNGEN Carl-Braun Strasse 1 34212 Melsungen Germany	hydroxyethyl starch 200 000 sodium chloride	HEAFUSINE 10%, solution pour perfusion en poche	10 g / 100 ml 0,90 g / 100 ml	solution for infusion	intravenous use
France	B BRAUN MELSUNGEN Carl-Braun Strasse 1 34212 Melsungen Germany	hydroxyethyl starch 200 000 sodium chloride	HEAFUSINE 6%, solution pour perfusion en poche	6 g / 100 ml 0,90 g / 100 ml	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 200 000 sodium chloride	HYPERHES, solution pour perfusion	60 g / l 72 g / l	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 240 000	HESTERIL 10 %, solution pour perfusion	10 g / 100 ml	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 240 000	HESTERIL 6 %, solution pour perfusion	6 g / 100 ml	solution for infusion	intravenous use
France	FRESENIUS KABI FRANCE Place du Marivel 5 92316 Sèvres Cedex France	hydroxyethyl starch 250 000	LOMOL, solution injectable pour perfusion en poche	10 g / 100 ml	solution for infusion	intravenous use
Germany	B. Braun Melsungen AG Carl-Braun-Str. 1 34212 Melsungen Germany	Hydroxyethyl starch Sodium Chloride	Hemohe 6%	60 g/l, 9 g/l	solution for infusion	intravenous use
Germany	B. Braun Melsungen AG Carl-Braun-Str. 1 34212 Melsungen Germany	Hydroxyethyl starch Sodium Chloride	Hemohe 10 %	100 g/l, 9 g/l	solution for infusion	intravenous use
Germany	B. Braun Melsungen AG Carl-Braun-Str. 1 34212 Melsungen Germany	Hydroxyethyl starch Sodium Chloride	VENOFUNDIN 60 mg/ml Infusionslösung	60 g/l, 9 g/l	solution for infusion	intravenous use
Germany	B. Braun Melsungen AG Carl-Braun-Str. 1 34212 Melsungen Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate, Malic Acid	Tetraspan 6 % Infusionslösung	60 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Germany	B. Braun Melsungen AG Carl-Braun-Str. 1 34212 Melsungen Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate, Malic Acid	Tetraspan 10 % Infusionslösung	100 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Germany	Baxter Deutschland GmbH Edisonstr. 4 85716 Unterschleißheim Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate	Plasma Volume Redibag	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l	solution for infusion	intravenous use
Germany	Berlin-Chemie AG Glienicke Weg 125 12489 Berlin Germany	Sodium Chloride, Hydroxyethyl starch	Refortan 6 %	9 g/l, 60 g/l	solution for infusion	intravenous use
Germany	Berlin-Chemie AG Glienicke Weg 125 12489 Berlin Germany	Sodium Chloride, Hydroxyethyl starch	Refortan 10 %	9 g/l, 100 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Acetate Trihydrate, Sodium Chloride, Potassium Chloride, Magnesium Chloride Hexahydrate	Volulyte 6 % Infusionslösung	60 g/l, 4.63 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	Voluven 6 % Infusionslösung	9 g/l, 60 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	Voluven 10 % Infusionslösung	9 g/l, 100 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	Elohäst 6 %	9 g/l, 60 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	HyperHAES Infusionslösung	72 g/l, 60 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	HAES-steril 3 %	9 g/l, 30 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	Voluven Fresenius 6 % Infusionslösung	9 g/l, 60 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Sodium Chloride, Hydroxyethyl starch	Haes-steril 10 %	9 g/l, 100 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Acetate Trihydrate, Sodium Chloride, Potassium Chloride, Magnesium Chloride Hexahydrate	Volulyte 6 % Infusionslösung	60 g/l, 4.63 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	Haes-steril 6 %	60 g/l, 9 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	Voluven 6 % Infusionslösung	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	Voluven 10 % Infusionslösung	100 g/l, 9 g/l	solution for infusion	intravenous use
Germany	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	HyperHAES Infusionslösung	60 g/l, 72 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride	Infukoll HES 6 %	60 g/l, 9 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate	Vitafusal 10 %	100g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate	Vitakoll 10 %	100 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride	Infukoll HES 10 %	100 g/l, 9 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate	Vitafusal 6 %	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate Sodium Acetate Trihydrate	Vitafusal	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l	solution for infusion	intravenous use
Germany	Serumwerk Bernburg AG Hallesche Landstr. 105b 06406 Bernburg Germany	Hydroxyethyl starch, Sodium Chloride	VitaHES Infusionslösung	60g/l, 9 g/l	solution for infusion	intravenous use
Greece	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Poly-(o-2 hydroxyethyl)- starch (M.W 200000) + Sodium Chloride	HAES-STERIL	60g/l+9g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Greece	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Hydroxyethyl Starch + Sodium Chloride	VOLUVEN	60g/l+9g/l	solution for infusion	intravenous use
Greece	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Hydroxyethyl Starch + Sodium Chloride	VOLUVEN	100g/l+9g/l	solution for infusion	intravenous use
Greece	VIOSER SA, 9th Km National Highway Trikala-Larissis, P.O. Box 35, Taxiarches, Trikala, Trikala 42100 Greece	Hydroxyethyl Starch + Sodium Chloride	VENOFUNDIN	60g/l+9g/l	solution for infusion	intravenous use
Greece	FRESENIUS KABI HELLAS AE Mesogeion Avenue 354, Agia Paraskevi 15341, Athens Greece	Poly-(o-2-hydroxyethyl)-starch (M.W 200000) + sodium acetate trihydrate + sodium chloride + potassium chloride + magnesium chloride hexahydrate	VOLULYTE	60g/l, 4.63g/l, 6.02g/l, 0.3g/l, 0.3g/l	solution for infusion	intravenous use
Greece	BAXTER HELLAS Ltd, Metsovou 3, Neo Irakleion 14121, Athens Greece	Hydroxyethyl starch + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate	PLASMAVOLUME REDIBAG	60g/l+6g/l+0,4g/l +0,134g/l+0,2g/l +3,7g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Greece	VIOSER SA 9th Km National Highway Trikal-Larissa, P.O. Box 35, Taksiarhes Trikalon, Trikala 42100 Greece	Poly(o-2-hydroxyethyl)starch (M.W 200000) + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate + Malic Acid	TETRASPAN	60 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Greece	VIOSER SA 9th Km National Highway Trikal-Larissa, P.O. Box 35, Taksiarhes Trikalon, Trikala 42100 Greece	Poly-(o-2-hydroxyethyl)-starch (MW 200000) + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate + Malic Acid	TETRASPAN	100 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Hungary	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium chloride	VOLUVEN 10% oldatos infúzió	100 g/l, 9.0 g/l	solution for infusion	intravenous use
Hungary	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium chloride	VOLUVEN 6% oldatos infúzió	60.0 g/l, 9.0 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Hungary	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium chloride	HAES-STERIL 10% oldatos infúzió	100 g/l, 9 g/l	solution for infusion	intravenous use
Hungary	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium chloride	HYPERHAES oldatos infúzió	101 g/l, 9 g/l	solution for infusion	intravenous use
Hungary	B.Braun Melsungen AG Carl Braun Strasse 1 Melsungen Germany	HES, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate, Malic Acid	Tetraspan 60 mg/ml	60 g/l, 6.252 g/l, 0.2984 g/l, 0.3675 g/l, 0.2033 g/l, 3.266 g/l, 0.67 g/l	solution for infusion	intravenous use
Hungary	B.Braun Melsungen AG Carl Braun Strasse 1 Melsungen Germany	HES, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate, Malic Acid	Tetraspan 100 mg/ml	100 g/l, 6.252 g/l, 0.2984 g/l, 0.3675 g/l, 0.2033 g/l, 3.266 g/l, 0.67 g/l	solution for infusion	intravenous use
Hungary	Baxter Hungary Kft Népfürdő u. 22. Budapest H-1138 Hungary	HES, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate	HesRa	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l. 3.7 g/l	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Iceland	Fresenius Kabi AB Rapsgatan 7 751 74 Uppsala Sweden	Hydroxyethyl starch, Sodium chloride	HyperHAES	60 g/l, 72 g/l	solution for infusion	intravenous use
Iceland	B.Braun Melsungen AG Carl Braun Strasse 1 Melsungen Germany	Hydroxyethyl starch, Sodium chloride, potassium chloride, calcium chloride, magnesium chloride, sodium acetat, malic acid	Tetraspan	60 g/l, 6,25 g/l, 0,30 g/l, 0,37 g/l, 0,20 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Iceland	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch, sodium acetat, sodium chloride, potassium chloride, magnesium chloride	Volulyte	60 g/l, 4,63 g/l, 6,02 g/l, 0,30 g/l, 0,30 g/l	solution for infusion	intravenous use
Iceland	Fresenius Kabi AB Rapsgatan 7 751 74 Uppsala Sweden	Hydroxyethyl starch, sodium chloride	Voluven	60 g/l, 9,0 g/l	solution for infusion	intravenous use
Ireland	Baxter Healthcare Limited Caxton Way Thetford Norfolk IP24 3SE United Kingdom	Hydroxyethyl Starch, Sodium Chloride, Potassium Chloride, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Sodium Acetate Trihydrate	Plasma Volume Redibag 6 % Solution for Infusion	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.200 g/l, 3.7 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Ireland	B. Braun Melsungen AG, Harald Weis, Carl-Braun Strasse 1, 34212 Melsungen, Germany	Poly (O-2-hydroxyethyl) starch (HES) Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, L-Malic acid DAB	EquiHes 60 mg/ml solution for infusion, Ecoflac Plus	60 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Ireland	B. Braun Melsungen AG, Harald Weis, Carl-Braun Strasse 1, 34212 Melsungen, Germany	Poly (O-2-hydroxyethyl) starch (HES), Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid DAB	EquiHes 100 mg/ml solution for infusion, Ecoflac Plus	100 g/l, 6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Ireland	B. Braun Melsungen AG, Harald Weis, Carl-Braun Strasse 1, 34212 Melsungen, Germany	Poly (O-2-hydroxyethyl) starch (HES), Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid DAB	EquiHes 60 mg/ml solution for infusion, Ecobag	60g/l, 6.25g/l, 0.3g/l, 0.37g/l, 0.2g/l, 3.27g/l, 0.67g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Ireland	B. Braun Melsungen AG, Harald Weis, Carl-Braun Strasse 1, 34212 Melsungen, Germany	Poly (O-2-hydroxyethyl) starch (HES), Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid DAB	EquiHes 100 mg/ml solution for infusion, Ecobag	100g/l, 6.25 g/l, 0.30 g/l, 0.37 g/l, 0.20 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (O-2-hydroxyethyl)starch sodium chloride	HyperHAES	60g/l, 72g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (O-2-hydroxyethyl)starch sodium chloride	Voluven 10% Solution for Infusion (Polyolefine Bag)	100 g/l 9.g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (o-2-hydroxyethyl)starch sodium chloride	Voluven 10% Solution for Infusion (PE Bottle)	100 g/l 9.00g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (o-2-hydroxyethyl)starch sodium chloride	Voluven 6% Solution for Infusion (Glass bottle)	60g/l 9.g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (o-2-hydroxyethyl)starch sodium chloride	Voluven 6% Solution for Infusion (Polyolefine/Freefle x Bag	60g/l 9.g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly (o-2-hydroxyethyl)starch sodium chloride	Voluven 6% Solution for Infusion (PVC Bag)	60g/l 9.g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly(o-2-hydroxyethyl)starch sodium acetate trihydrate sodium chloride potassium chloride magnesium chloride hexahydrate	Volulyte 6% Solution for Infusion, polyoelfine bags	60g/l, 4.63g/l, 6.02g/l, 0.3g/l, 0.3g/l	solution for infusion	intravenous use
Ireland	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn,Cheshire WA7 1NT United Kingdom	poly(o-2-hydroxyethyl)starch sodium acetate trihydrate sodium chloride potassium chloride magnesium chloride hexahydrate	Volulyte 6% Solution for Infusion, glass bottle	60g/l, 4.63g/l, 6.02g/l, 0.3g/l, 0.3g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Italy	FRESENIUS KABI ITALIA Srl Via Camagre, 41-43 Isola della Scala (Verona) 37063 Italy	Hydroxyethyl starch, Sodium Chloride	Vonten	100 g/l , 9g/l	solution for infusion	intravenous use
Italy	FRESENIUS KABI ITALIA Srl Via Camagre, 41-43 Isola della Scala (Verona) 37063 Italy	Hydroxyethyl starch, Sodium Chloride	HyperHAES	60g/l, 72g/l	solution for infusion	intravenous use
Italy	FRESENIUS KABI ITALIA Srl Via Camagre, 41-43 Isola della Scala (Verona) 37063 Italy	Hydroxyethyl starch, Sodium Chloride	Voluven	60g/l, 9g/l	solution for infusion	intravenous use
Italy	B. Braun Melsungen AG Carl-Braun-Straße 1 34209 Melsungen Germany	Hydroxyethyl starch, Sodium Chloride	Amidolite	60g/l, 9g/l	solution for infusion	intravenous use
Italy	B. Braun Melsungen AG Carl-Braun-Straße 1 34209 Melsungen Germany	Hydroxyethyl starch, Sodium Chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan	60g/l, 6,25g/l, 0,30g/l, 0,37g/l, 0,20g/l, 3,27g/l, 0,67g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Italy	B. Braun Melsungen AG Carl-Braun-Straße 1 34209 Melsungen Germany	Hydroxyethyl starch, Sodium Chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan	100g/l, 6,25g/l, 0,30g/l, 0,37g/l, 0,20g/l, 3,27g/l, 0,67g/l	solution for infusion	intravenous use
Italy	Baxter S.p.A. Piazzale dell industria, 20 00144 Rome Italy	Hydroxyethyl starch, Sodium Chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate	Plasmavolume	60g/l, 6g/l, 0,4g/l, 0,134g/l, 0,2g/l, 3,7g/l	solution for infusion	intravenous use
Italy	FRESENIUS KABI ITALIA Srl Via Camagre, 41-43 Isola della Scala (Verona) 37063 Italy	Hydroxyethyl starch, Sodium Chloride, Potassium chloride, Magnesium chloride hexahydrate, Sodium acetate trihydrate	Volulyte	60g/l, 6,02g/l, 0,3g/l, 0,3g/l, 4,63g/l	solution for infusion	intravenous use
Italy	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	HAES-STERIL	60g/l, 9g/l	solution for infusion	intravenous use
Italy	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl starch, Sodium Chloride	HAES-STERIL	100 g/l, 9g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Latvia	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(O-2-hydroxyethyl)starch, Sodium chloride	Voluven 6 % solution for infusion	60 g, 9 g	solution for infusion	intravenous use
Latvia	Fresenius Kabi Polska Sp.z.o.o. Ul. Hrubieszowska 2 01-209 Warszawa Poland	Poly(O-2-hydroxyethyl)starch, Sodium chloride	Voluforte solution for infusion	100 g, 9 g	solution for infusion	intravenous use
Latvia	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(O-2-hydroxyethyl)starch, Sodium acetate trihydrate, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate	Volulyte 6% solution for infusion	60 g, 4.63 g, 6.02 g, 0.30 g, 0.30 g	solution for infusion	intravenous use
Latvia	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Poly(O-2-hydroxyethyl) starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 60 mg/ml solution for infusion	60 g, 6.25 g, 0.30 g, 0.37 g, 0.20 g, 3.27 g, 0.67 g	solution for infusion	intravenous use
Latvia	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Poly(O-2-hydroxyethyl) starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 100 mg/ml solution for infusion	100 g, 6.25 g, 0.30 g, 0.37 g, 0.20 g, 3.27 g, 0.67 g	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Lithuania	UAB "BERLIN CHEMIE MENARINI BALTIC" Jasinskio 16a, LT-01112 Vilnius, Lithuania	Hydroxyethyl starch	Refortan	60 g/l	solution for infusion	intravenous use
Lithuania	UAB "BERLIN CHEMIE MENARINI BALTIC" Jasinskio 16a, LT-01112 Vilnius, Lithuania	Hydroxyethyl starch	Refortan Plus	100 g/l	solution for infusion	intravenous use
Lithuania	UAB "BERLIN CHEMIE MENARINI BALTIC" Jasinskio 16a, LT-01112 Vilnius, Lithuania	Hydroxyethyl starch	Stabisol	60 g/l	solution for infusion	intravenous use
Lithuania	Fresenius Kabi Polska Sp.zo.o. ul.Hrubieszowska 2 01-209 Warszawa, Poland	Poli(O-2-hydroxyethyl) starch, Sodium chloride	Voluforte	100 g + 9 g/l	solution for infusion	intravenous use
Lithuania	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poli(O-2-hydroxyethyl) starch	Volulyte	60 g/l	solution for infusion	intravenous use
Lithuania	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poli(O-2-hydroxyethyl) starch, Sodium chloride	Voluven	60 g+9 g/l	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Lithuania	B. Braun Melsungen AG Carl-Braun-strasse 1 34212 Melsungen Germany	Poli(0-2-hydroxyethyl)starch(HEK) , Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride heksahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan	60 g+ 6,25 g+ 0,3 g+ 0,37 g + 0,2 g + 3,27 g + 0,67g /l	solution for infusion	intravenous use
Lithuania	B. Braun Melsungen AG Carl-Braun-strasse 1 34212 Melsungen Germany	Poli(0-2-hydroxyethyl)starch(HEK) , Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride heksahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan	100 g + 6,25 g + 0,3 g + 0,37 g + 0,2 g + 3,27 g + 0,67 g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 200 kDa mol.substitution 0,43-0,55, Sodium chloride	Haes-steril 6%	60 g/l, 9 g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 200 kDa mol.substitution 0,43-0,55, Sodium chloride	Haes-steril 10%	100 g/l, 9g/l	solution for infusion	intravenous use
Luxembourg	B.Braun Melsungen A.G. Carl-Braun-Straße 1 D-34212 Melsungen Germany	Poly(0-2-hydroxyethyl)starch 200 kDa mol.substitution 0,45-0,55, Sodium chloride	Hemohees 6%	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Luxembourg	B.Braun Melsungen A.G. Carl-Braun-Straße 1 D-34212 Melsungen Germany	Poly(0-2-hydroxyethyl)starch 200 kDa mol.substitution 0,45-0,55, Sodium chloride	Hemohes 10%	100 g/l, 9g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 200 kDa mol.substitution 0,43-0,55, Sodium chloride	Hyperhaes	60 g/l, 72 g/l	solution for infusion	intravenous use
Luxembourg	Baxter S.A. Boulevard René Branquart 80 B-7860 Lessines Belgium	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,42 , Sodium chloride, Potassium chloride, Calcium chloride trihydrate, Magnesium chloride hexahydrate, sodium acetate trihydrate	Plasma Volume Redibag 6%	60 g/l, 6g/l, 0,4 g/l, 0,134 g/l, 0,2 g/l, 3,7 g/l	solution for infusion	intravenous use
Luxembourg	B.Braun Melsungen A.G. Carl-Braun-Straße 1 D-34212 Melsungen Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,42 , Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, sodium acetate trihydrate, malic acid	Tetraspan 6%	60 g/l, 6,25 g/l, 0,3 g/l, 0,37 g/l, 0,2 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Luxembourg	B.Braun Melsungen A.G. Carl-Braun-Straße 1 D-34212 Melsungen Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,42 , Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, sodium acetate trihydrate, malic acid	Tetraspan 10%	100 g/l, 6,25 g/l, 0,3 g/l, 0,37 g/l, 0,2 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Luxembourg	B.Braun Melsungen A.G. Carl-Braun-Straße 1 D-34212 Melsungen Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,42 , Sodium chloride	Venofundin 60 mg/ml	60 g/l, 9 g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,38-0,45 , Sodium acetate trihydrate, sodium chloride, potassium chloride, magnesium chloride hexahydrate	Volulyte 6%	60 g/l, 4,63 g/l, 6,02 g/l, 0,3 g/l, 0,3 g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,38-0,45 , Sodium chloride	Voluven 6%	60 g/l, 9 g/l	solution for infusion	intravenous use
Luxembourg	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(0-2-hydroxyethyl)starch 130 kDa mol.substitution 0,38-0,45 , Sodium chloride	Voluven 10%	100 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Malta	Fresenius Kabi Limited Cestrian Court Eastgate Way Manor Park Runcorn Cheshire WA7 1NT United Kingdom	Sodium acetate trihydrate, sodium chloride, potassium chloride, magnesium chloride hexahydrate, hydroxyethyl starch 130/0.4	Volulyte 6% solution for infusion	4.63 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l, 60 g/l	solution for infusion	intravenous use
Malta	Baxter Healthcare Limited Caxton Way Thetford Norfolk IP24 3SE United Kingdom	Poly (O-2-hydroxyethyl starch (HES), sodium chloride, potassium chloride, calcium chloride dihydrate, magnesium chloride hexahydrate, sodium acetate trihydrate	Plasma Volume Redibag 6% solution for infusion	60 g/l, 6 g/l, 0.4 g/l, 0.134 g/l, 0.200 g/l, 3.7 g/l	solution for infusion	intravenous use
Norway	Baxter AS Gjerdumsvei 11 0484 Oslo Norway	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate	Hesra	60 g/l, 6,00 g/l, 0,400 g/l, 0,134 g/l, 0,200 g/l, 3,70 g/l	solution for infusion	intravenous use
Norway	Fresenius Kabi Norge AS Postboks 430 1753 Halden Norway	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride	HyperHAES	60 g/l, 72 g/l	solution for infusion	intravenous use
Norway	B. Braun Melsungen AG Carl-Braun-Straße 1 34212 Melsungen Germany	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan	60 g/l, 6,25 g/l, 0,30 g/l, 0,37 g/l, 0,20 g/l, 3, 27 g/l, 0,67 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Norway	B. Braun Melsungen AG Carl-Braun-Straße 1 34212 Melsungen Germany	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride	Venofundin	60 g/l, 9 g/l	solution for infusion	intravenous use
Norway	Fresenius Kabi Norge AS Postboks 430 1753 Halden Norway	Poly(O-2-hydroxyethyl) starch (HES), Sodium acetate trihydrate, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate	Volulyte	60 g/l, 4,63 g/l, 6,02 g/l, 0,30 g/l, 0,30 g/l	solution for infusion	intravenous use
Norway	Fresenius Kabi Norge AS Postboks 430 1753 Halden Norway	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride	Voluven	100 g/l, 9 g/l	solution for infusion	intravenous use
Norway	Fresenius Kabi Norge AS Postboks 430 1753 Halden Norway	Poly(O-2-hydroxyethyl) starch (HES), Sodium chloride	Voluven	60 g/l, 9 g/l	solution for infusion	intravenous use
Poland	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl Starch	HAES - steril 10%	100 g/l	solution for infusion	intravenous use
Poland	Berlin-Chemie AG Glienicke Weg 125 12489 Berlin Germany	Hydroxyethyl Starch, Sodium chloride	Refortan	60 g/l 9 g/l	solution for infusion	intravenous use
Poland	Baxter Polska Sp. z o.o. ul. Kruczkowskiego 8 00-380 Warszawa Poland	Hydroxyethyl Starch,	6% Hydroksyetyloskro bia 200/0,5 Baxter	60 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Poland	Baxter Polska Sp. z o.o. ul. Kruczkowskiego 8 00-380 Warszawa Poland	Hydroxyethyl Starch	10% Hydroksyetyloskrobia 200/0,5 Baxter	100 g/l	solution for infusion	intravenous use
Poland	Berlin-Chemie AG Glienicker Weg 125 12489 Berlin Germany	Hydroxyethyl Starch, Sodium chloride	Refortan Forte	100 g/l 9 g/l	solution for infusion	intravenous use
Poland	B. Braun Melsungen AG Carl-Braun Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride	Hemohe 6%	60 g/l 9 g/l	solution for infusion	intravenous use
Poland	B. Braun Melsungen AG Carl-Braun Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride	Hemohe 10%	100 g/l 9 g/l	solution for infusion	intravenous use
Poland	B. Braun Melsungen AG Carl-Braun Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Hydrated calcemia chloride, Hydrated magnesium chloride, Hydrated sodium acetate, Hydroxy succinic acid	Tetraspan 60 mg/ml HES roztwór do infuzji	60 g/l 6,25 g/l 0,30 g/l 0,37 g/l  0,20 g/l  3,27 g/l 0,67 g/l	solution for infusion	intravenous use
Poland	B. Braun Melsungen AG Carl-Braun Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Hydrated calcemia chloride, Hydrated magnesium chloride, Hydrated sodium acetate, Hydroxy succinic acid	Tetraspan 100 mg/ml HES roztwór do infuzji	100 g/l 6,252 g/l 0,2984 g/l 0,3675 g/l  0,2033 g/l  3,266 g/l 0,6710 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Poland	Baxter Polska Sp. z o.o. ul. Kruczkowskiego 8 00-380 Warszawa Poland	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Hydrated calcemia chloride, Hydrated magnesium chloride, Hydrated sodium acetate	PlasmaVolume Redibag	60 g/l 6,0 g/l 0,4 g/l 0,134 g/l  0,2 g/l  3,70 g/l	solution for infusion	intravenous use
Poland	Fresenius Kabi Polska Sp. z o.o. ul. Hrubieszowska 2 01-209 Warszawa Poland	Hydroxyethyl Starch, Sodium chloride	Voluven 10%	100 g/l 9 g/l	solution for infusion	intravenous use
Poland	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Polyhydroxyethylstarch, Sodium chloride	HyperHAES	60 g/l, 72 g/l	solution for infusion	intravenous use
Poland	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl Starch, Sodium chloride	VOLUVEN	60 g/l 9 g/l	solution for infusion	intravenous use
Poland	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Poly(O-2- hydroxyethyl)starch 130/0.4, Sodium chloride, Sodium acetate trihydrate, Potassium chloride, Magnesium chloride hexahydrate	Volulyte 6%	60 g/l, 6,02 g/l, 4,63 g/l, 0,30 g/l, 0,30 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Hydroxyethyl starch + Sodium chloride	Haes-Steril 10%	100 mg/ml + 9 mg/ml	solution for infusion	intravenous use
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Hydroxyethyl starch + Sodium chloride	Haes-Steril 6%	60 mg/ml + 9 mg/ml	solution for infusion	intravenous use
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Hydroxyethyl starch + Sodium chloride	Voluven Fresenius	60 mg/ml + 9 mg/ml	solution for infusion	intravenous use
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Hydroxyethyl starch + Sodium chloride	HyperHAES	60 mg/ml + 72 mg/ml	solution for infusion	intravenous use
Portugal	B. Braun Melsungen A.G. Carl-Braun Strasse, 1 D-34212 Melsungen Germany	Hydroxyethyl starch + Sodium chloride	Venofundin	60 mg/ml + 9 mg/ml	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Potassium chloride + Sodium acetate trihydrate + Magnesium chloride hexahydrate + Hydroxyethyl starch + Sodium chloride	Volulyte	0.3 mg/ml + 4.63mg/ml + 0.3mg/ml + 60mg/ml + 6.02mg/ml	solution for infusion	intravenous use
Portugal	B. Braun Melsungen A.G. Carl-Braun Strasse, 1 D-34212 Melsungen Germany	Potassium chloride + Sodium acetate trihydrate + Malic acid + Magnesium chloride hexahydrate + Sodium chloride + Hydroxyethyl starch + Calcium chloride dihydrate	Tetraspan	0.3 mg/ml + 3.27mg/ml + 0.67mg/ml + 0.2mg/ml + 6.25mg/ml + 60mg/ml + 0.37mg/ml	solution for infusion	intravenous use
Portugal	B. Braun Melsungen A.G. Carl-Braun Strasse, 1 D-34212 Melsungen Germany	Potassium chloride + Sodium acetate trihydrate + Malic acid + Magnesium chloride hexahydrate + Sodium chloride + Hydroxyethyl starch + Calcium chloride dihydrate	Tetraspan	0.3 mg/ml + 3.27mg/ml + 0.67mg/ml + 0.2mg/ml + 6.25mg/ml + 100mg/ml + 0.37mg/ml	solution for infusion	intravenous use
Portugal	Baxter Médico-Farmacêutica, Lda. Zona Industrial da Abrunheira - Edifício 10 - Sintra Business Park 2710-089 Sintra Portugal	Sodium acetate trihydrate + Potassium chloride + Magnesium chloride hexahydrate + Hydroxyethyl starch + Calcium chloride dihydrate + Sodium chloride	PlasmaVolume Redibag	3.7 mg/ml + 0.4mg/ml + 0.2mg/ml + 60mg/ml + 0.134mg/ml + 6mg/ml	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Portugal	Fresenius Kabi Pharma Portugal, Lda Av. do Forte, 3 Edifício Suécia III - Piso 2 2790-073 Carnaxide Portugal	Hydroxyethyl starch + Sodium chloride	Voluven Fresenius	100 mg/ml + 9mg/ml	solution for infusion	intravenous use
Romania	S.C. INFOMED FLUIDS S.R.L., B-dul Theodor Pallady nr. 50, sector 3, București, 032266 Romania	Hydroxyethyl starch Sodium chloride Potassium chloride Calcium chloride dihydrate Magnesium chloride hexahydrate Sodium acetate trihydrate	VITAFUSAL	60 g/l, 6 g/l, 0.40 g/l, 0.134 g/l, 0.20 g/l, 3.70 g/l	solution for infusion	intravenous use
Romania	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch Sodium chloride	Voluven 60 g/1000 ml	60 g/l, 9 g/l	solution for infusion	intravenous use
Romania	S.C. FRESENIUS KABI ROMÂNIA S.R.L. Strada Fânarului nr. 2A, 500464 Brașov, Romania	Hydroxyethyl starch Sodium chloride	VOLUVEN 10%	100 g/l, 9 g/l	solution for infusion	intravenous use
Romania	S.C. INFOMED FLUIDS S.R.L. B-dul Theodor Pallady nr. 50, sector 3, București, 032266 Romania	Hydroxyethyl starch Sodium chloride	INFOHES 60 g/L	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Romania	S.C. INFOMED FLUIDS S.R.L. B-dul Theodor Pallady nr. 50, sector 3, București, Romania	Hydroxyethyl starch Sodium chloride	INFOHES 100 g/L	100 g/l, 9 g/l	solution for infusion	intravenous use
Romania	B. BRAUN MELSUNGEN AG Carl – Braun str. 1, D – 34212 Melsungen, Germany	Hydroxyethyl starch Sodium chloride	HEMOHES 6%	60 g/l, 9 g/l	solution for infusion	intravenous use
Romania	B. BRAUN MELSUNGEN AG Carl – Braun str. 1, D – 34212 Melsungen, Germany	Hydroxyethyl starch Sodium chloride	HEMOHES 10%	100 g/l, 9 g/l	solution for infusion	intravenous use
Romania	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch Sodium chloride	HAES-steril 60g/1000 ml	60 g/l, 9 g/l	solution for infusion	intravenous use
Romania	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl starch Sodium chloride	HAES-steril 100 g/1000 ml	100 g/l, 9 g/l	solution for infusion	intravenous use
Romania	B. BRAUN MELSUNGEN AG, Carl-Braun-Strasse 1 34212 Melsungen, Germany	Hydroxyethyl starch Sodium chloride	Venofundin 6 g/100 ml	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Romania	S.C. Fresenius Kabi Romania S.R.L, strada Fanarului nr. 2A, 500464 Brasov, Romania	Hydroxyethyl starch, Sodium acetate trihydrate, Potassium chloride, Magnesium chloride hexahydrate, Sodium chloride	Volulyte 6%	60 g/l, 4.63 g/l, 6.02 g/l, 0.30 g/l, 0.30 g/l	solution for infusion	intravenous use
Romania	B. BRAUN MELSUNGEN AG Carl-Braun. Str.1, D-34212 Melsungen, Germany	Hidroxietyl amidon, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate, Calcium chloride dihydrate, Sodium acetate trihydrate, Malic acid	TETRASPAN 60 mg/ml	60 g/l, 6.252 g/l, 0.298 g/l, 0.203 g/l, 0.367 g/l, 3.266 g/l, 0.671 g/l	solution for infusion	intravenous use
Romania	B. BRAUN MELSUNGEN AG Carl-Braun. Str.1, D-34212 Melsungen, Germany	Hidroxietyl amidon, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate, Calcium chloride dihydrate, Sodium acetate trihydrate, Malic acid	TETRASPAN 100 mg/ml	100 g/l, 6.252 g/l, 0.298 g/l, 0.203 g/l, 0.367 g/l, 3.266 g/l, 0.671 g/l	solution for infusion	intravenous use
Slovak Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	hydroxyethyl starch, Sodium chloride	HAES-steril 10 %	100g/l, 9g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Slovak Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	hydroxyethyl starch, Sodium chloride	HyperHAES	60g/l, 72g/l	solution for infusion	intravenous use
Slovak Republic	BAXTER CZECH spol. s r.o. Karla Engliše 3201/6 150 00 Praha 5 Czech Republic	hydroxyethyl starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate	PlasmaVolume Redibag	60g/l, 6g/l, 0.4g/l, 0.134g/l, 0.2g/l, 3.70 g/l	solution for infusion	intravenous use
Slovak Republic	B. Braun Melsungen AG Carl-Braun-Straße 1 34212 Melsungen Germany	hydroxyethyl starch, Sodium chloride, Potassium chloride, Calcium chloride, Magnesium chloride hexahydrate, sodium acetate, Malic acid	Tetraspan 10 %	100g/l, 6,25g/l, 0,30 g/l, 0.37 g/l, 0,20 g/l, 3.27 g /l, 0.67 g/l	solution for infusion	intravenous use
Slovak Republic	B. Braun Melsungen AG Carl-Braun-Straße 1 34212 Melsungen Germany	hydroxyethyl starch, Sodium chloride, Potassium chloride, Calcium chloride, Magnesium chloride hexahydrate, sodium acetate, Malic acid	Tetraspan 6 %	60g/l, 6,25g/l, 0,30 g/l, 0.37 g/l, 0,20 g/l, 3.27 g/l, 0.67 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Slovak Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	hydroxyethyl starch, Sodium acetate trihydrate, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate	Volulyte 6%, infúzny roztok	60g/l, 4.63 g/l, 6.02 g/l, 0.30 g/l, 0.30 g/l	solution for infusion	intravenous use
Slovak Republic	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	hydroxyethyl starch, Sodium chloride	VOLUVEN	60g/l, 9g/l	solution for infusion	intravenous use
Slovak Republic	Fresenius Kabi s.r.o. Zeletavská 1525/1 140 00 Praha 4 - Michle Czech Republic	hydroxyethyl starch, Sodium chloride	Voluven 10 %	100g/l, 9g/l	solution for infusion	intravenous use
Slovenia	Medias International d.o.o. Leskoškova cesta 9D 1000 Ljubljana Slovenia	Hydroxyethyl Starch, Sodium chloride	HAES-steril 60 mg/ml raztopina za infundiranje	60,0 g/l, 9,0 g/l	solution for infusion	intravenous use
Slovenia	Baxter d.o.o. Zelezna cesta 18 1000 Ljubljana Slovenija	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate	Plasma Volume Redibag 60 mg/ml raztopina za infundiranje	60,0 g/l, 6,0 g/l, 0,4 g/l, 0,134 g/l, 0,2 g/l, 3,7 g/l,	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Slovenia	B.Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 60 mg/ml raztopina za infundiranje	60,0 g/l, 6,25 g/l, 0,30 g/l, 0,37 g/l, 0,20 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Slovenia	B.Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Calcium chloride dihydrate, Magnesium chloride hexahydrate, Sodium acetate trihydrate, Malic acid	Tetraspan 100 mg/ml raztopina za infundiranje	100,0 g/l, 6,25 g/l, 0,30 g/l, 0,37 g/l, 0,20 g/l, 3,27 g/l, 0,67 g/l	solution for infusion	intravenous use
Slovenia	Medias International d.o.o. Leskoškova cesta 9D 1000 Ljubljana Slovenia	Hydroxyethyl Starch, Sodium chloride, Potassium chloride, Magnesium chloride hexahydrate, Sodium acetate trihydrate	Volulyte 60 mg/ml raztopina za infundiranje	60,0 g/l, 6,02 g/l, 0,30 g/l, 0,30 g/l, 4,63 g/l	solution for infusion	intravenous use
Slovenia	Fresenius Kabi Deutschland GmbH 61346 Bad Homburg v.d.H Germany	Hydroxyethyl Starch, Sodium chloride	VOLUVEN 100 mg/ml raztopina za infundiranje	100,0 g/l, 9,0 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Slovenia	Medias International d.o.o. Leskoškova cesta 9D 1000 Ljubljana Slovenia	Hydroxyethyl Starch, Sodium chloride	VOLUVEN 60 mg/ml raztopina za infundiranje	60,0 g/l, 9,0 g/l	solution for infusion	intravenous use
Spain	B. BRAUN MELSUNGEN AG Carl-Braun Strasse, 1 Melsungen D-34212 Germany	Hydroxyethyl Starch + Sodium Chloride	HEMOES 6 % SOLUCIÓN	60 g/l + 9 g/l	solution for infusion	intravenous use
Spain	B. BRAUN MELSUNGEN AG Carl-Braun Strasse, 1 Melsungen D-34212 Germany	Hydroxyethyl Starch + Sodium Chloride	HEMOES 10 % SOLUCIÓN	100 g/l + 9 g/l	solution for infusion	intravenous use
Spain	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl Starch + Sodium Chloride	VOLUVEN 6 % SOLUCIÓN PARA PERFUSIÓN	60 g/l + 9 g/l	solution for infusion	intravenous use
Spain	FRESENIUS KABI ESPAÑA S.A. Marina, 16-18-17 08005 Barcelona Spain	Hydroxyethyl Starch + Sodium Chloride	VOLUVEN 10 % SOLUCIÓN PARA PERFUSIÓN	100 g/l + 9 g/l	solution for infusion	intravenous use
Spain	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl Starch + Sodium Chloride	HES HIPERTONICO FRESENIUS SOLUCIÓN PARA PERFUSIÓN	60 g/l + 72 g/l	solution for infusion	intravenous use



Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Spain	Fresenius Kabi Deutschland GmbH Else-Kröner-Str. 1 61352 Bad Homburg v.d.H. Germany	Hydroxyethyl Starch + Sodium Acetate Trihydrate + Sodium Chloride + Potassium Chloride + Magnesium Chloride Hexahydrate	VOLULYTE 6% SOLUCIÓN PARA PERFUSIÓN	60 g/l + 4,63 g/l + 6,02 g/l + 0,30 g/l + 0,30 g/l	solution for infusion	intravenous use
Spain	B. BRAUN MELSUNGEN AG Carl-Braun Strasse, 1 Melsungen D-34212 Germany	Hydroxyethyl Starch + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate + Malic Acid	ISOHES 6 % SOLUCIÓN PARA PERFUSIÓN	60 g/l + 6,25 g/l + 0,30 g/l + 0,37 g/l + 0,20 g/l + 3,27 g/l + 0,67 g/l	solution for infusion	intravenous use
Spain	B. BRAUN MELSUNGEN AG Carl-Braun Strasse, 1 Melsungen D-34212 Germany	Hydroxyethyl Starch + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate + Malic Acid	ISOHES 10 % SOLUCIÓN PARA PERFUSIÓN	100 g/l + 6,25 g/l + 0,30 g/l + 0,37 g/l + 0,20 g/l + 3,27 g/l + 0,67 g/l	solution for infusion	intravenous use
Spain	BAXTER S.L. Polígono Industrial Sector 14 Pouet de Camilo, 2 46394 Ribarroja del Turia (Valencia) Spain	Hydroxyethyl Starch + Sodium Chloride + Potassium Chloride + Calcium Chloride Dihydrate + Magnesium Chloride Hexahydrate + Sodium Acetate Trihydrate	PLASMAVOLUME REDIBAG SOLUCIÓN PARA PERFUSIÓN	60 g/l + 6 g/l + 0,4 g/l + 0,134 g/l + 0,2 g/l + 3,70 g/l	solution for infusion	intravenous use
Sweden	Fresenius Kabi AB, 751 74 Uppsala Sweden	Hydroxyethyl starch, 130/0.4, Sodium chloride	Voluven	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Sweden	Fresenius Kabi AB, 751 74 Uppsala Sweden	Hydroxyethyl starch, 200/0.5, Sodium chloride	HyperHAES	60 g/l, 72 g/l	solution for infusion	intravenous use
Sweden	B. Braun Melsungen AG P.O. Box 1110 +1120 DE-34209 Melsungen Germany	Hydroxyethyl starch, 130/0.4, Sodium chloride	Venofundin®	60 g/l, 9 g/l	solution for infusion	intravenous use
Sweden	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	hydroxyethyl starch, 130/0.4, sodium chloride, sodium acetate trihydrate, malic acid, calcium chloride dihydrate, potassium chloride, magnesium chloride hexahydrate	Tetraspan	60 g/l, 6,252 g/l, 3,266 g/l, 0,671 g/l, 0,368 g/l, 0,298 g/l, 0,203 g/l	solution for infusion	intravenous use
Sweden	B. Braun Melsungen AG Carl-Braun-Strasse 1 34212 Melsungen Germany	hydroxyethyl starch, 130/0.4, sodium chloride, sodium acetate trihydrate, malic acid, calcium chloride dihydrate, potassium chloride, magnesium chloride hexahydrate	Tetraspan	100 g/l, 6,252 g/l, 3,266 g/l, 0,671 g/l, 0,368 g/l, 0,298 g/l, 0,203 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
Sweden	Fresenius Kabi AB, 751 74 Uppsala Sweden	hydroxyethyl starch, 130/0.4, sodium chloride, sodium acetate trihydrate, magnesium chloride hexahydrate, potassium chloride	Volulyte	60 g/l, 6,020 g/l, 4,630 g/l, 0,300 g/l, 0,300 g/l	solution for infusion	intravenous use
Sweden	Baxter Medical AB Box 63 164 94 Kista Sweden	hydroxyethyl starch, 130/0.4, sodium chloride, sodium acetate trihydrate, potassium chloride, magnesium chloride hexahydrate, calcium chloride dihydrate	Hesra	60 g/l, 6,000 g/l, 3,700 g/l, 0,400 g/l, 0,200 g/l, 0,134 g/l	solution for infusion	intravenous use
Sweden	Fresenius Kabi AB, 751 74 Uppsala Sweden	Hydroxyethyl starch, 130/0.4, Sodium chloride	Voluven	100 g/l, 9 g/l	solution for infusion	intravenous use
The Netherlands	Fresenius Kabi Nederland B.V. Molenberglei 7 2627 Schelle Belgium	active substance: hydroxyethyl starch (MR 200.000), Sodium chloride	EloHAES, infusievloeistof	60.0 g/l, 9.0 g/l	solution for infusion	intravenous use
The Netherlands	Fresenius Kabi Nederland B.V. Molenberglei 7 2627 Schelle Belgium	active substance: hydroxyethyl starch (MR 200.000)	HyperHAES, oplossing voor intraveneuze infusie 60 g/l	60.0 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
The Netherlands	B. Braun Melsungen AG (Melsungen) Carl-Braun-Strasse 1 34212 Melsungen Germany	active substance: hydroxyethyl starch (MR 130.000) Sodium Chloride, malic acid, Calcium Chloride, Potassium Chloride, Magnesium Chloride, Sodium acetate	Tetraspan 10% g/v, oplossing voor infusie 100 g/l	100.0 g/l, 9 g/l, 0.67 g/l, 0.37 g/l, 0.3 g/l, 0.2 g/l, 3.27 g/l	solution for infusion	intravenous use
The Netherlands	B. Braun Melsungen AG (Melsungen) Carl-Braun-Strasse 1 34212 Melsungen Germany	active substance: hydroxyethyl starch (MR 130.000) Sodium Chloride, malic acid, Calcium Chloride, Potassium Chloride, Magnesium Chloride, Sodium acetate	Tetraspan 6% g/v, oplossing voor infusie 60 g/l	60.0 g/l, 6,25 g/l, 0.67 g/l, 0.37 g/l, 0.3 g/l, 0.2 g/l, 3.27 g/l	solution for infusion	intravenous use
The Netherlands	B. Braun Melsungen AG (Melsungen) Carl-Braun-Strasse 1 34212 Melsungen Germany	active substance: hydroxyethyl starch (MR 130.000), sodium chloride	Venofundin 60 mg/ml, oplossing voor intraveneuze infusie	60.0 g/l, 9 g/l	solution for infusion	intravenous use
The Netherlands	Fresenius Kabi Nederland B.V. Molenberglei 7 2627 Schelle Belgium	active substance: hydroxyethyl starch (MR 130.000) , Sodium Chloride, Potassium Chloride, Magnesium Chloride, Sodium acetate, hydrochloric acid	Volulyte 6% oplossing voor infusie	60.0 g/l, 6.02 g/l, 0.3 g/l, 0.3 g/l, 4.63 g/l, 0.3 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
The Netherlands	Fresenius Kabi Nederland B.V. Molenberglei 7 2627 Schelle Belgium	active substance: hydroxyethyl starch (MR 130.000), sodium chloride	Voluven, 6 % (60 mg/ml) oplossing voor infusie	60.0 g/l, 0.9 g/l	solution for infusion	intravenous use
The Netherlands	Fresenius Kabi Nederland B.V. Molenberglei 7 2627 Schelle Belgium	active substance: hydroxyethyl starch (polymere 130/0.4) and sodium chloride	Voluven 10% (100 mg/ml)	100 g/l, 9 g/l	solution for infusion	intravenous use
The Netherlands	Baxter B.V. Kobaltweg 49 3542 CE UTRECHT/The Netherlands	Sodium chloride, potassium chloride, calcium chloride dihydrate, magnesium chloride hexahydrate, sodium acetate trihydrate, hydroxyethyl starch 130/0.42	Plasma Volume Redibag 6%, solution for infusion	6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l, 60 g/l	solution for infusion	intravenous use
United Kingdom	Baxter Healthcare Limited, Caxton Way, Thetford, Norfolk IP24 3SE United Kingdom	Sodium chloride, potassium chloride, calcium chloride dihydrate, magnesium chloride hexahydrate, sodium acetate trihydrate, hydroxyethyl starch 130/0.42	Plasma Volume Redibag 6% Solution for Infusion	6 g/l, 0.4 g/l, 0.134 g/l, 0.2 g/l, 3.7 g/l, 60 g/l	solution for infusion	intravenous use
United Kingdom	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn, Cheshire WA7 1NT United Kingdom	Hydroxyethyl starch 130/0.4, sodium chloride	Voluven 6% solution for injection	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
United Kingdom	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn, Cheshire WA7 1NT United Kingdom	Hydroxyethyl starch 200/0.5, sodium chloride	Hyperhaes Solution for Injection	72 g/l, 60 g/l	solution for infusion	intravenous use
United Kingdom	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn, Cheshire WA7 1NT United Kingdom	Sodium acetate trihydrate, sodium chloride, potassium chloride, magnesium chloride hexahydrate, hydroxyethyl starch 130/0.4	Volulyte 6% solution for infusion	4.63 g/l, 6.02 g/l. 0.3 g/l, 0.3 g/l, 60 g/l	solution for infusion	intravenous use
United Kingdom	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn, Cheshire WA7 1NT United Kingdom	Sodium chloride, hydroxyethyl starch 130/0.4	Voluven 6% solution for infusion	9 g/l, 60 g/l	solution for infusion	intravenous use
United Kingdom	Fresenius Kabi Limited Cestrian Court Eastgate way Manor Park Runcorn, Cheshire WA7 1NT United Kingdom	Sodium chloride, hydroxyethyl starch 130/0.4	Voluven 10% solution for infusion	9 g/l, 100 g/l	solution for infusion	intravenous use
United Kingdom	B Braun Melsungen AG Carl-Braun-Strasse 1 Melsungen, D-34212 Germany	Poly (O-2-hydroxyethyl) starch mol. sub. 0.45- 0.55 AV. MW 200K, sodium chloride	Venofundin 6% solution for infusion	60 g/l, 9 g/l	solution for infusion	intravenous use

Member State (in EEA)	Marketing authorisation holder	INN	Product name	Strength	Pharmaceutical form	Route of administration
United Kingdom	B Braun Melsungen AG Carl-Braun-Strasse 1 Melsungen, D-34212 Germany	Sodium chloride, potassium chloride, magnesium chloride hexahydrate, sodium acetate trihydrate, malic acid, poly (0-2-hydroxyethyl) starch, calcium chloride dihydrate	Tetraspan 6% solution for infusion	6.25 g/l, 0.3 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l, 60 g/l, 0/37 g/l	solution for infusion	intravenous use
United Kingdom	B Braun Melsungen AG Carl-Braun-Strasse 1 Melsungen, D-34212 Germany	Sodium chloride, potassium chloride, calcium chloride dihydrate, magnesium chloride hexahydrate, sodium acetate trihydrate, malic acid, poly (0-2-hydroxyethyl) starch	Tetraspan 10% solution for infusion	6.25 g/l, 0.3 g/l, 0.37 g/l, 0.2 g/l, 3.27 g/l, 0.67 g/l, 100 g/l	solution for infusion	intravenous use