



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

9 September 2022
EMA/116259/2022
Veterinary Medicines Division

Annex I

List of the names, pharmaceutical form(s), strength(s) of the veterinary medicinal products, animal species, route(s) of administration, marketing authorisation holders in the Member States for veterinary medicinal products containing procaine benzylpenicillin as a single active substance presented as suspensions for injection

Referral under Article 82 of Regulation (EU) 2019/6

Procedure number: EMEA/V/A/145

Please note that this draft Annex I may be updated during the procedure to reflect any amended information on concerned products/MAHs.

Official address Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands

Address for visits and deliveries Refer to www.ema.europa.eu/how-to-find-us

Send us a question Go to www.ema.europa.eu/contact **Telephone** +31 (0)88 781 6000

An agency of the European Union



Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Austria	Vana GmbH Wolfgang Schmälzl Gasse 6 1020 Vienna Austria	Vanapen 300 mg/ml – Injektionssuspension für Tiere	300 mg/ml	Suspension for injection	Cattle, horses, sheep, goat, pig, dog, cat	Intramuscular use	Cattle, horse, sheep, goat (meat and offal): 10 days Pig (meat and offal): 15 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Austria	Wirtschaftsgenossenschaft Deutscher Tierärzte eG Siemensstraße 14 30827 Garbsen Germany	Taneven 300 mg/ml Injektionssuspension für Pferde, Rinder, Schafe, Ziegen, Hunde, Katzen	300 mg/ml	Suspension for injection	Cattle, horse, sheep, dogs, cats, goats	Intramuscular or subcutaneous use	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Austria	aniMedica GmbH Im Südfeld 9 48308 Senden-Börsell Germany	Procain Penicillin G "aniMedica" 300 mg/ml – Injektionssuspension für Tiere	300mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 10 days Pig (meat and offal): 15 days Cattle (milk): 5 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Austria	OGRIS Pharma Vertriebs GmbH Hinderhoferstraße 3 4600 Wels Austria	Livipen 300 mg/ml Injektionssuspension für Rinder, Schweine und Pferde	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Belgium	Laboratorios SYVA, S.A.U. Avda. Párroco Pablo Díez, 49-57 24010 – León ESPAGNE	Peniyet vet	300 mg (corresponding to 170 mg benzylpenicillin)	Suspension for injection	Pigs Cattle	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 6 days.
Belgium	Kela nv Sint Lenaartseweg 48 2320 Hoogstraten België	Peni-Kel	300 mg/ml	Suspension for injection	Pigs Cattle	Intramuscular use	Pig (meat and offal): 5 days Cattle (meat and offal): 9 days Cattle (milk): 7.5 days.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Belgium	V.M.D. nv Hoge Mauw 900 2370 Arendonk Belgie	DEPOSIL	300000 UI	Suspension for injection	Cattle Sheep Pigs Dogs Cats	Cattle, sheep and pigs: IM Dogs: IM, SC Cats: SC	Cattle, pigs, (meat and offal): 5 days Sheep (meat and offal): 4 days Cattle (milk): 11 days. Not authorised for use in sheep producing milk for human consumption.
Belgium	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Belgium	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Bulgaria	PROVET S.A.; Greece, Attiki, 174 55 Alimos, Posidonos avenue 77	PANGOLAMIN injectable	300 000 IU/ml	Suspension for injection	dogs, cats, sheep, pigs	Intramuscular use	Sheep, pigs (meat and offal): 5 days; Sheep (milk): 4 days
Bulgaria	WDT- Wirtschaftsgen ossenschaft deutscher Tierärzte eG; Germany, 30827 Garbsen, Siemensstr. 14	TANEVEN 300 mg/ml suspension for injection for horses, cattle, sheep, goats, dogs and cats	300.0 mg/ml	Suspension for injection	Cattle, horses, sheep, goats, dogs and cats	intramuscular and subcutaneous use	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Bulgaria	aniMedica GmbH Im Südfeld 9 48308 Senden- Bösensell Germany	PROCAPEN 300 mg/ml, Suspension for injection for cattle, pigs and horses	300.00 mg/ml	Suspension for injection	Cattle, horses, pigs	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Bulgaria	Laboratorios SYVA, S.A.U.; Avda. Párroco Pablo Díez; 49-57 (24010) León; Spain	PROCACTIVE 300 mg/ml suspension for injection for cattle and pigs	300 mg/ml	Suspension for injection	Cattle, pigs	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Bulgaria	Alfasan Nederland BV; Kuipersweg 9, 3440 JA Woerden The Netherlands	PROCPEN 30 injectable suspension	300 000 IU/ml	Suspension for injection	Cattle, pigs, cats, dogs	Intramuscular use	Cattle, pigs, (meat and offal): 7 days Cattle (milk): 4 days.
Croatia	Alfasan International B.V. Kuipersweg 9 3449 JA Woerden The Netherlands	Procpen 30, 300 mg/mL, suspenzija za injekciju, za goveda, konje, svinje, ovce, koze, pse i mačke	300 mg/ml	Suspension for injection	Cattle, horses, pigs, sheep, goats, dogs and cats	Intramuscular use	Cattle, pigs (meat and offal): 7 days Sheep, goats (meat and offal): 9 days Not authorised for use in horses intended for human consumption. Cattle (milk): 4 days. Not authorised for use in sheep and goats producing milk for human consumption.
Cyprus	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapien, 300 mg/ml, Ενέσιμο εναιώρημα για βοοειδή, χοίρους και άλογα	300 mg/ml	Suspension for injection	Cattle, pigs and horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Czech Republic	Norbrook Laboratories (Ireland) Limited, Rossmore Industrial Estate, Monaghan, Ireland	NOROCILLIN 300 mg/ml injekční suspenze	300 mg/ml	Suspension for injection	Sheep, pigs, cattle	Intramuscular use	Cattle, pigs, sheep (meat and offal): 5 days. Cattle (milk): 60 hours. Not authorised for use in sheep producing milk for human consumption.
Czech Republic	KELA Laboratoria n.v., Industrial Zone „De Kluis“, St. Lenaartseweg 48, B-2320 Hoogstraten, Belgium	PENI-KEL 300 mg/ml injekční suspenze	300 mg/ml	Suspension for injection	Horse, cattle, pigs, dogs	Intramuscular use (cattle, pigs, horses)/Subcutaneous use (dogs)	Pigs (meat and offal): 7 days Cattle (meat and offal): 10 days Cattle (milk): 7.5 days. Not authorised for use in horses intended for human consumption.
Czech Republic	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapien 300 mg/ml, injekční suspenze pro skot, prasata a koně	300 mg/ml	Suspension for injection	Cattle, pigs (adult), horse	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Czech Republic	Norbrook Laboratories (Ireland) Limited, Rossmore Industrial Estate, Monaghan, Ireland	Ultrapen LA 300 mg/ml injekční suspenze	300 mg/ml	Suspension for injection	Cattle, pigs	Intramuscular use/Subcutaneous use (non-lactating cattle) and intramuscular use (lactating cattle and pigs).	Pigs (meat and offal): 7 days Cattle (meat and offal): 10 days (subcutaneous use), 21 days (intramuscular use). Cattle (milk): 5 days.
Denmark	ScanVet Animal Health A/S, Kongevejen 66, 3480 Fredensborg, Denmark	Noropen Prolongatum Vet	300 mg/ml	Suspension for injection	Pig	Intramuscular use	15 days
Denmark	Fatro S.p.A., Via Emilia, 285, 40064 Ozzano d'Emilia, Bologna, Italy	Primopen	300 mg/ml	Suspension for injection	Pig, Cattle, Horse	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Denmark	Intervet International B.V., Wim de Körverstraat 35, 5831, AN Boxmeer, Nord-Brabant, Holland	Ethacilin Vet.	300 mg/ml	Suspension for injection	Horse, Cat, Dog, Sheep, Cattle, Pig	Intramuscular use	Cattle (meat and offal): 5 days. Horse (meat and offal): 28 days. Pig (meat and offal): 4 days. Sheep (meat and offal): 4 days. Cattle (milk): 6 days. Sheep (milk): 7 days.
Denmark	Boehringer Ingelheim Animal Health Nordics A/S, Strødamvej 52, 2100, København Ø, Denmark	Penovet Vet.	300 mg/ml	Suspension for injection	Sheep, Goat, Horse, Dog, Cat, Cattle, Pig	Intramuscular or subcutaneous use	Cattle, sheep, goat, horse (meat and offal): 15 days. Pig (meat and offal): 5 days. Cattle, sheep, goat, horse (milk): 3 days
Denmark	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Denmark	Norbrook Laboratories (Ireland) Limited, Rossmore Industrial Estate, Monaghan, Co. Monaghan, Ireland	SOlong Vet.	300 mg/ml	Suspension for injection	Pig	Intramuscular use	15 days
Denmark	Laboratorios SYVA, S.A.U, Av. Pàrroco Pablo Diez, 24010, Leòn, Spain	Syvacillin Vet.	300 mg/ml	Suspension for injection	Pig, Cattle	Intramuscular use	Pig (meat and offal): 6 days. Cattle (meat and offal): 6 days. Cattle (milk): 4 days.
Denmark	Bimeda Animal Health Limited, 2, 3 & 4 Airton Close, Airton Rd, 24, Tallaght, Dublin, Ireland	Bimprocil Vet. (previous names Procipen and Pro Pen G)	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Estonia	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Norocillin	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Deep intramuscular injection	Cattle, sheep, pigs (meat and offal): 5 days Cattle (milk): 3 days Not authorised for use in sheep producing milk for human consumption.
Estonia	Laboratorios Syva S.A.U. Avenida Parroco Pablo Diez 49-57 Trobajo Camino San Andres Del Rabanado Leon 24010 Spain	Procactive	300 mg/ml	Suspension for injection	Cattle, pigs	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Estonia	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapen	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Estonia	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Co. Dublin Ireland	Procipen	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Estonia	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Ultrapen LA	300 mg/ml	Suspension for injection	Cattle, pigs	Intramuscular and subcutaneous for non-lactating cows, intramuscular use for pigs and lactating cattle	After SC administration: Cattle (meat and offal): 13 days After IM administration: Pigs (meat and offal): 10 days Cattle (meat and offal): 21 days. Cattle (milk): 8 days
Finland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Tallaght DUBLIN 24 Ireland	Bimprocil vet	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Finland	Boehringer Ingelheim Animal Health Nordics A/S Strödamvej 52 2100 Copenhagen Denmark	Penovet vet	300 mg/ml	Suspension for injection	Cattle, horses, pigs, sheep, dogs, Cats	intramuscular subcutaneous	Cattle, horses, pigs, sheep (meat and offal): 14 days. Cattle, horses, sheep (milk): 6 days.
Finland	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapen Vet.	300 mg/ml	Suspension for injection	Cattle, horses, pigs	i.m.	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Finland	Laboratorios SYVA S.A.U. Avda Parroco Pablo Diez 49-57 24010 LEON Espanja	Syvacillin Vet	300 mg/ml	Suspension for injection	Cattle and pigs	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Finland	Intervet International B.V. Wim de Körverstraat 35 5831 AN Boxmeer The Netherlands	Ethacilin vet	300000 IU/ml	Suspension for injection	Cattle, horses, pigs, sheep, dogs, cats	intramuscular subcutaneous	Cattle, pigs, sheep (meat and offal): 5 days Horse (meat and offal): 14 days. Cattle, sheep (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
France	Intervet Rue Olivier De Serres Angers Technopole Beaucauze Cedex 49071 France	Depocilline	300 mg/ml	Suspension for injection	Horse, cattle, pigs, sheep, dogs, cats	Intramuscular use	Cattle, pigs, sheep (meat and offal): 14 days Horses (meat and offal): 15 days Cattle, sheep, horses (milk): 10 days
France	Laboratorios Syva avda. Parroco Pablo Diez, 49-57 Leon 24010 Spain	Procactive suspension injectable pour bovins et porcins	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
France	Bimeda Animal Health Unit 2/3/4 Airton Close Tallaght Dublin 24 Dublin Ireland	Procipen suspension injectable pour bovins ovins et porcins	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
France	Bimeda Animal Health Unit 2/3/4 Airton Close Tallaght Dublin 24 Dublin Ireland	Bimprocil suspension injectable pour bovins ovins et porcins	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Germany	aniMedica GmbH Im Südfeld 9 48308 Senden- Bösensell Germany	PROCAIN- PENICILLIN-G ad us.vet.	300mg/ml	Suspension for injection	cattle, horses	i.m. intramammary	Cattle, horse, (meat and offal): 10 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Germany	CP-Pharma Handelsgesellschaft mbH Ostlandring 13 31303 Burgdorf Germany	Procillin 30%	300mg/ml	Suspension for injection	cattle, pigs, dogs	i.m	Cattle (meat and offal): 21 days Pigs (meat and offal): 20 days Cattle (milk): 11 days
Germany	CEVA Tiergesundheit GmbH Kanzlerstr. 4 40472 Düsseldorf Germany	Vetriproc 30%	300mg/ml	Suspension for injection	cattle, pigs, sheep	i.m	Cattle (meat and offal): 10 days Pigs (meat and offal): 20 days Cattle (milk): 4 days
Germany	WdT - Wirtschaftsgenossenschaft Deutscher Tierärzte eG Siemensstr. 14 30827 Garbsen Germany	Procpen WDT 300 mg/ml	300mg/ml	suspension for injection	cattle, horses, dogs, sheep, cats, goats	i.m, s.c.	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Germany	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapen	300mg/ml	suspension for injection	cattle, horses, pigs	i.m.	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Germany	Dechra Veterinary Products Deutschland GmbH Hauptstr. 6-8, 88326 Aulendorf Germany	Procain-Penicillin Susp.	300mg/ml	suspension for injection	cattle, horses, dogs, sheep, cats, goats	i.m.	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, horse, sheep, goat (milk): 4 days.
Germany	Laboratorios SYVA, S.A.U. Avda. Párroco Pablo Diez, 49-57 24010 LEÓN Spain	Procactive 300 mg/ml Injektionssuspension für Rinder und Schweine	300mg/ml	suspension for injection	cattle, pigs (>25kg)	i.m.	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Germany	WdT - Wirtschaftsgenossenschaft Deutscher Tierärzte eG Siemensstr. 14 30827 Garbsen Germany	Taneven	300mg/ml	suspension for injection	cattle, horses, sheep, dogs, cats, goats	i.m., s.c.	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Germany	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen 300mg/ml Injektionssuspension für Rinder, Schafe und Schweine	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Germany	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300mg/ml Injektionssuspension für Rinder, Schafe und Schweine	300mg/ml	suspension for injection	cattle, sheep, pigs	i.m.	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Greece	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	PROCAPEN	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Greece	Intervet Hellas A.E., Ag. Dimitriou 63, 174 55 Alimos, Athens	DEPOCILLIN	300 mg/ml	Suspension for injection	Cattle, horse, goats, sheep, pig, dogs, cats	Intramuscular use	Cattle, goats (meat and offal): 6 days Sheep, pigs (meat and offal): 4 days Cattle, sheep, goats (milk): 11 days Not authorised for use in horses producing meat or milk for human consumption.
Greece	FATRO S.p.A. – Via Emilia, 285 – Ozzano dell’Emilia (BO), Italia.	PRIMOPEN	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.
Greece	Laboratorios Syva, S.A.U. Avda Párroco Pablo Díez 49-57 Leon 24010, Spain	SYVACILLIN	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Hungary	Kela N.V. St. Lenaartseweg 48, B-2320 Hoogstraten, Belgium	Neopen szuszpenziós injekció A.U.V.	300 000 IU/ml	suspension for injection	cattle, pigs, dogs, cats	cattle, pigs: IM; dogs and cats: IM or SC	Cattle (meat and offal): 7 days. Pigs (meat and offal): 4 days Cattle (milk): 4 days.
Hungary	Laboratorios SYVA, S.A.U. Avda. Párroco Pablo Díez, 49- 57 (24010) León, Spain	Procactive 300 mg/ml szuszpenziós injekció szarvasmarhák és sertések számára A.U.V.	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Hungary	aniMedica GmbH Im Südfeld 9 48308 Senden- Bösensell Germany	Procopen 300 mg/ml szuszpenziós injekció szarvasmarhák, sertések és lovak számára A.U.V.	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Hungary	WDT-Wirtschaftsgenossenschaft deutscher Tierärzte eG (Siemensstr. 14, 30827 Garbsen, Germany	Taneven 300 mg/ml szuszpenziós injekció lovak, szarvasmarhák, juhok, kecskék, kutyák és macskák számára A.U.V.	300 mg/ml	Suspension for injection	Cattle, horses, sheep, dogs, cats, goats	Intramuscular or subcutaneous use	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Hungary	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate, Monaghan, Ireland	Ultrapen LA 300 mg/ml szuszpenziós injekció szarvasmarhák és sertések számára A.U.V.	300 mg/ml	suspension for injection	cattle, pigs	cattle: IM or SC, pigs: IM	Pigs, meat and offal: 10 days. Cattle, meat and offal: s.c. administration: 13 days i.m. administration: 23 days. Milk (im administration only): 5 days.
Iceland	Boehringer Ingelheim Animal Health Nordics A/S Strødamvej 52, 2100 København Ø, Denmark	Penovet vet.	300,000 IU/ml	Suspension for injection	Cattle, pig, sheep, goat, horse, dog, cat	Intramuscular or subcutaneous use	Cattle, sheep, goat, horse (meat and offal): 15 days. Pigs (meat and offal): 5 days. Cattle, sheep, goat, horse (milk): 3 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Ireland	MEVET S.A.U. Polígono Industrial El Segre, parcela 409-410 Lérida 25191 Spain	PROBENCIL 300 mg/ml suspension for injection for cattle and pigs	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Ireland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen 300mg/ml suspension for injection for cattle sheep and pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Ireland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300mg/ml suspension for injection for cattle sheep and pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Ireland	Laboratorios syva, s.a.u. Avda. Párroco Pablo Díez, 49-57 (24010) León España	Procactive 300 mg/ml Suspension for Injection for cattle and pigs	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Ireland	Intervet Ireland Ltd. Magna Drive Magna Business Park Citywest Road Dublin 24	Depocillin 300 mg/ml Suspension for Injection	300 mg/ml	Suspension for injection	Cattle, sheep, pigs, horses, dogs and cats.	Large animals: Intramuscular use. Small animals: – intramuscular or subcutaneous injection.	Cattle (meat and offal): 6 days. Sheep(meat and offal): 4 days. Pigs (meat and offal): 5 days. Horses (meat and offal): 6 months. Cattle (milk): 7 days. Not authorised for use in ewes and mares producing milk for human consumption.
Ireland	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Norocillin 300 mg/ml Suspension for Injection	300 mg/ml	Suspension for injection	Horses, cows, sheep and pigs	Intramuscular use	Cattle, sheep and pigs (meat and offal): 5 days. Horses (meat and offal): 28 days. Cattle (milk): 4 days. Not authorised for use in ewes and mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Ireland	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Ultrapen LA 300 mg/ml	300 mg/ml	Suspension for injection	Cattle and pigs	Intramuscular and subcutaneous administration to non-lactating cattle and for intramuscular administration to pigs and lactating cattle	Subcutaneous administration Cattle (meat and offal): 10 days. Intramuscular administration Cattle (meat and offal): 21 days. Pigs (meat and offal): 7 days. Cattle (milk): 5 days.
Ireland	Chem-Pharm Ballyvaughan Co. Clare Ireland	Pharmacillin 300 mg/ml suspension for injection	300 mg/ml	Suspension for injection	Horses, cows, sheep and pigs	Intramuscular use	Cattle, sheep and pigs (meat and offal): 5 days. Horses (meat and offal): 28 days. Cattle (milk): 4 days. Not authorised for use in ewes and mares producing milk for human consumption.
Ireland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procillin 300 mg/ml Suspension for Injection for Cattle, Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, sheep and pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Ireland	Interchem Ireland Ltd 29 Cookstown Industrial Estate Dublin 24 Ireland	Propen 300 mg/ml Suspension for Injection for Cattle, Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, sheep and pigs	Intramuscular use	Cattle, sheep, pigs (meat and offal): 7 days Cattle (milk): 3 days. Not authorised for use in ewes producing milk for human consumption.
Ireland	Univet Limited Tullyvin Cootehill Co. Cavan. Ireland	Unicillin 300 mg/ml Suspension for Injection	300 mg/ml	Suspension for injection	Cattle, sheep and pigs	Intramuscular use	Cattle, sheep, pigs (meat and offal): 7 days Cattle (milk): 3 days. Not authorised for use in ewes producing milk for human consumption.
Ireland	FATRO S.p.A. Via Emilia, 285 - 40064 Ozzano Emilia Bologna Italy	PRIMOPEN 300 mg/ml suspension for injection for cattle, pigs and horses	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Italy	Intervet International B.V. Wim de Körverstraat 35 5831 AN Boxmeer The Netherlands	DEPOCILLINA 300 mg/ml sospensione acquosa iniettabile per bovini, ovini, suini, equini, cani e gatti	300 mg/ml ((corrispondente a penicillina 300.000 U.I.))	Suspension for injection	Cattle, sheep, pigs, horses, dogs and cats.	cattle, horses, pigs and sheep: intramuscular use; cats and dogs: intramuscular and subcutaneous use	Cattle (meat and offal): 5 days Sheep, pigs (meat and offal): 4 days Horses (meat and offal): 10 days Cattle (milk): 11 days. Sheep (milk): 6.5 days. Not authorised for use in mares producing milk for human consumption.
Italy	FATRO S.p.A. – Via Emilia, 285 – Ozzano dell’Emilia (BO), Italy	PRONTOCILL 300.000 U.I./ml sospensione iniettabile per bovini, ovini, caprini, suini, equini, cani e gatti.	300.000 U.I./ml	Suspension for injection	Cattle, sheep, goats, pigs, horses, dogs and cats.	Deep intramuscular or subcutaneous route.	Cattle, sheep, goats, pigs, horses (meat and offal): 20 days Cattle, sheep, goats (milk): 8 days. Not permitted for use in mares producing milk for human consumption.
Italy	FATRO S.p.A. – Via Emilia, 285 – Ozzano dell’Emilia (BO), Italy	PRIMOPEN 300 mg/ml sospensione iniettabile per bovini, suini e cavalli	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Italy	LABORATORIO S SYVA SAU Avda. Párroco Pablo Díez, 49-57 (24010) León Spain	Procactive 300 mg/ml sospensione iniettabile per bovini e suini	300 mg/ml	Suspension for injection	Pigs and cattle	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Italy	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300 mg/ml suspension for injection for Cattle Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Italy	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimpropen 300 mg/ml suspension for injection for Cattle Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Italy	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen, 300 mg/ml, sospensione iniettabile per bovini, suini e cavalli	300 mg/ml	Suspension for injection	Cattle, pigs and horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Italy	WDT - Wirtschaftsgenossenschaft Deutscher Tierärzte eG Siemensstr.14 - 30827 Garbsen Germany	Taneven 300 mg/ml	300 mg/ml	Suspension for injection	Cattle, horses, sheep, cat, dog, goats	Intramuscular use	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Latvia	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Ultrapen LA	300,00 mg/ml	suspension for injection	Cattle, pigs	Intramuscular or subcutaneous use	Subcutaneous Administration Cattle (meat and offal): 13 days. Not authorised for subcutaneous use in animals producing milk for human consumption. Intramuscular Administration Pigs (meat and offal): 10 days. Cattle (meat and offal): 23 days. Cattle (milk): 5.5 days.
Latvia	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	Norocillin	300,00 mg/ml	suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle, sheep, pigs (meat and offal): 7 days. Cattle (milk): 3.5 days. Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Latvia	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procipen	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Latvia	Bimeda Animal Health Limited, 2, 3 & 4 Airton Close, Airton Road, Tallaght, Dublin 24, Ireland	Procipen	300,00mg/ml	suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Lithuania	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	NOROCILLIN 300 mg/ml, injekcinė suspensija	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Deep intramuscular injection	Cattle, sheep, pigs (meat and offal): 7 days. Cattle (milk): 3 days. Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Lithuania	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen 300 mg/ml, injekcinė suspensija galvijams, kiaulėms ir arkliams	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Lithuania	Bimeda Animal Health Limited 2, 3 & 4 Airton Close, Airton Road, Tallaght, Dublin 24 Co. Dublin Ireland	PROCIPEN 300 mg/ml, injekcinė suspensija galvijams, avims ir kiaulėms	300mg 1 ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Lithuania	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	ULTRAPEN LA 300 mg/ml, injekcinė suspensija	300mg 1 ml	Suspension for injection	Cattle, pigs	Intramuscular and subcutaneous for non-lactating cows, intramuscular use for pigs and lactating cattle	After SC administration: Cattle (meat and offal): 10 days After IM administration: Pigs (meat and offal): 7 days. Cattle (meat and offal): 21 days. Cattle (milk): 5 days

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Luxembourg	Laboratorios SYVA, S.A.U. Avda. Párroco Pablo Díez, 49-57 24010 – León Spain	Peniyet vet	300 mg (corresponding to 170 mg benzylpenicillin)	Suspension for injection	Pigs Cattle	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Luxembourg	Kela nv Sint Lenaartseweg 48 2320 Hoogstraten Belgium	Peni-Kel	300 mg/ml	Suspension for injection	Pigs Cattle	Intramuscular use	Pig (meat and offal): 5 days Cattle (meat and offal): 9 days Cattle (milk): 7.5 days.
Luxembourg	V.M.D. nv Hoge Mauw 900 2370 Arendonk Belgium	DEPOSIL	300000 UI	Suspension for injection	Cattle Ovine Pigs Dogs Cats	Bovines, ovines and porcines: IM Dogs: IM, SC Cats: SC	Cattle, pigs, (meat and offal): 5 days Sheep (meat and offal): 4 days Cattle (milk): 11 days. Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Luxembourg	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Luxembourg	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Malta	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procipen 300mg/ml, Suspension for injection for cattle, pigs and horses	300mg/ml	Suspension for injection	Cattle, pigs (adults) & horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Norway	Boehringer Ingelheim Animal Health Nordics Strødamvej 52 2100 Copenhagen Denmark	Penovet vet	300 mg/ml	Suspension for injection	Cattle, sheep, goat, dog, cat, pig, horse	intramuscular, subcutaneous, intraperitoneal, intrasynovial, intrauterine	intramuscular/subcutaneous: Cattle, sheep, goat, horse (meat and offal): 14 days. Pigs (meat and offal): 5 days. Cattle, sheep, goat, horse (milk): 3 days.
Norway	Laboratorios SYVA S.A.U. Avda. Párroco Pablo Díez, 49-57 León, 24010 Spain	Peniyet vet	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Norway	FATRO S.p.A. Via Emilia 285 40064 Ozzano Emilia (Bologna) Italy	Primopen	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Norway	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Tallaght, Dublin D24 Ireland	Bimprocil vet	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Poland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimpropen 300mg/ml suspension for injection for cattle sheep and pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Poland	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300mg/ml suspension for injection for cattle sheep and pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Poland	ScanVet Polan Sp. z o.o. Skierszowo, ul. Kiszowska 9 62-200 Gniezno Poland	Longapen	300 mg/ml	Suspension for injection	Cattle, pigs	Intramuscular or subcutaneous use	Pigs (meat and offal): 7 days Cattle (meat and offal): 10 days (subcutaneous use), 21 days (intramuscular use). Cattle (milk): 5 days.
Poland	ScanVet Polan Sp. z o.o. Skierszowo, ul. Kiszowska 9 62-200 Gniezno Poland	Penillin 30%	300 mg/ml	Suspension for injection	Cattle, horses, cat, goat, sheep, dog, pigs	Intramuscular use	Cattle, sheep, goats, pigs (meat and offal): 5 days Cattle (milk): 3 days. Not authorised for use in goats and sheep producing milk for human consumption. Not authorised for use in horses intended for human consumption.
Poland	Dopharma B.V. Zalmweg 24 4941 VX Raamsdonksveer The Netherlands	Penject	300 000 IU/ml	Suspension for injection	Pigs	Intramuscular use	9 days

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Poland	FATRO S.p.A. - Via Emilia 285 - Ozzano dell'Emilia (Bologna), Italy	Primopen	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.
Poland	MEVET S.A.U. Polígono Industrial El Segre, parcela 409-410 25191 Llérida Spain	Probencil	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Poland	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen	300 mg/ml	Suspension for injection	Cattle, horses, pigs	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Poland	WDT – Wirtschaftsgenossenschaft deutscher Tierärzte eG Siemensstr. 14 30827 Garbsen Germany	Taneven	300 mg/ml	Suspension for injection	Cattle, horses, goat, sheep	Intramuscular or subcutaneous use	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.
Portugal	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen, 300 mg / ml, Suspension for injection for cattle, pigs and horses	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Portugal	laboratorios syva, s.a.u. Avda. Párroco Pablo Díez, 49-57 (24010) León Spain	Procactive 300 mg / ml suspension for injection for cattle and pigs.	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Portugal	MSD Animal Health, Lda.	Depocilina 300 mg/ml suspensão injetável para bovinos, ovinos, suínos, equinos, cães e gatos.	300 mg/ml	Suspension for injection	Cattle, horses, sheep, pigs, dogs, cats	Intramuscular or subcutaneous injection	Cattle, pigs (meat and offal): 5 days Sheep (meat and offal): 4 days Cattle, sheep (milk): 6 days Not authorised for use in horses intended for human consumption.
Portugal	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300mg/ml suspension for injection for cattle sheep and pigs	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Romania	Dopharma B.V. Zalmweg 24 4941 VX Raamsdonksveer The Netherlands	Penject 30	300.000 IU/ml	Suspension for injection	Cattle, pigs, horses, dogs, cats	i.m.	Cattle, horses, pigs (meat and offal): 7 days Cattle (milk): 3 days Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Romania	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procopen	300 mg/ml	Suspension for injection	cattle, horses, pigs	i.m.	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Romania	Intervet International B.V. Wim de Korverstr. 35 5831 AN Boxmeer The Netherlands	Depocillin	300 mg/ml	Suspension for injection	Cattle, pigs, sheep, horses, dogs, cats	i.m or s.c.	Cattle (meat and offal): 5 days Pigs, sheep (meat and offal): 4 days Cattle, sheep (milk): 6 days. Not authorised for use in horses intended for human consumption.
Romania	WDT – Wirtschaftsgenossenschaft deutscher Tierärzte eG Siemensstr. 14 30827 Garbsen Niemcy	Taneven	300 mg/ml	suspension for injection	horses, cattle, sheep, goats, dogs and cats	i.m or s.c.	Cattle, horse, sheep, goat (meat and offal): 10 days Cattle, sheep, goat (milk): 5 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Slovak Republic	Norbrook Laboratories (Ireland) Limited, Rossmore Industrial Estate, Monaghan, Ireland	NOROCILLIN 300 mg/ml injekčná suspenzia	300 mg/ml	Suspension for injection	Cattle, pigs, sheep	Intramuscular use	Cattle, sheep, pigs (meat and offal): 5 days Cattle (milk): 4 days. Not authorised for use in sheep whose milk is intended for human consumption.
Slovak Republic	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	PROCAPEN, 300 mg/ml, suspenzia na injekciu pre hovädzí dobytok, ošípané a kone	300 mg/ml	Suspension for injection	Cattle, pigs (adult pigs) and horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
Slovenia	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Livipen 300 mg/ml, suspenzija za injiciranje za govedo, prašiče in konje	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Slovenia	Alfasan International BV, Kuipersweg 9, 3449 JA Woerden, Netherlands	Procpen 297,7 mg/ml suspensija za injiciranje za govedo, prašiče, pse in mačke	297,7 mg/ml	Suspension for injection	Cattle, pigs, dogs, cats	Intramuscular use	Cattle, pigs, (meat and offal): 7 days Cattle (milk): 4 days.
Spain	MEVET S.A.U. Polígono Industrial El Segre, parcela 409-410 25191 Lérida Spain	PROBENCIL 300 mg/ml SUSPENSION INYECTABLE PARA BOVINO Y PORCINO	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Spain	Laboratorios syva, s.a.u. Avda. Párroco Pablo Díez, 49-57 (24010) León Spain	Procactive 300 mg/ml suspension inyectable para bovino y porcino	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Spain	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	Procapen 300 mg/ml suspension inyectable para bovino porcino y caballos	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Spain	Merck Sharp & Dohme Animal Health, S.L. Polígono Industrial El Montalvo I C/ Zeppelin, nº 6, parcela 38 37008 Carbajosa de la Sagrada Salamanca Spain	DEPOCILLIN	300 mg/ml	Suspension for injection	Cattle, sheep, not in food-producing horse and pigs	Intramuscular use	Cattle, sheep (meat and offal): 5 days. Pigs (meat and offal): 6 days. Cattle (milk): 8 hours. Not authorised for use in sheep producing milk for human consumption. Not authorised for use in horses producing meat or milk for human consumption.
Spain	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen 300 mg/ml suspensión inyectable para bovino, ovino y porcino.	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Spain	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Bimprocil 300 mg/ml suspensión inyectable para bovino, ovino y porcino.	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
Sweden	Boehringer Ingelheim Animal Health Nordics A/S, PO6101502856 , Strødamvej 52, 2100 København Ø, Denmark	Penovet vet.	300 mg/ml	Suspension for injection	Cattle, horse, pigs, sheep, dogs, cats, goats	Intramuscular use	Cattle, horse, pigs, sheep, goats (meat and offal): 14 days Cattle, horse, sheep, goats (milk): 6 days
Sweden	Intervet International BV, P.O. Box 30 5830 AA Boxmeer, The Netherlands	Ethacilin vet.	300 mg/ml	Suspension for injection	Cattle, horse, pigs, sheep, dogs, cats	Intramuscular use or subcutaneous use (not for horse)	Cattle, horse, pigs, sheep, goats (meat and offal): 14 days Cattle, horse, sheep, goats (milk): 6 days

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
Sweden	Laboratorios SYVA, S.A.U., Av. Párroco Pablo Diez, 49-57 24010 León , Spain	Peniyet vet	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
Sweden	Norbrook Laboratories (Ireland) Limited, Rossmore Industrial Estate Monaghan , Ireland	Ultrapen vet	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle, sheep (meat and offal): 28 days Pigs (meat and offal): 14 days Cattle, sheep (milk): 4 days.
Sweden	Bimeda Animal Health Limited, , Airton Road Tallaght Dublin 24, Ireland	Bimprocil vet	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
The Netherlands	Intervet Nederland B.V. Wim de Körverstraat 35 5831 AN Boxmeer Netherlands	DEPOCILLINE, suspensie voor injectie	300000 I.U./ml	Suspension for injection	Cattle, Scheep, pigs, dogs, cats	Cattle, non-lactating sheep, pig: Intramuscular use. Dog, cat: Intramuscular or subcutaneous use.	Cattle: Meat and offal: 5 days Milk: 11 days Pig: Meat and offal: 6 days Sheep: Meat and offal: 7 days Not authorised for sheep producing milk for human consumption
The Netherlands	Norbrook Laboratories (Ireland) Limited Rossmore Industrial Estate Monaghan Ireland	NOROCILLIN, 300.000 I.E. per ml suspensie voor injectie	300000 I.U./ml	Suspension for injection	Cattle, sheep, pigs, dogs and cats	Intramuscular use	Cattle, sheep, pigs (meat and offal): 5 days Cattle (milk): 3 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
The Netherlands	Dopharma Research B.V. Zalmweg 24 4941 VX Raamsdonksveer The Netherlands	PEN 30 INJ., 300.000 IE/ml, suspensie voor injectie voor varkens	300000 I.U./ml	Suspension for injection	Pigs	Intramuscular use	9 days
The Netherlands	Eurovet Animal Health B.V. Handelsweg 25 5531 AE Bladel The Netherlands	PEN 30 PRO INJ., suspensie voor injectie	300000 I.U./ml	Suspension for injection	Dogs and cats	Intramuscular use	N/A
The Netherlands	Dopharma Research B.V. Zalmweg 24 4941 VX Raamsdonksveer The Netherlands	PENJECT 30, 300.000 IE/ml, suspensie voor injectie voor varkens	300000 I.U./ml	Suspension for injection	Pigs	Intramuscular use	9 days

Member State EU/EEA and UK/NL	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
The Netherlands	Kepro B.V. Maagdenburgstraat 17 7421 ZA Deventer The Netherlands	P.P. 30% SUSP. PRO INJ., suspensie voor injectie voor honden en katten	300000 I.U./ml	Suspension for injection	Dogs and cats	Intramuscular use	N/A
The Netherlands	Dopharma Research B.V. Zalmweg 24 4941 VX Raamsdonksveer The Netherlands	PROCPEN 30, 300.000 I.E. per ml suspensie voor injectie	300000 I.U./ml	Suspension for injection	Cattle, sheep, pigs, dogs and cats	Intramuscular use	Cattle, sheep, pigs (meat and offal): 5 days Cattle (milk): 3 days Not authorised for use in sheep producing milk for human consumption.
The Netherlands	Alfasan Nederland B.V. Kuipersweg 9 3449 JA Woerden The Netherlands	PROCAINE PENICILLINE "30" PRO INJ, 300.000 IE/ ml, suspensie voor injectie voor hond en kat	Procaine benzylpenicillin: 300000 I.U./ml Procaine Hydrochloride: 20 mg/ml	Suspension for injection	Dogs and cats	Intramuscular use	N/A

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
The Netherlands	Alfasan Nederland B.V. Kuipersweg 9 3449 JA Woerden The Netherlands	PROCAINE PENICILLINE "30" PRO INJ, 300.000 IE/ ml, suspensie voor injectie	Procaine benzylpenicillin: 300000 I.U./ml Procaine Hydrochloride: 20 mg/ml	Suspension for injection	Pigs, dogs and cats	Intramuscular use	Pigs (meat and offal): 10 days
The Netherlands	Laboratorios syva, s.a.u. Avda. Párroco Pablo Díez, 49-57 (24010) León Spain	Peniyet vet 300 mg/ml suspensie voor injectie bij runderen en varkens	300 mg/ml	Suspension for injection	Cattle and pigs (weighing more than 25 kg).	Intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.
The Netherlands	Bimeda Animal Health Limited 2, 3 & 4 Airton Close Airton Road Tallaght Dublin 24 Ireland	Procipen 300mg/ml suspensie voor injectie voor runderen, schapen en varkens	300 mg/ml	Suspension for injection	Cattle, sheep, pigs	Intramuscular use	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
The Netherlands	aniMedica GmbH Im Südfeld 9 48308 Senden-Bösensell Germany	PROCAPEN, 300 mg/ml, suspensie voor injectie voor runderen, varkens en paarden	300 mg/ml	Suspension for injection	Cattle, pigs, horses	Intramuscular use	Cattle, horse, (meat and offal): 14 days Pig (meat and offal): 15 days Cattle (milk): 6 days. Not authorised for use in mares producing milk for human consumption.
UK (Northern Ireland)	Bimeda Animal Health Limited	Bimprocil 300 mg/ml Suspension for Injection for Cattle Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, Pigs, Sheep	For intramuscular use only.	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
UK (Northern Ireland)	MSD Animal Health UK Limited	Depocillin 300 mg/ml Suspension for Injection	300 mg/ml	Suspension for injection	Cattle, Horse, Pigs, Sheep, Dogs, Cats	Horses, cattle, sheep and pigs intramuscular injection. Dogs and cats subcutaneous administration.	Cattle, sheep, pigs (meat and offal): 5 days Cattle (milk): 11 days Not authorised for use in sheep producing milk intended for human consumption. Not authorised for use in horses intended for human consumption.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
UK (Northern Ireland)	Norbrook Laboratories Limited	Norocillin 30% w/v Suspension for Injection	300 mg/ml	Suspension for injection	Cattle, Pigs, Sheep	Administer by deep intramuscular injection only.	Cattle, sheep, pigs (meat and offal): 7 days. Cattle (milk): 3.5 days. Not authorised for use in sheep producing milk for human consumption.
UK (Northern Ireland)	Fatro S.p.A.	Primopen 300 mg/ml Suspension for Injection for Cattle, Pigs and Horses	300 mg/ml	Suspension for injection	Cattle, Horses, Pigs	For intramuscular use.	Cattle (meat and offal): 6 days. Pig (meat and offal): 4 days. Horse (meat and offal): 6 months. Cattle (milk): 4 days. Not authorised for use in mares producing milk for human consumption.
UK (Northern Ireland)	Laboratorios SYVA S.A.U	Procactive 300 mg/ml Suspension for Injection for Cattle and Pigs	300 mg/ml	Suspension for injection	Cattle, Pigs	For intramuscular use	Cattle, pigs, (meat and offal): 6 days Cattle (milk): 4 days.

Member State EU/EEA and UK/NI	Marketing authorisation holder	Product name	Strength	Pharmaceutical form	Animal species	Route of administration	Withdrawal period
UK (Northern Ireland)	Bimeda Animal Health Limited	Procipen 300 mg/ml Suspension for Injection for Cattle Sheep and Pigs	300 mg/ml	Suspension for injection	Cattle, Pigs, Sheep	For intramuscular use only.	Cattle (meat and offal): 10 days Pigs (meat and offal): 7 days Sheep (meat and offal): 4 days Cattle (milk): 4.5 days Not authorised for use in sheep producing milk for human consumption.
UK (Northern Ireland)	Norbrook Laboratories Limited	Ultrapen LA 30% Suspension for Injection	30% w/v	Suspension for injection	Cattle, Pigs	Intramuscular and subcutaneous administration to non-lactating cattle and intramuscular administration to pigs and lactating cattle.	Subcutaneous Administration Cattle (meat and offal): 13 days. Not authorised for subcutaneous use in animals producing milk for human consumption. Intramuscular Administration Pigs (meat and offal): 10 days. Cattle (meat and offal): 23 days. Cattle (milk): 5.5 days.