

3 May 2018 EMA/276857/2018 Inspections, Human Medicines Pharmacovigilance & Committees Division

Scientific recommendation on classification of advanced therapy medicinal products

Article 17 – Regulation (EC) No 1394/2007

Disclaimer: This document is a summary for public release of a scientific recommendation on classification of advanced therapy medicinal products. The original text adopted by the Committee for Advanced Therapies (CAT) has been redacted to delete commercially confidential information.

The present scientific recommendation refers exclusively to the case as presented to the European Medicines Agency (EMA) without prejudice to future evaluations by the Agency.

It is stressed that the scientific recommendation on advanced therapy classification does not amount to any endorsement of the plausibility of the product, including the mode of action or therapeutic indication(s) claimed by the applicant.

Brief description (or name when available) of the active substance(s)

Autologous bone marrow derived mesenchymal stem cells.

Brief description of the finished product

Cryopreserved cell suspension in freezing solution or suspended in PBS buffer.

Proposed indication

Treatment of multiple sclerosis.

EMA/CAT conclusion

The procedure was finalised on 28 March 2018 for the following recommendation.

On the basis that the product:

30 Churchill Place • Canary Wharf • London E14 5EU • United Kingdom Telephone +44 (0)20 3660 6000 Facsimile +44 (0)20 3660 5555 Send a question via our website www.ema.europa.eu/contact



An agency of the European Union

© European Medicines Agency, 2018. Reproduction is authorised provided the source is acknowledged.

- consists of engineered cells or tissues, which have been subject to substantial manipulation, so that biological characteristics, physiological functions or structural properties relevant for the intended regeneration, repair or replacement are achieved;
- is administered to human beings with a view to regenerating, repairing and replacing a human tissue,

the EMA/CAT considers that the product falls within the definition of a tissue engineered product, as provided in Article 2(4) of Regulation (EC) 1394/2007.