

09 December 2021

# COVID-19 vaccine safety update

**VAXZEVRIA** 

AstraZeneca AB

The safety of Vaxzevria is continuously monitored and safety updates are regularly provided to the public. This document outlines the outcomes from the assessment of emerging worldwide safety data carried out by EMA's <u>Pharmacovigilance Risk Assessment Committee</u> (PRAC) (see section 1). It also contains high-level information from the reporting of suspected adverse reactions, which PRAC takes into account in its assessments (see section 2).

This safety update follows the update of 11 November 2021.

# Main outcomes from PRAC's latest safety assessment

No new updates to the product information are currently recommended.

The safety updates are published regularly at <u>COVID-19 vaccines:</u> <u>authorised</u>. All published safety updates for Vaxzevria are available at <u>Vaxzevria: safety updates</u>.

Since its marketing authorisation in the European Union (EU) on 29 January 2021 until 01 December 2021, almost 68.8 million doses of Vaxzevria have been administered in the EU/EEA<sup>1</sup>.



# 1. Updates on safety assessments for Vaxzevria

During its meetings held 29 November to 02 December 2021, PRAC assessed new safety data for Vaxzevria (see section 2 'How safety is monitored'). No new signals were identified and no conclusions on any ongoing signals were reached.

EMA confirms that the benefits of Vaxzevria continue to outweigh its risks, given the risk of COVID-19 illness and related complications, including hospitalisation and death.

# 2. How safety is monitored

As for all COVID-19 vaccines, relevant new information emerging on Vaxzevria is collected and promptly reviewed. This is in line with the <a href="https://pharmacovigilance.plan.for.covid-19">pharmacovigilance.plan.for.covid-19</a> vaccines of the EU regulatory network (comprising the regulatory bodies of the EU Member States, EMA and the European Commission).

# Summary safety reports

The pharmacovigilance plan for COVID-19 vaccines includes Monthly Summary Safety Reports (MSSRs) which are compiled by the marketing authorisation holders to support timely and continuous benefit-risk evaluations for COVID-19 vaccines used during the pandemic. MSSRs are intended to be compiled for at least the first six months of marketing (afterwards, pandemic summary safety reports may cover time periods longer than a month). These reports complement the submission of <a href="Periodic Safety Update Reports">Periodic Safety Update Reports</a> (PSURs).

www.ema.europa.eu Page 2/5

<sup>&</sup>lt;sup>1</sup> The <u>European Centre for Disease Prevention and Control (ECDC)</u> collects these exposure data from EU Member States as well as from the additional countries of the European Economic Area (EEA) Norway, Iceland and Liechtenstein.

### Case reports of suspected side effects

Collecting reports of medical events and problems that occur following the use of a medicine, and therefore might be side effects, is one of the pillars of the EU safety monitoring system. Healthcare professionals and vaccinated individuals are encouraged to report to their national competent authorities all suspected side effects individuals may have experienced after receiving a vaccine even if it is unclear whether the vaccine was the cause. For more information on how to report, including the importance of detailing the vaccine product name and the batch, see Reporting suspected side effects.

These spontaneous reports are collected in EudraVigilance, the EU database used for monitoring and analysing suspected side effects. Publicly available information can be accessed via <a href="European database of suspected drug reaction reports">European database of suspected drug reaction reports</a> in all EU/EEA languages. Search for "COVID-19 VACCINE ASTRAZENECA (CHADOX1 NCOV-19)" to see all suspected side effect cases reported for Vaxzevria.

As of 01 December 2021, a total of 223,295 cases of suspected side effects with Vaxzevria were spontaneously reported to EudraVigilance from EU/EEA countries; 1,303 of these reported a fatal outcome<sup>2,3</sup>. By the same date, almost 68.8 million doses of Vaxzevria had been given to people in the EU/EEA<sup>4</sup>.

These reports describe suspected side effects in individuals, i.e. medical events observed following the use of a vaccine. The fact that someone has had a medical issue or died after vaccination does not necessarily mean that this was caused by the vaccine. This may have been caused, for example, by health problems not related to the vaccination.

The EU regulatory network continuously monitors EudraVigilance to detect any new safety issues. EudraVigilance relies on individual healthcare professionals and patients to report their own experience. The monitoring detects unusual or unexpected patterns in the reports received for further investigation and risk assessment. EMA's detailed assessments take into account all available data from all sources to draw a robust conclusion on the safety of the vaccine. These data include clinical trial results, reports of suspected side effects in EudraVigilance, epidemiological studies

www.ema.europa.eu Page 3/5

<sup>&</sup>lt;sup>2</sup> These figures have been calculated excluding cases reported from Northern Ireland (EU reporting requirements for suspected adverse reactions to EudraVigilance apply to Northern Ireland in accordance with the Protocol on Ireland/Northern Ireland).

<sup>&</sup>lt;sup>3</sup> Source: EudraVigilance. These figures cannot be extracted directly from the public database of suspected adverse reactions, which groups information per type of side effect. As more than one suspected side effect may have been included in a single case report, the total number of side effects will never match the number of individual cases. Similarly, this public database does not provide the total number of cases reported with a fatal outcome.

<sup>&</sup>lt;sup>4</sup> The <u>European Centre for Disease Prevention and Control (ECDC)</u> collects these exposure data from EU Member States as well as from the additional countries of the European Economic Area (EEA) Norway, Iceland and Liechtenstein.

monitoring the safety of the vaccine, toxicological investigations and any other relevant information.

### Planned and ongoing studies

The company that markets Vaxzevria will continue to provide results from the main clinical trials, which are ongoing. It will also conduct additional studies to monitor the safety and effectiveness of the vaccine as it is used in vaccination campaigns and other clinical practice. For the list of planned and ongoing safety studies for Vaxzevria, see the <u>risk management plan</u>.

A <u>paediatric investigation plan</u> (PIP) for Vaxzevria is in place. This describes how the company will collect data on the vaccine's efficacy and safety for its potential use in children.

In addition, EMA is coordinating <u>observational studies</u> in EU Member States looking at real-world data from clinical practice to monitor the safety and effectiveness of COVID-19 vaccines, including in pregnant women.

#### 3. Other information for Vaxzevria

Vaxzevria (previously COVID-19 Vaccine AstraZeneca) is a vaccine that was authorised in the EU on 29 January 2021 for use in people aged 18 years and older to prevent COVID-19 when infected with the coronavirus SARS-CoV-2. COVID-19 is a potentially severe disease that may result in death.

Vaxzevria contains an adenovirus that has been modified to carry molecules of DNA, which the body uses to temporarily produce the SARS-CoV-2 spike protein. The spike protein does not cause COVID-19. The adenovirus cannot reproduce and does not cause viral disease.

Before Vaxzevria was granted an EU marketing authorisation, the efficacy and safety of the vaccine were assessed through pre-clinical studies and large clinical trials. More than 12,000 participants had been given the vaccine in clinical trials.

Like all medicines, this vaccine can cause side effects, although not everybody will experience them. The most common side effects known for Vaxzevria are usually mild or moderate and get better within a few days after vaccination.

More information on how Vaxzevria works and its use is available in all EU/EEA languages in the <u>medicine overview</u>. This includes information on use in pregnant and breastfeeding women and immunocompromised individuals.

The full <u>product information</u> with the summary of product characteristics and the package leaflet is also available in all EU/EEA languages.

www.ema.europa.eu Page 4/5

#### **European Medicines Agency**

Official address Domenico Scarlattilaan 6 • 1083 HS Amsterdam • The Netherlands Address for visits and deliveries Refer to <a href="www.ema.europa.eu/how-to-find-us">www.ema.europa.eu/how-to-find-us</a>
Send us a question Go to <a href="www.ema.europa.eu/contact">www.ema.europa.eu/contact</a>
Telephone +31 (0)88 781 6000

© European Medicines Agency, 2021. Reproduction is authorised provided the source is acknowledged.

An agency of the European Union



www.ema.europa.eu Page 5/5